





Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-533. Radiated Restricted Lower Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-534. Radiated Restricted Lower Band Edge Measurement ANT2


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 330 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-535. Radiated Restricted Lower Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4




Plot 7-536. Radiated Restricted Lower Band Edge Measurement ANT2

| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 331 of 388 |

V 10.5 12/15/2021




Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-537. Radiated Restricted Lower Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-538. Radiated Restricted Lower Band Edge Measurement ANT2


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 332 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-539. Radiated Restricted Lower Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-540. Radiated Restricted Lower Band Edge Measurement ANT2


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 333 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 6



Plot 7-541. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-542. Radiated Restricted Upper Band Edge Measurement ANT2


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 334 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-543. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-544. Radiated Restricted Upper Band Edge Measurement ANT2


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 335 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-545. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-546. Radiated Restricted Upper Band Edge Measurement ANT2


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 336 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-547. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9




Plot 7-548. Radiated Restricted Upper Band Edge Measurement ANT2

| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 337 of 388 |

V 10.5 12/15/2021




Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-549. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9




Plot 7-550. Radiated Restricted Upper Band Edge Measurement ANT2

| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 338 of 388 |

V 10.5 12/15/2021




Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-551. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-552. Radiated Restricted Upper Band Edge Measurement ANT2


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 339 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-553. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-554. Radiated Restricted Upper Band Edge Measurement ANT2


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 340 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-555. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-556. Radiated Restricted Upper Band Edge Measurement ANT2


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 341 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-557. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-558. Radiated Restricted Upper Band Edge Measurement ANT2


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 342 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-559. Radiated Restricted Upper Band Edge Measurement ANT2

| | | | |
|--|---|---|--|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 343 of 388 |


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.7.6 CDD Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-560. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1




Plot 7-561. Radiated Restricted Lower Band Edge Measurement CDD

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 344 of 388 |




Mode: 802.11n
 Data Rate: MCS15
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-562. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-563. Radiated Restricted Lower Band Edge Measurement CDD


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 345 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-564. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS15
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2




Plot 7-565. Radiated Restricted Lower Band Edge Measurement CDD

| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 346 of 388 |

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3




Plot 7-566. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3




Plot 7-567. Radiated Restricted Lower Band Edge Measurement CDD

| | | | |
|--|---|---|--|
| FCC ID: BCGA2117 IC: 579C-A2117 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 347 of 388 |




Mode: 802.11n
 Data Rate: MCS15
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-568. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-569. Radiated Restricted Lower Band Edge Measurement CDD


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 348 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-570. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS15
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-571. Radiated Restricted Lower Band Edge Measurement CDD


| | | | |
|--|---|---|--|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 349 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11n
 Data Rate: MCS15
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-572. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-573. Radiated Restricted Upper Band Edge Measurement CDD


| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 350 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11n
 Data Rate: MCS15
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-574. Radiated Restricted Upper Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-575. Radiated Restricted Upper Band Edge Measurement CDD

| | | | |
|---|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2117 IC: 579C-A2117 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2302130007-05.BCG | Test Dates: 2/10/2023 - 4/25/2023 | EUT Type: Head Mounted Device | Page 351 of 388 |

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.