





Mode: 802.11n  
 Data Rate: MCS12  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2447MHz  
 Channel: 8



**Plot 7-576. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11n  
 Data Rate: MCS15  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2447MHz  
 Channel: 8




**Plot 7-577. Radiated Restricted Upper Band Edge Measurement CDD**

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 352 of 388

V 10.5 12/15/2021




Mode: 802.11n  
 Data Rate: MCS10  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2452MHz  
 Channel: 9



**Plot 7-578. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11n  
 Data Rate: MCS12  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2452MHz  
 Channel: 9



**Plot 7-579. Radiated Restricted Upper Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 353 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11n  
 Data Rate: MCS15  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2452MHz  
 Channel: 9



**Plot 7-580. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11n  
 Data Rate: MCS10  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2457MHz  
 Channel: 10




**Plot 7-581. Radiated Restricted Upper Band Edge Measurement CDD**

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 354 of 388

V 10.5 12/15/2021




Mode: 802.11n  
 Data Rate: MCS12  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2457MHz  
 Channel: 10



**Plot 7-582. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11n  
 Data Rate: MCS15  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2457MHz  
 Channel: 10




**Plot 7-583. Radiated Restricted Upper Band Edge Measurement CDD**

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 355 of 388

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).

Mode: 802.11n  
 Data Rate: MCS10  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11




**Plot 7-584. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11n  
 Data Rate: MCS12  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11




**Plot 7-585. Radiated Restricted Upper Band Edge Measurement CDD**

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 356 of 388




Mode: 802.11n  
 Data Rate: MCS15  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11



**Plot 7-586. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11n  
 Data Rate: MCS10  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2467MHz  
 Channel: 12




**Plot 7-587. Radiated Restricted Upper Band Edge Measurement CDD**

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 357 of 388

V 10.5 12/15/2021




Mode: 802.11n  
 Data Rate: MCS12  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2467MHz  
 Channel: 12



**Plot 7-588. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11n  
 Data Rate: MCS15  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2467MHz  
 Channel: 12



**Plot 7-589. Radiated Restricted Upper Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 358 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11n  
 Data Rate: MCS10  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2472MHz  
 Channel: 13



**Plot 7-590. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11n  
 Data Rate: MCS12  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2472MHz  
 Channel: 13



**Plot 7-591. Radiated Restricted Upper Band Edge Measurement CDD**

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 359 of 388


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).






Mode: 802.11n  
 Data Rate: MCS15  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2472MHz  
 Channel: 13



**Plot 7-592. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-593. Radiated Restricted Lower Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 360 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-594. Radiated Restricted Lower Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS9  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-595. Radiated Restricted Lower Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 361 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-596. Radiated Restricted Lower Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-597. Radiated Restricted Lower Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 362 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
 Data Rate: MCS9  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-598. Radiated Restricted Lower Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2422MHz  
 Channel: 3



**Plot 7-599. Radiated Restricted Lower Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 363 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2422MHz  
 Channel: 3



**Plot 7-600. Radiated Restricted Lower Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS9  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2422MHz  
 Channel: 3



**Plot 7-601. Radiated Restricted Lower Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 364 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2427MHz  
 Channel: 4



**Plot 7-602. Radiated Restricted Lower Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2427MHz  
 Channel: 4



**Plot 7-603. Radiated Restricted Lower Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2302130007-05.BCG	<b>Test Dates:</b> 2/10/2023 - 4/25/2023	<b>EUT Type:</b> Head Mounted Device	Page 365 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
 Data Rate: MCS9  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2427MHz  
 Channel: 4



**Plot 7-604. Radiated Restricted Lower Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2432MHz  
 Channel: 5



**Plot 7-605. Radiated Restricted Lower Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 366 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
 Data Rate: MCS9  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2432MHz  
 Channel: 5



**Plot 7-606. Radiated Restricted Lower Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS9  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 6



**Plot 7-607. Radiated Restricted Upper Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 367 of 388

V 10.5 12/15/2021






Mode: 802.11ax - SU  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2442MHz  
 Channel: 7



**Plot 7-608. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2442MHz  
 Channel: 7



**Plot 7-609. Radiated Restricted Upper Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 368 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
 Data Rate: MCS9  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2442MHz  
 Channel: 7



**Plot 7-610. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2447MHz  
 Channel: 8




**Plot 7-611. Radiated Restricted Upper Band Edge Measurement CDD**

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 369 of 388

V 10.5 12/15/2021




Mode: 802.11ax - SU  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2447MHz  
 Channel: 8



**Plot 7-612. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS9  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2447MHz  
 Channel: 8



**Plot 7-613. Radiated Restricted Upper Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 370 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2452MHz  
 Channel: 9



**Plot 7-614. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2452MHz  
 Channel: 9



**Plot 7-615. Radiated Restricted Upper Band Edge Measurement CDD**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 371 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
 Data Rate: MCS9  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2452MHz  
 Channel: 9



**Plot 7-616. Radiated Restricted Upper Band Edge Measurement CDD**

Mode: 802.11ax - SU  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2457MHz  
 Channel: 10



**Plot 7-617. Radiated Restricted Upper Band Edge Measurement CDD**

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 372 of 388

V 10.5 12/15/2021