




Figure 683 - 5755 MHz - 6 dB DTS Bandwidth




Figure 684 - 5755 MHz - 26 dB Emission Bandwidth




Figure 685 - 5755 MHz - 99% Occupied Bandwidth




Figure 686 - 5795 MHz - 6 dB DTS Bandwidth




Figure 687 - 5795 MHz - 26 dB Emission Bandwidth




Figure 688 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.240	36.600	36.600
26 dB Bandwidth (MHz)	5.400	40.560	40.920
99% Bandwidth (MHz)	36.339	36.292	36.392

Table 417 - 802.11n / HT40 MCS8 / MIMO SDM / Cores 0+1




Figure 689 - 5710 MHz - 6 dB DTS Bandwidth




Figure 690 - 5710 MHz - 26 dB Emission Bandwidth





Figure 691 - 5710 MHz - 99% Occupied Bandwidth






Figure 694 - 5755 MHz - 99% Occupied Bandwidth




Figure 695 - 5795 MHz - 6 dB DTS Bandwidth




Figure 696 - 5795 MHz - 26 dB Emission Bandwidth




Figure 697 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.240	36.600	36.600
26 dB Bandwidth (MHz)	9.960	40.800	45.360
99% Bandwidth (MHz)	36.305	36.283	36.316

Table 418 - 802.11n / HT40 MCS0 / MIMO TxBF / Cores 0+1




Figure 698 - 5710 MHz - 6 dB DTS Bandwidth




Figure 699 - 5710 MHz - 26 dB Emission Bandwidth




Figure 700 - 5710 MHz - 99% Occupied Bandwidth




Figure 701 - 5755 MHz - 6 dB DTS Bandwidth




Figure 702 - 5755 MHz - 26 dB Emission Bandwidth




Figure 703 - 5755 MHz - 99% Occupied Bandwidth




Figure 704 - 5795 MHz - 6 dB DTS Bandwidth




Figure 705 - 5795 MHz - 26 dB Emission Bandwidth




Figure 706 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.240	36.480	36.480
26 dB Bandwidth (MHz)	5.280	40.680	40.800
99% Bandwidth (MHz)	36.284	36.331	36.299

Table 419 - 802.11n / HT40 MCS0 / MIMO CDD / Cores 0+1+2




Figure 707 - 5710 MHz - 6 dB DTS Bandwidth




Figure 708 - 5710 MHz - 26 dB Emission Bandwidth




Figure 709 - 5710 MHz - 99% Occupied Bandwidth




Figure 710 - 5755 MHz - 6 dB DTS Bandwidth




Figure 711 - 5755 MHz - 26 dB Emission Bandwidth




Figure 712 - 5755 MHz - 99% Occupied Bandwidth




Figure 713 - 5795 MHz - 6 dB DTS Bandwidth




Figure 714 - 5795 MHz - 26 dB Emission Bandwidth




Figure 715 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.240	36.480	36.480
26 dB Bandwidth (MHz)	5.400	40.680	40.560
99% Bandwidth (MHz)	36.331	36.304	36.343

Table 420 - 802.11n / HT40 MCS16 / MIMO SDM / Cores 0+1+2




Figure 716 - 5710 MHz - 6 dB DTS Bandwidth




Figure 717 - 5710 MHz - 26 dB Emission Bandwidth




Figure 718 - 5710 MHz - 99% Occupied Bandwidth




Figure 719 - 5755 MHz - 6 dB DTS Bandwidth




Figure 720 - 5755 MHz - 26 dB Emission Bandwidth




Figure 721 - 5755 MHz - 99% Occupied Bandwidth




Figure 722 - 5795 MHz - 6 dB DTS Bandwidth




Figure 723 - 5795 MHz - 26 dB Emission Bandwidth




Figure 724 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.240	36.480	36.600
26 dB Bandwidth (MHz)	5.400	41.160	41.040
99% Bandwidth (MHz)	36.296	36.329	36.323

Table 421 - 802.11n / HT40 MCS0 / Aux Core




Figure 725 - 5710 MHz - 6 dB DTS Bandwidth




Figure 726 - 5710 MHz - 26 dB Emission Bandwidth




Figure 727 - 5710 MHz - 99% Occupied Bandwidth




Figure 728 - 5755 MHz - 6 dB DTS Bandwidth




Figure 729 - 5755 MHz - 26 dB Emission Bandwidth




Figure 730 - 5755 MHz - 99% Occupied Bandwidth




Figure 731 - 5795 MHz - 6 dB DTS Bandwidth




Figure 732 - 5795 MHz - 26 dB Emission Bandwidth




Figure 733 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.880	17.880	17.880	17.820
26 dB Bandwidth (MHz)	5.860	21.900	21.540	21.840
99% Bandwidth (MHz)	17.795	17.782	17.788	17.784

Table 422 - 802.11ac / VHT20 MCS0x1 / MIMO TxBF / Cores 0+1




Figure 734 - 5720 MHz - 6 dB DTS Bandwidth




Figure 735 - 5720 MHz - 26 dB Emission Bandwidth




Figure 736 - 5720 MHz - 99% Occupied Bandwidth




Figure 737 - 5745 MHz - 6 dB DTS Bandwidth




Figure 738 - 5745 MHz - 26 dB Emission Bandwidth




Figure 739 - 5745 MHz - 99% Occupied Bandwidth




Figure 740 - 5785 MHz - 6 dB DTS Bandwidth




Figure 741 - 5785 MHz - 26 dB Emission Bandwidth




Figure 742 - 5785 MHz - 99% Occupied Bandwidth




Figure 743 - 5825 MHz - 6 dB DTS Bandwidth




Figure 744 - 5825 MHz - 26 dB Emission Bandwidth




Figure 745 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.880	17.820	11.460	15.420
26 dB Bandwidth (MHz)	6.040	21.780	21.720	21.780
99% Bandwidth (MHz)	17.783	17.770	17.782	17.788

Table 423 - 802.11ac / VHT20 MCS0x1 / MIMO TxBF / Cores 0+1+2




Figure 746 - 5720 MHz - 6 dB DTS Bandwidth




Figure 747 - 5720 MHz - 26 dB Emission Bandwidth




Figure 748 - 5720 MHz - 99% Occupied Bandwidth




Figure 749 - 5745 MHz - 6 dB DTS Bandwidth




Figure 750 - 5745 MHz - 26 dB Emission Bandwidth




Figure 751 - 5745 MHz - 99% Occupied Bandwidth




Figure 752 - 5785 MHz - 6 dB DTS Bandwidth




Figure 753 - 5785 MHz - 26 dB Emission Bandwidth




Figure 754 - 5785 MHz - 99% Occupied Bandwidth




Figure 755 - 5825 MHz - 6 dB DTS Bandwidth




Figure 756 - 5825 MHz - 26 dB Emission Bandwidth




Figure 757 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.360	36.600	36.720
26 dB Bandwidth (MHz)	5.400	40.440	40.440
99% Bandwidth (MHz)	36.297	36.309	36.298

Table 424 - 802.11ac / VHT40 MCS0x1 / MIMO TxBF / Cores 0+1




Figure 758 - 5710 MHz - 6 dB DTS Bandwidth




Figure 759 - 5710 MHz - 26 dB Emission Bandwidth




Figure 760 - 5710 MHz - 99% Occupied Bandwidth




Figure 761 - 5755 MHz - 6 dB DTS Bandwidth




Figure 762 - 5755 MHz - 26 dB Emission Bandwidth




Figure 763 - 5755 MHz - 99% Occupied Bandwidth




Figure 764 - 5795 MHz - 6 dB DTS Bandwidth




Figure 765 - 5795 MHz - 26 dB Emission Bandwidth




Figure 766 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.360	36.720	36.720
26 dB Bandwidth (MHz)	5.280	40.440	40.440
99% Bandwidth (MHz)	36.369	36.305	36.378

Table 425 - 802.11ac / VHT40 MCS0x1 / MIMO TxBF / Cores 0+1+2




Figure 767 - 5710 MHz - 6 dB DTS Bandwidth




Figure 768 - 5710 MHz - 26 dB Emission Bandwidth




Figure 769 - 5710 MHz - 99% Occupied Bandwidth




Figure 770 - 5755 MHz - 6 dB DTS Bandwidth




Figure 771 - 5755 MHz - 26 dB Emission Bandwidth




Figure 772 - 5755 MHz - 99% Occupied Bandwidth




Figure 773 - 5795 MHz - 6 dB DTS Bandwidth




Figure 774 - 5795 MHz - 26 dB Emission Bandwidth




Figure 775 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Middle
Frequency (MHz)	5690	5775
6 dB Bandwidth (MHz)	2.920	75.600
26 dB Bandwidth (MHz)	6.040	81.600
99% Bandwidth (MHz)	75.761	75.701

Table 426 - 802.11ac / VHT80 MCS0x1 / SISO / Core0




Figure 776 - 5690 MHz - 6 dB DTS Bandwidth




Figure 777 - 5690 MHz - 26 dB Emission Bandwidth




Figure 778 - 5690 MHz - 99% Occupied Bandwidth




Figure 779 - 5775 MHz - 6 dB DTS Bandwidth




Figure 780 - 5775 MHz - 26 dB Emission Bandwidth




Figure 781 - 5775 MHz - 99% Occupied Bandwidth



Channel	Straddle	Middle
Frequency (MHz)	5690	5775
6 dB Bandwidth (MHz)	2.680	76.080
26 dB Bandwidth (MHz)	6.280	81.840
99% Bandwidth (MHz)	75.675	75.851

Table 427 - 802.11ac / VHT80 MCS0x1 / MIMO CDD / Cores 0+1




Figure 782 - 5690 MHz - 6 dB DTS Bandwidth




Figure 783 - 5690 MHz - 26 dB Emission Bandwidth




Figure 784 - 5690 MHz - 99% Occupied Bandwidth




Figure 785 - 5775 MHz - 6 dB DTS Bandwidth




Figure 786 - 5775 MHz - 26 dB Emission Bandwidth




Figure 787 - 5775 MHz - 99% Occupied Bandwidth



Channel	Straddle	Middle
Frequency (MHz)	5690	5775
6 dB Bandwidth (MHz)	2.920	76.080
26 dB Bandwidth (MHz)	6.040	81.840
99% Bandwidth (MHz)	75.761	75.805

Table 428 - 802.11ac / VHT80 MCS0x2 / MIMO SDM / Cores 0+1




Figure 788 - 5690 MHz - 6 dB DTS Bandwidth




Figure 789 - 5690 MHz - 26 dB Emission Bandwidth




Figure 790 - 5690 MHz - 99% Occupied Bandwidth




Figure 791 - 5775 MHz - 6 dB DTS Bandwidth




Figure 792 - 5775 MHz - 26 dB Emission Bandwidth




Figure 793 - 5775 MHz - 99% Occupied Bandwidth



Channel	Straddle	Middle
Frequency (MHz)	5690	5775
6 dB Bandwidth (MHz)	2.920	76.800
26 dB Bandwidth (MHz)	6.040	81.840
99% Bandwidth (MHz)	75.765	75.771

Table 429 - 802.11ac / VHT80 MCS0x1 / MIMO TxBF / Cores 0+1




Figure 794 - 5690 MHz - 6 dB DTS Bandwidth




Figure 795 - 5690 MHz - 26 dB Emission Bandwidth




Figure 796 - 5690 MHz - 99% Occupied Bandwidth




Figure 797 - 5775 MHz - 6 dB DTS Bandwidth




Figure 798 - 5775 MHz - 26 dB Emission Bandwidth




Figure 799 - 5775 MHz - 99% Occupied Bandwidth



Channel	Straddle	Middle
Frequency (MHz)	5690	5775
6 dB Bandwidth (MHz)	2.680	75.600
26 dB Bandwidth (MHz)	6.280	82.320
99% Bandwidth (MHz)	75.714	75.757

Table 430 - 802.11ac / VHT80 MCS0x1 / MIMO CDD / Cores 0+1+2




Figure 800 - 5690 MHz - 6 dB DTS Bandwidth




Figure 801 - 5690 MHz - 26 dB Emission Bandwidth




Figure 802 - 5690 MHz - 99% Occupied Bandwidth




Figure 803 - 5775 MHz - 6 dB DTS Bandwidth




Figure 804 - 5775 MHz - 26 dB Emission Bandwidth




Figure 805 - 5775 MHz - 99% Occupied Bandwidth



Channel	Straddle	Middle
Frequency (MHz)	5690	5775
6 dB Bandwidth (MHz)	2.920	75.840
26 dB Bandwidth (MHz)	6.040	82.080
99% Bandwidth (MHz)	75.778	75.851

Table 431 - 802.11ac / VHT80 MCS0x3 / MIMO SDM / Cores 0+1+2




Figure 806 - 5690 MHz - 6 dB DTS Bandwidth




Figure 807 - 5690 MHz - 26 dB Emission Bandwidth




Figure 808 - 5690 MHz - 99% Occupied Bandwidth




Figure 809 - 5775 MHz - 6 dB DTS Bandwidth




Figure 810 - 5775 MHz - 26 dB Emission Bandwidth




Figure 811 - 5775 MHz - 99% Occupied Bandwidth



Channel	Straddle	Middle
Frequency (MHz)	5690	5775
6 dB Bandwidth (MHz)	3.400	76.560
26 dB Bandwidth (MHz)	5.800	81.360
99% Bandwidth (MHz)	75.818	75.766

Table 432 - 802.11ac / VHT80 MCS0x1 / MIMO TxBF / Cores 0+1+2




Figure 812 - 5690 MHz - 6 dB DTS Bandwidth




Figure 813 - 5690 MHz - 26 dB Emission Bandwidth




Figure 814 - 5690 MHz - 99% Occupied Bandwidth




Figure 815 - 5775 MHz - 6 dB DTS Bandwidth




Figure 816 - 5775 MHz - 26 dB Emission Bandwidth




Figure 817 - 5775 MHz - 99% Occupied Bandwidth



Channel	Straddle	Middle
Frequency (MHz)	5690	5775
6 dB Bandwidth (MHz)	2.680	75.840
26 dB Bandwidth (MHz)	6.040	82.080
99% Bandwidth (MHz)	75.841	75.833

Table 433 - 802.11ac / VHT80 MCS0x1 / Aux Core




Figure 818 - 5690 MHz - 6 dB DTS Bandwidth




Figure 819 - 5690 MHz - 26 dB Emission Bandwidth




Figure 820 - 5690 MHz - 99% Occupied Bandwidth




Figure 821 - 5775 MHz - 6 dB DTS Bandwidth




Figure 822 - 5775 MHz - 26 dB Emission Bandwidth




Figure 823 - 5775 MHz - 99% Occupied Bandwidth



2.3.10 Test Location and Test Equipment Used

This test was carried out in RF Laboratory 3.

Instrument	Manufacturer	Type No	TE No	Calibration Period (months)	Calibration Due
Hygropalm Temperature and Humidity Meter	Rotronic	HP21	4410	12	13-Jun-2020
Hygrometer	Rotronic	I-1000	2891	12	02-Oct-2020
True RMS Multimeter	Fluke	179	4007	12	30-Oct-2019
PXA Signal Analyser	Keysight Technologies	N9030A	4653	12	6-Feb-2020
USB Power Sensor	Boonton	RTP5006	5184	12	12-Dec-2019
AC Programmable PSU	iTech	IT7324	5227	-	O/P Mon
Power Splitter, 4 way	Mini-Circuits	ZN4PD1-63-S+	5235	-	O/P Mon
Power Splitter, 4 way	Mini-Circuits	ZN4PD1-63-S+	5236	-	O/P Mon
Power Splitter, 2 way	Mini-Circuits	ZN2PD2-63-S+	5238	-	O/P Mon
Power splitter, 2 port	Mini-Circuits	ZN2PD-63-S+	4742	-	O/P Mon
Attenuator 10dB 2W	Telegartner	J01156A0031	N/A	-	O/P Mon
Attenuator 10dB 2W	Telegartner	J01156A0031	N/A	-	O/P Mon
Attenuator 10dB 2W	Telegartner	J01156A0031	N/A	-	O/P Mon
Attenuator 10dB 2W	Telegartner	J01156A0031	N/A	-	O/P Mon

Table 434

O/P Mon – Output Monitored using calibrated equipment.



2.4 Authorised Band Edges

2.4.1 Specification Reference

FCC 47 CFR Part 15E, Clause 15.407 (b)
ISED RSS-247, Clause 6.2

2.4.2 Equipment Under Test and Modification State

A2141, S/N: C02YT00GL51N - Modification State 0

2.4.3 Date of Test

28-June-2019 to 11-October-2019

2.4.4 Test Method

The test was performed in accordance with ANSI C63.10, clause 6.6.

For U-NII-2C channels, the limit line on the following plots equated to -27 dBm/MHz. EIRP and was converted to field strength at 3 m using the following formula:

Field Strength (dBμV/m at 3 m) = EIRP (dBm) + 95.2 dB

Authorised band edge measurements were performed, with the device operating in SISO and MIMO configurations, across the various modes supported by the device.

The measurements displayed within this report, have been limited to those modes which have been shown to be worst case.

Further measurements are held on file by TÜV SÜD and are available if required.

2.4.5 Environmental Conditions

Ambient Temperature	21.0 - 23.0 °C
Relative Humidity	45.0 - 62.7 %



2.4.6 Test Results

Main - 20 MHz Bandwidth (SISO)

Mode	Data Rate	Frequency (MHz)	Measured Frequency (MHz)	Level (dBuV/m)
802.11a Core 0	6 Mbps	5500	5469.200	62.35
802.11n HT20 Core 0	MCS0	5500	5468.320	63.49
802.11a Core 0	6 Mbps	5700	5725.070	57.64
802.11n HT20 Core 0	MCS0	5700	5725.000	62.74
802.11a Core 0	6 Mbps	5720	5296.320	51.20
802.11n HT20 Core 0	MCS0	5720	5296.320	51.70
802.11a Core 0	6 Mbps	5720	5881.360	57.22
802.11n HT20 Core 0	MCS0	5720	5924.480	57.02
802.11a Core 0	6 Mbps	5745	5640.860	59.44
802.11n HT20 Core 0	MCS0	5745	5631.110	58.41
802.11a Core 0	6 Mbps	5825	5930.965	58.02
802.11n HT20 Core 0	MCS0	5825	5939.335	58.18

Table 435




Figure 824 - 802.11a Core 0 - 5500 MHz
Measured Frequency 5469.2 MHz




Figure 825 - 802.11n HT20 Core 0 - 5500 MHz
Measured Frequency 5468.320 MHz




Figure 826 - 802.11a Core 0 - 5700 MHz
Measured Frequency 5725.07 MHz




Figure 827 - 802.11n HT20 Core 0 - 5700 MHz
Measured Frequency 5725 MHz