





Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5745MHz  
 Channel: 149



**Plot 7-772. Radiated Lower Band Edge Plot SISO CORE 0 (Peak - UNII Band 3 - RU26)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5825MHz  
 Channel: 165




**Plot 7-773. Radiated Upper Band Edge Plot SISO CORE 0 (Peak - UNII Band 3 - RU26)**

FCC ID: BCGA2228	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 1C1912170050-09.BCG	<b>Test Dates:</b> 12/10/2019 - 02/26/2020	<b>EUT Type:</b> Tablet Device	Page 469 of 537


## RU242

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36



**Plot 7-774. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 1 – RU242)**


Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5200MHz
Channel:	40



**Plot 7-775. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 1 – RU242)**


FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 470 of 537

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5300MHz  
 Channel: 60



**Plot 7-776. Radiated Upper Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2A – RU242)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5320MHz  
 Channel: 64



**Plot 7-777. Radiated Upper Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2A – RU242)**


FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 471 of 537

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5500MHz  
 Channel: 100



**Plot 7-778. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2C – RU242)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5520MHz  
 Channel: 104




**Plot 7-779. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2C – RU242)**

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 472 of 537




Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5680MHz  
 Channel: 136



**Plot 7-780. Radiated Upper Band Edge Plot SISO CORE 0 (Peak - UNII Band 2C - RU242)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5700MHz  
 Channel: 140




**Plot 7-781. Radiated Upper Band Edge Plot SISO CORE 0 (Peak - UNII Band 2C - RU242)**

FCC ID: BCGA2228	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 1C1912170050-09.BCG	<b>Test Dates:</b> 12/10/2019 - 02/26/2020	<b>EUT Type:</b> Tablet Device	Page 473 of 537




Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5745MHz  
 Channel: 149



**Plot 7-782. Radiated Lower Band Edge Plot SISO CORE 0 (Peak - UNII Band 3 - RU242)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5825MHz  
 Channel: 165



**Plot 7-783. Radiated Upper Band Edge Plot SISO CORE 0 (Peak - UNII Band 3 - RU242)**


FCC ID: BCGA2228	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 1C1912170050-09.BCG	<b>Test Dates:</b> 12/10/2019 - 02/26/2020	<b>EUT Type:</b> Tablet Device	Page 474 of 537

## 7.6.5 SISO Core 0 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	5190MHz
Channel:	38



Plot 7-784. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 1 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	17
Distance of Measurements:	3 Meters
Operating Frequency:	5310MHz
Channel:	62




Plot 7-785. Radiated Upper Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2A – RU26)

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 475 of 537




Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5510MHz  
 Channel: 102



**Plot 7-786. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2C – RU26)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 17  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5670MHz  
 Channel: 134




**Plot 7-787. Radiated Upper Band Edge Plot SISO CORE 0 (Peak – UNII Band 2C – RU26)**

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 476 of 537






Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5755MHz  
 Channel: 151



**Plot 7-788. Radiated Lower Band Edge Plot SISO CORE 0 (Peak – UNII Band 3 – RU26)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 17  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5795MHz  
 Channel: 159




**Plot 7-789. Radiated Upper Band Edge Plot SISO CORE 0 (Peak – UNII Band 3 – RU26)**

FCC ID: BCGA2228	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 1C1912170050-09.BCG	<b>Test Dates:</b> 12/10/2019 - 02/26/2020	<b>EUT Type:</b> Tablet Device	Page 477 of 537


### RU484

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5190MHz  
 Channel: 38



**Plot 7-790. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 1 – RU484)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5230MHz  
 Channel: 46



**Plot 7-791. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 1 – RU484)**


FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 478 of 537

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5270MHz  
 Channel: 54



**Plot 7-792. Radiated Upper Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2A – RU484)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5310MHz  
 Channel: 62



**Plot 7-793. Radiated Upper Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2A – RU484)**


FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 479 of 537

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5510MHz  
 Channel: 102



**Plot 7-794. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2C – RU484)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5550MHz  
 Channel: 110




**Plot 7-795. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2C – RU484)**

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 480 of 537




Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5670MHz  
 Channel: 134



**Plot 7-796. Radiated Upper Band Edge Plot SISO CORE 0 (Peak - UNII Band 2C - RU484)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5755MHz  
 Channel: 151




**Plot 7-797. Radiated Lower Band Edge Plot SISO CORE 0 (Peak - UNII Band 3 - RU484)**

FCC ID: BCGA2228	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 1C1912170050-09.BCG	<b>Test Dates:</b> 12/10/2019 - 02/26/2020	<b>EUT Type:</b> Tablet Device	Page 481 of 537



Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 65  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5795MHz  
 Channel: 159



**Plot 7-798. Radiated Upper Band Edge Plot SISO CORE 0 (Peak – UNII Band 3 – RU484)**


FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 482 of 537

## 7.6.6 SISO Core 0 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	5210MHz
Channel:	42



Plot 7-799. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 1 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	36
Distance of Measurements:	3 Meters
Operating Frequency:	5290MHz
Channel:	58




Plot 7-800. Radiated Upper Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2A – RU26)

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 483 of 537




Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5530MHz  
 Channel: 106



**Plot 7-801. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2C – RU26)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5775MHz  
 Channel: 155




**Plot 7-802. Radiated Lower Band Edge Plot SISO CORE 0 (Peak – UNII Band 3 – RU26)**

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 484 of 537





Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 36  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5775MHz  
 Channel: 155




**Plot 7-803. Radiated Upper Band Edge Plot SISO CORE 0 (Peak – UNII Band 3 – RU26)**

FCC ID: BCGA2228	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 1C1912170050-09.BCG	<b>Test Dates:</b> 12/10/2019 - 02/26/2020	<b>EUT Type:</b> Tablet Device	Page 485 of 537


### RU996

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	67
Distance of Measurements:	3 Meters
Operating Frequency:	5210MHz
Channel:	42



**Plot 7-804. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 1 – RU996)**

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	67
Distance of Measurements:	3 Meters
Operating Frequency:	5290MHz
Channel:	58




**Plot 7-805. Radiated Upper Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2A – RU996)**

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 486 of 537




Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 67  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5530MHz  
 Channel: 106



**Plot 7-806. Radiated Lower Band Edge Plot SISO CORE 0 (Peak & Average – UNII Band 2C – RU996)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 67  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5775MHz  
 Channel: 155




**Plot 7-807. Radiated Lower Band Edge Plot SISO CORE 0 (Peak – UNII Band 3 – RU996)**

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 487 of 537



Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 67  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5775MHz  
 Channel: 155



**Plot 7-808. Radiated Upper Band Edge Plot SISO CORE 0 (Peak – UNII Band 3 – RU996)**


FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 488 of 537

## 7.6.7 SISO Core 1 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	8
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36



Plot 7-809. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 1 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	5320MHz
Channel:	64




Plot 7-810. Radiated Upper Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2A – RU26)

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 489 of 537




Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5500MHz  
 Channel: 100



**Plot 7-811. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2C – RU26)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5700MHz  
 Channel: 140




**Plot 7-812. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 2C – RU26)**

FCC ID: BCGA2228	<b>PCTEST</b> MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 490 of 537




Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5745MHz  
 Channel: 149



**Plot 7-813. Radiated Lower Band Edge Plot SISO CORE 1 (Peak - UNII Band 3 - RU26)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5825MHz  
 Channel: 165




**Plot 7-814. Radiated Upper Band Edge Plot SISO CORE 1 (Peak - UNII Band 3 - RU26)**

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 491 of 537


## RU242

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36



**Plot 7-815. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 1 – RU242)**

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5200MHz
Channel:	40




**Plot 7-816. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 1 – RU242)**

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 492 of 537




Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5300MHz  
 Channel: 60



**Plot 7-817. Radiated Upper Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2A – RU242)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5320MHz  
 Channel: 64




**Plot 7-818. Radiated Upper Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2A – RU242)**

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 493 of 537




Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5500MHz  
 Channel: 100



**Plot 7-819. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2C – RU242)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5520MHz  
 Channel: 104




**Plot 7-820. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2C – RU242)**

FCC ID: BCGA2228	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 1C1912170050-09.BCG	<b>Test Dates:</b> 12/10/2019 - 02/26/2020	<b>EUT Type:</b> Tablet Device	Page 494 of 537




Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5680MHz  
 Channel: 136



**Plot 7-821. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 2C – RU242)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5700MHz  
 Channel: 140



**Plot 7-822. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 2C – RU242)**

FCC ID: BCGA2228		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170050-09.BCG	Test Dates: 12/10/2019 - 02/26/2020	EUT Type: Tablet Device	Page 495 of 537