


7.6.7 SISO Core 1 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	8
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36



Plot 7-834. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 1 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	5320MHz
Channel:	64




Plot 7-835. Radiated Upper Band Edge Plot SISO CORE 1 (Peak & Average) – UNII Band 2A – RU26)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 490 of 539




Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100



Plot 7-836. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2C – RU26)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5700MHz
 Channel: 140



Plot 7-837. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 2C – RU26)


FCC ID: BCGA2232	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device
		Page 491 of 539

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149



Plot 7-838. Radiated Lower Band Edge Plot SISO CORE 1 (Peak - UNII Band 3 - RU26)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165




Plot 7-839. Radiated Upper Band Edge Plot SISO CORE 1 (Peak - UNII Band 3 - RU26)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 492 of 539


RU242

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36



Plot 7-840. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 1 – RU242)


Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5200MHz
Channel:	40



Plot 7-841. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 1 – RU242)


FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 493 of 539

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5300MHz
 Channel: 60



Plot 7-842. Radiated Upper Band Edge Plot SISO CORE 1 (Peak & Average) – UNII Band 2A – RU242)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64



Plot 7-843. Radiated Upper Band Edge Plot SISO CORE 1 (Peak & Average) – UNII Band 2A – RU242)


FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 494 of 539

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100



Plot 7-844. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2C – RU242)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5520MHz
 Channel: 104




Plot 7-845. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2C – RU242)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 495 of 539




Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5680MHz
 Channel: 136



Plot 7-846. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 2C – RU242)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5700MHz
 Channel: 140



Plot 7-847. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 2C – RU242)


FCC ID: BCGA2232	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 496 of 539

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149



Plot 7-848. Radiated Lower Band Edge Plot SISO CORE 1 (Peak – UNII Band 3 – RU242)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165



Plot 7-849. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 3 – RU242)


FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 497 of 539

7.6.8 SISO Core 1 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	5190MHz
Channel:	38



Plot 7-850. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 1 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	17
Distance of Measurements:	3 Meters
Operating Frequency:	5310MHz
Channel:	62




Plot 7-851. Radiated Upper Band Edge Plot SISO CORE 1 (Peak & Average) – UNII Band 2A – RU26)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 498 of 539




Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5510MHz
 Channel: 102



Plot 7-852. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2C – RU26)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 5670MHz
 Channel: 134




Plot 7-853. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 2C – RU26)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 499 of 539




Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5755MHz
 Channel: 151



Plot 7-854. Radiated Lower Band Edge Plot SISO CORE 1 (Peak – UNII Band 3 – RU26)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 5795MHz
 Channel: 159




Plot 7-855. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 3 – RU26)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 500 of 539


RU484

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 5190MHz
 Channel: 38



Plot 7-856. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 1 – RU484)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 5230MHz
 Channel: 46




Plot 7-857. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 1 – RU484)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 501 of 539




Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 5270MHz
 Channel: 54



Plot 7-858. Radiated Upper Band Edge Plot SISO CORE 1 (Peak & Average) – UNII Band 2A – RU484)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 5310MHz
 Channel: 62




Plot 7-859. Radiated Upper Band Edge Plot SISO CORE 1 (Peak & Average) – UNII Band 2A – RU484)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 502 of 539




Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 5510MHz
 Channel: 102



Plot 7-860. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2C – RU484)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 5550MHz
 Channel: 110



Plot 7-861. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2C – RU484)


FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 503 of 539

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 5670MHz
 Channel: 134



Plot 7-862. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 2C – RU484)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 5755MHz
 Channel: 151



Plot 7-863. Radiated Lower Band Edge Plot SISO CORE 1 (Peak – UNII Band 3 – RU484)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 504 of 539

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	65
Distance of Measurements:	3 Meters
Operating Frequency:	5795MHz
Channel:	159



Plot 7-864. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 3 – RU484)


FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 505 of 539

7.6.9 SISO Core 1 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	5210MHz
Channel:	42



Plot 7-865. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 1 – RU26)


Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	36
Distance of Measurements:	3 Meters
Operating Frequency:	5290MHz
Channel:	58



Plot 7-866. Radiated Upper Band Edge Plot SISO CORE 1 (Peak & Average) – UNII Band 2A – RU26)


FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 506 of 539

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5530MHz
 Channel: 106



Plot 7-867. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2C – RU26)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5775MHz
 Channel: 155



Plot 7-868. Radiated Lower Band Edge Plot SISO CORE 1 (Peak – UNII Band 3 – RU26)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 507 of 539

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	36
Distance of Measurements:	3 Meters
Operating Frequency:	5775MHz
Channel:	155




Plot 7-869. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 3 – RU26)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device		Page 508 of 539




RU996

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	67
Distance of Measurements:	3 Meters
Operating Frequency:	5210MHz
Channel:	42



Plot 7-870. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 1 – RU996)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	67
Distance of Measurements:	3 Meters
Operating Frequency:	5290MHz
Channel:	58




Plot 7-871. Radiated Upper Band Edge Plot SISO CORE 1 (Peak & Average) – UNII Band 2A – RU996)

FCC ID: BCGA2232	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device
		Page 509 of 539




Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 67
 Distance of Measurements: 3 Meters
 Operating Frequency: 5530MHz
 Channel: 106



Plot 7-872. Radiated Lower Band Edge Plot SISO CORE 1 (Peak & Average – UNII Band 2C – RU996)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 67
 Distance of Measurements: 3 Meters
 Operating Frequency: 5775MHz
 Channel: 155




Plot 7-873. Radiated Lower Band Edge Plot SISO CORE 1 (Peak – UNII Band 3 – RU996)

FCC ID: BCGA2232	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 510 of 539



Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 67
 Distance of Measurements: 3 Meters
 Operating Frequency: 5775MHz
 Channel: 155



Plot 7-874. Radiated Upper Band Edge Plot SISO CORE 1 (Peak – UNII Band 3 – RU996)


FCC ID: BCGA2232	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 511 of 539

7.6.10 CDD/SDM Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	8
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36



Plot 7-875. Radiated Lower Band Edge Plot CDD (Peak & Average – UNII Band 1 – RU26)


Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	5320MHz
Channel:	64



Plot 7-876. Radiated Upper Band Edge Plot CDD (Peak & Average – UNII Band 2A – RU26)


FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 512 of 539

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS8
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100



Plot 7-877. Radiated Lower Band Edge Plot SDM (Peak & Average – UNII Band 2C – RU26)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS8
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5700MHz
 Channel: 140




Plot 7-878. Radiated Upper Band Edge Plot SDM (Peak – UNII Band 2C – RU26)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 513 of 539




Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149



Plot 7-879. Radiated Lower Band Edge Plot CDD (Peak – UNII Band 3 – RU26)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS0
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165




Plot 7-880. Radiated Upper Band Edge Plot CDD (Peak – UNII Band 3 – RU26)

FCC ID: BCGA2232	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 514 of 539


RU242

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36



Plot 7-881. Radiated Lower Band Edge Plot CDD (Peak & Average – UNII Band 1 – RU242)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5200MHz
Channel:	40



Plot 7-882. Radiated Lower Band Edge Plot CDD (Peak & Average – UNII Band 1 – RU242)

FCC ID: BCGA2232		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170055-13.BCG	Test Dates: 12/10/2019 - 02/25/2020	EUT Type: Tablet Device	Page 515 of 539