




Figure 81 - 5200 MHz - 26 dB Emission Bandwidth




Figure 82 - 5200 MHz - 99% Occupied Bandwidth




Figure 83 - 5240 MHz - 26 dB Emission Bandwidth




Figure 84 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	22.020	31.260	30.360
99% Bandwidth (MHz)	17.890	18.093	18.105

Table 288 - 802.11n / HT20 MCS0 / Aux Core / Country Code US



Figure 85 - 5180 MHz - 26 dB Emission Bandwidth




Figure 86 - 5180 MHz - 99% Occupied Bandwidth




Figure 87 - 5200 MHz - 26 dB Emission Bandwidth




Figure 88 - 5200 MHz - 99% Occupied Bandwidth




Figure 89 - 5240 MHz - 26 dB Emission Bandwidth




Figure 90 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.900	29.880	31.500
99% Bandwidth (MHz)	17.857	18.012	18.032

Table 289 - 802.11n / HT20 MCS0 / Aux Core / Country Code CA




Figure 91 - 5180 MHz - 26 dB Emission Bandwidth




Figure 92 - 5180 MHz - 99% Occupied Bandwidth




Figure 93 - 5200 MHz - 26 dB Emission Bandwidth




Figure 94 - 5200 MHz - 99% Occupied Bandwidth




Figure 95 - 5240 MHz - 26 dB Emission Bandwidth




Figure 96 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.680	58.920
99% Bandwidth (MHz)	36.365	36.485

Table 290 - 802.11n / HT40 MCS0 / SISO / Core 2 / Country Code US




Figure 97 - 5190 MHz - 26 dB Emission Bandwidth




Figure 98 - 5190 MHz - 99% Occupied Bandwidth




Figure 99 - 5230 MHz - 26 dB Emission Bandwidth




Figure 100 - 5230 MHz - 99% Occupied Bandwidth

Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.800	63.120
99% Bandwidth (MHz)	36.300	36.504

Table 291 - 802.11n / HT40 MCS0 / SISO / Core 2 / Country Code CA




Figure 101 - 5190 MHz - 26 dB Emission Bandwidth




Figure 102 - 5190 MHz - 99% Occupied Bandwidth




Figure 103 - 5230 MHz - 26 dB Emission Bandwidth




Figure 104 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.800	66.360
99% Bandwidth (MHz)	36.242	36.516

Table 292 - 802.11n / HT40 MCS0 / MIMO CDD / Cores 1+2 / Country Code US




Figure 105 - 5190 MHz - 26 dB Emission Bandwidth




Figure 106 - 5190 MHz - 99% Occupied Bandwidth




Figure 107 - 5230 MHz - 26 dB Emission Bandwidth




Figure 108 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.920	40.920
99% Bandwidth (MHz)	36.300	36.297

Table 293 - 802.11n / HT40 MCS0 / MIMO CDD / Cores 1+2 / Country Code CA




Figure 109 - 5190 MHz - 26 dB Emission Bandwidth




Figure 110 - 5190 MHz - 99% Occupied Bandwidth




Figure 111 - 5230 MHz - 26 dB Emission Bandwidth




Figure 112 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.560	81.120
99% Bandwidth (MHz)	36.351	36.558

Table 294 - 802.11n / HT40 MCS8 / MIMO SDM / Cores 1+2 / Country Code US




Figure 113 - 5190 MHz - 26 dB Emission Bandwidth




Figure 114 - 5190 MHz - 99% Occupied Bandwidth




Figure 115 - 5230 MHz - 26 dB Emission Bandwidth




Figure 116 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.160	47.880
99% Bandwidth (MHz)	36.314	36.332

Table 295 - 802.11n / HT40 MCS8 / MIMO SDM / Cores 1+2 / Country Code CA




Figure 117 - 5190 MHz - 26 dB Emission Bandwidth





Figure 118 - 5190 MHz - 99% Occupied Bandwidth





Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.680	69.960
99% Bandwidth (MHz)	36.317	36.534

Table 296 - 802.11n / HT40 MCS0 / MIMO CDD / Cores 0+1+2 / Country Code US




Figure 121 - 5190 MHz - 26 dB Emission Bandwidth




Figure 122 - 5190 MHz - 99% Occupied Bandwidth




Figure 123 - 5230 MHz - 26 dB Emission Bandwidth




Figure 124 - 5230 MHz - 99% Occupied Bandwidth

Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.040	40.920
99% Bandwidth (MHz)	36.320	36.323

Table 297 - 802.11n / HT40 MCS0 / MIMO CDD / Cores 0+1+2 / Country Code CA




Figure 125 - 5190 MHz - 26 dB Emission Bandwidth






Figure 126 - 5190 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.040	70.200
99% Bandwidth (MHz)	36.290	36.521

Table 298 - 802.11n / HT40 MCS16 / MIMO SDM / Cores 0+1+2 / Country Code US




Figure 129 - 5190 MHz - 26 dB Emission Bandwidth




Figure 130 - 5190 MHz - 99% Occupied Bandwidth







Figure 135 - 5230 MHz - 26 dB Emission Bandwidth




Figure 136 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.920	57.960
99% Bandwidth (MHz)	36.313	36.359

Table 300 - 802.11n / HT40 MCS0 / Aux Core / Country Code US



Figure 137 - 5190 MHz - 26 dB Emission Bandwidth




Figure 138 - 5190 MHz - 99% Occupied Bandwidth




Figure 139 - 5230 MHz - 26 dB Emission Bandwidth




Figure 140 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.680	70.560
99% Bandwidth (MHz)	36.300	36.379

Table 301 - 802.11n / HT40 MCS0 / Aux Core / Country Code CA




Figure 141 - 5190 MHz - 26 dB Emission Bandwidth




Figure 142 - 5190 MHz - 99% Occupied Bandwidth




Figure 143 - 5230 MHz - 26 dB Emission Bandwidth




Figure 144 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.180	23.340	23.040
99% Bandwidth (MHz)	17.516	17.572	17.570

Table 302 - 802.11ac / VHT20 MCS0x1 / MIMO TxBF / Cores 1+2 / Country Code US




Figure 145 - 5180 MHz - 26 dB Emission Bandwidth




Figure 146 - 5180 MHz - 99% Occupied Bandwidth




Figure 147 - 5200 MHz - 26 dB Emission Bandwidth




Figure 148 - 5200 MHz - 99% Occupied Bandwidth




Figure 149 - 5240 MHz - 26 dB Emission Bandwidth




Figure 150 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.180	21.120	21.240
99% Bandwidth (MHz)	17.515	17.508	17.488

Table 303 - 802.11ac / VHT20 MCS0x1 / MIMO TxBF / Cores 1+2 / Country Code CA




Figure 151 - 5180 MHz - 26 dB Emission Bandwidth




Figure 152 - 5180 MHz - 99% Occupied Bandwidth




Figure 153 - 5200 MHz - 26 dB Emission Bandwidth




Figure 154 - 5200 MHz - 99% Occupied Bandwidth




Figure 155 - 5240 MHz - 26 dB Emission Bandwidth




Figure 156 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.120	21.480	21.420
99% Bandwidth (MHz)	17.523	17.523	17.517

Table 304 - 802.11ac / VHT20 MCS0x1 / MIMO TxBF / Cores 0+1+2 / Country Code US




Figure 157 - 5180 MHz - 26 dB Emission Bandwidth




Figure 158 - 5180 MHz - 99% Occupied Bandwidth




Figure 159 - 5200 MHz - 26 dB Emission Bandwidth




Figure 160 - 5200 MHz - 99% Occupied Bandwidth




Figure 161 - 5240 MHz - 26 dB Emission Bandwidth




Figure 162 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.300	21.180	21.180
99% Bandwidth (MHz)	17.510	17.522	17.502

Table 305 - 802.11ac / VHT20 MCS0x1 / MIMO TxBF / Cores 0+1+2 / Country Code CA




Figure 163 - 5180 MHz - 26 dB Emission Bandwidth




Figure 164 - 5180 MHz - 99% Occupied Bandwidth




Figure 165 - 5200 MHz - 26 dB Emission Bandwidth




Figure 166 - 5200 MHz - 99% Occupied Bandwidth




Figure 167 - 5240 MHz - 26 dB Emission Bandwidth




Figure 168 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.920	50.280
99% Bandwidth (MHz)	36.309	36.378

Table 306 - 802.11ac / VHT40 MCS0x1 / MIMO TxBF / Cores 1+2 / Country Code US




Figure 169 - 5190 MHz - 26 dB Emission Bandwidth




Figure 170 - 5190 MHz - 99% Occupied Bandwidth




Figure 171 - 5230 MHz - 26 dB Emission Bandwidth




Figure 172 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.920	41.040
99% Bandwidth (MHz)	36.290	36.310

Table 307 - 802.11ac / VHT40 MCS0x1 / MIMO TxBF / Cores 1+2 / Country Code CA




Figure 173 - 5190 MHz - 26 dB Emission Bandwidth






Figure 174 - 5190 MHz - 99% Occupied Bandwidth





Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.040	47.400
99% Bandwidth (MHz)	36.334	36.350

Table 308 - 802.11ac / VHT40 MCS0x1 / MIMO TxBF / Cores 0+1+2 / Country Code US



Figure 177 - 5190 MHz - 26 dB Emission Bandwidth




Figure 178 - 5190 MHz - 99% Occupied Bandwidth




Figure 179 - 5230 MHz - 26 dB Emission Bandwidth




Figure 180 - 5230 MHz - 99% Occupied Bandwidth

Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.920	40.440
99% Bandwidth (MHz)	36.278	36.316

Table 309 - 802.11ac / VHT40 MCS0x1 / MIMO TxBF / Cores 0+1+2 / Country Code CA




Figure 181 - 5190 MHz - 26 dB Emission Bandwidth




Figure 182 - 5190 MHz - 99% Occupied Bandwidth




Figure 183 - 5230 MHz - 26 dB Emission Bandwidth




Figure 184 - 5230 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.560
99% Bandwidth (MHz)	75.785

Table 310 - 802.11ac / VHT80 MCS0x1 / SISO / Core 2 / Country Code US



Figure 185 - 5210 MHz - 26 dB Emission Bandwidth




Figure 186 - 5210 MHz - 99% Occupied Bandwidth