



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.040	19.920
99% Bandwidth (MHz)	18.440	18.305

Table 401 - 802.11ax / HE40 MCS0x1 / RU 26-17 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 405 - 5190 MHz - 26 dB Emission Bandwidth




Figure 406 - 5190 MHz - 99% Occupied Bandwidth




Figure 407 - 5230 MHz - 26 dB Emission Bandwidth




Figure 408 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.680	41.040
99% Bandwidth (MHz)	37.575	37.613

Table 402 - 802.11ax / HE40 MCS0x2 / SU / MIMO SDM / Cores 0+1 / Country Code US




Figure 409 - 5190 MHz - 26 dB Emission Bandwidth




Figure 410 - 5190 MHz - 99% Occupied Bandwidth




Figure 411 - 5230 MHz - 26 dB Emission Bandwidth




Figure 412 - 5230 MHz - 99% Occupied Bandwidth

Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.440	40.800
99% Bandwidth (MHz)	37.565	37.724

Table 403 - 802.11ax / HE40 MCS0x2 / SU / MIMO SDM / Cores 0+1 / Country Code CA




Figure 413 - 5190 MHz - 26 dB Emission Bandwidth




Figure 414 - 5190 MHz - 99% Occupied Bandwidth




Figure 415 - 5230 MHz - 26 dB Emission Bandwidth




Figure 416 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.760	19.440
99% Bandwidth (MHz)	17.956	18.541

Table 404 - 802.11ax / HE40 MCS0x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code US




Figure 417 - 5190 MHz - 26 dB Emission Bandwidth




Figure 418 - 5190 MHz - 99% Occupied Bandwidth




Figure 419 - 5230 MHz - 26 dB Emission Bandwidth




Figure 420 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.880	19.800
99% Bandwidth (MHz)	18.224	18.260

Table 405 - 802.11ax / HE40 MCS0x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 421 - 5190 MHz - 26 dB Emission Bandwidth




Figure 422 - 5190 MHz - 99% Occupied Bandwidth




Figure 423 - 5230 MHz - 26 dB Emission Bandwidth




Figure 424 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.040	19.680
99% Bandwidth (MHz)	18.418	18.143

Table 406 - 802.11ax / HE40 MCS0x2 / RU 26-17 / MIMO SDM / Cores 0+1 / Country Code US




Figure 425 - 5190 MHz - 26 dB Emission Bandwidth




Figure 426 - 5190 MHz - 99% Occupied Bandwidth




Figure 427 - 5230 MHz - 26 dB Emission Bandwidth




Figure 428 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.040	19.560
99% Bandwidth (MHz)	18.512	18.312

Table 407 - 802.11ax / HE40 MCS0x2 / RU 26-17 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 429 - 5190 MHz - 26 dB Emission Bandwidth




Figure 430 - 5190 MHz - 99% Occupied Bandwidth




Figure 431 - 5230 MHz - 26 dB Emission Bandwidth




Figure 432 - 5230 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	81.840
99% Bandwidth (MHz)	75.599

Table 408 - 802.11ac / VHT80 MCS0x1 / SISO / Core 0 / Country Code US




Figure 433 - 5210 MHz - 26 dB Emission Bandwidth




Figure 434 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.080
99% Bandwidth (MHz)	75.729

Table 409 - 802.11ac / VHT80 MCS0x1 / SISO / Core 0 / Country Code CA




Figure 435 - 5210 MHz - 26 dB Emission Bandwidth




Figure 436 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.560
99% Bandwidth (MHz)	75.574

Table 410 - 802.11ac / VHT80 MCS0x1 / MIMO CDD / Cores 0+1 / Country Code US




Figure 437 - 5210 MHz - 26 dB Emission Bandwidth




Figure 438 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.080
99% Bandwidth (MHz)	75.781

Table 411 - 802.11ac / VHT80 MCS0x1 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 439 - 5210 MHz - 26 dB Emission Bandwidth




Figure 440 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.080
99% Bandwidth (MHz)	75.624

Table 412 - 802.11ac / VHT80 MCS0x2 / MIMO SDM / Cores 0+1 / Country Code US




Figure 441 - 5210 MHz - 26 dB Emission Bandwidth




Figure 442 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.560
99% Bandwidth (MHz)	76.121

Table 414 - 802.11ac / VHT80 MCS0x1 / MIMO TxBF / Cores 0+1 / Country Code US




Figure 445 - 5210 MHz - 26 dB Emission Bandwidth




Figure 446 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.320
99% Bandwidth (MHz)	76.041

Table 415 - 802.11ac / VHT80 MCS0x1 / MIMO TxBF / Cores 0+1 / Country Code CA




Figure 447 - 5210 MHz - 26 dB Emission Bandwidth




Figure 448 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	81.600
99% Bandwidth (MHz)	77.214

Table 416 - 802.11ax / HE80 MCS0x1 / SU / SISO / Core 0 / Country Code US




Figure 449 - 5210 MHz - 26 dB Emission Bandwidth




Figure 450 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.560
99% Bandwidth (MHz)	77.003

Table 417 - 802.11ax / HE80 MCS0x1 / SU / SISO / Core 0 / Country Code CA




Figure 451 - 5210 MHz - 26 dB Emission Bandwidth




Figure 452 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.440
99% Bandwidth (MHz)	18.697

Table 418 - 802.11ax / HE80 MCS0x1 / RU 26-0 / SISO / Core 0 / Country Code US




Figure 453 - 5210 MHz - 26 dB Emission Bandwidth




Figure 454 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99% Bandwidth (MHz)	30.490

Table 419 - 802.11ax / HE80 MCS0x1 / RU 26-0 / SISO / Core 0 / Country Code CA




Figure 455 - 5210 MHz - 26 dB Emission Bandwidth




Figure 456 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.160
99% Bandwidth (MHz)	19.159

Table 420 - 802.11ax / HE80 MCS0x1 / RU 26-36 / SISO / Core 0 / Country Code US




Figure 457 - 5210 MHz - 26 dB Emission Bandwidth




Figure 458 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.880
99% Bandwidth (MHz)	19.170

Table 421 - 802.11ax / HE80 MCS0x1 / RU 26-36 / SISO / Core 0 / Country Code CA




Figure 459 - 5210 MHz - 26 dB Emission Bandwidth




Figure 460 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	81.840
99% Bandwidth (MHz)	77.224

Table 422 - 802.11ax / HE80 MCS0x1 / SU / MIMO CDD / Cores 0+1 / Country Code US




Figure 461 - 5210 MHz - 26 dB Emission Bandwidth




Figure 462 - 5210 MHz - 99% Occupied Bandwidth

Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.080
99% Bandwidth (MHz)	77.146

Table 423 - 802.11ax / HE80 MCS0x1 / SU / MIMO CDD / Cores 0+1 / Country Code CA




Figure 463 - 5210 MHz - 26 dB Emission Bandwidth




Figure 464 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99% Bandwidth (MHz)	19.375

Table 424 - 802.11ax / HE80 MCS0x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code US




Figure 465 - 5210 MHz - 26 dB Emission Bandwidth




Figure 466 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.920
99% Bandwidth (MHz)	18.703

Table 425 - 802.11ax / HE80 MCS0x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 467 - 5210 MHz - 26 dB Emission Bandwidth




Figure 468 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.920
99% Bandwidth (MHz)	22.400

Table 426 - 802.11ax / HE80 MCS0x1 / RU 26-36 / MIMO CDD / Cores 0+1 / Country Code US




Figure 469 - 5210 MHz - 26 dB Emission Bandwidth




Figure 470 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.920
99% Bandwidth (MHz)	18.866

Table 427 - 802.11ax / HE80 MCS0x1 / RU 26-36 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 471 - 5210 MHz - 26 dB Emission Bandwidth




Figure 472 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	81.600
99% Bandwidth (MHz)	77.235

Table 428 - 802.11ax / HE80 MCS0x2 / SU / MIMO SDM / Cores 0+1 / Country Code US




Figure 473 - 5210 MHz - 26 dB Emission Bandwidth




Figure 474 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	81.840
99% Bandwidth (MHz)	77.175

Table 429 - 802.11ax / HE80 MCS0x2 / SU / MIMO SDM / Cores 0+1 / Country Code CA




Figure 475 - 5210 MHz - 26 dB Emission Bandwidth




Figure 476 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.920
99% Bandwidth (MHz)	19.399

Table 430 - 802.11ax / HE80 MCS0x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code US




Figure 477 - 5210 MHz - 26 dB Emission Bandwidth




Figure 478 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.920
99% Bandwidth (MHz)	18.971

Table 431 - 802.11ax / HE80 MCS0x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 479 - 5210 MHz - 26 dB Emission Bandwidth




Figure 480 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	21.360
99% Bandwidth (MHz)	21.982

Table 432 - 802.11ax / HE80 MCS0x2 / RU 26-36 / MIMO SDM / Cores 0+1 / Country Code US




Figure 481 - 5210 MHz - 26 dB Emission Bandwidth




Figure 482 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.920
99% Bandwidth (MHz)	19.042

Table 433 - 802.11ax / HE80 MCS0x2 / RU 26-36 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 483 - 5210 MHz - 26 dB Emission Bandwidth




Figure 484 - 5210 MHz - 99% Occupied Bandwidth



U-NII-2A

Channel	Bottom	Middle	Top
Frequency (MHz)	5260	5280	5320
26 dB Bandwidth (MHz)	21.240	21.240	21.000
99% Bandwidth (MHz)	16.559	16.561	16.534

Table 434 - 802.11a / 6 Mbps / SISO / Core 0




Figure 485 - 5260 MHz - 26 dB Emission Bandwidth






Figure 486 - 5260 MHz - 99% Occupied Bandwidth




Figure 487 - 5280 MHz - 26 dB Emission Bandwidth




Figure 488 - 5280 MHz - 99% Occupied Bandwidth




Figure 489 - 5320 MHz - 26 dB Emission Bandwidth




Figure 490 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5260	5280	5320
26 dB Bandwidth (MHz)	21.420	21.660	21.300
99% Bandwidth (MHz)	17.713	17.677	17.699

Table 435 - 802.11n / HT20 MCS0 / SISO / Core 0




Figure 491 - 5260 MHz - 26 dB Emission Bandwidth




Figure 492 - 5260 MHz - 99% Occupied Bandwidth




Figure 493 - 5280 MHz - 26 dB Emission Bandwidth




Figure 494 - 5280 MHz - 99% Occupied Bandwidth




Figure 495 - 5320 MHz - 26 dB Emission Bandwidth




Figure 496 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5260	5280	5320
26 dB Bandwidth (MHz)	21.420	21.540	21.360
99% Bandwidth (MHz)	17.733	17.726	17.742

Table 436 - 802.11n / HT20 MCS0 / MIMO CDD / Cores 0+1




Figure 497 - 5260 MHz - 26 dB Emission Bandwidth




Figure 498 - 5260 MHz - 99% Occupied Bandwidth




Figure 499 - 5280 MHz - 26 dB Emission Bandwidth




Figure 500 - 5280 MHz - 99% Occupied Bandwidth




Figure 501 - 5320 MHz - 26 dB Emission Bandwidth




Figure 502 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5260	5280	5320
26 dB Bandwidth (MHz)	21.300	21.240	21.540
99% Bandwidth (MHz)	17.676	17.686	17.713

Table 437 - 802.11n / HT20 MCS8 / MIMO SDM / Cores 0+1




Figure 503 - 5260 MHz - 26 dB Emission Bandwidth




Figure 504 - 5260 MHz - 99% Occupied Bandwidth




Figure 505 - 5280 MHz - 26 dB Emission Bandwidth




Figure 506 - 5280 MHz - 99% Occupied Bandwidth




Figure 507 - 5320 MHz - 26 dB Emission Bandwidth




Figure 508 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5260	5280	5320
26 dB Bandwidth (MHz)	21.420	21.420	21.420
99% Bandwidth (MHz)	17.770	17.760	17.763

Table 438 - 802.11ac / VHT20 MCS0x1 / MIMO TxBF / Cores 0+1




Figure 509 - 5260 MHz - 26 dB Emission Bandwidth




Figure 510 - 5260 MHz - 99% Occupied Bandwidth




Figure 511 - 5280 MHz - 26 dB Emission Bandwidth




Figure 512 - 5280 MHz - 99% Occupied Bandwidth




Figure 513 - 5320 MHz - 26 dB Emission Bandwidth




Figure 514 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5260	5280	5320
26 dB Bandwidth (MHz)	21.300	21.420	21.420
99% Bandwidth (MHz)	18.920	18.945	18.920

Table 439 - 802.11ax / HE20 MCS0x1 / SU / SISO / Core 0




Figure 515 - 5260 MHz - 26 dB Emission Bandwidth




Figure 516 - 5260 MHz - 99% Occupied Bandwidth




Figure 517 - 5280 MHz - 26 dB Emission Bandwidth




Figure 518 - 5280 MHz - 99% Occupied Bandwidth




Figure 519 - 5320 MHz - 26 dB Emission Bandwidth




Figure 520 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5260	5280	5320
26 dB Bandwidth (MHz)	21.540	21.420	21.300
99% Bandwidth (MHz)	18.974	18.953	18.952

Table 440 - 802.11ax / HE20 MCS0x1 / SU / MIMO CDD / Cores 0+1




Figure 521 - 5260 MHz - 26 dB Emission Bandwidth




Figure 522 - 5260 MHz - 99% Occupied Bandwidth




Figure 523 - 5280 MHz - 26 dB Emission Bandwidth




Figure 524 - 5280 MHz - 99% Occupied Bandwidth




Figure 525 - 5320 MHz - 26 dB Emission Bandwidth




Figure 526 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5260	5280	5320
26 dB Bandwidth (MHz)	21.420	21.480	21.420
99% Bandwidth (MHz)	18.936	18.941	18.962

Table 441 - 802.11ax / HE20 MCS0x2 / SU / MIMO SDM / Cores 0+1




Figure 527 - 5260 MHz - 26 dB Emission Bandwidth




Figure 528 - 5260 MHz - 99% Occupied Bandwidth




Figure 529 - 5280 MHz - 26 dB Emission Bandwidth




Figure 530 - 5280 MHz - 99% Occupied Bandwidth




Figure 531 - 5320 MHz - 26 dB Emission Bandwidth




Figure 532 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5270	5310
26 dB Bandwidth (MHz)	41.160	41.040
99% Bandwidth (MHz)	36.075	36.109

Table 442 - 802.11n / HT40 MCS0 / SISO / Core 0




Figure 533 - 5270 MHz - 26 dB Emission Bandwidth




Figure 534 - 5270 MHz - 99% Occupied Bandwidth




Figure 535 - 5310 MHz - 26 dB Emission Bandwidth




Figure 536 - 5310 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5270	5310
26 dB Bandwidth (MHz)	41.280	41.040
99% Bandwidth (MHz)	36.214	36.178

Table 443 - 802.11n / HT40 MCS0 / MIMO CDD / Cores 0+1




Figure 537 - 5270 MHz - 26 dB Emission Bandwidth




Figure 538 - 5270 MHz - 99% Occupied Bandwidth




Figure 539 - 5310 MHz - 26 dB Emission Bandwidth




Figure 540 - 5310 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5270	5310
26 dB Bandwidth (MHz)	41.040	40.920
99% Bandwidth (MHz)	36.178	36.186

Table 444 - 802.11n / HT40 MCS8 / MIMO SDM / Cores 0+1




Figure 541 - 5270 MHz - 26 dB Emission Bandwidth




Figure 542 - 5270 MHz - 99% Occupied Bandwidth




Figure 543 - 5310 MHz - 26 dB Emission Bandwidth




Figure 544 - 5310 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5270	5310
26 dB Bandwidth (MHz)	40.920	41.040
99% Bandwidth (MHz)	36.349	36.368

Table 445 - 802.11ac / VHT40 MCS0x1 / MIMO TxBF / Cores 0+1




Figure 545 - 5270 MHz - 26 dB Emission Bandwidth




Figure 546 - 5270 MHz - 99% Occupied Bandwidth




Figure 547 - 5310 MHz - 26 dB Emission Bandwidth




Figure 548 - 5310 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5270	5310
26 dB Bandwidth (MHz)	41.040	40.920
99% Bandwidth (MHz)	37.644	37.643

Table 446 - 802.11ax / HE40 MCS0x1 / SU / SISO / Core 0




Figure 549 - 5270 MHz - 26 dB Emission Bandwidth




Figure 550 - 5270 MHz - 99% Occupied Bandwidth




Figure 551 - 5310 MHz - 26 dB Emission Bandwidth




Figure 552 - 5310 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5270	5310
26 dB Bandwidth (MHz)	40.800	40.800
99% Bandwidth (MHz)	37.658	37.639

Table 447 - 802.11ax / HE40 MCS0x1 / SU / MIMO CDD / Cores 0+1




Figure 553 - 5270 MHz - 26 dB Emission Bandwidth




Figure 554 - 5270 MHz - 99% Occupied Bandwidth




Figure 555 - 5310 MHz - 26 dB Emission Bandwidth




Figure 556 - 5310 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5270	5310
26 dB Bandwidth (MHz)	40.920	40.800
99% Bandwidth (MHz)	37.708	37.627

Table 448 - 802.11ax / HE40 MCS0x2 / SU / MIMO SDM / Cores 0+1




Figure 557 - 5270 MHz - 26 dB Emission Bandwidth




Figure 558 - 5270 MHz - 99% Occupied Bandwidth