



Channel	Bottom	Top	Straddle
Frequency (MHz)	5530	5610	5690
26 dB Bandwidth (MHz)	82.080	97.920	88.760
99% Bandwidth (MHz)	75.972	76.119	76.002

Table 474 - 802.11ac / VHT80 MCS0x1 / MIMO TxBF / Cores 0+1




Figure 713 - 5530 MHz - 26 dB Emission Bandwidth




Figure 714 - 5530 MHz - 99% Occupied Bandwidth




Figure 715 - 5610 MHz - 26 dB Emission Bandwidth




Figure 716 - 5610 MHz - 99% Occupied Bandwidth




Figure 717 - 5690 MHz - 26 dB Emission Bandwidth




Figure 718 - 5690 MHz - 99% Occupied Bandwidth




Figure 721 - 5610 MHz - 26 dB Emission Bandwidth




Figure 722 - 5610 MHz - 99% Occupied Bandwidth




Figure 723 - 5690 MHz - 26 dB Emission Bandwidth




Figure 724 - 5690 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	5530	5610	5690
26 dB Bandwidth (MHz)	82.080	103.200	76.040
99% Bandwidth (MHz)	77.197	77.544	77.376

Table 476 - 802.11ax / HE80 MCS0x1 / SU / MIMO CDD / Cores 0+1




Figure 725 - 5530 MHz - 26 dB Emission Bandwidth




Figure 726 - 5530 MHz - 99% Occupied Bandwidth




Figure 727 - 5610 MHz - 26 dB Emission Bandwidth




Figure 728 - 5610 MHz - 99% Occupied Bandwidth




Figure 729 - 5690 MHz - 26 dB Emission Bandwidth




Figure 730 - 5690 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	5530	5610	5690
26 dB Bandwidth (MHz)	82.320	84.960	76.040
99% Bandwidth (MHz)	77.208	77.581	77.380

Table 477 - 802.11ax / HE80 MCS0x2 / SU / MIMO SDM / Cores 0+1




Figure 731 - 5530 MHz - 26 dB Emission Bandwidth




Figure 732 - 5530 MHz - 99% Occupied Bandwidth




Figure 733 - 5610 MHz - 26 dB Emission Bandwidth




Figure 734 - 5610 MHz - 99% Occupied Bandwidth




Figure 735 - 5690 MHz - 26 dB Emission Bandwidth




Figure 736 - 5690 MHz - 99% Occupied Bandwidth



U-NII-3

Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.160	16.440	16.440	16.440
26 dB Bandwidth (MHz)	5.620	21.240	21.420	21.420
99% Bandwidth (MHz)	16.632	16.648	16.642	16.655

Table 478 - 802.11a / 6 Mbps / SISO / Core 1




Figure 737 - 5720 MHz - 6 dB DTS Bandwidth




Figure 738 - 5720 MHz - 26 dB Emission Bandwidth




Figure 739 - 5720 MHz - 99% Occupied Bandwidth




Figure 740 - 5745 MHz - 6 dB DTS Bandwidth




Figure 741 - 5745 MHz - 26 dB Emission Bandwidth




Figure 742 - 5745 MHz - 99% Occupied Bandwidth




Figure 743 - 5785 MHz - 6 dB DTS Bandwidth




Figure 744 - 5785 MHz - 26 dB Emission Bandwidth




Figure 745 - 5785 MHz - 99% Occupied Bandwidth




Figure 746 - 5825 MHz - 6 dB DTS Bandwidth




Figure 747 - 5825 MHz - 26 dB Emission Bandwidth




Figure 748 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.460	17.640	17.400	17.400
26 dB Bandwidth (MHz)	5.980	21.300	21.960	21.720
99% Bandwidth (MHz)	17.810	17.816	17.757	17.767

Table 479 - 802.11n / HT20 MCS0 / SISO / Core 1




Figure 749 - 5720 MHz - 6 dB DTS Bandwidth




Figure 750 - 5720 MHz - 26 dB Emission Bandwidth




Figure 751 - 5720 MHz - 99% Occupied Bandwidth




Figure 752 - 5745 MHz - 6 dB DTS Bandwidth




Figure 753 - 5745 MHz - 26 dB Emission Bandwidth




Figure 754 - 5745 MHz - 99% Occupied Bandwidth




Figure 755 - 5785 MHz - 6 dB DTS Bandwidth




Figure 756 - 5785 MHz - 26 dB Emission Bandwidth




Figure 757 - 5785 MHz - 99% Occupied Bandwidth




Figure 758 - 5825 MHz - 6 dB DTS Bandwidth




Figure 759 - 5825 MHz - 26 dB Emission Bandwidth




Figure 760 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.820	17.640	17.640	17.640
26 dB Bandwidth (MHz)	5.740	21.480	21.600	21.660
99% Bandwidth (MHz)	17.717	17.792	17.748	17.773

Table 480 - 802.11n / HT20 MCS0 / MIMO CDD / Cores 0+1




Figure 761 - 5720 MHz - 6 dB DTS Bandwidth




Figure 762 - 5720 MHz - 26 dB Emission Bandwidth




Figure 763 - 5720 MHz - 99% Occupied Bandwidth




Figure 764 - 5745 MHz - 6 dB DTS Bandwidth




Figure 765 - 5745 MHz - 26 dB Emission Bandwidth




Figure 766 - 5745 MHz - 99% Occupied Bandwidth




Figure 767 - 5785 MHz - 6 dB DTS Bandwidth




Figure 768 - 5785 MHz - 26 dB Emission Bandwidth




Figure 769 - 5785 MHz - 99% Occupied Bandwidth




Figure 770 - 5825 MHz - 6 dB DTS Bandwidth




Figure 771 - 5825 MHz - 26 dB Emission Bandwidth




Figure 772 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.580	16.380	17.040	17.160
26 dB Bandwidth (MHz)	5.680	21.420	21.720	21.540
99% Bandwidth (MHz)	17.732	17.735	17.751	17.789

Table 481 - 802.11n / HT20 MCS8 / MIMO SDM / Cores 0+1




Figure 773 - 5720 MHz - 6 dB DTS Bandwidth




Figure 774 - 5720 MHz - 26 dB Emission Bandwidth




Figure 775 - 5720 MHz - 99% Occupied Bandwidth




Figure 776 - 5745 MHz - 6 dB DTS Bandwidth




Figure 777 - 5745 MHz - 26 dB Emission Bandwidth




Figure 778 - 5745 MHz - 99% Occupied Bandwidth




Figure 779 - 5785 MHz - 6 dB DTS Bandwidth




Figure 780 - 5785 MHz - 26 dB Emission Bandwidth




Figure 781 - 5785 MHz - 99% Occupied Bandwidth




Figure 782 - 5825 MHz - 6 dB DTS Bandwidth




Figure 783 - 5825 MHz - 26 dB Emission Bandwidth




Figure 784 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.940	17.760	17.520	16.560
26 dB Bandwidth (MHz)	5.740	21.780	22.020	22.020
99% Bandwidth (MHz)	17.773	17.784	17.808	17.810

Table 482 - 802.11ac / VHT20 MCS0x1 / MIMO TxBF / Cores 0+1




Figure 785 - 5720 MHz - 6 dB DTS Bandwidth




Figure 786 - 5720 MHz - 26 dB Emission Bandwidth




Figure 787 - 5720 MHz - 99% Occupied Bandwidth




Figure 788 - 5745 MHz - 6 dB DTS Bandwidth




Figure 789 - 5745 MHz - 26 dB Emission Bandwidth




Figure 790 - 5745 MHz - 99% Occupied Bandwidth




Figure 791 - 5785 MHz - 6 dB DTS Bandwidth




Figure 792 - 5785 MHz - 26 dB Emission Bandwidth




Figure 793 - 5785 MHz - 99% Occupied Bandwidth




Figure 794 - 5825 MHz - 6 dB DTS Bandwidth




Figure 795 - 5825 MHz - 26 dB Emission Bandwidth




Figure 796 - 5825 MHz - 99% Occupied Bandwidth

Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	4.480	18.360	18.300	17.640
26 dB Bandwidth (MHz)	5.980	21.540	21.060	21.420
99% Bandwidth (MHz)	18.960	18.992	18.969	18.996

Table 483 - 802.11ax / HE20 MCS0x1 / SU / SISO / Core 1




Figure 797 - 5720 MHz - 6 dB DTS Bandwidth




Figure 798 - 5720 MHz - 26 dB Emission Bandwidth




Figure 799 - 5720 MHz - 99% Occupied Bandwidth




Figure 800 - 5745 MHz - 6 dB DTS Bandwidth




Figure 801 - 5745 MHz - 26 dB Emission Bandwidth




Figure 802 - 5745 MHz - 99% Occupied Bandwidth




Figure 803 - 5785 MHz - 6 dB DTS Bandwidth




Figure 804 - 5785 MHz - 26 dB Emission Bandwidth




Figure 805 - 5785 MHz - 99% Occupied Bandwidth




Figure 806 - 5825 MHz - 6 dB DTS Bandwidth




Figure 807 - 5825 MHz - 26 dB Emission Bandwidth




Figure 808 - 5825 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.160	14.640	2.160
26 dB Bandwidth (MHz)	20.400	19.980	19.920
99% Bandwidth (MHz)	18.342	18.338	18.221

Table 484 - 802.11ax / HE20 MCS0x1 / RU 26-0 / SISO / Core 1




Figure 809 - 5745 MHz - 6 dB DTS Bandwidth




Figure 810 - 5745 MHz - 26 dB Emission Bandwidth




Figure 811 - 5745 MHz - 99% Occupied Bandwidth




Figure 812 - 5785 MHz - 6 dB DTS Bandwidth




Figure 813 - 5785 MHz - 26 dB Emission Bandwidth




Figure 814 - 5785 MHz - 99% Occupied Bandwidth




Figure 815 - 5825 MHz - 6 dB DTS Bandwidth




Figure 816 - 5825 MHz - 26 dB Emission Bandwidth




Figure 817 - 5825 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.160	2.160	2.160
26 dB Bandwidth (MHz)	19.980	20.220	20.100
99% Bandwidth (MHz)	18.208	18.288	18.092

Table 485 - 802.11ax / HE20 MCS0x1 / RU 26-8 / SISO / Core 1




Figure 818 - 5745 MHz - 6 dB DTS Bandwidth




Figure 819 - 5745 MHz - 26 dB Emission Bandwidth




Figure 820 - 5745 MHz - 99% Occupied Bandwidth




Figure 821 - 5785 MHz - 6 dB DTS Bandwidth




Figure 822 - 5785 MHz - 26 dB Emission Bandwidth




Figure 823 - 5785 MHz - 99% Occupied Bandwidth




Figure 824 - 5825 MHz - 6 dB DTS Bandwidth




Figure 825 - 5825 MHz - 26 dB Emission Bandwidth




Figure 826 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	4.480	18.000	18.780	17.940
26 dB Bandwidth (MHz)	5.740	21.360	21.480	21.480
99% Bandwidth (MHz)	18.933	18.976	18.994	18.984

Table 486 - 802.11ax / HE20 MCS0x1 / SU / MIMO CDD / Cores 0+1




Figure 827 - 5720 MHz - 6 dB DTS Bandwidth




Figure 828 - 5720 MHz - 26 dB Emission Bandwidth




Figure 829 - 5720 MHz - 99% Occupied Bandwidth




Figure 830 - 5745 MHz - 6 dB DTS Bandwidth




Figure 831 - 5745 MHz - 26 dB Emission Bandwidth




Figure 832 - 5745 MHz - 99% Occupied Bandwidth




Figure 833 - 5785 MHz - 6 dB DTS Bandwidth




Figure 834 - 5785 MHz - 26 dB Emission Bandwidth




Figure 835 - 5785 MHz - 99% Occupied Bandwidth




Figure 836 - 5825 MHz - 6 dB DTS Bandwidth




Figure 837 - 5825 MHz - 26 dB Emission Bandwidth




Figure 838 - 5825 MHz - 99% Occupied Bandwidth

Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.100	2.160	2.160
26 dB Bandwidth (MHz)	20.520	19.800	20.460
99% Bandwidth (MHz)	18.318	18.288	18.274

Table 487 - 802.11ax / HE20 MCS0x1 / RU 26-0 / MIMO CDD / Cores 0+1




Figure 839 - 5745 MHz - 6 dB DTS Bandwidth




Figure 840 - 5745 MHz - 26 dB Emission Bandwidth




Figure 841 - 5745 MHz - 99% Occupied Bandwidth




Figure 842 - 5785 MHz - 6 dB DTS Bandwidth




Figure 843 - 5785 MHz - 26 dB Emission Bandwidth




Figure 844 - 5785 MHz - 99% Occupied Bandwidth




Figure 845 - 5825 MHz - 6 dB DTS Bandwidth




Figure 846 - 5825 MHz - 26 dB Emission Bandwidth




Figure 847 - 5825 MHz - 99% Occupied Bandwidth

Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.160	2.160	2.160
26 dB Bandwidth (MHz)	20.940	20.340	20.520
99% Bandwidth (MHz)	18.482	18.225	18.433

Table 488 - 802.11ax / HE20 MCS0x1 / RU 26-8 / MIMO CDD / Cores 0+1




Figure 848 - 5745 MHz - 6 dB DTS Bandwidth






Figure 849 - 5745 MHz - 26 dB Emission Bandwidth






Figure 852 - 5785 MHz - 26 dB Emission Bandwidth




Figure 853 - 5785 MHz - 99% Occupied Bandwidth




Figure 854 - 5825 MHz - 6 dB DTS Bandwidth




Figure 855 - 5825 MHz - 26 dB Emission Bandwidth




Figure 856 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	4.120	18.480	18.780	17.880
26 dB Bandwidth (MHz)	5.620	21.540	21.540	21.420
99% Bandwidth (MHz)	18.947	18.967	18.953	18.971

Table 489 - 802.11ax / HE20 MCS0x2 / SU / MIMO SDM / Cores 0+1




Figure 857 - 5720 MHz - 6 dB DTS Bandwidth




Figure 858 - 5720 MHz - 26 dB Emission Bandwidth




Figure 859 - 5720 MHz - 99% Occupied Bandwidth




Figure 860 - 5745 MHz - 6 dB DTS Bandwidth