




Figure 861 - 5745 MHz - 26 dB Emission Bandwidth




Figure 862 - 5745 MHz - 99% Occupied Bandwidth




Figure 863 - 5785 MHz - 6 dB DTS Bandwidth




Figure 864 - 5785 MHz - 26 dB Emission Bandwidth




Figure 865 - 5785 MHz - 99% Occupied Bandwidth




Figure 866 - 5825 MHz - 6 dB DTS Bandwidth




Figure 867 - 5825 MHz - 26 dB Emission Bandwidth




Figure 868 - 5825 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.160	2.160	2.160
26 dB Bandwidth (MHz)	20.460	20.640	20.400
99% Bandwidth (MHz)	18.385	18.372	18.351

Table 490 - 802.11ax / HE20 MCS0x2 / RU 26-0 / MIMO SDM / Cores 0+1




Figure 869 - 5745 MHz - 6 dB DTS Bandwidth



Figure 870 - 5745 MHz - 26 dB Emission Bandwidth




Figure 871 - 5745 MHz - 99% Occupied Bandwidth




Figure 872 - 5785 MHz - 6 dB DTS Bandwidth




Figure 873 - 5785 MHz - 26 dB Emission Bandwidth




Figure 874 - 5785 MHz - 99% Occupied Bandwidth




Figure 875 - 5825 MHz - 6 dB DTS Bandwidth




Figure 876 - 5825 MHz - 26 dB Emission Bandwidth




Figure 877 - 5825 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.160	2.160	2.160
26 dB Bandwidth (MHz)	20.760	20.460	20.940
99% Bandwidth (MHz)	18.355	18.454	18.433

Table 491 - 802.11ax / HE20 MCS0x2 / RU 26-8 / MIMO SDM / Cores 0+1




Figure 878 - 5745 MHz - 6 dB DTS Bandwidth




Figure 879 - 5745 MHz - 26 dB Emission Bandwidth




Figure 880 - 5745 MHz - 99% Occupied Bandwidth




Figure 881 - 5785 MHz - 6 dB DTS Bandwidth




Figure 882 - 5785 MHz - 26 dB Emission Bandwidth




Figure 883 - 5785 MHz - 99% Occupied Bandwidth




Figure 884 - 5825 MHz - 6 dB DTS Bandwidth




Figure 885 - 5825 MHz - 26 dB Emission Bandwidth




Figure 886 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.000	35.880	35.880
26 dB Bandwidth (MHz)	5.520	40.920	40.440
99% Bandwidth (MHz)	36.261	36.200	36.248

Table 492 - 802.11n / HT40 MCS0 / SISO / Core 1




Figure 887 - 5710 MHz - 6 dB DTS Bandwidth




Figure 888 - 5710 MHz - 26 dB Emission Bandwidth




Figure 889 - 5710 MHz - 99% Occupied Bandwidth




Figure 890 - 5755 MHz - 6 dB DTS Bandwidth




Figure 891 - 5755 MHz - 26 dB Emission Bandwidth




Figure 892 - 5755 MHz - 99% Occupied Bandwidth




Figure 893 - 5795 MHz - 6 dB DTS Bandwidth




Figure 894 - 5795 MHz - 26 dB Emission Bandwidth




Figure 895 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.240	35.880	35.520
26 dB Bandwidth (MHz)	5.640	41.280	40.920
99% Bandwidth (MHz)	36.297	36.269	36.233

Table 493 - 802.11n / HT40 MCS0 / MIMO CDD / Cores 0+1




Figure 896 - 5710 MHz - 6 dB DTS Bandwidth




Figure 897 - 5710 MHz - 26 dB Emission Bandwidth




Figure 898 - 5710 MHz - 99% Occupied Bandwidth




Figure 899 - 5755 MHz - 6 dB DTS Bandwidth




Figure 900 - 5755 MHz - 26 dB Emission Bandwidth




Figure 901 - 5755 MHz - 99% Occupied Bandwidth




Figure 902 - 5795 MHz - 6 dB DTS Bandwidth




Figure 903 - 5795 MHz - 26 dB Emission Bandwidth




Figure 904 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	2.640	34.680	35.280
26 dB Bandwidth (MHz)	5.640	41.040	41.640
99% Bandwidth (MHz)	36.273	36.255	36.242

Table 494 - 802.11n / HT40 MCS8 / MIMO SDM / Cores 0+1




Figure 905 - 5710 MHz - 6 dB DTS Bandwidth




Figure 906 - 5710 MHz - 26 dB Emission Bandwidth




Figure 907 - 5710 MHz - 99% Occupied Bandwidth




Figure 908 - 5755 MHz - 6 dB DTS Bandwidth




Figure 909 - 5755 MHz - 26 dB Emission Bandwidth




Figure 910 - 5755 MHz - 99% Occupied Bandwidth




Figure 911 - 5795 MHz - 6 dB DTS Bandwidth




Figure 912 - 5795 MHz - 26 dB Emission Bandwidth




Figure 913 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.360	35.280	35.280
26 dB Bandwidth (MHz)	17.040	42.960	46.800
99% Bandwidth (MHz)	36.378	36.395	36.443

Table 495 - 802.11ac / VHT40 MCS0x1 / MIMO TxBF / Cores 0+1




Figure 914 - 5710 MHz - 6 dB DTS Bandwidth




Figure 915 - 5710 MHz - 26 dB Emission Bandwidth




Figure 916 - 5710 MHz - 99% Occupied Bandwidth




Figure 917 - 5755 MHz - 6 dB DTS Bandwidth




Figure 918 - 5755 MHz - 26 dB Emission Bandwidth




Figure 919 - 5755 MHz - 99% Occupied Bandwidth




Figure 920 - 5795 MHz - 6 dB DTS Bandwidth




Figure 921 - 5795 MHz - 26 dB Emission Bandwidth




Figure 922 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.000	36.000	35.760
26 dB Bandwidth (MHz)	5.400	41.040	41.160
99% Bandwidth (MHz)	37.674	37.624	37.666

Table 496 - 802.11ax / HE40 MCS0x1 / SU / SISO / Core 1




Figure 923 - 5710 MHz - 6 dB DTS Bandwidth




Figure 924 - 5710 MHz - 26 dB Emission Bandwidth




Figure 925 - 5710 MHz - 99% Occupied Bandwidth




Figure 926 - 5755 MHz - 6 dB DTS Bandwidth




Figure 927 - 5755 MHz - 26 dB Emission Bandwidth




Figure 928 - 5755 MHz - 99% Occupied Bandwidth




Figure 929 - 5795 MHz - 6 dB DTS Bandwidth




Figure 930 - 5795 MHz - 26 dB Emission Bandwidth




Figure 931 - 5795 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5755	5795
6 dB Bandwidth (MHz)	2.280	14.160
26 dB Bandwidth (MHz)	19.440	19.200
99% Bandwidth (MHz)	18.140	18.089

Table 497 - 802.11ax / HE40 MCS0x1 / RU 26-0 / SISO / Core 1




Figure 932 - 5755 MHz - 6 dB DTS Bandwidth




Figure 933 - 5755 MHz - 26 dB Emission Bandwidth




Figure 934 - 5755 MHz - 99% Occupied Bandwidth




Figure 935 - 5795 MHz - 6 dB DTS Bandwidth




Figure 936 - 5795 MHz - 26 dB Emission Bandwidth




Figure 937 - 5795 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5755	5795
6 dB Bandwidth (MHz)	2.400	2.280
26 dB Bandwidth (MHz)	19.080	19.200
99% Bandwidth (MHz)	18.066	17.983

Table 498 - 802.11ax / HE40 MCS0x1 / RU 26-17 / SISO / Core 1




Figure 938 - 5755 MHz - 6 dB DTS Bandwidth




Figure 939 - 5755 MHz - 26 dB Emission Bandwidth




Figure 940 - 5755 MHz - 99% Occupied Bandwidth




Figure 941 - 5795 MHz - 6 dB DTS Bandwidth




Figure 942 - 5795 MHz - 26 dB Emission Bandwidth




Figure 943 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.240	36.360	36.480
26 dB Bandwidth (MHz)	5.760	41.040	40.800
99% Bandwidth (MHz)	37.666	37.710	37.714

Table 499 - 802.11ax / HE40 MCS0x1 / SU / MIMO CDD / Cores 0+1




Figure 944 - 5710 MHz - 6 dB DTS Bandwidth




Figure 945 - 5710 MHz - 26 dB Emission Bandwidth




Figure 946 - 5710 MHz - 99% Occupied Bandwidth




Figure 947 - 5755 MHz - 6 dB DTS Bandwidth




Figure 948 - 5755 MHz - 26 dB Emission Bandwidth




Figure 949 - 5755 MHz - 99% Occupied Bandwidth




Figure 950 - 5795 MHz - 6 dB DTS Bandwidth




Figure 951 - 5795 MHz - 26 dB Emission Bandwidth




Figure 952 - 5795 MHz - 99% Occupied Bandwidth




Figure 955 - 5755 MHz - 99% Occupied Bandwidth




Figure 956 - 5795 MHz - 6 dB DTS Bandwidth




Figure 957 - 5795 MHz - 26 dB Emission Bandwidth




Figure 958 - 5795 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5755	5795
6 dB Bandwidth (MHz)	2.160	2.160
26 dB Bandwidth (MHz)	19.080	19.800
99% Bandwidth (MHz)	18.115	18.266

Table 501 - 802.11ax / HE40 MCS0x1 / RU 26-17 / MIMO CDD / Cores 0+1




Figure 959 - 5755 MHz - 6 dB DTS Bandwidth




Figure 960 - 5755 MHz - 26 dB Emission Bandwidth




Figure 961 - 5755 MHz - 99% Occupied Bandwidth




Figure 962 - 5795 MHz - 6 dB DTS Bandwidth




Figure 963 - 5795 MHz - 26 dB Emission Bandwidth




Figure 964 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Top
Frequency (MHz)	5710	5755	5795
6 dB Bandwidth (MHz)	3.480	37.800	37.560
26 dB Bandwidth (MHz)	5.760	41.160	41.280
99% Bandwidth (MHz)	37.715	37.683	37.701

Table 502 - 802.11ax / HE40 MCS0x2 / SU / MIMO SDM / Cores 0+1




Figure 965 - 5710 MHz - 6 dB DTS Bandwidth




Figure 966 - 5710 MHz - 26 dB Emission Bandwidth




Figure 967 - 5710 MHz - 99% Occupied Bandwidth




Figure 968 - 5755 MHz - 6 dB DTS Bandwidth




Figure 969 - 5755 MHz - 26 dB Emission Bandwidth




Figure 970 - 5755 MHz - 99% Occupied Bandwidth




Figure 971 - 5795 MHz - 6 dB DTS Bandwidth




Figure 972 - 5795 MHz - 26 dB Emission Bandwidth




Figure 973 - 5795 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5755	5795
6 dB Bandwidth (MHz)	2.160	2.160
26 dB Bandwidth (MHz)	19.440	19.560
99% Bandwidth (MHz)	18.405	18.189

Table 503 - 802.11ax / HE40 MCS0x2 / RU 26-0 / MIMO SDM / Cores 0+1




Figure 974 - 5755 MHz - 6 dB DTS Bandwidth






Figure 975 - 5755 MHz - 26 dB Emission Bandwidth






Figure 978 - 5795 MHz - 26 dB Emission Bandwidth




Figure 979 - 5795 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5755	5795
6 dB Bandwidth (MHz)	2.160	2.160
26 dB Bandwidth (MHz)	19.320	19.200
99% Bandwidth (MHz)	18.049	18.311

Table 504 - 802.11ax / HE40 MCS0x2 / RU 26-17 / MIMO SDM / Cores 0+1




Figure 980 - 5755 MHz - 6 dB DTS Bandwidth




Figure 981 - 5755 MHz - 26 dB Emission Bandwidth




Figure 982 - 5755 MHz - 99% Occupied Bandwidth




Figure 983 - 5795 MHz - 6 dB DTS Bandwidth




Figure 984 - 5795 MHz - 26 dB Emission Bandwidth




Figure 985 - 5795 MHz - 99% Occupied Bandwidth



Channel	Straddle	Middle
Frequency (MHz)	5690	5775
6 dB Bandwidth (MHz)	2.920	76.080
26 dB Bandwidth (MHz)	10.600	82.320
99% Bandwidth (MHz)	75.834	75.669

Table 505 - 802.11ac / VHT80 MCS0x1 / SISO / Core 1




Figure 986 - 5690 MHz - 6 dB DTS Bandwidth




Figure 987 - 5690 MHz - 26 dB Emission Bandwidth




Figure 988 - 5690 MHz - 99% Occupied Bandwidth




Figure 989 - 5775 MHz - 6 dB DTS Bandwidth




Figure 990 - 5775 MHz - 26 dB Emission Bandwidth




Figure 991 - 5775 MHz - 99% Occupied Bandwidth



Channel	Straddle	Middle
Frequency (MHz)	5690	5775
6 dB Bandwidth (MHz)	2.920	75.600
26 dB Bandwidth (MHz)	6.760	82.560
99% Bandwidth (MHz)	75.860	75.652

Table 506 - 802.11ac / VHT80 MCS0x1 / MIMO CDD / Cores 0+1




Figure 992 - 5690 MHz - 6 dB DTS Bandwidth




Figure 993 - 5690 MHz - 26 dB Emission Bandwidth




Figure 994 - 5690 MHz - 99% Occupied Bandwidth




Figure 995 - 5775 MHz - 6 dB DTS Bandwidth




Figure 996 - 5775 MHz - 26 dB Emission Bandwidth




Figure 997 - 5775 MHz - 99% Occupied Bandwidth



Channel	Straddle	Middle
Frequency (MHz)	5690	5775
6 dB Bandwidth (MHz)	2.920	75.600
26 dB Bandwidth (MHz)	19.480	82.320
99% Bandwidth (MHz)	75.994	75.686

Table 507 - 802.11ac / VHT80 MCS0x2 / MIMO SDM / Cores 0+1




Figure 998 - 5690 MHz - 6 dB DTS Bandwidth




Figure 999 - 5690 MHz - 26 dB Emission Bandwidth




Figure 1000 - 5690 MHz - 99% Occupied Bandwidth




Figure 1001 - 5775 MHz - 6 dB DTS Bandwidth




Figure 1002 - 5775 MHz - 26 dB Emission Bandwidth




Figure 1003 - 5775 MHz - 99% Occupied Bandwidth



Channel	Straddle	Middle
Frequency (MHz)	5690	5775
6 dB Bandwidth (MHz)	3.400	76.560
26 dB Bandwidth (MHz)	7.960	91.520
99% Bandwidth (MHz)	76.048	76.119

Table 508 - 802.11ac / VHT80 MCS0x1 / MIMO TxBF / Cores 0+1




Figure 1004 - 5690 MHz - 6 dB DTS Bandwidth




Figure 1005 - 5690 MHz - 26 dB Emission Bandwidth