



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	62.320
99 % Bandwidth (MHz)	76.010

Table 523 - 802.11 ac / VHT80 MCS7 & 8 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 283 - 5210 MHz - 26 dB Emission Bandwidth




Figure 284 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.10
26 dB Bandwidth (MHz)	62.320
99 % Bandwidth (MHz)	76.200

Table 524 - 802.11 ac / VHT80 MCS7 xl / MIMO Tx BF / Cores 0+1 / Country Code US




Figure 285 - 5210 MHz - 26 dB Emission Bandwidth



Figure 286 - 5210 MHz - 99% Occupied Bandwidth

Channel	Middle
---------	--------



Frequency (MHz)	5210
26 dB Bandwidth (MHz)	62.320
99 % Bandwidth (MHz)	76.212

Table 525 - 802.11 ac / VHT80 MCS7 xl / MIMO Tx/BF / Cores 0+1 / Country Code CA




Figure 287 - 5210 MHz - 26 dB Emission Bandwidth



Figure 288 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	521.0
26 dB Bandwidth (MHz)	62.320
99 % Bandwidth (MHz)	77.334

Table 526 - 802.11 ax / HE80 MCS7 x1 / SU / SISO / Core 0 / Country Code US




Figure 289 - 5210 MHz - 26 dB Emission Bandwidth




Figure 290 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.10
26 dB Bandwidth (MHz)	81.840
99 % Bandwidth (MHz)	77.182

Table 527 - 802.11 ax / HE80 MCS7 x1 / SU / SISO / Core 0 / Country Code CA




Figure 291 - 5210 MHz - 26 dB Emission Bandwidth




Figure 292 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.10
26 dB Bandwidth (MHz)	19.920
99 % Bandwidth (MHz)	19.938

Table 528 - 802.11 ax / HE80 MCS7x1 / RU 26-0 / SISO / Core 0 / Country Code US



Figure 293 - 5210 MHz - 26 dB Emission Bandwidth



Figure 294 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.10
26 dB Bandwidth (MHz)	19.680
99 % Bandwidth (MHz)	19.461

Table 529 - 802.11 ax / HE80 MCS7x1 / RU 26-0 / SISO / Core 0 / Country Code CA



Figure 295 - 5210 MHz - 26 dB Emission Bandwidth



Figure 296 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	21.120
99 % Bandwidth (MHz)	20.203

Table 530 - 802.11 ax / HE80 MCS7x1/ RU 26-36 / SISO / Core 0 / Country Code US




Figure 297 - 5210 MHz - 26 dB Emission Bandwidth




Figure 298 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.640
99 % Bandwidth (MHz)	19.914

Table 531 - 802.11 ax / HE80 MCS7x1/ RU 26-36 / SISO / Core 0 / Country Code CA




Figure 299 - 5210 MHz - 26 dB Emission Bandwidth




Figure 300 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.10
26 dB Bandwidth (MHz)	62.800
99 % Bandwidth (MHz)	77.380

Table 532 - 802.11 ax / HE80 MCS7x1 / SU / MIMO CDD / Cores 0+1 / Country Code US




Figure 301 - 5210 MHz - 26 dB Emission Bandwidth



Figure 302 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	62.560
99 % Bandwidth (MHz)	77.209

Table 533 - 802.11 ax / HE80 MCS7 x1 / SU / MMO CDD / Cores 0+1 / Country Code CA




Figure 303 - 5210 MHz - 26 dB Emission Bandwidth



Figure 304 - 5210 MHz - 99% Occupied Bandwidth

Channel	Middle
---------	--------



Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99 % Bandwidth (MHz)	19.632

Table 534 - 802.11 ax / HE80 MCS7x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code US



Figure 305 - 5210 MHz - 26 dB Emission Bandwidth



Figure 306 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.10
26 dB Bandwidth (MHz)	19.920
99 % Bandwidth (MHz)	19.736

Table 535 - 802.11 ax / HE80 MCS7x1 / RU 26.0 / MIMO CDD / Cores 0+1/ Country Code CA



Figure 307 - 5210 MHz - 26 dB Emission Bandwidth



Figure 308 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.400
99 % Bandwidth (MHz)	19.922

Table 536 - 802.11ax / HE80 MCS7x1 / RU 26-36 / MIMO CDD / Cores 0+1 / Country Code US




Figure 309 - 5210 MHz - 26 dB Emission Bandwidth



Figure 310 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.400
99 % Bandwidth (MHz)	19.819

Table 537 - 802.11ax / HE80 MCS7x1 / RU 26-36 / MIMO CDD / Cores 0+1 / Country Code CA



Figure 311 - 5210 MHz - 26 dB Emission Bandwidth



Figure 312 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	62.320
99 % Bandwidth (MHz)	77.330

Table 538 - 802.11 ax / HE80 MCS7x2 / SU / MMO SDM / Cores 0+1 / Country Code US




Figure 313 - 5210 MHz - 26 dB Emission Bandwidth




Figure 314 - 5210 MHz - 99% Occupied Bandwidth

Channel	Middle
---------	--------



Frequency (MHz)	5210
26 dB Bandwidth (MHz)	62.560
99 % Bandwidth (MHz)	77.280

Table 539 - 802.11 ax / HE80 MCS7x2 / SU / MMO SDM / Cores 0+1 / Country Code CA




Figure 315 - 5210 MHz - 26 dB Emission Bandwidth



Figure 316 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.10
26 dB Bandwidth (MHz)	19.920
99 % Bandwidth (MHz)	20.521

Table 540 - 802.11 ax / HE80 MCS7x2 / RU 26.0 / MIMO SDM / Cores 0+1 / Country Code US



Figure317 - 5210 MHz - 26 dB Emission Bandwidth




Figure318 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.10
26 dB Bandwidth (MHz)	19.680
99 % Bandwidth (MHz)	19.701

Table 541 - 802.11ax / HE80 MCS7x2 / RU 26.0 / MIMO SDM / Cores 0+1 / Country Code CA



Figure 319 - 5210 MHz - 26 dB Emission Bandwidth



Figure 320 - 5210 MHz - 99% Occupied Bandwidth

Channel	Middle
---------	--------



Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.640
99 % Bandwidth (MHz)	19.809

Table 542 - 802.11 ax / HE80 MCS7x2 / RU 26-36 / MIMO SDM / Cores 0+1 / Country Code US



Figure 321 - 5210 MHz - 26 dB Emission Bandwidth



Figure 322 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.880
99 % Bandwidth (MHz)	19.917

Table 543 - 802.11 ax / HE80 MCS7x2 / RU 26-36 / MIMO SDM / Cores 0+1 / Country Code CA



Figure 323 - 5210 MHz - 26 dB Emission Bandwidth



Figure 324 - 5210 MHz - 99% Occupied Bandwidth



LNII-2A

Channel	Bottom	Middle	Top
Frequency (MHz)	52.60	52.80	53.20
26 dB Bandwidth (MHz)	21.420	21.180	21.360
99 % Bandwidth (MHz)	16.611	16.611	16.569

Table 544 - 802.11 a / 6 Mbps / SISO / Core 0



Figure 325 - 5260 MHz - 26 dB Emission Bandwidth




Figure 326 - 5260 MHz - 99% Occupied Bandwidth



Figure 327 - 5280 MHz - 26 dB Emission Bandwidth




Figure 328 - 5280 MHz - 99% Occupied Bandwidth




Figure 329 - 5320 MHz - 26 dB Emission Bandwidth




Figure 330 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	52.60	52.80	53.20
26 dB Bandwidth (MHz)	21.720	26.760	21.540
99 % Bandwidth (MHz)	17.842	17.847	17.759

Table 545 - 802.11 n/ HT20 MCS7 / SISO / Core 0



Figure 331 - 5260 MHz - 26 dB Emission Bandwidth




Figure 332 - 5260 MHz - 99% Occupied Bandwidth



Figure 333 - 5280 MHz - 26 dB Emission Bandwidth




Figure 334 - 5280 MHz - 99% Occupied Bandwidth




Figure 335 - 5320 MHz - 26 dB Emission Bandwidth




Figure 336 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	52.60	52.80	53.20
26 dB Bandwidth (MHz)	21.420	21.420	21.660
99 % Bandwidth (MHz)	17.762	17.770	17.770

Table 546 - 802.11n / HT20 MCS7 / MIMO CDD / Cores 0+1




Figure 337 - 5260 MHz - 26 dB Emission Bandwidth




Figure 338 - 5260 MHz - 99% Occupied Bandwidth




Figure 339 - 5280 MHz - 26 dB Emission Bandwidth



Figure 340 - 5280 MHz - 99% Occupied Bandwidth



Figure 341 - 5320 MHz - 26 dB Emission Bandwidth




Figure 342 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	52.60	52.80	53.20
26 dB Bandwidth (MHz)	21.540	21.420	21.480
99 % Bandwidth (MHz)	17.803	17.788	17.789

Table 547 - 802.11n / HT20 MCS15 / MIMO SDM / Cores 0+1



Figure 343 - 5260 MHz - 26 dB Emission Bandwidth




Figure 344 - 5260 MHz - 99% Occupied Bandwidth




Figure 345 - 5280 MHz - 26 dB Emission Bandwidth



Figure 346 - 5280 MHz - 99% Occupied Bandwidth




Figure 347 - 5320 MHz - 26 dB Emission Bandwidth




Figure 348 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	52.60	52.80	53.20
26 dB Bandwidth (MHz)	21.540	21.360	21.360
99 % Band width (MHz)	17.777	17.771	17.785

Table 548 - 802.11 ac /VHT20 MCS7 xl / MIMO TxBF / Cores 0+1




Figure349 - 5260 MHz - 26 dB Emission Bandwidth




Figure350 - 5260 MHz - 99% Occupied Bandwidth




Figure 351 - 5280 MHz - 26 dB Emission Bandwidth



Figure 352 - 5280 MHz - 99% Occupied Bandwidth




Figure 353 - 5320 MHz - 26 dB Emission Bandwidth




Figure 354 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	52.60	52.80	53.20
26 dB Bandwidth (MHz)	27.780	26.940	21.660
99 % Bandwidth (MHz)	19.047	19.030	18.978

Table 549 - 802.11 ax / HE20 MCS7x1 / SU / SISO / Core 0



Figure 355 - 5260 MHz - 26 dB Emission Bandwidth




Figure 356 - 5260 MHz - 99% Occupied Bandwidth




Figure 357 - 5280 MHz - 26 dB Emission Bandwidth



Figure 358 - 5280 MHz - 99% Occupied Bandwidth




Figure 359 - 5320 MHz - 26 dB Emission Bandwidth




Figure 360 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	52.60	52.80	53.20
26 dB Bandwidth (MHz)	21.600	21.660	21.720
99 % Bandwidth (MHz)	19.004	18.998	18.999

Table 550 - 802.11 ax / HE20 MCS7x1 / SU / MIMO CDD / Cores 0+1




Figure 361 - 5260 MHz - 26 dB Emission Bandwidth




Figure 362 - 5260 MHz - 99% Occupied Bandwidth




Figure 363 - 5280 MHz - 26 dB Emission Bandwidth



Figure 364 - 5280 MHz - 99% Occupied Bandwidth




Figure 365 - 5320 MHz - 26 dB Emission Bandwidth




Figure 366 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	52.60	52.80	53.20
26 dB Bandwidth (MHz)	21.480	21.420	21.480
99 % Bandwidth (MHz)	19.031	19.012	18.991

Table 551 - 802.11 ax / HE20 MCS7x2 / SU / MIMO SDM / Cores 0+1




Figure 367 - 5260 MHz - 26 dB Emission Bandwidth



Figure 368 - 5260 MHz - 99% Occupied Bandwidth



Figure 369 - 5280 MHz - 26 dB Emission Bandwidth




Figure 370 - 5280 MHz - 99% Occupied Bandwidth




Figure 371 - 5320 MHz - 26 dB Emission Bandwidth




Figure 372 - 5320 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	52.70	53.10
26 dB Bandwidth (MHz)	64.200	40.920
99 % Bandwidth (MHz)	36.606	36.374

Table 552 - 802.11 n / HT40 MCS7 / SSO / Core 0



Figure 373 - 5270 MHz - 26 dB Emission Bandwidth




Figure 374 - 5270 MHz - 99% Occupied Bandwidth




Figure 375 - 5310 MHz - 26 dB Emission Bandwidth



Figure 376 - 5310 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	52.70	53.10
26 dB Bandwidth (MHz)	48.360	41.160
99 % Bandwidth (MHz)	36.479	35.366

Table 553 - 802.11 n / HT40 MCS7 / MIMO CDD / Cores 0+1



Figure 377 - 5270 MHz - 26 dB Emission Bandwidth



Figure 378 - 5270 MHz - 99% Occupied Bandwidth




Figure 379 - 5310 MHz - 26 dB Emission Bandwidth




Figure 380 - 5310 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	52.70	53.10
26 dB Bandwidth (MHz)	53.040	41.040
99 % Bandwidth (MHz)	36.453	36.397

Table 554 - 802.11n / HT40 MCS15 / MIMO SDM / Cores 0+1



Figure 381 - 5270 MHz - 26 dB Emission Bandwidth



Figure 382 - 5270 MHz - 99% Occupied Bandwidth




Figure 383 - 5310 MHz - 26 dB Emission Bandwidth




Figure 384 - 5310 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	52.70	53.10
26 dB Bandwidth (MHz)	67.560	41.400
99 % Bandwidth (MHz)	35.494	37.471

Table 555 - 802.11 ac / VHT40 MCS7 xl / MIMO TxBF / Cores 0+1



Figure 385 - 5270 MHz - 26 dB Emission Bandwidth




Figure 386 - 5270 MHz - 99% Occupied Bandwidth




Figure 387 - 5310 MHz - 26 dB Emission Bandwidth



Figure 388 - 5310 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	52.70	53.10
26 dB Bandwidth (MHz)	65.520	40.920
99 % Bandwidth (MHz)	37.884	37.686

Table 556 - 802.11 ax / HE40 MCS7x1/ SU / SISO / Core 0



Figure 389 - 5270 MHz - 26 dB Emission Bandwidth




Figure 390 - 5270 MHz - 99% Occupied Bandwidth




Figure 391 - 5310 MHz - 26 dB Emission Bandwidth



Figure 392 - 5310 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	52.70	53.10
26 dB Bandwidth (MHz)	42.240	40.920
99 % Bandwidth (MHz)	37.773	37.739

Table 557 - 802.11 ax / HE40 MCS7x1 / SU / MIMO CDD / Cores 0+1




Figure 393 - 5270 MHz - 26 dB Emission Bandwidth



Figure 394 - 5270 MHz - 99% Occupied Bandwidth




Figure 395 - 5310 MHz - 26 dB Emission Bandwidth



Figure 396 - 5310 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	52.70	53.10
26 dB Bandwidth (MHz)	45.960	41.280
99 % Bandwidth (MHz)	37.877	37.777

Table 558 - 802.11 ax / HE40 MCS7x2 / SU / MIMO SDM / Cores 0+1



Figure 397 - 5270 MHz - 26 dB Emission Bandwidth



Figure 398 - 5270 MHz - 99% Occupied Bandwidth




Figure 399 - 5310 MHz - 26 dB Emission Bandwidth



Figure 400 - 5310 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.90
26 dB Bandwidth (MHz)	62.320
99 % Bandwidth (MHz)	76.024

Table 559 - 802.11 ac /VHT80 MCS7 xl / SISO / Core0




Figure 401 - 5290 MHz - 26 dB Emission Bandwidth



Figure 402 - 5290 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.90
26 dB Bandwidth (MHz)	68.040
99 % Bandwidth (MHz)	76.159

Table 560 - 802.11 ac / VHT80 MCS7 xl / MIMO CDD / Cores 0+1




Figure 403 - 5290 MHz - 26 dB Emission Bandwidth



Figure 404 - 5290 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.90
26 dB Bandwidth (MHz)	62.320
99 % Bandwidth (MHz)	75.960

Table 561 - 802.11ac / VHT80 MCS7 x2 / MIMO SDM / Cores 0+1




Figure 405 - 5290 MHz - 26 dB Emission Bandwidth



Figure 406 - 5290 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.90
26 dB Bandwidth (MHz)	62.320
99 % Bandwidth (MHz)	76.191

Table 562 - 802.11 ac / VHT80 MCS7 xl / MIMO TxBF / Cores 0+1




Figure 407 - 5290 MHz - 26 dB Emission Bandwidth




Figure 408 - 5290 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.90
26 dB Bandwidth (MHz)	62.560
99 % Bandwidth (MHz)	77.249

Table 563 - 802.11 ax / HE80 MCS7x1 / SU / SISO / Core 0




Figure 409 - 5290 MHz - 26 dB Emission Bandwidth




Figure 410 - 5290 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.90
26 dB Bandwidth (MHz)	62.560
99 % Bandwidth (MHz)	77.342

Table 564 - 802.11 ax / HE80 MCS7x1 / SU / MIMO CDD / Cores 0+1




Figure 411 - 5290 MHz - 26 dB Emission Bandwidth




Figure 412 - 5290 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	52.90
26 dB Bandwidth (MHz)	62.080
99 % Bandwidth (MHz)	77.315

Table 565 - 802.11 ax / HE80 MCS7x2 / SU / MIMO SDM / Cores 0+1



Figure 413 - 5290 MHz - 26 dB Emission Bandwidth




Figure 414 - 5290 MHz - 99% Occupied Bandwidth



LNII-2C

Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.00	56.00	57.00	57.20
26 dB Bandwidth (MHz)	21.240	33.360	21.120	19.340
99 % Bandwidth (MHz)	16.568	17.507	16.565	17.003

Table 566 - 802.11 a / 6 Mbps / SISO / Core 0




Figure 415 - 5500 MHz - 26 dB Emission Bandwidth




Figure 416 - 5500 MHz - 99% Occupied Bandwidth




Figure 417 - 5600 MHz - 26 dB Emission Bandwidth




Figure 418 - 5600 MHz - 99% Occupied Bandwidth




Figure 419 - 5700 MHz - 26 dB Emission Bandwidth




Figure 420 - 5700 MHz - 99% Occupied Bandwidth



Figure 421 - 5720 MHz - 26 dB Emission Bandwidth




Figure 422 - 5720 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.00	56.00	57.00	57.20
26 dB Bandwidth (MHz)	21.360	42.240	21.480	24.920
99 % Bandwidth (MHz)	17.765	22.323	17.750	18.469

Table 567 - 802.11 n / HT20 MCS7 / SISO / Core 0




Figure 423 - 5500 MHz - 26 dB Emission Bandwidth



Figure 424 - 5500 MHz - 99% Occupied Bandwidth



Figure 425 - 5600 MHz - 26 dB Emission Bandwidth



Figure 426 - 5600 MHz - 99% Occupied Bandwidth




Figure 427 - 5700 MHz - 26 dB Emission Bandwidth



Figure 428 - 5700 MHz - 99% Occupied Bandwidth




Figure 429 - 5720 MHz - 26 dB Emission Bandwidth




Figure 430 - 5720 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.00	56.00	57.00	57.20
26 dB Bandwidth (MHz)	21.540	21.840	21.840	15.800
99 % Bandwidth (MHz)	17.774	17.792	17.766	17.773

Table 568 - 802.11n / HT20 MCS7 / MIMO CDD / Cores 0+1




Figure 431 - 5500 MHz - 26 dB Emission Bandwidth



Figure 432 - 5500 MHz - 99% Occupied Bandwidth




Figure 433 - 5600 MHz - 26 dB Emission Bandwidth



Figure 434 - 5600 MHz - 99% Occupied Bandwidth




Figure 435 - 5700 MHz - 26 dB Emission Bandwidth




Figure 436 - 5700 MHz - 99% Occupied Bandwidth




Figure 437 - 5720 MHz - 26 dB Emission Bandwidth



Figure 438 - 5720 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.00	56.00	57.00	57.20
26 dB Bandwidth (MHz)	21.480	23.400	21.600	15.860
99 % Bandwidth (MHz)	17.773	17.807	17.771	17.862

Table 569 - 802.11n / HT20 MCS15 / MIMO SDM / Cores 0+1




Figure 439 - 5500 MHz - 26 dB Emission Bandwidth




Figure 440 - 5500 MHz - 99% Occupied Bandwidth




Figure 441 - 5600 MHz - 26 dB Emission Bandwidth




Figure 442 - 5600 MHz - 99% Occupied Bandwidth




Figure 443 - 5700 MHz - 26 dB Emission Bandwidth



Figure 444 - 5700 MHz - 99% Occupied Bandwidth



Figure 445 - 5720 MHz - 26 dB Emission Bandwidth




Figure 446 - 5720 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.00	56.00	57.00	57.20
26 dB Bandwidth (MHz)	21.540	21.480	21.420	15.800
99 % Bandwidth (MHz)	17.791	17.776	17.780	17.807

Table 570 - 802.11ac / VHT20 MCS7 xl / MIMO TxBF / Cores 0+1




Figure 447 - 5500 MHz - 26 dB Emission Bandwidth




Figure 448 - 5500 MHz - 99% Occupied Bandwidth




Figure 449 - 5600 MHz - 26 dB Emission Bandwidth




Figure 450 - 5600 MHz - 99% Occupied Bandwidth




Figure 451 - 5700 MHz - 26 dB Emission Bandwidth




Figure 452 - 5700 MHz - 99% Occupied Bandwidth




Figure 453 - 5720 MHz - 26 dB Emission Bandwidth




Figure 454 - 5720 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.00	56.00	57.00	57.20
26 dB Bandwidth (MHz)	21.420	45.840	21.480	23.660
99 % Bandwidth (MHz)	18.972	19.690	18.997	19.260

Table 571 - 802.11ax / HE20 MCS7x1 / SU / SISO / Core 0




Figure 455 - 5500 MHz - 26 dB Emission Bandwidth



Figure 456 - 5500 MHz - 99% Occupied Bandwidth



Figure 457 - 5600 MHz - 26 dB Emission Bandwidth



Figure 458 - 5600 MHz - 99% Occupied Bandwidth




Figure 459 - 5700 MHz - 26 dB Emission Bandwidth




Figure 460 - 5700 MHz - 99% Occupied Bandwidth




Figure 461 - 5720 MHz - 26 dB Emission Bandwidth




Figure 462 - 5720 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.00	56.00	57.00	57.20
26 dB Bandwidth (MHz)	21.600	21.660	21.660	15.860
99 % Bandwidth (MHz)	19.002	19.013	18.997	19.010

Table 572 - 802.11 ax / HE20 MCS7x1 / SU / MIMO CDD / Cores 0+1




Figure 463 - 5500 MHz - 26 dB Emission Bandwidth



Figure 464 - 5500 MHz - 99% Occupied Bandwidth



Figure 465 - 5600 MHz - 26 dB Emission Bandwidth



Figure 466 - 5600 MHz - 99% Occupied Bandwidth




Figure 467 - 5700 MHz - 26 dB Emission Bandwidth




Figure 468 - 5700 MHz - 99% Occupied Bandwidth




Figure 469 - 5720 MHz - 26 dB Emission Bandwidth




Figure 470 - 5720 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.00	56.00	57.00	57.20
26 dB Bandwidth (MHz)	21.540	22.020	21.600	16.520
99 % Bandwidth (MHz)	19.008	19.021	19.017	19.031

Table 573 - 802.11 ax / HE20 MCS7x2 / SU / MIMO SDM / Cores 0+1




Figure 471 - 5500 MHz - 26 dB Emission Bandwidth




Figure 472 - 5500 MHz - 99% Occupied Bandwidth




Figure 473 - 5600 MHz - 26 dB Emission Bandwidth




Figure 474 - 5600 MHz - 99% Occupied Bandwidth




Figure 475 - 5700 MHz - 26 dB Emission Bandwidth




Figure 476 - 5700 MHz - 99% Occupied Bandwidth




Figure 477 - 5720 MHz - 26 dB Emission Bandwidth



Figure 478 - 5720 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.10	55.90	56.70	57.10
26 dB Bandwidth (MHz)	40.920	50.480	40.800	56.040
99 % Bandwidth (MHz)	36.333	55.266	36.388	50.715

Table 574 - 802.11 n / HT40 MCS7 / SISO / Core 0




Figure 479 - 5510 MHz - 26 dB Emission Bandwidth




Figure 480 - 5510 MHz - 99% Occupied Bandwidth




Figure 481 - 5590 MHz - 26 dB Emission Bandwidth



Figure 482 - 5590 MHz - 99% Occupied Bandwidth



Figure 483 - 5670 MHz - 26 dB Emission Bandwidth




Figure 484 - 5670 MHz - 99% Occupied Bandwidth



Figure 485 - 5710 MHz - 26 dB Emission Bandwidth



Figure 486 - 5710 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.10	55.90	55.70	57.10
26 dB Bandwidth (MHz)	41.160	66.480	42.600	42.240
99 % Bandwidth (MHz)	35.398	36.648	35.477	35.634

Table 575 - 802.11n / HT40 MCS7 / MIMO CDD / Cores 0+1




Figure 487 - 5510 MHz - 26 dB Emission Bandwidth



Figure 488 - 5510 MHz - 99% Occupied Bandwidth



Figure 489 - 5590 MHz - 26 dB Emission Bandwidth




Figure 490 - 5590 MHz - 99% Occupied Bandwidth



Figure 491 - 5670 MHz - 26 dB Emission Bandwidth




Figure 492 - 5670 MHz - 99% Occupied Bandwidth



Figure 493 - 5710 MHz - 26 dB Emission Bandwidth




Figure 494 - 5710 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.10	55.90	56.70	57.10
26 dB Bandwidth (MHz)	41.400	82.200	44.400	51.600
99 % Band width (MHz)	36.394	38.043	35.436	37.000

Table 576 - 802.11 n / HT40 MCS15 / MIMO SDM / Cores 0+1




Figure 495 - 5510 MHz - 26 dB Emission Bandwidth



Figure 496 - 5510 MHz - 99% Occupied Bandwidth



Figure 497 - 5590 MHz - 26 dB Emission Bandwidth



Figure 498 - 5590 MHz - 99% Occupied Bandwidth



Figure 499 - 5670 MHz - 26 dB Emission Bandwidth



Figure 500 - 5670 MHz - 99% Occupied Bandwidth



Figure 501 - 5710 MHz - 26 dB Emission Bandwidth




Figure 502 - 5710 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.10	55.90	55.70	57.10
26 dB Bandwidth (MHz)	41.160	67.080	51.720	51.360
99 % Bandwidth (MHz)	36.434	36.483	36.438	36.547

Table 577 - 802.11ac / VHT40 MCS7x / MIMO TxBF / Cores 0+1




Figure 503 - 5510 MHz - 26 dB Emission Bandwidth




Figure 504 - 5510 MHz - 99% Occupied Bandwidth



Figure 505 - 5590 MHz - 26 dB Emission Bandwidth




Figure 506 - 5590 MHz - 99% Occupied Bandwidth



Figure 507 - 5670 MHz - 26 dB Emission Bandwidth



Figure 508 - 5670 MHz - 99% Occupied Bandwidth



Figure 509 - 5710 MHz - 26 dB Emission Bandwidth



Figure 510 - 5710 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.10	55.90	55.70	57.10
26 dB Bandwidth (MHz)	41.040	93.840	41.400	57.600
99 % Bandwidth (MHz)	37.766	51.962	37.772	45.851

Table 578 - 802.11 ax / HE40 MCS7x1 / SU / SISO / Core 0




Figure 511 - 5510 MHz - 26 dB Emission Bandwidth



Figure 512 - 5510 MHz - 99% Occupied Bandwidth




Figure 513 - 5590 MHz - 26 dB Emission Bandwidth




Figure 514 - 5590 MHz - 99% Occupied Bandwidth



Figure 515 - 5670 MHz - 26 dB Emission Bandwidth



Figure 516 - 5670 MHz - 99% Occupied Bandwidth



Figure 517 - 5710 MHz - 26 dB Emission Bandwidth



Figure 518 - 5710 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.10	55.90	55.70	57.10
26 dB Bandwidth (MHz)	41.160	66.960	41.280	39.000
99 % Bandwidth (MHz)	37.718	37.889	37.800	37.918

Table 579 - 802.11 ax/HE40 MCS7x1/SU/MIMO CDD/Cores 0+1




Figure 519 - 5510 MHz - 26 dB Emission Bandwidth




Figure 520 - 5510 MHz - 99% Occupied Bandwidth




Figure 521 - 5590 MHz - 26 dB Emission Bandwidth



Figure 522 - 5590 MHz - 99% Occupied Bandwidth




Figure 523 - 5670 MHz - 26 dB Emission Bandwidth




Figure 524 - 5670 MHz - 99% Occupied Bandwidth



Figure 525 - 5710 MHz - 26 dB Emission Bandwidth




Figure 526 - 5710 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	55.10	55.90	55.70	57.10
26 dB Bandwidth (MHz)	41.160	64.600	41.400	52.920
99 % Bandwidth (MHz)	37.766	38.827	37.795	38.200

Table 580 - 802.11 ax / HE40 MCS7x2 / SU / MIMO SDM / Cores 0+1




Figure 527 - 5510 MHz - 26 dB Emission Bandwidth



Figure 528 - 5510 MHz - 99% Occupied Bandwidth



Figure 529 - 5590 MHz - 26 dB Emission Bandwidth



Figure 530 - 5590 MHz - 99% Occupied Bandwidth



Figure 531 - 5670 MHz - 26 dB Emission Bandwidth



Figure 532 - 5670 MHz - 99% Occupied Bandwidth



Figure 533 - 5710 MHz - 26 dB Emission Bandwidth




Figure 534 - 5710 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	55.30	55.10	55.90
26 dB Bandwidth (MHz)	62.560	19.2480	13.3160
99 % Bandwidth (MHz)	76.001	68.322	98.654

Table 581 - 802.11 ac /VHT80 MCS7 M / SISO / Core 0




Figure 535 - 5530 MHz - 26 dB Emission Bandwidth




Figure 536 - 5530 MHz - 99% Occupied Bandwidth



Figure 539 - 5690 MHz - 26 dB Emission Bandwidth



Figure 540 - 5690 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	55.30	55.10	55.90
26 dB Bandwidth (MHz)	63.040	12.8.680	93.320
99 % Bandwidth (MHz)	76.140	76.680	76.593

Table 582 - 802.11ac / VHT80 MCS7x1 / MIMO CDD / Cores 0+1



Figure 541 - 5530 MHz - 26 dB Emission Bandwidth



Figure 542 - 5530 MHz - 99% Occupied Bandwidth



Figure 543 - 5610 MHz - 26 dB Emission Bandwidth




Figure 544 - 5610 MHz - 99% Occupied Bandwidth



Figure 545 - 5690 MHz - 26 dB Emission Bandwidth



Figure 546 - 5690 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	55.30	55.10	55.90
26 dB Bandwidth (MHz)	61.600	13.9.200	11.5.640
99 % Bandwidth (MHz)	76.055	77.052	78.525

Table 583 - 802.11ac / VHT80 MCS7x2 / MIMO SDM / Cores 0+1



Figure 547 - 5530 MHz - 26 dB Emission Bandwidth




Figure 548 - 5530 MHz - 99% Occupied Bandwidth



Figure 549 - 5610 MHz - 26 dB Emission Bandwidth



Figure 550 - 5610 MHz - 99% Occupied Bandwidth



Figure 551 - 5690 MHz - 26 dB Emission Bandwidth



Figure 552 - 5690 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	55.30	55.10	55.90
26 dB Bandwidth (MHz)	63.040	98.400	63.240
99 % Bandwidth (MHz)	76.166	76.385	76.231

Table 584 - 802.11 ac / VHT80 MCS7 xl / MIMO TxBF / Cores 0+1




Figure 553 - 5530 MHz - 26 dB Emission Bandwidth



Figure 554 - 5530 MHz - 99% Occupied Bandwidth




Figure 555 - 5610 MHz - 26 dB Emission Bandwidth




Figure 556 - 5610 MHz - 99% Occupied Bandwidth



Figure 557 - 5690 MHz - 26 dB Emission Bandwidth




Figure 558 - 5690 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	55.30	55.10	55.90
26 dB Bandwidth (MHz)	62.320	16.2480	13.2680
99 % Bandwidth (MHz)	77.265	78.266	10.2256

Table 585 - 802.11 ax / HE80 MCS7x1 / SU / SISO / Core 0




Figure 559 - 5530 MHz - 26 dB Emission Bandwidth



Figure 560 - 5530 MHz - 99% Occupied Bandwidth



Figure 563 - 5690 MHz - 26 dB Emission Bandwidth



Figure 564 - 5690 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	55.30	55.10	55.90
26 dB Bandwidth (MHz)	62.320	13.3.440	98.840
99 % Bandwidth (MHz)	77.311	77.803	77.779

Table 586 - 802.11 ax / HE80 MCS7x1 / SU / MIMO CDD / Cores 0+1




Figure 565 - 5530 MHz - 26 dB Emission Bandwidth




Figure 566 - 5530 MHz - 99% Occupied Bandwidth



Figure 567 - 5610 MHz - 26 dB Emission Bandwidth




Figure 568 - 5610 MHz - 99% Occupied Bandwidth



Figure 569 - 5690 MHz - 26 dB Emission Bandwidth




Figure 570 - 5690 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	55.30	55.10	55.90
26 dB Bandwidth (MHz)	62.320	127.920	119.240
99 % Bandwidth (MHz)	77.276	77.820	88.605

Table 587 - 802.11 ax / HE80 MCS7x2 / SU / MIMO SDM / Cores 0+1




Figure 571 - 5530 MHz - 26 dB Emission Bandwidth



Figure 572 - 5530 MHz - 99% Occupied Bandwidth




Figure 573 - 5610 MHz - 26 dB Emission Bandwidth



Figure 574 - 5610 MHz - 99% Occupied Bandwidth



Figure 575 - 5690 MHz - 26 dB Emission Bandwidth




Figure 576 - 5690 MHz - 99% Occupied Bandwidth



LNIL-3

Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	57.20	57.45	57.85	58.25
6 dB Bandwidth (MHz)	3.680	17.760	17.820	17.760
26 dB Bandwidth (MHz)	15.220	33.240	40.320	41.040
99 % Bandwidth (MHz)	18.378	19.600	19.929	19.297

Table 588 - 802.11 n / HT20 MCS7 / SISO / Core 1




Figure 577 - 5720 MHz - 6 dB DTS Bandwidth






Figure 578 - 5720 MHz - 26 dB Emission Bandwidth




Figure 579 - 5720 MHz - 99% Occupied Bandwidth




Figure 580 - 5745 MHz - 6 dB DTS Bandwidth



Figure 581 - 5745 MHz - 26 dB Emission Bandwidth




Figure 582 - 5745 MHz - 99% Occupied Bandwidth




Figure 583 - 5785 MHz - 6 dB DTS Bandwidth




Figure 584 - 5785 MHz - 26 dB Emission Bandwidth




Figure 585 - 5785 MHz - 99% Occupied Bandwidth




Figure 586 - 5825 MHz - 6 dB DTS Bandwidth




Figure 587 - 5825 MHz - 26 dB Emission Bandwidth




Figure 588 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	57.20	57.45	57.85	58.25
6 dB Bandwidth (MHz)	3.940	17.760	17.820	17.820
26 dB Bandwidth (MHz)	5.800	36.360	24.480	24.900
99 % Bandwidth (MHz)	17.798	19.780	17.796	17.823

Table 589 - 802.11n / HT20 MCS7 / MIMO CDD / Cores 0+1




Figure 589 - 5720 MHz - 6 dB DTS Bandwidth




Figure 590 - 5720 MHz - 26 dB Emission Bandwidth



Figure 591 - 5720 MHz - 99% Occupied Bandwidth




Figure 592 - 5745 MHz - 6 dB DTS Bandwidth



Figure 593 - 5745 MHz - 26 dB Emission Bandwidth



Figure 594 - 5745 MHz - 99% Occupied Bandwidth




Figure 595 - 5785 MHz - 6 dB DTS Bandwidth




Figure 596 - 5785 MHz - 26 dB Emission Bandwidth




Figure 597 - 5785 MHz - 99% Occupied Bandwidth




Figure 598 - 5825 MHz - 6 dB DTS Bandwidth




Figure 599 - 5825 MHz - 26 dB Emission Bandwidth




Figure 600 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	57.20	57.45	57.85	58.25
6 dB Bandwidth (MHz)	3.880	17.760	17.880	17.820
26 dB Bandwidth (MHz)	6.940	34.200	21.600	26.700
99 % Bandwidth (MHz)	17.815	19.331	17.783	17.874

Table 590 - 802.11n / HT20 MCS15 / MIMO SDM / Cores 0+1




Figure 601 - 5720 MHz - 6 dB DTS Bandwidth



Figure 602 - 5720 MHz - 26 dB Emission Bandwidth