

APPENDIX I: LTE AND NR LOWER BANDWIDTH RF CONDUCTED POWERS

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 1 of 225

All conducted power measurements for 4G/5G Sub6 WWAN technologies and bands in this section were performed by setting Reserve_power_margin (Qualcomm® Smart Transmit EFS entry) to 0dB, so that the EUT transmits continuously at minimum (P_{limit}, maximum tune up output power P_{max}).

I.1 LTE Conducted Powers

Note: Some bands do not support non-overlapping channels. Per FCC Guidance, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

I.1.1 LTE Band 71

**Table I-1
LTE Band 71 Measured P_{limit} Antenna 1 - 15 MHz Bandwidth**

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.75	0	0
	1	36	19.77		0
	1	74	19.79		0
	36	0	19.78	0-1	0
	36	18	19.76		0
	36	37	19.80		0
	75	0	19.82		0
16QAM	1	0	20.00	0-1	0
	1	36	20.12		0
	1	74	20.08		0
	36	0	19.79	0-2	0
	36	18	19.79		0
	36	37	19.80		0
	75	0	19.86		0
64QAM	1	0	19.69	0-2	0
	1	36	19.71		0
	1	74	19.60		0
	36	0	19.48	0-3	0.1
	36	18	19.42		0.1
	36	37	19.49		0.1
	75	0	19.33		0.1
256QAM	1	0	17.95	0-5	2.1
	1	36	18.02		2.1
	1	74	18.06		2.1
	36	0	17.85		2.1
	36	18	17.88		2.1
	36	37	17.91		2.1
	75	0	17.89		2.1

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 2 of 225

**Table I-2
LTE Band 71 Measured P_{limit} Antenna 1 - 10 MHz Bandwidth**

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.79	20.01	20.06	0	0
	1	25	19.68	20.01	20.10		0
	1	49	19.73	20.05	20.02		0
	25	0	19.86	19.88	19.99	0-1	0
	25	12	19.85	19.95	20.01		0
	25	25	19.79	19.91	20.04		0
16QAM	50	0	19.84	19.93	19.99	0-1	0
	1	0	20.12	20.21	20.33		0
	1	25	19.97	20.15	20.35		0
	1	49	20.04	20.21	20.32	0-2	0
	25	0	19.88	19.90	20.02		0
	25	12	19.84	19.96	20.04		0
64QAM	25	25	19.81	19.92	20.05	0-2	0
	50	0	19.83	19.96	20.02		0
	1	0	19.62	19.73	19.64		0-2
	1	25	19.54	19.78	19.76	0	
	1	49	19.54	19.79	19.60	0	
	256QAM	25	0	19.39	19.40	19.55	0-3
25		12	19.37	19.47	19.54	0.1	
25		25	19.29	19.40	19.57	0.1	
50		0	19.31	19.43	19.52	0-5	0.1
1		0	17.90	17.81	17.85		2.1
1		25	17.88	17.91	18.00		2.1
256QAM	1	49	17.82	17.88	17.91	0-5	2.1
	25	0	17.66	17.66	17.76		2.1
	25	12	17.67	17.77	17.76		2.1
	25	25	17.60	17.74	17.80	2.1	
	50	0	17.65	17.74	17.75	2.1	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 3 of 225

**Table I-3
LTE Band 71 Measured P_{limit} Antenna 1 - 5 MHz Bandwidth**

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.03	19.92	20.00	0	0
	1	12	20.07	20.14	20.20		0
	1	24	19.94	19.92	19.91		0
	12	0	19.88	19.86	20.01	0-1	0
	12	6	19.91	19.98	20.05		0
	12	13	19.85	19.92	19.98		0
	25	0	19.82	19.91	20.00		0
16QAM	1	0	20.18	20.22	20.29	0-1	0
	1	12	20.07	20.23	20.29		0
	1	24	20.04	20.23	20.26		0
	12	0	19.93	19.86	20.07	0-2	0
	12	6	19.99	20.02	20.08		0
	12	13	19.91	19.94	20.02		0
	25	0	19.86	19.94	20.03		0
64QAM	1	0	19.54	19.70	19.67	0-2	0
	1	12	19.51	19.63	19.75		0
	1	24	19.42	19.70	19.48		0
	12	0	19.41	19.38	19.54	0-3	0.1
	12	6	19.44	19.51	19.62		0.1
	12	13	19.37	19.42	19.54		0.1
	25	0	19.35	19.44	19.53		0.1
256QAM	1	0	17.89	17.90	17.91	0-5	2.1
	1	12	17.90	17.92	17.94		2.1
	1	24	17.84	17.91	17.88		2.1
	12	0	17.70	17.65	17.84		2.1
	12	6	17.74	17.79	17.88		2.1
	12	13	17.65	17.71	17.79		2.1
	25	0	17.69	17.74	17.78		2.1

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 4 of 225

Table I-4
LTE Band 71 Measured P_{limit} Antenna 3 - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	20.33	0	0
	1	36	20.29		0
	1	74	20.33		0
	36	0	20.31	0-1	0
	36	18	20.38		0
	36	37	20.40		0
	75	0	20.36		0
16QAM	1	0	20.45	0-1	0
	1	36	20.51		0
	1	74	20.43		0
	36	0	20.16	0-2	0
	36	18	20.21		0
	36	37	20.25		0
	75	0	20.22		0
64QAM	1	0	20.30	0-2	0
	1	36	20.36		0
	1	74	20.35		0
	36	0	20.14	0-3	0
	36	18	20.16		0
	36	37	20.18		0
	75	0	20.18		0
256QAM	1	0	20.23	0-5	0.8
	1	36	20.28		0.8
	1	74	20.30		0.8
	36	0	20.14		0.8
	36	18	20.19		0.8
	36	37	20.23		0.8
	75	0	20.21		0.8

Table I-5
LTE Band 71 Measured P_{limit} Antenna 3 - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.31	20.35	20.49	0	0
	1	25	20.24	20.36	20.50		0
	1	49	20.23	20.42	20.50		0
	25	0	20.29	20.24	20.46	0-1	0
	25	12	20.27	20.34	20.46		0
	25	25	20.21	20.39	20.47		0
	50	0	20.23	20.30	20.42		0
16QAM	1	0	20.29	20.24	20.61	0-1	0
	1	25	20.09	20.23	20.56		0
	1	49	20.16	20.33	20.52		0
	25	0	20.00	20.00	20.22	0-2	0
	25	12	19.99	20.10	20.24		0
	25	25	19.93	20.03	20.23		0
	50	0	19.93	20.05	20.19		0
64QAM	1	0	20.30	20.17	20.40	0-2	0
	1	25	20.20	20.20	20.45		0
	1	49	20.17	20.23	20.22		0
	25	0	19.98	19.98	20.21	0-3	0
	25	12	19.96	20.04	20.20		0
	25	25	19.92	20.00	20.26		0
	50	0	19.94	20.02	20.20		0
256QAM	1	0	20.00	20.09	20.12	0-5	0.8
	1	25	20.04	20.12	20.34		0.8
	1	49	20.09	20.00	20.19		0.8
	25	0	19.98	20.05	20.17		0.8
	25	12	19.99	20.05	20.17		0.8
	25	25	19.91	20.00	20.19		0.8
	50	0	19.94	20.04	20.15		0.8

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 5 of 225

**Table I-6
LTE Band 71 Measured P_{limit} Antenna 3 - 5 MHz Bandwidth**

LTE Band 71 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	20.24	20.36	20.51	0	0	
	1	12	20.35	20.67	20.71		0	
	1	24	20.16	20.40	20.45		0	
	QPSK	12	0	20.29	20.25	20.46	0-1	0
		12	6	20.29	20.34	20.49		0
		12	13	20.24	20.38	20.44		0
		25	0	20.25	20.31	20.45		0
25		0	20.25	20.31	20.45	0		
16QAM	1	0	20.38	20.29	20.43	0-1	0	
	1	12	20.46	20.43	20.58		0	
	1	24	20.28	20.24	20.41		0	
	16QAM	12	0	20.07	19.95	20.25	0-2	0
		12	6	20.08	20.10	20.29		0
		12	13	20.02	20.01	20.20		0
		25	0	20.00	20.03	20.19		0
64QAM	1	0	20.33	20.06	20.29	0-2	0	
	1	12	20.22	20.13	20.42		0	
	1	24	20.12	20.03	20.26		0	
	64QAM	12	0	20.04	19.95	20.23	0-3	0
		12	6	20.04	20.09	20.30		0
		12	13	20.00	19.98	20.18		0
		25	0	20.01	19.99	20.23		0
256QAM	1	0	20.08	20.05	20.25	0-5	0.8	
	1	12	20.14	20.14	20.33		0.8	
	1	24	20.01	20.00	20.20		0.8	
	12	0	20.02	19.93	20.20		0.8	
	12	6	20.05	20.03	20.23		0.8	
	12	13	19.99	20.00	20.16		0.8	
	25	0	20.01	19.99	20.17		0.8	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 6 of 225

I.1.2

LTE Band 12

Table I-7
LTE Band 12 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.76	18.77	18.86	0	0
	1	12	18.96	18.89	19.03		0
	1	24	18.78	18.78	18.81		0
	12	0	18.76	18.68	18.80	0-1	0
	12	6	18.80	18.75	18.79		0
	12	13	18.80	18.68	18.81		0
16QAM	25	0	18.77	18.71	18.73	0-1	0
	1	0	19.14	19.02	19.16		0
	1	12	19.27	19.15	19.25		0
	1	24	19.01	19.00	19.14	0-2	0
	12	0	18.83	18.69	18.78		0
	12	6	18.85	18.80	18.85		0
64QAM	12	13	18.89	18.74	18.84	0-2	0
	25	0	18.78	18.76	18.78		0
	1	0	19.02	18.81	19.03		0-2
	1	12	19.13	18.86	19.12	0	
	1	24	19.02	18.88	19.04	0	
	256QAM	12	0	18.78	18.74	18.78	0-3
12		6	18.83	18.79	18.82	0	
12		13	18.81	18.74	18.80	0	
25		0	18.76	18.72	18.77	0-5	0
1		0	17.91	17.84	17.86		1.6
1		12	17.90	17.90	17.95		1.6
256QAM	1	24	17.88	17.89	17.91	0-5	1.6
	12	0	17.77	17.63	17.81		1.6
	12	6	17.75	17.72	17.80		1.6
	12	13	17.70	17.65	17.79	1.6	
	25	0	17.70	17.69	17.71	1.6	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 7 of 225

**Table I-8
LTE Band 12 Measured P_{Limit} Antenna 1 - 3 MHz Bandwidth**

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.74	18.83	18.72	0	0
	1	7	18.71	18.75	18.74		0
	1	14	18.78	18.79	18.61		0
	8	0	18.73	18.74	18.77	0-1	0
	8	4	18.71	18.72	18.84		0
	8	7	18.75	18.77	18.78		0
	15	0	18.69	18.71	18.72		0
16QAM	1	0	19.05	19.13	18.96	0-1	0
	1	7	19.09	19.06	19.05		0
	1	14	19.11	19.19	18.93		0
	8	0	18.85	18.84	18.83	0-2	0
	8	4	18.86	18.85	18.92		0
	8	7	18.86	18.85	18.84		0
	15	0	18.75	18.76	18.72		0
64QAM	1	0	18.85	18.94	19.04	0-2	0
	1	7	18.87	18.93	19.11		0
	1	14	18.95	18.95	18.94		0
	8	0	18.78	18.80	18.75	0-3	0
	8	4	18.76	18.80	18.87		0
	8	7	18.80	18.80	18.79		0
	15	0	18.68	18.67	18.72		0
256QAM	1	0	17.88	17.91	17.85	0-5	1.6
	1	7	17.91	17.94	17.95		1.6
	1	14	17.89	17.83	17.82		1.6
	8	0	17.81	17.71	17.71		1.6
	8	4	17.79	17.79	17.84		1.6
	8	7	17.72	17.76	17.79		1.6
	15	0	17.72	17.71	17.73		1.6

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 8 of 225

**Table I-9
LTE Band 12 Measured P_{Limit} Antenna 1 - 1.4 MHz Bandwidth**

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	18.93	19.00	19.09	0	0
	1	2	18.91	19.02	19.12		0
	1	5	18.88	18.95	19.04		0
	3	0	18.96	18.91	19.00		0
	3	2	18.90	18.89	19.01		0
	3	3	18.89	18.88	18.94		0
16QAM	1	0	18.80	18.80	18.90	0-1	0
	1	2	18.86	18.82	18.93		0
	1	5	18.76	18.81	18.86		0
	3	0	18.78	18.71	18.79		0
	3	2	18.73	18.74	18.71		0
	3	3	18.72	18.73	18.73		0
64QAM	1	0	18.77	18.62	18.65	0-2	0
	1	2	18.73	18.69	18.71		0
	1	5	18.71	18.65	18.59		0
	3	0	18.62	18.67	18.71		0
	3	2	18.67	18.63	18.71		0
	3	3	18.68	18.60	18.69		0
256QAM	1	0	17.92	17.82	17.81	0-5	1.6
	1	2	17.89	17.90	17.91		1.6
	1	5	17.83	17.87	17.83		1.6
	3	0	17.80	17.89	17.89		1.6
	3	2	17.76	17.88	17.88		1.6
	3	3	17.78	17.84	17.90		1.6
	6	0	17.77	17.69	17.87	1.6	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 9 of 225

**Table I-10
LTE Band 12 Measured P_{limit} Antenna 3 - 5 MHz Bandwidth**

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	18.42	18.40	18.51	0	0
	1	12	18.48	18.69	18.65		0
	1	24	18.34	18.47	18.47		0
	12	0	18.40	18.28	18.42	0-1	0
	12	6	18.42	18.36	18.45		0
	12	13	18.41	18.31	18.45		0
16QAM	25	0	18.38	18.34	18.39	0-1	0
	1	0	18.68	18.59	18.82		0
	1	12	18.85	18.68	18.84		0
	1	24	18.70	18.61	18.71	0-2	0
	12	0	18.45	18.34	18.49		0
	12	6	18.46	18.41	18.53		0
64QAM	12	13	18.46	18.37	18.53	0-2	0
	25	0	18.43	18.37	18.44		0
	1	0	18.70	18.39	18.64		0-2
	1	12	18.71	18.47	18.61	0	
	1	24	18.61	18.46	18.57	0	
	256QAM	12	0	18.45	18.31	18.47	0-3
12		6	18.51	18.41	18.48	0	
12		13	18.46	18.36	18.46	0	
25		0	18.43	18.40	18.43	0-5	0
1		0	18.48	18.42	18.53		0
1		12	18.57	18.55	18.59		0
256QAM	1	24	18.52	18.54	18.43	0-5	0
	12	0	18.45	18.32	18.43		0
	12	6	18.45	18.41	18.46		0
	12	13	18.48	18.32	18.46	0	
	25	0	18.43	18.35	18.42	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 10 of 225

Table I-11
LTE Band 12 Measured P_{limit} Antenna 3 - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	18.24	18.43	18.31	0	0
	1	7	18.29	18.56	18.40		0
	1	14	18.44	18.70	18.29		0
	8	0	18.24	18.29	18.28	0-1	0
	8	4	18.34	18.39	18.36		0
	8	7	18.33	18.41	18.31		0
16QAM	15	0	18.27	18.30	18.32	0-1	0
	1	0	18.68	18.58	18.59		0
	1	7	18.66	18.76	18.60		0
	1	14	18.75	18.72	18.50	0-2	0
	8	0	18.33	18.39	18.36		0
	8	4	18.40	18.55	18.43		0
64QAM	8	7	18.39	18.50	18.38	0-2	0
	15	0	18.31	18.31	18.42		0
	1	0	18.47	18.37	18.43		0-2
	1	7	18.57	18.44	18.48	0	
	1	14	18.50	18.37	18.38	0	
	256QAM	8	0	18.34	18.40	18.36	0-3
8		4	18.35	18.45	18.41	0	
8		7	18.34	18.45	18.36	0	
15		0	18.32	18.31	18.38	0-5	0
1		0	18.33	18.41	18.42		0
1		7	18.47	18.56	18.43		0
256QAM	1	14	18.38	18.45	18.32	0-5	0
	8	0	18.31	18.30	18.34		0
	8	4	18.39	18.35	18.41		0
	8	7	18.38	18.43	18.35	0-5	0
	8	0	18.31	18.30	18.34		0
	15	0	18.33	18.29	18.38		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 11 of 225

Table I-12
LTE Band 12 Measured P_{limit} Antenna 3 - 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	18.44	18.45	18.39	0	0
	1	2	18.44	18.47	18.40		0
	1	5	18.41	18.41	18.29		0
	3	0	18.37	18.40	18.49		0
	3	2	18.36	18.32	18.46		0
	3	3	18.35	18.36	18.42		0
	6	0	18.29	18.29	18.36	0-1	0
16QAM	1	0	18.68	18.53	18.69	0-1	0
	1	2	18.61	18.69	18.64		0
	1	5	18.58	18.50	18.62		0
	3	0	18.52	18.53	18.59		0
	3	2	18.53	18.54	18.55		0
	3	3	18.43	18.45	18.54	0	
	6	0	18.39	18.39	18.51	0-2	0
64QAM	1	0	18.43	18.38	18.60	0-2	0
	1	2	18.48	18.53	18.62		0
	1	5	18.39	18.37	18.55		0
	3	0	18.51	18.36	18.49		0
	3	2	18.48	18.33	18.47		0
	3	3	18.44	18.35	18.43	0	
	6	0	18.43	18.28	18.44	0-3	0
256QAM	1	0	18.43	18.37	18.58	0-5	0
	1	2	18.53	18.50	18.67		0
	1	5	18.48	18.44	18.54		0
	3	0	18.47	18.44	18.49		0
	3	2	18.45	18.41	18.40		0
	3	3	18.42	18.40	18.44		0
	6	0	18.34	18.35	18.43	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 12 of 225

I.1.3

LTE Band 13

Table I-13
LTE Band 13 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.49	0	0
	1	12	19.67		0
	1	24	19.45		0
	12	0	19.42	0-1	0
	12	6	19.48		0
	12	13	19.44		0
	25	0	19.45		0
16QAM	1	0	19.80	0-1	0
	1	12	19.95		0
	1	24	19.82		0
	12	0	19.51	0-2	0
	12	6	19.54		0
	12	13	19.49		0
	25	0	19.47		0
64QAM	1	0	19.62	0-2	0
	1	12	19.70		0
	1	24	19.57		0
	12	0	19.47	0-3	0
	12	6	19.50		0
	12	13	19.43		0
	25	0	19.43		0
256QAM	1	0	18.77	0-5	1.1
	1	12	18.81		1.1
	1	24	18.78		1.1
	12	0	18.63		1.1
	12	6	18.66		1.1
	12	13	18.61		1.1
	25	0	18.60		1.1

**Table I-14
LTE Band 13 Measured P_{limit} Antenna 3 - 5 MHz Bandwidth**

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.17	0	0
	1	12	19.45		0
	1	24	19.21		0
	12	0	19.15	0-1	0
	12	6	19.18		0
	12	13	19.22		0
	25	0	19.16		0
16QAM	1	0	19.56	0-1	0
	1	12	19.67		0
	1	24	19.49		0
	12	0	19.19	0-2	0
	12	6	19.23		0
	12	13	19.25		0
	25	0	19.16		0
64QAM	1	0	19.46	0-2	0
	1	12	19.54		0
	1	24	19.43		0
	12	0	19.16	0-3	0
	12	6	19.21		0
	12	13	19.25		0
	25	0	19.17		0
256QAM	1	0	19.27	0-5	0
	1	12	19.47		0
	1	24	19.30		0
	12	0	19.15		0
	12	6	19.21		0
	12	13	19.22		0
	25	0	19.17		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 14 of 225

I.1.4

LTE Band 14

Table I-15
 LTE Band 14 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.50	0	0
	1	12	19.67		0
	1	24	19.40		0
	12	0	19.54	0-1	0
	12	6	19.54		0
	12	13	19.44		0
	25	0	19.52		0
16QAM	1	0	19.81	0-1	0
	1	12	19.95		0
	1	24	19.84		0
	12	0	19.55	0-2	0
	12	6	19.57		0
	12	13	19.48		0
	25	0	19.53		0
64QAM	1	0	19.73	0-2	0
	1	12	19.73		0
	1	24	19.73		0
	12	0	19.58	0-3	0.1
	12	6	19.56		0.1
	12	13	19.51		0.1
	25	0	19.52		0.1
256QAM	1	0	17.92	0-5	2.1
	1	12	18.02		2.1
	1	24	17.94		2.1
	12	0	17.84		2.1
	12	6	17.80		2.1
	12	13	17.95		2.1
	25	0	17.91		2.1

Table I-16
LTE Band 14 Measured P_{limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.19	0	0
	1	12	19.41		0
	1	24	19.14		0
	12	0	19.18	0-1	0
	12	6	19.24		0
	12	13	19.14		0
	25	0	19.19		0
16QAM	1	0	19.57	0-1	0
	1	12	19.70		0
	1	24	19.48		0
	12	0	19.26	0-2	0
	12	6	19.35		0
	12	13	19.23		0
	25	0	19.24		0
64QAM	1	0	19.47	0-2	0
	1	12	19.52		0
	1	24	19.39		0
	12	0	19.24	0-3	0
	12	6	19.27		0
	12	13	19.20		0
	25	0	19.25		0
256QAM	1	0	19.17	0-5	0
	1	12	19.28		0
	1	24	19.20		0
	12	0	19.18		0
	12	6	19.30		0
	12	13	19.18		0
	25	0	19.22		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 16 of 225

I.1.5

LTE Band 26

Table I-17
LTE Band 26 (Cell) Measured P_{limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.70	18.53	18.64	0	0
	1	12	18.87	18.70	18.75		0
	1	24	18.63	18.54	18.59		0
	12	0	18.72	18.51	18.60	0-1	0
	12	6	18.73	18.51	18.61		0
	12	13	18.66	18.55	18.60		0
	25	0	18.70	18.53	18.54		0
16QAM	1	0	19.02	18.80	18.92	0-1	0
	1	12	19.10	18.84	18.97		0
	1	24	19.02	18.62	18.84		0
	12	0	18.78	18.63	18.66	0-2	0
	12	6	18.81	18.62	18.67		0
	12	13	18.76	18.61	18.63		0
	25	0	18.74	18.55	18.61		0
64QAM	1	0	18.83	18.83	18.81	0-2	0
	1	12	18.94	18.75	18.85		0
	1	24	18.84	18.66	18.70		0
	12	0	18.70	18.56	18.65	0-3	0
	12	6	18.71	18.56	18.67		0
	12	13	18.69	18.62	18.62		0
	25	0	18.70	18.67	18.58		0
256QAM	1	0	17.82	17.75	17.72	0-5	1.1
	1	12	17.90	17.69	17.78		1.1
	1	24	17.83	17.73	17.71		1.1
	12	0	17.83	17.71	17.62		1.1
	12	6	17.85	17.63	17.65		1.1
	12	13	17.72	17.66	17.62		1.1
	25	0	17.69	17.69	17.58		1.1

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 17 of 225

Table I-18
LTE Band 26 (Cell) Measured P_{limit} Antenna 1 - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.61	18.31	18.51	0	0
	1	7	18.65	18.38	18.58		0
	1	14	18.56	18.27	18.48		0
	8	0	18.68	18.47	18.56	0-1	0
	8	4	18.71	18.48	18.59		0
	8	7	18.67	18.44	18.55		0
	15	0	18.70	18.45	18.53		0
16QAM	1	0	18.97	18.66	18.78	0-1	0
	1	7	19.00	18.76	18.89		0
	1	14	18.84	18.60	18.75		0
	8	0	18.75	18.50	18.64	0-2	0
	8	4	18.79	18.53	18.65		0
	8	7	18.74	18.52	18.61		0
	15	0	18.72	18.67	18.58		0
64QAM	1	0	18.90	18.63	18.83	0-2	0
	1	7	18.94	18.71	18.81		0
	1	14	18.95	18.62	18.90		0
	8	0	18.75	18.58	18.63	0-3	0
	8	4	18.79	18.51	18.61		0
	8	7	18.76	18.57	18.59		0
	15	0	18.74	18.58	18.55		0
256QAM	1	0	17.89	17.68	17.79	0-5	1.1
	1	7	17.92	17.69	17.86		1.1
	1	14	17.89	17.58	17.72		1.1
	8	0	17.75	17.57	17.61		1.1
	8	4	17.80	17.52	17.65		1.1
	8	7	17.74	17.62	17.63		1.1
	15	0	17.73	17.48	17.59		1.1

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 18 of 225

Table I-19
LTE Band 26 (Cell) Measured P_{Limit} Antenna 1 - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.76	18.35	18.58	0	0
	1	2	18.77	18.37	18.62		0
	1	5	18.75	18.38	18.58		0
	3	0	18.72	18.61	18.54		0
	3	2	18.71	18.62	18.56		0
	3	3	18.72	18.60	18.58	0	
	6	0	18.64	18.61	18.58	0-1	0
16QAM	1	0	18.97	18.68	18.73	0-1	0
	1	2	18.95	18.73	18.78		0
	1	5	18.90	18.66	18.75		0
	3	0	18.82	18.51	18.70		0
	3	2	18.85	18.55	18.69		0
	3	3	18.84	18.56	18.66	0	
	6	0	18.79	18.63	18.61	0-2	0
64QAM	1	0	18.90	18.60	18.72	0-2	0
	1	2	18.85	18.61	18.70		0
	1	5	18.84	18.58	18.74		0
	3	0	18.86	18.72	18.63		0
	3	2	18.87	18.57	18.61		0
	3	3	18.73	18.68	18.62	0	
	6	0	18.72	18.69	18.54	0-3	0
256QAM	1	0	17.73	17.61	17.66	0-5	1.1
	1	2	17.79	17.67	17.76		1.1
	1	5	17.67	17.63	17.77		1.1
	3	0	17.75	17.55	17.63		1.1
	3	2	17.75	17.57	17.64		1.1
	3	3	17.72	17.60	17.64		1.1
	6	0	17.70	17.66	17.60	1.1	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 19 of 225

Table I-20
LTE Band 26 (Cell) Measured P_{limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.31	18.23	18.19	0	0
	1	12	18.39	18.40	18.32		0
	1	24	18.23	18.25	18.15		0
	12	0	18.24	18.13	18.22	0-1	0
	12	6	18.25	18.24	18.22		0
	12	13	18.20	18.21	18.18		0
	25	0	18.23	18.21	18.20		0
16QAM	1	0	18.54	18.51	18.55	0-1	0
	1	12	18.59	18.64	18.61		0
	1	24	18.50	18.49	18.51		0
	12	0	18.31	18.21	18.29	0-2	0
	12	6	18.32	18.30	18.29		0
	12	13	18.25	18.27	18.25		0
	25	0	18.26	18.21	18.26		0
64QAM	1	0	18.48	18.41	18.38	0-2	0
	1	12	18.48	18.49	18.45		0
	1	24	18.49	18.37	18.31		0
	12	0	18.27	18.20	18.29	0-3	0
	12	6	18.29	18.23	18.29		0
	12	13	18.23	18.17	18.24		0
	25	0	18.27	18.27	18.23		0
256QAM	1	0	18.44	18.39	18.31	0-5	0
	1	12	18.38	18.50	18.30		0
	1	24	18.36	18.39	18.25		0
	12	0	18.27	18.16	18.23		0
	12	6	18.31	18.29	18.26		0
	12	13	18.23	18.24	18.21		0
	25	0	18.26	18.24	18.25		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 20 of 225

Table I-21
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3 - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.07	18.16	18.19	0	0
	1	7	18.14	18.23	18.25		0
	1	14	18.04	18.14	18.13		0
	8	0	18.22	18.11	18.19	0-1	0
	8	4	18.25	18.21	18.20		0
	8	7	18.21	18.21	18.16		0
	15	0	18.21	18.17	18.17		0
16QAM	1	0	18.42	18.40	18.43	0-1	0
	1	7	18.50	18.49	18.54		0
	1	14	18.39	18.39	18.38		0
	8	0	18.30	18.23	18.22	0-2	0
	8	4	18.34	18.28	18.24		0
	8	7	18.26	18.24	18.20		0
	15	0	18.26	18.30	18.21		0
64QAM	1	0	18.45	18.38	18.35	0-2	0
	1	7	18.44	18.46	18.37		0
	1	14	18.34	18.41	18.33		0
	8	0	18.32	18.17	18.20	0-3	0
	8	4	18.34	18.25	18.27		0
	8	7	18.27	18.24	18.18		0
	15	0	18.28	18.25	18.22		0
256QAM	1	0	18.30	18.23	18.25	0-5	0
	1	7	18.42	18.41	18.29		0
	1	14	18.31	18.30	18.23		0
	8	0	18.27	18.14	18.20		0
	8	4	18.31	18.26	18.23		0
	8	7	18.27	18.22	18.19		0
	15	0	18.26	18.23	18.17		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 21 of 225

Table I-22
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3 - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.16	18.17	18.08	0	0
	1	2	18.17	18.27	18.11		0
	1	5	18.13	18.24	18.05		0
	3	0	18.21	18.19	18.14		0
	3	2	18.22	18.19	18.15		0
	3	3	18.21	18.18	18.13		0
	6	0	18.17	18.16	18.13		0
16QAM	1	0	18.40	18.35	18.30	0-1	0
	1	2	18.40	18.47	18.31		0
	1	5	18.38	18.43	18.35		0
	3	0	18.31	18.29	18.28		0
	3	2	18.37	18.32	18.29		0
	3	3	18.38	18.29	18.28		0
	6	0	18.34	18.24	18.21		0
64QAM	1	0	18.41	18.25	18.29	0-2	0
	1	2	18.46	18.35	18.33		0
	1	5	18.38	18.29	18.30		0
	3	0	18.38	18.28	18.31		0
	3	2	18.37	18.26	18.33		0
	3	3	18.40	18.26	18.31		0
	6	0	18.26	18.15	18.16		0
256QAM	1	0	18.33	18.18	18.22	0-5	0
	1	2	18.44	18.35	18.12		0
	1	5	18.30	18.26	18.08		0
	3	0	18.33	18.20	18.20		0
	3	2	18.33	18.23	18.19		0
	3	3	18.32	18.20	18.18		0
	6	0	18.31	18.14	18.15		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 22 of 225

I.1.6 LTE Band 5

Table I-23
LTE Band 5 (Cell) Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	18.64	18.42	18.46	0	0
	1	12	18.77	18.52	18.62		0
	1	24	18.56	18.49	18.40		0
	12	0	18.45	18.34	18.49	0-1	0
	12	6	18.44	18.38	18.51		0
	12	13	18.43	18.39	18.46		0
16QAM	25	0	18.46	18.39	18.50	0-1	0
	1	0	18.80	18.69	18.80		0
	1	12	18.82	18.78	18.92		0
	1	24	18.72	18.75	18.73	0-2	0
	12	0	18.50	18.36	18.52		0
	12	6	18.48	18.42	18.52		0
64QAM	12	13	18.46	18.45	18.49	0-2	0
	25	0	18.49	18.43	18.50		0
	1	0	18.62	18.52	18.62		0-2
	1	12	18.56	18.56	18.62	0	
	1	24	18.58	18.61	18.62	0	
	256QAM	12	0	18.46	18.30	18.51	0-3
12		6	18.47	18.41	18.51	0	
12		13	18.43	18.39	18.47	0	
25		0	18.47	18.40	18.47	0-5	0
1		0	17.92	17.87	17.76		1.1
1		12	17.86	17.77	17.91		1.1
256QAM	1	24	17.85	17.91	17.84	0-5	1.1
	12	0	17.94	17.94	17.96		1.1
	12	6	17.92	17.86	17.83		1.1
	12	13	17.78	17.90	17.89	1.1	
	25	0	17.80	17.85	17.93	1.1	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 23 of 225

Table I-24
LTE Band 5 (Cell) Measured P_{Limit} Antenna 1 - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.29	18.35	18.49	0	0
	1	7	18.44	18.44	18.51		0
	1	14	18.34	18.34	18.35		0
	8	0	18.45	18.35	18.46	0-1	0
	8	4	18.47	18.38	18.46		0
	8	7	18.44	18.34	18.43		0
	15	0	18.43	18.36	18.43		0
16QAM	1	0	18.60	18.57	18.64	0-1	0
	1	7	18.73	18.61	18.85		0
	1	14	18.60	18.57	18.68		0
	8	0	18.51	18.44	18.49	0-2	0
	8	4	18.53	18.45	18.50		0
	8	7	18.49	18.42	18.48		0
	15	0	18.46	18.42	18.50		0
64QAM	1	0	18.57	18.39	18.49	0-2	0
	1	7	18.64	18.49	18.57		0
	1	14	18.56	18.47	18.46		0
	8	0	18.51	18.36	18.41	0-3	0
	8	4	18.52	18.42	18.48		0
	8	7	18.48	18.36	18.48		0
	15	0	18.45	18.37	18.47		0
256QAM	1	0	17.87	17.70	17.82	0-5	1.1
	1	7	17.80	17.82	17.86		1.1
	1	14	17.74	17.73	17.75		1.1
	8	0	17.77	17.81	17.80		1.1
	8	4	17.79	17.83	17.84		1.1
	8	7	17.81	17.73	17.77		1.1
	15	0	17.73	17.83	17.74		1.1

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 24 of 225

Table I-25
LTE Band 5 (Cell) Measured P_{Limit} Antenna 1 - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.37	18.44	18.54	0	0
	1	2	18.42	18.47	18.57		0
	1	5	18.47	18.44	18.55		0
	3	0	18.45	18.41	18.48		0
	3	2	18.51	18.42	18.48		0
	3	3	18.48	18.35	18.43		0
16QAM	6	0	18.41	18.33	18.39	0-1	0
	1	0	18.56	18.57	18.68	0-1	0
	1	2	18.66	18.61	18.63		0
	1	5	18.69	18.57	18.67		0
	3	0	18.55	18.47	18.55		0
	3	2	18.54	18.48	18.55		0
3	3	18.59	18.46	18.54	0		
64QAM	6	0	18.53	18.45	18.49	0-2	0
	1	0	18.51	18.50	18.56	0-2	0
	1	2	18.61	18.53	18.51		0
	1	5	18.58	18.52	18.51		0
	3	0	18.48	18.42	18.58		0
	3	2	18.54	18.45	18.56		0
3	3	18.51	18.43	18.55	0		
256QAM	6	0	18.40	18.37	18.38	0-3	0
	1	0	17.77	17.78	17.80	0-5	1.1
	1	2	17.81	17.82	17.92		1.1
	1	5	17.74	17.86	17.87		1.1
	3	0	17.83	17.75	17.77		1.1
	3	2	17.79	17.81	17.74		1.1
3	3	17.80	17.87	17.83	1.1		
	6	0	17.67	17.76	17.76		1.1

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 25 of 225

Table I-26
LTE Band 5 Measured P_{limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.43	18.31	18.34	0	0
	1	12	18.59	18.39	18.52		0
	1	24	18.38	18.28	18.28		0
	12	0	18.27	18.21	18.23	0-1	0
	12	6	18.25	18.30	18.22		0
	12	13	18.24	18.26	18.21		0
16QAM	25	0	18.26	18.28	18.23	0-2	0
	1	0	18.63	18.61	18.48		0
	1	12	18.64	18.70	18.49		0
	1	24	18.51	18.56	18.41	0-1	0
	12	0	18.32	18.29	18.28		0
	12	6	18.34	18.34	18.26		0
64QAM	12	13	18.26	18.35	18.23	0-2	0
	25	0	18.30	18.31	18.26		0
	1	0	18.59	18.51	18.50		0-2
	1	12	18.54	18.52	18.46	0	
	1	24	18.43	18.53	18.41	0	
	256QAM	12	0	18.32	18.24	18.28	0-3
12		6	18.30	18.31	18.27	0	
12		13	18.27	18.34	18.23	0	
25		0	18.28	18.33	18.25	0-5	0
1		0	18.43	18.36	18.42		0
1		12	18.39	18.42	18.40		0
256QAM	1	24	18.48	18.50	18.36	0-5	0
	12	0	18.33	18.27	18.26		0
	12	6	18.29	18.33	18.25		0
	12	13	18.27	18.32	18.21	0	
	25	0	18.29	18.34	18.24	0	

Table I-27
LTE Band 5 Measured P_{limit} Antenna 3 - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.12	18.26	18.05	0	0
	1	7	18.15	18.31	18.07		0
	1	14	18.10	18.21	18.00		0
	8	0	18.25	18.19	18.19	0-1	0
	8	4	18.25	18.30	18.17		0
	8	7	18.22	18.27	18.15		0
16QAM	15	0	18.22	18.25	18.18	0-2	0
	1	0	18.44	18.44	18.35		0
	1	7	18.45	18.58	18.35		0-1
	1	14	18.35	18.51	18.31	0	
	8	0	18.30	18.27	18.24	0	
	64QAM	8	4	18.32	18.37	18.23	0-2
8		7	18.28	18.34	18.24	0	
15		0	18.33	18.30	18.22	0	
1		0	18.47	18.44	18.38	0-2	0
1		7	18.42	18.51	18.39		0
1		14	18.45	18.48	18.37		0
256QAM	8	0	18.29	18.29	18.21	0-3	0
	8	4	18.29	18.30	18.26		0
	8	7	18.25	18.27	18.20		0
	15	0	18.30	18.31	18.23	0-5	0
	1	0	18.42	18.32	18.23		0
	1	7	18.45	18.35	18.35		0
256QAM	1	14	18.38	18.39	18.28	0-5	0
	8	0	18.30	18.25	18.22		0
	8	4	18.30	18.33	18.20		0
	8	7	18.26	18.28	18.17	0-5	0
	8	0	18.26	18.28	18.17		0
	15	0	18.29	18.30	18.17		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 26 of 225

Table I-28
LTE Band 5 Measured P_{limit} Antenna 3 - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	18.17	18.35	18.05	0	0
	1	2	18.21	18.37	18.10		0
	1	5	18.15	18.35	18.06		0
	3	0	18.25	18.26	18.16		0
	3	2	18.27	18.28	18.17		0
	3	3	18.24	18.26	18.15		0
	6	0	18.19	18.21	18.12		0-1
16QAM	1	0	18.47	18.48	18.41	0-1	0
	1	2	18.46	18.54	18.39		0
	1	5	18.43	18.53	18.37		0
	3	0	18.36	18.37	18.27		0
	3	2	18.36	18.47	18.26		0
	3	3	18.38	18.39	18.27		0
	6	0	18.28	18.31	18.25		0-2
64QAM	1	0	18.45	18.36	18.31	0-2	0
	1	2	18.45	18.35	18.36		0
	1	5	18.41	18.31	18.34		0
	3	0	18.34	18.42	18.27		0
	3	2	18.33	18.46	18.29		0
	3	3	18.31	18.42	18.26		0
	6	0	18.24	18.26	18.17		0-3
256QAM	1	0	18.34	18.38	18.32	0-5	0
	1	2	18.42	18.43	18.33		0
	1	5	18.31	18.40	18.28		0
	3	0	18.21	18.32	18.11		0
	3	2	18.20	18.31	18.18		0
	3	3	18.18	18.37	18.10		0
	6	0	18.19	18.22	18.20		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 27 of 225

I.1.7

LTE Band 66

Table I-29
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	14.62	14.60	14.53	0	0
	1	36	14.69	14.67	14.53		0
	1	74	14.63	14.57	14.48		0
	36	0	14.59	14.60	14.53	0-1	0
	36	18	14.63	14.61	14.61		0
	36	37	14.63	14.60	14.54		0
	75	0	14.64	14.57	14.60		0
16QAM	1	0	14.82	14.78	14.80	0-1	0
	1	36	14.89	14.89	14.88		0
	1	74	14.89	14.74	14.79		0
	36	0	14.65	14.65	14.54	0-2	0
	36	18	14.67	14.66	14.63		0
	36	37	14.67	14.60	14.59		0
	75	0	14.64	14.64	14.61		0
64QAM	1	0	14.88	14.77	14.83	0-2	0
	1	36	15.02	14.82	14.88		0
	1	74	14.87	14.81	14.87		0
	36	0	14.62	14.64	14.54	0-3	0
	36	18	14.66	14.66	14.63		0
	36	37	14.67	14.62	14.57		0
	75	0	14.65	14.64	14.62		0
256QAM	1	0	14.87	14.78	14.81	0-5	0
	1	36	14.97	14.91	14.88		0
	1	74	14.92	14.77	14.80		0
	36	0	14.64	14.66	14.56		0
	36	18	14.66	14.66	14.64		0
	36	37	14.65	14.62	14.59		0
	75	0	14.65	14.64	14.58		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 28 of 225

Table I-30
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.58	14.82	14.71	0	0
	1	25	14.61	14.79	14.69		0
	1	49	14.60	14.63	14.66		0
	25	0	14.73	14.76	14.66	0-1	0
	25	12	14.76	14.76	14.62		0
	25	25	14.73	14.72	14.69		0
	50	0	14.71	14.74	14.59	0	
16QAM	1	0	14.85	14.93	14.99	0-1	0
	1	25	14.96	14.96	14.94		0
	1	49	14.73	14.94	14.87		0
	25	0	14.76	14.79	14.68	0-2	0
	25	12	14.79	14.79	14.68		0
	25	25	14.76	14.74	14.72		0
	50	0	14.74	14.79	14.61	0	
64QAM	1	0	14.87	14.99	14.97	0-2	0
	1	25	14.85	15.00	14.97		0
	1	49	14.79	14.98	14.96		0
	25	0	14.75	14.78	14.64	0-3	0
	25	12	14.77	14.78	14.68		0
	25	25	14.76	14.73	14.69		0
	50	0	14.74	14.75	14.62	0	
256QAM	1	0	14.86	14.98	14.97	0-5	0
	1	25	14.96	15.01	14.98		0
	1	49	14.84	14.84	14.94		0
	25	0	14.76	14.79	14.65		0
	25	12	14.79	14.81	14.69		0
	25	25	14.72	14.76	14.70		0
	50	0	14.73	14.76	14.64	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 29 of 225

**Table I-31
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth**

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.80	14.73	14.65	0	0
	1	12	14.89	14.79	14.70		0
	1	24	14.77	14.74	14.67		0
	12	0	14.67	14.71	14.67	0-1	0
	12	6	14.69	14.69	14.70		0
	12	13	14.66	14.67	14.64		0
	25	0	14.70	14.70	14.71	0	
16QAM	1	0	15.02	15.01	15.05	0-1	0
	1	12	14.98	15.10	15.05		0
	1	24	15.04	15.02	14.99		0
	12	0	14.74	14.75	14.73	0-2	0
	12	6	14.76	14.79	14.73		0
	12	13	14.75	14.76	14.69		0
	25	0	14.70	14.73	14.70	0	
64QAM	1	0	14.98	15.13	14.98	0-2	0
	1	12	15.03	15.04	15.12		0
	1	24	14.98	15.05	15.01		0
	12	0	14.71	14.75	14.73	0-3	0
	12	6	14.74	14.80	14.73		0
	12	13	14.73	14.76	14.70		0
	25	0	14.69	14.75	14.68	0	
256QAM	1	0	15.00	15.06	15.02	0-5	0
	1	12	15.05	15.17	15.10		0
	1	24	14.95	15.06	14.95		0
	12	0	14.67	14.76	14.73		0
	12	6	14.74	14.79	14.75		0
	12	13	14.71	14.78	14.69		0
	25	0	14.72	14.77	14.69	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 30 of 225

**Table I-32
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1 - 3 MHz Bandwidth**

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.55	14.70	14.63	0	0
	1	7	14.65	14.72	14.68		0
	1	14	14.55	14.64	14.60		0
	8	0	14.66	14.66	14.64	0-1	0
	8	4	14.67	14.72	14.68		0
	8	7	14.68	14.67	14.64		0
	15	0	14.64	14.66	14.60	0	
16QAM	1	0	14.88	14.88	14.91	0-1	0
	1	7	14.89	14.95	14.97		0
	1	14	14.89	14.86	14.88		0
	8	0	14.72	14.75	14.69	0-2	0
	8	4	14.75	14.78	14.71		0
	8	7	14.75	14.73	14.68		0
	15	0	14.72	14.74	14.63	0	
64QAM	1	0	14.78	14.85	14.88	0-2	0
	1	7	14.89	14.99	15.01		0
	1	14	14.83	14.89	14.91		0
	8	0	14.73	14.76	14.73	0-3	0
	8	4	14.76	14.76	14.74		0
	8	7	14.75	14.74	14.69		0
	15	0	14.69	14.71	14.68	0	
256QAM	1	0	14.84	14.90	14.94	0-5	0
	1	7	14.91	14.95	14.98		0
	1	14	14.84	14.86	14.85		0
	8	0	14.74	14.78	14.71		0
	8	4	14.77	14.79	14.72		0
	8	7	14.71	14.74	14.70		0
	15	0	14.72	14.70	14.69	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 31 of 225

Table I-33
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1 - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.59	14.74	14.56	0	0
	1	2	14.61	14.76	14.60		0
	1	5	14.55	14.73	14.54		0
	3	0	14.61	14.71	14.63		0
	3	2	14.67	14.71	14.62		0
	3	3	14.65	14.70	14.60		0
16QAM	6	0	14.59	14.66	14.59	0-1	0
	1	0	14.84	14.94	14.74	0-1	0
	1	2	14.92	15.00	14.85		0
	1	5	14.82	14.94	14.79		0
	3	0	14.79	14.82	14.73		0
	3	2	14.78	14.86	14.78		0
	3	3	14.80	14.82	14.75		0
6	0	14.74	14.71	14.70	0-2	0	
64QAM	1	0	14.84	14.92	14.79	0-2	0
	1	2	14.87	14.94	14.86		0
	1	5	14.85	14.93	14.80		0
	3	0	14.78	14.88	14.76		0
	3	2	14.81	14.85	14.78		0
	3	3	14.78	14.83	14.78		0
256QAM	6	0	14.69	14.72	14.73	0-3	0
	1	0	14.83	14.96	14.80	0-5	0
	1	2	14.88	14.94	14.85		0
	1	5	14.84	14.87	14.80		0
	3	0	14.80	14.88	14.78		0
	3	2	14.76	14.85	14.84		0
	3	3	14.76	14.86	14.78		0
6	0	14.66	14.71	14.74	0		

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 32 of 225

Table I-34
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.19	14.26	14.04	0	0
	1	36	14.28	14.38	14.05		0
	1	74	14.22	14.23	13.94		0
	36	0	14.20	14.28	14.10	0-1	0
	36	18	14.23	14.32	14.09		0
	36	37	14.21	14.18	14.04		0
	75	0	14.18	14.25	14.06		0
16QAM	1	0	14.42	14.45	14.43	0-1	0
	1	36	14.58	14.52	14.40		0
	1	74	14.48	14.42	14.20		0
	36	0	14.19	14.30	14.11	0-2	0
	36	18	14.24	14.32	14.13		0
	36	37	14.23	14.20	14.08		0
	75	0	14.22	14.29	14.10		0
64QAM	1	0	14.12	14.34	14.19	0-2	0
	1	36	14.24	14.38	14.17		0
	1	74	14.18	14.27	14.10		0
	36	0	14.09	14.15	14.05	0-3	0
	36	18	14.11	14.16	14.07		0
	36	37	14.12	14.14	14.05		0
	75	0	14.10	14.16	14.05		0
256QAM	1	0	14.14	14.26	14.14	0-5	0
	1	36	14.23	14.32	14.19		0
	1	74	14.22	14.25	14.09		0
	36	0	14.06	14.16	14.06		0
	36	18	14.09	14.17	14.07		0
	36	37	14.08	14.16	14.14		0
	75	0	14.10	14.18	14.19		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 33 of 225

Table I-35
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.14	14.35	14.22	0	0
	1	25	14.24	14.33	14.25		0
	1	49	14.20	14.24	14.12		0
	25	0	14.25	14.37	14.17	0-1	0
	25	12	14.27	14.40	14.17		0
	25	25	14.26	14.26	14.13		0
	50	0	14.26	14.36	14.15	0	
16QAM	1	0	14.40	14.55	14.41	0-1	0
	1	25	14.41	14.67	14.48		0
	1	49	14.37	14.56	14.38		0
	25	0	14.29	14.39	14.21	0-2	0
	25	12	14.33	14.41	14.19		0
	25	25	14.27	14.29	14.16		0
	50	0	14.27	14.38	14.19	0	
64QAM	1	0	14.26	14.38	14.27	0-2	0
	1	25	14.31	14.45	14.30		0
	1	49	14.26	14.36	14.23		0
	25	0	14.20	14.28	14.17	0-3	0
	25	12	14.21	14.29	14.20		0
	25	25	14.20	14.24	14.17		0
	50	0	14.17	14.27	14.19	0	
256QAM	1	0	14.18	14.31	14.29	0-5	0
	1	25	14.28	14.39	14.24		0
	1	49	14.23	14.22	14.11		0
	25	0	14.13	14.23	14.14		0
	25	12	14.18	14.24	14.15		0
	25	25	14.16	14.22	14.12		0
	50	0	14.14	14.22	14.13	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 34 of 225

Table I-36
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.35	14.38	14.11	0	0
	1	12	14.47	14.42	14.18		0
	1	24	14.35	14.36	14.09		0
	12	0	14.23	14.31	14.15	0-1	0
	12	6	14.27	14.34	14.18		0
	12	13	14.26	14.32	14.14		0
	25	0	14.22	14.34	14.12	0	
16QAM	1	0	14.54	14.70	14.49	0-1	0
	1	12	14.62	14.68	14.48		0
	1	24	14.57	14.65	14.46		0
	12	0	14.29	14.39	14.19	0-2	0
	12	6	14.34	14.43	14.19		0
	12	13	14.29	14.37	14.16		0
	25	0	14.25	14.38	14.14	0	
64QAM	1	0	14.26	14.38	14.28	0-2	0
	1	12	14.25	14.43	14.32		0
	1	24	14.24	14.40	14.26		0
	12	0	14.16	14.26	14.21	0-3	0
	12	6	14.22	14.29	14.19		0
	12	13	14.17	14.21	14.12		0
	25	0	14.17	14.27	14.13	0	
256QAM	1	0	14.29	14.44	14.24	0-5	0
	1	12	14.28	14.37	14.33		0
	1	24	14.31	14.34	14.23		0
	12	0	14.11	14.22	14.09		0
	12	6	14.18	14.26	14.15		0
	12	13	14.13	14.25	14.11		0
	25	0	14.12	14.20	14.13	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 35 of 225

Table I-37
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.08	14.27	14.36	0	0
	1	7	14.17	14.40	14.37		0
	1	14	14.11	14.25	14.45		0
	8	0	14.19	14.33	14.33	0-1	0
	8	4	14.24	14.32	14.38		0
	8	7	14.24	14.29	14.39		0
	15	0	14.19	14.32	14.36	0	0
16QAM	1	0	14.44	14.53	14.57	0-1	0
	1	7	14.46	14.60	14.55		0
	1	14	14.34	14.48	14.42		0
	8	0	14.27	14.37	14.43	0-2	0
	8	4	14.30	14.42	14.45		0
	8	7	14.25	14.39	14.33		0
	15	0	14.24	14.37	14.43	0	0
64QAM	1	0	14.35	14.35	14.49	0-2	0
	1	7	14.43	14.39	14.53		0
	1	14	14.30	14.39	14.52		0
	8	0	14.16	14.30	14.27	0-3	0
	8	4	14.22	14.27	14.29		0
	8	7	14.15	14.20	14.32		0
	15	0	14.12	14.24	14.25	0	0
256QAM	1	0	14.23	14.40	14.30	0-5	0
	1	7	14.28	14.44	14.39		0
	1	14	14.20	14.30	14.34		0
	8	0	14.18	14.28	14.24		0
	8	4	14.18	14.20	14.28		0
	8	7	14.13	14.21	14.26		0
	15	0	14.12	14.19	14.25	0	0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 36 of 225

Table I-38
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.12	14.34	14.13	0	0
	1	2	14.16	14.43	14.14		0
	1	5	14.12	14.37	14.14		0
	3	0	14.21	14.32	14.11		0
	3	2	14.21	14.34	14.12		0
	3	3	14.19	14.31	14.08		0
16QAM	6	0	14.17	14.27	14.02	0-1	0
	1	0	14.33	14.53	14.36	0-1	0
	1	2	14.45	14.56	14.36		0
	1	5	14.41	14.57	14.36		0
	3	0	14.30	14.46	14.22		0
	3	2	14.33	14.46	14.20		0
	3	3	14.30	14.48	14.23		0
64QAM	6	0	14.29	14.41	14.15	0-2	0
	1	0	14.22	14.32	14.16	0-2	0
	1	2	14.27	14.35	14.17		0
	1	5	14.25	14.28	14.17		0
	3	0	14.11	14.34	14.13		0
	3	2	14.13	14.35	14.17		0
3	3	14.09	14.32	14.16	0		
256QAM	6	0	14.09	14.15	14.06	0-3	0
	1	0	14.25	14.23	14.22	0-5	0
	1	2	14.29	14.34	14.31		0
	1	5	14.23	14.27	14.20		0
	3	0	14.24	14.28	14.11		0
	3	2	14.19	14.32	14.18		0
	3	3	14.16	14.29	14.09		0
6	0	14.08	14.11	14.05	0		

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 37 of 225

Table I-39
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	14.12	14.17	14.42	0	0
	1	36	14.15	14.15	14.41		0
	1	74	14.04	14.09	14.35		0
	36	0	14.12	14.22	14.24	0-1	0
	36	18	14.16	14.26	14.26		0
	36	37	14.11	14.20	14.28		0
16QAM	75	0	14.08	14.19	14.20	0-1	0
	1	0	14.76	14.67	14.69		0
	1	36	14.91	14.79	14.79		0
	1	74	14.77	14.68	14.71	0-2	0
	36	0	14.54	14.49	14.33		0
	36	18	14.58	14.47	14.48		0
64QAM	36	37	14.55	14.47	14.45	0-2	0
	75	0	14.54	14.43	14.36		0
	1	0	14.61	14.54	14.57		0-2
	1	36	14.70	14.65	14.63	0	
	1	74	14.64	14.60	14.56	0-3	
	36	0	14.52	14.45	14.34		0
36	18	14.54	14.47	14.42	0		
256QAM	36	37	14.55	14.45	14.43	0-3	0
	75	0	14.52	14.42	14.33		0
	1	0	14.67	14.50	14.41		0-5
	1	36	14.74	14.52	14.55	0	
	1	74	14.65	14.53	14.50	0	
	36	0	14.53	14.44	14.35	0-5	0
36	18	14.55	14.46	14.45	0		
36	37	14.54	14.44	14.43	0		
75	0	14.55	14.43	14.34	0-5	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 38 of 225

Table I-40
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
Conducted Power [dBm]							
QPSK	1	0	14.17	14.25	14.24	0	0
	1	25	14.21	14.28	14.27		0
	1	49	14.14	14.21	14.18		0
	25	0	14.21	14.31	14.33	0-1	0
	25	12	14.20	14.28	14.32		0
	25	25	14.15	14.27	14.39		0
16QAM	50	0	14.21	14.30	14.29	0-1	0
	1	0	14.80	14.81	14.64		0
	1	25	14.73	14.77	14.66		0
	1	49	14.76	14.81	14.69	0-2	0
	25	0	14.65	14.55	14.48		0
	25	12	14.66	14.56	14.49		0
64QAM	25	25	14.62	14.54	14.54	0-2	0
	50	0	14.63	14.54	14.48		0
	1	0	14.79	14.71	14.60		0-2
	1	25	14.81	14.72	14.65	0	
	1	49	14.73	14.67	14.65	0	
	256QAM	25	0	14.67	14.59	14.48	0-3
25		12	14.68	14.56	14.50	0	
25		25	14.65	14.54	14.56	0	
50		0	14.65	14.55	14.49	0-5	0
1		0	14.71	14.43	14.52		0
1		25	14.78	14.54	14.67		0
256QAM	1	49	14.69	14.60	14.58	0-5	0
	25	0	14.63	14.51	14.46		0
	25	12	14.65	14.52	14.47		0
	25	25	14.62	14.51	14.51	0-5	0
	50	0	14.63	14.51	14.45		0
	50	0	14.63	14.51	14.45		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 39 of 225

Table I-41
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	14.23	14.21	14.43	0	0
	1	12	14.28	14.27	14.57		0
	1	24	14.23	14.22	14.45		0
	12	0	14.16	14.31	14.39	0-1	0
	12	6	14.20	14.32	14.41		0
	12	13	14.16	14.28	14.38		0
16QAM	25	0	14.19	14.31	14.37	0-1	0
	1	0	14.88	14.82	14.84		0
	1	12	14.98	14.93	14.91		0
	1	24	14.92	14.74	14.82	0-2	0
	12	0	14.64	14.51	14.56		0
	12	6	14.66	14.55	14.57		0
64QAM	12	13	14.64	14.51	14.54	0-2	0
	25	0	14.64	14.51	14.54		0
	1	0	14.93	14.71	14.76		0-2
	1	12	14.94	14.76	14.76	0	
	1	24	14.84	14.79	14.75	0	
	256QAM	12	0	14.69	14.55	14.58	0-3
12		6	14.70	14.61	14.60	0	
12		13	14.69	14.53	14.55	0	
25		0	14.63	14.52	14.52	0-5	0
1		0	14.77	14.65	14.71		0
1		12	14.82	14.63	14.67		0
256QAM	1	24	14.76	14.60	14.68	0-5	0
	12	0	14.62	14.53	14.50		0
	12	6	14.64	14.53	14.53		0
	12	13	14.59	14.49	14.52	0	
	25	0	14.63	14.51	14.51	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 40 of 225

Table I-42
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3 - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	14.58	14.54	14.40	0	0
	1	7	14.65	14.59	14.45		0
	1	14	14.61	14.50	14.38		0
	8	0	14.70	14.55	14.51	0-1	0
	8	4	14.73	14.55	14.53		0
	8	7	14.71	14.52	14.52		0
16QAM	15	0	14.71	14.52	14.48	0-1	0
	1	0	14.74	14.71	14.66		0
	1	7	14.82	14.81	14.69		0
	1	14	14.72	14.71	14.58	0-2	0
	8	0	14.63	14.58	14.53		0
	8	4	14.68	14.57	14.55		0
64QAM	8	7	14.64	14.58	14.55	0-2	0
	15	0	14.60	14.54	14.50		0
	1	0	14.79	14.72	14.63		0-2
	1	7	14.83	14.82	14.69	0	
	1	14	14.75	14.70	14.68	0-3	
	8	0	14.65	14.59	14.56		0
8	4	14.69	14.54	14.58	0		
256QAM	8	7	14.64	14.56	14.58	0-3	0
	15	0	14.64	14.57	14.55		0
	1	0	14.72	14.57	14.46		0-5
	1	7	14.74	14.73	14.56	0	
	1	14	14.70	14.55	14.51	0	
	8	0	14.62	14.51	14.53	0	
8	4	14.67	14.54	14.56	0		
8	7	14.59	14.51	14.52	0		
15	0	14.58	14.50	14.54	0		

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 41 of 225

Table I-43
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3 - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	14.63	14.58	14.42	0	0
	1	2	14.66	14.61	14.46		0
	1	5	14.60	14.56	14.41		0
	3	0	14.71	14.53	14.49		0
	3	2	14.70	14.55	14.52		0
	3	3	14.70	14.55	14.49	0	
	6	0	14.67	14.50	14.48	0-1	0
16QAM	1	0	14.78	14.67	14.66	0-1	0
	1	2	14.85	14.73	14.78		0
	1	5	14.82	14.71	14.69		0
	3	0	14.73	14.70	14.64		0
	3	2	14.74	14.67	14.63		0
	3	3	14.70	14.62	14.59	0	
	6	0	14.65	14.49	14.56	0-2	0
64QAM	1	0	14.75	14.74	14.66	0-2	0
	1	2	14.79	14.74	14.70		0
	1	5	14.83	14.64	14.69		0
	3	0	14.64	14.54	14.57		0
	3	2	14.66	14.54	14.57		0
	3	3	14.68	14.54	14.56	0	
	6	0	14.64	14.47	14.51	0-3	0
256QAM	1	0	14.73	14.56	14.58	0-5	0
	1	2	14.72	14.69	14.59		0
	1	5	14.66	14.56	14.57		0
	3	0	14.70	14.54	14.52		0
	3	2	14.70	14.54	14.52		0
	3	3	14.68	14.55	14.51	0	
	6	0	14.61	14.48	14.42		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 42 of 225

Table I-44
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.45	12.43	12.19	0	0
	1	36	12.56	12.42	12.20		0
	1	74	12.45	12.34	12.17		0
	36	0	12.43	12.39	12.23	0-1	0
	36	18	12.48	12.38	12.23		0
	36	37	12.39	12.37	12.18		0
	75	0	12.36	12.37	12.19		0
16QAM	1	0	12.70	12.59	12.52	0-1	0
	1	36	12.76	12.53	12.51		0
	1	74	12.71	12.50	12.39		0
	36	0	12.46	12.35	12.24	0-2	0
	36	18	12.50	12.37	12.20		0
	36	37	12.41	12.34	12.15		0
	75	0	12.39	12.36	12.18		0
64QAM	1	0	12.43	12.50	12.38	0-2	0
	1	36	12.53	12.61	12.29		0
	1	74	12.48	12.47	12.25		0
	36	0	12.41	12.38	12.25	0-3	0
	36	18	12.46	12.39	12.22		0
	36	37	12.37	12.35	12.17		0
	75	0	12.37	12.36	12.18		0
256QAM	1	0	12.48	12.52	12.31	0-5	0
	1	36	12.60	12.49	12.32		0
	1	74	12.45	12.35	12.16		0
	36	0	12.42	12.37	12.20		0
	36	18	12.47	12.39	12.21		0
	36	37	12.38	12.36	12.14		0
	75	0	12.34	12.35	12.19		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 43 of 225

Table I-45
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.36	12.42	12.28	0	0
	1	25	12.44	12.43	12.28		0
	1	49	12.34	12.38	12.18		0
	25	0	12.52	12.44	12.33	0-1	0
	25	12	12.45	12.48	12.33		0
	25	25	12.43	12.44	12.26		0
	50	0	12.43	12.44	12.28	0	
16QAM	1	0	12.70	12.69	12.58	0-1	0
	1	25	12.70	12.71	12.57		0
	1	49	12.68	12.68	12.47		0
	25	0	12.54	12.49	12.34	0-2	0
	25	12	12.47	12.51	12.33		0
	25	25	12.47	12.47	12.28		0
	50	0	12.44	12.47	12.29	0	
64QAM	1	0	12.64	12.54	12.49	0-2	0
	1	25	12.68	12.58	12.44		0
	1	49	12.57	12.50	12.38		0
	25	0	12.47	12.49	12.30	0-3	0
	25	12	12.45	12.47	12.29		0
	25	25	12.42	12.44	12.21		0
	50	0	12.42	12.42	12.24	0	
256QAM	1	0	12.58	12.58	12.39	0-5	0
	1	25	12.67	12.56	12.45		0
	1	49	12.57	12.46	12.25		0
	25	0	12.51	12.44	12.29		0
	25	12	12.44	12.48	12.25		0
	25	25	12.42	12.44	12.22		0
	50	0	12.43	12.46	12.27	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 44 of 225

Table I-46
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.58	12.50	12.18	0	0
	1	12	12.68	12.50	12.25		0
	1	24	12.60	12.47	12.11		0
	12	0	12.48	12.41	12.22	0-1	0
	12	6	12.47	12.45	12.20		0
	12	13	12.45	12.41	12.15		0
16QAM	25	0	12.46	12.44	12.20	0-1	0
	1	0	12.74	12.87	12.58		0
	1	12	12.82	12.81	12.62		0
	1	24	12.82	12.78	12.49	0-2	0
	12	0	12.52	12.46	12.23		0
	12	6	12.54	12.52	12.24		0
64QAM	12	13	12.51	12.44	12.21	0-2	0
	25	0	12.48	12.47	12.22		0
	1	0	12.40	12.66	12.34		0
	1	12	12.47	12.60	12.40	0-3	0
	1	24	12.55	12.62	12.35		0
	12	0	12.50	12.44	12.21		0
256QAM	12	6	12.53	12.45	12.25	0-5	0
	12	13	12.49	12.41	12.21		0
	25	0	12.48	12.43	12.23		0
	1	0	12.61	12.52	12.36	0-5	0
	1	12	12.72	12.62	12.37		0
	1	24	12.68	12.52	12.30		0
256QAM	12	0	12.43	12.45	12.20	0-5	0
	12	6	12.51	12.46	12.21		0
	12	13	12.49	12.44	12.19		0
	25	0	12.44	12.44	12.20		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 45 of 225

Table I-47
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4b - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.33	12.35	12.17	0	0
	1	7	12.42	12.43	12.21		0
	1	14	12.32	12.37	12.11		0
	8	0	12.45	12.36	12.18	0-1	0
	8	4	12.45	12.43	12.21		0
	8	7	12.43	12.39	12.17		0
	15	0	12.44	12.34	12.16	0	
16QAM	1	0	12.62	12.55	12.45	0-1	0
	1	7	12.70	12.67	12.57		0
	1	14	12.58	12.61	12.41		0
	8	0	12.51	12.44	12.25	0-2	0
	8	4	12.53	12.46	12.28		0
	8	7	12.49	12.50	12.21		0
	15	0	12.47	12.42	12.22	0	
64QAM	1	0	12.65	12.55	12.28	0-2	0
	1	7	12.69	12.66	12.38		0
	1	14	12.66	12.52	12.26		0
	8	0	12.44	12.42	12.17	0-3	0
	8	4	12.51	12.42	12.24		0
	8	7	12.41	12.38	12.23		0
	15	0	12.40	12.39	12.17	0	
256QAM	1	0	12.57	12.50	12.18	0-5	0
	1	7	12.69	12.61	12.31		0
	1	14	12.56	12.48	12.26		0
	8	0	12.44	12.38	12.25		0
	8	4	12.51	12.45	12.24		0
	8	7	12.59	12.36	12.20		0
	15	0	12.49	12.41	12.18	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 46 of 225

Table I-48
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4b - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.33	12.44	12.20	0	0
	1	2	12.38	12.49	12.20		0
	1	5	12.32	12.42	12.17		0
	3	0	12.39	12.40	12.15		0
	3	2	12.42	12.41	12.15		0
	3	3	12.42	12.40	12.17		0
16QAM	6	0	12.39	12.38	12.08	0-1	0
	1	0	12.63	12.57	12.47	0-1	0
	1	2	12.66	12.63	12.49		0
	1	5	12.64	12.60	12.39		0
	3	0	12.56	12.51	12.32		0
	3	2	12.54	12.53	12.29		0
	3	3	12.56	12.55	12.30		0
6	0	12.56	12.49	12.22	0-2	0	
64QAM	1	0	12.56	12.65	12.22	0-2	0
	1	2	12.63	12.66	12.31		0
	1	5	12.65	12.51	12.28		0
	3	0	12.48	12.50	12.10		0
	3	2	12.49	12.48	12.13		0
	3	3	12.48	12.42	12.15		0
256QAM	6	0	12.41	12.43	12.11	0-3	0
	1	0	12.52	12.48	12.29	0-5	0
	1	2	12.64	12.53	12.34		0
	1	5	12.53	12.49	12.36		0
	3	0	12.47	12.47	12.25		0
	3	2	12.45	12.47	12.28		0
	3	3	12.50	12.48	12.23		0
6	0	12.43	12.43	12.12	0		

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 47 of 225

I.1.8

LTE Band 25

Table I-49
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	14.51	14.56	14.42	0	0
	1	36	14.51	14.61	14.38		0
	1	74	14.48	14.53	14.30		0
	36	0	14.51	14.49	14.48	0-1	0
	36	18	14.50	14.57	14.48		0
	36	37	14.51	14.55	14.45		0
16QAM	75	0	14.46	14.55	14.44	0-1	0
	1	0	14.71	14.66	14.75		0
	1	36	14.84	14.72	14.73		0
	36	0	14.51	14.54	14.50	0-2	0
	36	18	14.54	14.61	14.49		0
	36	37	14.49	14.57	14.46		0
64QAM	75	0	14.50	14.56	14.49	0-2	0
	1	0	14.45	14.56	14.42		0
	1	36	14.44	14.62	14.43		0
	36	0	14.39	14.36	14.34	0-3	0
	36	18	14.41	14.43	14.45		0
	36	37	14.38	14.42	14.42		0
256QAM	75	0	14.39	14.42	14.43	0-5	0
	1	0	14.37	14.46	14.43		0
	1	36	14.42	14.53	14.48		0
	36	0	14.40	14.38	14.33	0-5	0
	36	18	14.41	14.45	14.43		0
	36	37	14.40	14.44	14.41		0
	75	0	14.41	14.41	14.43		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 48 of 225

Table I-50
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)			
Conducted Power [dBm]								
QPSK	1	0	14.43	14.64	14.49	0	0	
	1	25	14.46	14.73	14.51		0	
	1	49	14.40	14.64	14.49		0	
	QPSK	25	0	14.55	14.58	14.55	0-1	0
		25	12	14.60	14.69	14.54		0
		25	25	14.57	14.64	14.52		0
		50	0	14.58	14.67	14.54		0
16QAM	1	0	14.73	14.85	14.77	0-1	0	
	1	25	14.70	14.85	14.83		0	
	1	49	14.73	14.79	14.81		0	
	16QAM	25	0	14.59	14.60	14.55	0-2	0
		25	12	14.60	14.66	14.56		0
		25	25	14.59	14.65	14.51		0
		50	0	14.54	14.68	14.54		0
64QAM	1	0	14.61	14.69	14.56	0-2	0	
	1	25	14.59	14.60	14.61		0	
	1	49	14.53	14.65	14.53		0	
	64QAM	25	0	14.46	14.54	14.43	0-3	0
		25	12	14.46	14.53	14.44		0
		25	25	14.47	14.54	14.50		0
		50	0	14.47	14.53	14.45		0
256QAM	1	0	14.52	14.53	14.50	0-5	0	
	1	25	14.52	14.64	14.69		0	
	1	49	14.40	14.57	14.50		0	
	25	0	14.49	14.54	14.47		0	
	25	12	14.50	14.54	14.48		0	
	25	25	14.47	14.52	14.52		0	
	50	0	14.47	14.57	14.45		0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 49 of 225

Table I-51
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.70	14.68	14.45	0	0
	1	12	14.76	14.72	14.53		0
	1	24	14.69	14.72	14.46		0
	12	0	14.58	14.66	14.63	0-1	0
	12	6	14.57	14.65	14.50		0
	12	13	14.52	14.61	14.49		0
16QAM	25	0	14.54	14.64	14.50	0-1	0
	1	0	14.89	14.85	14.79		0
	1	12	14.82	14.90	14.88		0
	1	24	14.91	14.90	14.70	0-2	0
	12	0	14.60	14.71	14.54		0
	12	6	14.60	14.71	14.55		0
64QAM	12	13	14.58	14.69	14.54	0-2	0
	25	0	14.55	14.65	14.53		0
	1	0	14.55	14.66	14.68		0-2
	1	12	14.64	14.65	14.69	0	
	1	24	14.64	14.67	14.66	0	
	256QAM	12	0	14.43	14.55	14.54	0-3
12		6	14.49	14.55	14.53	0	
12		13	14.44	14.53	14.51	0	
25		0	14.45	14.51	14.51	0-5	0
1		0	14.69	14.61	14.60		0
1		12	14.57	14.63	14.61		0
256QAM	1	24	14.58	14.61	14.60	0-5	0
	12	0	14.44	14.56	14.52		0
	12	6	14.49	14.54	14.51		0
	12	13	14.44	14.51	14.50	0-5	0
	25	0	14.45	14.52	14.50		0
	25	0	14.45	14.52	14.50		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 50 of 225

Table I-52
LTE Band 25 (PCS) Measured P_{Limit} for Antenna 1 - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	14.43	14.59	14.49	0	0
	1	7	14.47	14.64	14.52		0
	1	14	14.42	14.59	14.44		0
	8	0	14.52	14.59	14.50	0-1	0
	8	4	14.54	14.63	14.53		0
	8	7	14.52	14.56	14.51		0
16QAM	15	0	14.51	14.59	14.46	0-1	0
	1	0	14.72	14.81	14.74		0
	1	7	14.77	14.86	14.81		0
	1	14	14.63	14.73	14.71	0-2	0
	8	0	14.56	14.63	14.54		0
	8	4	14.61	14.68	14.56		0
64QAM	8	7	14.55	14.66	14.54	0-2	0
	15	0	14.55	14.63	14.48		0
	1	0	14.67	14.71	14.58		0-2
	1	7	14.70	14.72	14.68	0	
	1	14	14.65	14.60	14.53	0-3	
	8	0	14.46	14.58	14.51		0
8	4	14.50	14.51	14.56	0		
256QAM	8	7	14.44	14.47	14.50	0-3	0
	15	0	14.44	14.49	14.46		0
	1	0	14.48	14.60	14.57		0-5
	1	7	14.60	14.66	14.60	0	
	1	14	14.61	14.58	14.51	0	
	8	0	14.45	14.50	14.49	0	
8	4	14.50	14.51	14.55	0		
8	7	14.45	14.49	14.52	0		
15	0	14.41	14.52	14.48	0		

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 51 of 225

Table I-53
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1 - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.42	14.64	14.56	0	0
	1	2	14.47	14.72	14.54		0
	1	5	14.42	14.67	14.51		0
	3	0	14.51	14.61	14.46		0
	3	2	14.50	14.61	14.49		0
	3	3	14.52	14.61	14.47		0
16QAM	6	0	14.47	14.58	14.45	0-1	0
	1	0	14.73	14.85	14.77	0-1	0
	1	2	14.73	14.85	14.78		0
	1	5	14.73	14.83	14.77		0
	3	0	14.65	14.72	14.61		0
	3	2	14.67	14.71	14.63		0
3	3	14.64	14.68	14.53	0		
64QAM	6	0	14.55	14.64	14.51	0-2	0
	1	0	14.63	14.59	14.47	0-2	0
	1	2	14.63	14.66	14.46		0
	1	5	14.57	14.61	14.42		0
	3	0	14.49	14.52	14.55		0
	3	2	14.47	14.49	14.55		0
3	3	14.46	14.48	14.51	0		
256QAM	6	0	14.44	14.43	14.39	0-3	0
	1	0	14.48	14.52	14.64	0-5	0
	1	2	14.51	14.58	14.64		0
	1	5	14.46	14.56	14.61		0
	3	0	14.38	14.51	14.49		0
	3	2	14.37	14.52	14.49		0
3	3	14.43	14.51	14.49	0		
	6	0	14.34	14.48	14.45		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 52 of 225

Table I-54
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	13.04	13.06	13.00	0	0
	1	36	13.02	13.11	12.93		0
	1	74	13.02	13.00	12.87		0
	36	0	12.97	13.03	13.01	0-1	0
	36	18	13.06	13.09	13.03		0
	36	37	13.04	13.08	13.02		0
	75	0	13.06	13.02	13.01		0
16QAM	1	0	13.37	13.31	13.28	0-1	0
	1	36	13.31	13.31	13.28		0
	1	74	13.39	13.25	13.17		0
	36	0	12.97	13.07	13.02	0-2	0
	36	18	13.09	13.16	13.04		0
	36	37	13.07	13.09	13.03		0
	75	0	13.04	13.00	13.00		0
64QAM	1	0	13.18	13.27	13.12	0-2	0
	1	36	13.16	13.30	13.13		0
	1	74	13.18	13.20	13.10		0
	36	0	12.99	13.05	13.04	0-3	0
	36	18	13.10	13.14	13.03		0
	36	37	13.06	13.09	13.03		0
	75	0	13.04	13.04	13.02		0
256QAM	1	0	12.99	13.07	13.01	0-5	0
	1	36	13.04	13.11	12.99		0
	1	74	13.04	12.95	13.01		0
	36	0	12.83	12.96	12.92		0
	36	18	12.93	13.04	12.94		0
	36	37	12.95	13.03	12.92		0
	75	0	12.92	12.94	12.92		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 53 of 225

Table I-55
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)			
Conducted Power [dBm]								
QPSK	1	0	13.00	13.15	13.00	0	0	
	1	25	13.01	13.22	13.13		0	
	1	49	12.93	13.15	13.02		0	
	QPSK	25	0	13.10	13.15	13.10	0-1	0
		25	12	13.16	13.21	13.08		0
		25	25	13.11	13.16	13.07		0
		50	0	13.12	13.22	13.10		0
16QAM	1	0	13.27	13.35	13.40	0-1	0	
	1	25	13.29	13.41	13.36		0	
	1	49	13.26	13.33	13.31		0	
	16QAM	25	0	13.16	13.16	13.15	0-2	0
		25	12	13.19	13.26	13.13		0
		25	25	13.18	13.20	13.14		0
		50	0	13.16	13.22	13.10		0
64QAM	1	0	13.35	13.21	13.23	0-2	0	
	1	25	13.38	13.35	13.20		0	
	1	49	13.28	13.24	13.17		0	
	64QAM	25	0	13.13	13.15	13.13	0-3	0
		25	12	13.17	13.24	13.14		0
		25	25	13.16	13.19	13.12		0
		50	0	13.14	13.21	13.12		0
256QAM	1	0	13.11	13.17	13.09	0-5	0	
	1	25	13.08	13.26	13.08		0	
	1	49	13.10	13.03	13.06		0	
	25	0	13.00	13.07	13.02		0	
	25	12	13.04	13.13	13.03		0	
	25	25	13.01	13.15	13.03		0	
	50	0	13.01	13.11	13.02		0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 54 of 225

Table I-56
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	13.22	13.24	13.02	0	0	
	1	12	13.31	13.25	13.11		0	
	1	24	13.20	13.25	13.04		0	
	QPSK	12	0	13.11	13.18	13.08	0-1	0
		12	6	13.11	13.19	13.11		0
		12	13	13.11	13.19	13.10		0
		25	0	13.10	13.15	13.10		0
16QAM	1	0	13.50	13.53	13.36	0-1	0	
	1	12	13.45	13.50	13.43		0	
	1	24	13.42	13.53	13.38		0	
	16QAM	12	0	13.11	13.23	13.17	0-2	0
		12	6	13.14	13.21	13.17		0
		12	13	13.11	13.22	13.12		0
		25	0	13.12	13.21	13.12		0
64QAM	1	0	13.11	13.24	13.25	0-2	0	
	1	12	13.20	13.29	13.31		0	
	1	24	13.17	13.21	13.25		0	
	64QAM	12	0	13.12	13.18	13.12	0-3	0
		12	6	13.12	13.22	13.13		0
		12	13	13.12	13.19	13.11		0
		25	0	13.13	13.16	13.12		0
256QAM	1	0	13.11	13.11	13.19	0-5	0	
	1	12	13.13	13.22	13.14		0	
	1	24	13.14	13.22	13.21		0	
	12	0	13.00	13.14	12.99		0	
	12	6	13.02	13.14	13.03		0	
	12	13	12.97	13.11	13.02		0	
	25	0	13.02	13.09	13.02		0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 55 of 225

Table I-57
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	12.96	13.12	13.04	0	0	
	1	7	13.01	13.20	13.08		0	
	1	14	12.96	13.13	13.02		0	
	QPSK	8	0	13.06	13.14	13.06	0-1	0
		8	4	13.09	13.15	13.08		0
		8	7	13.08	13.12	13.07		0
		15	0	13.07	13.13	13.07		0
16QAM	1	0	13.35	13.31	13.36	0-1	0	
	1	7	13.35	13.42	13.32		0	
	1	14	13.20	13.38	13.30		0	
	16QAM	8	0	13.20	13.20	13.11	0-2	0
		8	4	13.14	13.26	13.14		0
		8	7	13.11	13.24	13.10		0
		15	0	13.12	13.23	13.10		0
64QAM	1	0	13.24	13.26	13.07	0-2	0	
	1	7	13.27	13.38	13.21		0	
	1	14	13.21	13.29	13.11		0	
	64QAM	8	0	13.12	13.16	13.12	0-3	0
		8	4	13.16	13.22	13.15		0
		8	7	13.12	13.18	13.12		0
		15	0	13.14	13.19	13.11		0
256QAM	1	0	12.91	13.11	13.06	0-5	0	
	1	7	13.06	13.23	13.09		0	
	1	14	12.97	13.14	13.05		0	
	8	0	12.98	13.08	13.01		0	
	8	4	13.04	13.14	13.02		0	
	8	7	12.99	13.09	13.02		0	
	15	0	12.96	13.11	13.04		0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 56 of 225

Table I-58
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.98	13.18	13.10	0	0
	1	2	13.01	13.24	13.12		0
	1	5	12.96	13.19	13.07		0
	3	0	13.04	13.13	13.05		0
	3	2	13.06	13.13	13.09		0
	3	3	13.05	13.12	13.05	0	
	6	0	13.02	13.10	13.01	0-1	0
16QAM	1	0	13.27	13.38	13.32	0-1	0
	1	2	13.25	13.38	13.36		0
	1	5	13.25	13.38	13.32		0
	3	0	13.20	13.27	13.23		0
	3	2	13.22	13.26	13.19		0
	3	3	13.20	13.24	13.16	0	
	6	0	13.16	13.16	13.15	0-2	0
64QAM	1	0	13.35	13.22	13.06	0-2	0
	1	2	13.37	13.35	13.15		0
	1	5	13.28	13.31	13.11		0
	3	0	13.16	13.23	13.11		0
	3	2	13.15	13.26	13.14		0
	3	3	13.20	13.21	13.12	0	
	6	0	13.15	13.21	12.99	0-3	0
256QAM	1	0	13.08	13.14	13.10	0-5	0
	1	2	13.08	13.17	13.21		0
	1	5	13.07	13.16	13.13		0
	3	0	13.02	13.16	13.10		0
	3	2	13.10	13.14	13.04		0
	3	3	12.92	13.16	13.08	0	
	6	0	12.92	13.05	12.97	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 57 of 225

Table I-59
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	15.52	15.78	15.67	0	0
	1	36	15.61	15.85	15.77		0
	1	74	15.52	15.72	15.71		0
	36	0	15.72	15.71	15.68	0-1	0
	36	18	15.77	15.83	15.77		0
	36	37	15.73	15.78	15.76		0
	75	0	15.70	15.75	15.64		0
16QAM	1	0	15.39	15.43	15.51	0-1	0
	1	36	15.42	15.46	15.54		0
	1	74	15.44	15.37	15.44		0
	36	0	15.19	15.20	15.18	0-2	0
	36	18	15.21	15.30	15.27		0
	36	37	15.20	15.26	15.23		0
	75	0	15.18	15.30	15.15		0
64QAM	1	0	15.45	15.37	15.52	0-2	0
	1	36	15.46	15.40	15.51		0
	1	74	15.42	15.36	15.44		0
	36	0	15.18	15.20	15.14	0-3	0
	36	18	15.22	15.27	15.27		0
	36	37	15.20	15.26	15.24		0
	75	0	15.19	15.26	15.18		0
256QAM	1	0	15.40	15.44	15.51	0-5	0
	1	36	15.53	15.41	15.53		0
	1	74	15.48	15.38	15.48		0
	36	0	15.21	15.21	15.19		0
	36	18	15.20	15.28	15.28		0
	36	37	15.21	15.27	15.24		0
	75	0	15.20	15.27	15.15		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 58 of 225

Table I-60
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	15.87	15.77	15.70	0	0
	1	25	15.78	15.84	15.69		0
	1	49	15.77	15.74	15.64		0
	25	0	15.86	15.88	15.85	0-1	0
	25	12	15.87	15.89	15.87		0
	25	25	15.86	15.86	15.80		0
	50	0	15.85	15.84	15.84		0
16QAM	1	0	15.57	15.19	15.30	0-1	0
	1	25	15.43	15.24	15.30		0
	1	49	15.48	15.43	15.48		0
	25	0	15.37	15.36	15.50	0-2	0
	25	12	15.41	15.32	15.45		0
	25	25	15.34	15.28	15.35		0
	50	0	15.34	15.24	15.36		0
64QAM	1	0	15.51	15.27	15.33	0-2	0
	1	25	15.53	15.45	15.54		0
	1	49	15.49	15.43	15.50		0
	25	0	15.33	15.34	15.54	0-3	0
	25	12	15.34	15.36	15.47		0
	25	25	15.32	15.26	15.37		0
	50	0	15.35	15.26	15.36		0
256QAM	1	0	15.40	15.24	15.36	0-5	0
	1	25	15.44	15.25	15.33		0
	1	49	15.38	15.42	15.50		0
	25	0	15.35	15.31	15.46		0
	25	12	15.36	15.37	15.43		0
	25	25	15.33	15.26	15.37		0
	50	0	15.33	15.27	15.36		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 59 of 225

**Table I-61
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth**

LTE Band 25 (PCS) 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	15.72	15.61	15.67	0	0	
	1	12	15.77	15.62	15.79		0	
	1	24	15.74	15.57	15.67		0	
	12	0	15.67	15.69	15.66	0-1	0	
	12	6	15.68	15.71	15.67		0	
	12	13	15.64	15.68	15.62		0	
16QAM	25	0	15.66	15.67	15.60	0-1	0	
	1	0	15.60	15.19	15.28		0	
	1	12	15.69	15.17	15.25		0	
	1	24	15.55	15.60	15.56	0-2	0	
	12	0	15.46	15.54	15.67		0	
	12	6	15.46	15.55	15.62		0	
64QAM	12	13	15.42	15.28	15.32	0-2	0	
	25	0	15.35	15.29	15.35		0	
	1	0	15.51	15.24	15.34		0	
	1	12	15.49	15.44	15.51	0-2	0	
	1	24	15.52	15.47	15.58		0	
	12	0	15.40	15.58	15.65		0-3	0
12	6	15.39	15.57	15.56	0			
12	13	15.38	15.23	15.33	0			
256QAM	25	0	15.32	15.28	15.39	0-3	0	
	1	0	15.41	15.22	15.33		0-5	0
	1	12	15.46	15.21	15.29			0
	1	24	15.42	15.50	15.59	0		
	12	0	15.33	15.55	15.62	0		
	12	6	15.34	15.48	15.53	0		
12	13	15.36	15.25	15.33	0			
25	0	15.31	15.23	15.28	0			

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 60 of 225

Table I-62
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3 - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	15.51	15.57	15.58	0	0
	1	7	15.53	15.65	15.62		0
	1	14	15.49	15.60	15.52		0
	8	0	15.61	15.65	15.60	0-1	0
	8	4	15.63	15.70	15.62		0
	8	7	15.64	15.65	15.59		0
16QAM	15	0	15.61	15.62	15.55		0
	1	0	15.30	15.55	15.6	0-1	0
	1	7	15.37	15.57	15.52		0
	1	14	15.28	15.41	15.3		0
	8	0	15.24	15.33	15.46	0-2	0
	8	4	15.27	15.33	15.45		0
8	7	15.22	15.34	15.41	0		
64QAM	15	0	15.16	15.48	15.44		0
	1	0	15.33	15.50	15.45	0-2	0
	1	7	15.43	15.50	15.48		0
	1	14	15.28	15.44	15.57		0
	8	0	15.23	15.36	15.41	0-3	0
	8	4	15.24	15.39	15.48		0
8	7	15.21	15.34	15.47	0		
256QAM	15	0	15.20	15.30	15.42		0
	1	0	15.35	15.53	15.65	0-5	0
	1	7	15.35	15.57	15.68		0
	1	14	15.26	15.50	15.50		0
	8	0	15.20	15.34	15.39		0
	8	4	15.26	15.37	15.43		0
8	7	15.22	15.34	15.37	0		
15	0	15.22	15.27	15.35		0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 61 of 225

Table I-63
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3 - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	15.51	15.71	15.63	0	0
	1	2	15.49	15.74	15.64		0
	1	5	15.50	15.70	15.61		0
	3	0	15.63	15.66	15.57		0
	3	2	15.58	15.70	15.62		0
	3	3	15.55	15.66	15.60		0
16QAM	6	0	15.57	15.59	15.57	0-1	0
	1	0	15.42	15.53	15.45	0-1	0
	1	2	15.47	15.56	15.55		0
	1	5	15.42	15.51	15.49		0
	3	0	15.30	15.41	15.33		0
	3	2	15.34	15.42	15.33		0
3	3	15.30	15.37	15.31	0		
64QAM	6	0	15.26	15.33	15.23	0-2	0
	1	0	15.40	15.55	15.50	0-2	0
	1	2	15.43	15.47	15.49		0
	1	5	15.40	15.50	15.43		0
	3	0	15.28	15.40	15.33		0
	3	2	15.28	15.46	15.34		0
3	3	15.35	15.43	15.27	0		
256QAM	6	0	15.25	15.33	15.28	0-3	0
	1	0	15.38	15.53	15.46	0-5	0
	1	2	15.47	15.56	15.48		0
	1	5	15.46	15.49	15.41		0
	3	0	15.33	15.44	15.37		0
	3	2	15.29	15.49	15.33		0
3	3	15.30	15.43	15.31	0		
	6	0	15.21	15.29	15.24	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 62 of 225

Table I-64
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	12.12	12.15	11.93	0	0
	1	36	12.13	12.22	11.96		0
	1	74	12.14	12.10	11.85		0
	36	0	12.12	12.17	12.04	0-1	0
	36	18	12.15	12.19	12.03		0
	36	37	12.14	12.19	12.04		0
	75	0	12.10	12.18	11.99		0
16QAM	1	0	12.39	12.30	12.23	0-1	0
	1	36	12.50	12.36	12.23		0
	1	74	12.41	12.24	12.15		0
	36	0	12.10	12.16	12.02	0-2	0
	36	18	12.16	12.19	12.04		0
	36	37	12.15	12.19	12.03		0
	75	0	12.11	12.19	12.01		0
64QAM	1	0	12.23	12.34	12.05	0-2	0
	1	36	12.31	12.29	12.10		0
	1	74	12.27	12.26	11.99		0
	36	0	12.09	12.17	12.02	0-3	0
	36	18	12.12	12.19	12.04		0
	36	37	12.15	12.17	12.04		0
	75	0	12.13	12.15	12.02		0
256QAM	1	0	12.21	12.35	12.25	0-5	0
	1	36	12.27	12.34	12.14		0
	1	74	12.27	12.18	12.03		0
	36	0	12.10	12.15	12.02		0
	36	18	12.14	12.19	12.02		0
	36	37	12.16	12.14	12.00		0
	75	0	12.11	12.17	12.01		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 63 of 225

Table I-65
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.09	12.20	12.04	0	0
	1	25	12.13	12.21	12.05		0
	1	49	12.06	12.17	12.04		0
	25	0	12.19	12.25	12.09	0-1	0
	25	12	12.26	12.30	12.09		0
	25	25	12.20	12.28	12.07		0
	50	0	12.23	12.27	12.10		0
16QAM	1	0	12.37	12.47	12.35	0-1	0
	1	25	12.34	12.50	12.41		0
	1	49	12.36	12.42	12.33		0
	25	0	12.27	12.31	12.14	0-2	0
	25	12	12.28	12.32	12.18		0
	25	25	12.28	12.29	12.10		0
	50	0	12.23	12.30	12.13		0
64QAM	1	0	12.30	12.34	12.12	0-2	0
	1	25	12.38	12.34	12.21		0
	1	49	12.29	12.34	12.16		0
	25	0	12.21	12.27	12.10	0-3	0
	25	12	12.23	12.29	12.10		0
	25	25	12.23	12.27	12.05		0
	50	0	12.23	12.27	12.07		0
256QAM	1	0	12.23	12.33	12.18	0-5	0
	1	25	12.33	12.28	12.11		0
	1	49	12.30	12.14	12.03		0
	25	0	12.24	12.26	12.09		0
	25	12	12.28	12.27	12.11		0
	25	25	12.23	12.28	12.07		0
	50	0	12.22	12.27	12.06		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 64 of 225

Table I-66
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	12.30	12.30	12.02	0	0	
	1	12	12.35	12.32	12.08		0	
	1	24	12.30	12.28	12.02		0	
	QPSK	12	0	12.19	12.25	12.11	0-1	0
		12	6	12.19	12.27	12.09		0
		12	13	12.18	12.26	12.05		0
		25	0	12.18	12.25	12.09		0
16QAM	1	0	12.49	12.63	12.33	0-1	0	
	1	12	12.57	12.62	12.46		0	
	1	24	12.53	12.62	12.36		0	
	16QAM	12	0	12.24	12.34	12.15	0-2	0
		12	6	12.28	12.31	12.14		0
		12	13	12.25	12.32	12.11		0
		25	0	12.25	12.27	12.11		0
64QAM	1	0	12.29	12.48	12.22	0-2	0	
	1	12	12.27	12.46	12.32		0	
	1	24	12.28	12.39	12.25		0	
	64QAM	12	0	12.19	12.26	12.09	0-3	0
		12	6	12.24	12.27	12.12		0
		12	13	12.20	12.25	12.10		0
		25	0	12.20	12.22	12.06		0
256QAM	1	0	12.41	12.36	12.20	0-5	0	
	1	12	12.41	12.39	12.14		0	
	1	24	12.41	12.32	12.20		0	
	12	0	12.20	12.25	12.07		0	
	12	6	12.22	12.28	12.08		0	
	12	13	12.22	12.27	12.07		0	
	25	0	12.19	12.26	12.09		0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 65 of 225

Table I-67
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4b - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	12.07	12.18	11.97	0	0	
	1	7	12.12	12.23	12.07		0	
	1	14	12.08	12.19	11.99		0	
	QPSK	8	0	12.19	12.18	12.03	0-1	0
		8	4	12.20	12.25	12.07		0
		8	7	12.14	12.22	12.04		0
		15	0	12.18	12.23	12.04		0
16QAM	1	0	12.37	12.50	12.31	0-1	0	
	1	7	12.42	12.44	12.37		0	
	1	14	12.31	12.40	12.34		0	
	16QAM	8	0	12.19	12.28	12.10	0-2	0
		8	4	12.26	12.28	12.12		0
		8	7	12.24	12.27	12.11		0
		15	0	12.23	12.27	12.07		0
64QAM	1	0	12.37	12.28	12.10	0-2	0	
	1	7	12.39	12.43	12.18		0	
	1	14	12.35	12.43	12.08		0	
	64QAM	8	0	12.17	12.23	12.03	0-3	0
		8	4	12.20	12.26	12.08		0
		8	7	12.17	12.23	12.05		0
		15	0	12.18	12.20	12.06		0
256QAM	1	0	12.31	12.33	12.18	0-5	0	
	1	7	12.40	12.47	12.16		0	
	1	14	12.31	12.32	12.11		0	
	8	0	12.20	12.20	12.07		0	
	8	4	12.21	12.23	12.08		0	
	8	7	12.19	12.19	12.05		0	
	15	0	12.14	12.21	12.03		0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 66 of 225

Table I-68
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4b - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.06	12.23	12.05	0	0
	1	2	12.09	12.28	12.10		0
	1	5	12.04	12.24	12.06		0
	3	0	12.11	12.18	12.05		0
	3	2	12.13	12.18	12.04		0
	3	3	12.13	12.21	12.04		0
	6	0	12.10	12.16	11.97	0-1	0
16QAM	1	0	12.32	12.39	12.34	0-1	0
	1	2	12.36	12.45	12.34		0
	1	5	12.31	12.41	12.34		0
	3	0	12.24	12.35	12.14		0
	3	2	12.24	12.33	12.16		0
	3	3	12.21	12.31	12.12		0
	6	0	12.16	12.23	12.09	0-2	0
64QAM	1	0	12.26	12.31	12.04	0-2	0
	1	2	12.29	12.36	12.09		0
	1	5	12.23	12.36	12.09		0
	3	0	12.24	12.26	12.10		0
	3	2	12.27	12.26	12.12		0
	3	3	12.23	12.22	12.11		0
	6	0	12.19	12.20	11.92	0-3	0
256QAM	1	0	12.17	12.26	12.15	0-5	0
	1	2	12.14	12.36	12.16		0
	1	5	12.14	12.26	12.25		0
	3	0	12.14	12.21	12.06		0
	3	2	12.14	12.21	12.10		0
	3	3	12.14	12.21	12.07		0
	6	0	12.12	12.20	12.00		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 67 of 225

I.1.9

LTE Band 30

Table I-69
 LTE Band 30 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	14.49	0	0
	1	12	14.58		0
	1	24	14.49		0
	12	0	14.41	0-1	0
	12	6	14.56		0
	12	13	14.48		0
	25	0	14.43		0
16QAM	1	0	14.43	0-1	0
	1	12	14.56		0
	1	24	14.52		0
	12	0	14.30	0-2	0
	12	6	14.36		0
	12	13	14.30		0
	25	0	14.15		0
64QAM	1	0	14.35	0-2	0
	1	12	14.43		0
	1	24	14.43		0
	12	0	14.19	0-3	0
	12	6	14.28		0
	12	13	14.22		0
	25	0	14.26		0
256QAM	1	0	14.19	0-5	0
	1	12	14.28		0
	1	24	14.31		0
	12	0	14.20		0
	12	6	14.31		0
	12	13	14.20		0
	25	0	14.22		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 68 of 225

**Table I-70
LTE Band 30 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth**

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	12.74	0	0
	1	12	12.80		0
	1	24	12.74		0
	12	0	12.75	0-1	0
	12	6	12.81		0
	12	13	12.75		0
	25	0	12.77		0
16QAM	1	0	13.10	0-1	0
	1	12	13.16		0
	1	24	13.14		0
	12	0	12.84	0-2	0
	12	6	12.88		0
	12	13	12.82		0
	25	0	12.79		0
64QAM	1	0	13.01	0-2	0
	1	12	12.99		0
	1	24	12.97		0
	12	0	12.79	0-3	0
	12	6	12.86		0
	12	13	12.80		0
	25	0	12.78		0
256QAM	1	0	12.80	0-5	0
	1	12	12.93		0
	1	24	12.66		0
	12	0	12.77		0
	12	6	12.86		0
	12	13	12.81		0
	25	0	12.82		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 69 of 225

**Table I-71
LTE Band 30 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth**

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	17.48	0	0
	1	12	17.65		0
	1	24	17.48		0
	12	0	17.48	0-1	0
	12	6	17.53		0
	12	13	17.46		0
	25	0	17.46		0
16QAM	1	0	17.77	0-1	0
	1	12	17.96		0
	1	24	17.77		0
	12	0	17.55	0-2	0
	12	6	17.57		0
	12	13	17.52		0
	25	0	17.53		0
64QAM	1	0	17.70	0-2	0
	1	12	17.73		0
	1	24	17.64		0
	12	0	17.53	0-3	0
	12	6	17.58		0
	12	13	17.51		0
	25	0	17.50		0
256QAM	1	0	17.66	0-5	0
	1	12	17.68		0
	1	24	17.54		0
	12	0	17.47		0
	12	6	17.55		0
	12	13	17.50		0
	25	0	17.50		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 70 of 225

Table I-72
LTE Band 30 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	11.90	0	0
	1	12	11.95		0
	1	24	11.86		0
	12	0	11.91	0-1	0
	12	6	11.95		0
	12	13	11.93		0
	25	0	11.95		0
16QAM	1	0	12.27	0-1	0
	1	12	12.34		0
	1	24	12.25		0
	12	0	11.95	0-2	0
	12	6	12.01		0
	12	13	11.93		0
	25	0	11.94		0
64QAM	1	0	12.07	0-2	0
	1	12	12.13		0
	1	24	12.08		0
	12	0	11.91	0-3	0
	12	6	11.97		0
	12	13	11.93		0
	25	0	11.92		0
256QAM	1	0	12.03	0-5	0
	1	12	12.12		0
	1	24	11.96		0
	12	0	11.95		0
	12	6	11.95		0
	12	13	11.92		0
	25	0	11.91		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 71 of 225

I.1.10

LTE Band 7

Table I-73
LTE Band 7 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.64	12.58	12.50	0	0
	1	36	12.70	12.71	12.51		0
	1	74	12.68	12.64	12.53		0
	36	0	12.68	12.68	12.68	0-1	0
	36	18	12.71	12.70	12.69		0
	36	37	12.61	12.61	12.65		0
	75	0	12.65	12.63	12.65		0
16QAM	1	0	12.86	12.88	12.88	0-1	0
	1	36	13.02	12.93	12.97		0
	1	74	12.94	12.89	12.88		0
	36	0	12.72	12.72	12.70	0-2	0
	36	18	12.74	12.72	12.69		0
	36	37	12.66	12.62	12.66		0
	75	0	12.65	12.62	12.66		0
64QAM	1	0	12.73	12.82	12.67	0-2	0
	1	36	12.80	12.84	12.76		0
	1	74	12.79	12.84	12.72		0
	36	0	12.71	12.71	12.68	0-3	0
	36	18	12.69	12.73	12.69		0
	36	37	12.65	12.65	12.67		0
	75	0	12.63	12.61	12.68		0
256QAM	1	0	12.65	12.74	12.80	0-5	0
	1	36	12.68	12.78	12.77		0
	1	74	12.79	12.79	12.77		0
	36	0	12.64	12.65	12.71		0
	36	18	12.72	12.69	12.72		0
	36	37	12.66	12.65	12.72		0
	75	0	12.64	12.68	12.71		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 72 of 225

Table I-74
LTE Band 7 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.78	12.85	12.70	0	0
	1	25	12.82	12.85	12.74		0
	1	49	12.83	12.84	12.72		0
	25	0	12.87	12.84	12.78	0-1	0
	25	12	12.83	12.83	12.80		0
	25	25	12.84	12.79	12.79		0
16QAM	50	0	12.76	12.77	12.78	0-1	0
	1	0	12.96	13.02	13.02		0
	1	25	13.09	13.05	13.04		0
	1	49	13.11	13.05	13.13	0-2	0
	25	0	12.91	12.89	12.84		0
	25	12	12.85	12.82	12.85		0
64QAM	25	25	12.84	12.80	12.82	0-2	0
	50	0	12.78	12.75	12.79		0
	1	0	13.01	12.96	12.90		0-2
	1	25	13.09	13.05	12.98	0	
	1	49	13.05	13.02	12.94	0	
	256QAM	25	0	12.86	12.84	12.79	0-3
25		12	12.81	12.79	12.82	0	
25		25	12.80	12.78	12.81	0	
50		0	12.78	12.72	12.78	0-5	0
1		0	12.98	12.87	12.94		0
1		25	13.02	12.91	12.87		0
256QAM	1	49	12.92	12.81	12.81	0-5	0
	25	0	12.80	12.81	12.77		0
	25	12	12.78	12.82	12.83		0
	25	25	12.80	12.77	12.83	0-5	0
	50	0	12.79	12.81	12.83		0
	50	0	12.79	12.81	12.83		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 73 of 225

**Table I-75
LTE Band 7 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth**

LTE Band 7 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	12.83	12.72	12.73	0	0	
	1	12	12.93	12.81	12.86		0	
	1	24	12.90	12.73	12.79		0	
	QPSK	12	0	12.77	12.73	12.70	0-1	0
		12	6	12.87	12.74	12.76		0
		12	13	12.91	12.79	12.78		0
		25	0	12.83	12.71	12.75		0
16QAM	1	0	13.12	13.15	12.99	0-1	0	
	1	12	13.21	13.22	13.18		0	
	1	24	13.23	13.12	13.13		0	
	16QAM	12	0	12.81	12.77	12.76	0-2	0
		12	6	12.92	12.77	12.84		0
		12	13	12.93	12.79	12.85		0
		25	0	12.87	12.75	12.77		0
64QAM	1	0	12.96	12.96	12.80	0-2	0	
	1	12	13.00	13.01	12.93		0	
	1	24	12.96	12.93	12.86		0	
	64QAM	12	0	12.80	12.75	12.74	0-3	0
		12	6	12.90	12.77	12.79		0
		12	13	12.92	12.79	12.83		0
		25	0	12.88	12.74	12.78		0
256QAM	1	0	12.92	12.89	13.00	0-5	0	
	1	12	13.04	13.01	13.05		0	
	1	24	13.03	12.89	12.95		0	
	12	0	12.78	12.75	12.74		0	
	12	6	12.89	12.86	12.87		0	
	12	13	12.87	12.81	12.85		0	
	25	0	12.82	12.82	12.82		0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 74 of 225

Table I-76
LTE Band 7 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.34	11.20	11.22	0	0
	1	36	11.21	11.21	11.23		0
	1	74	11.23	11.24	11.22		0
	36	0	11.21	11.26	11.24	0-1	0
	36	18	11.21	11.22	11.27		0
	36	37	11.24	11.21	11.27		0
	75	0	11.22	11.25	11.25		0
16QAM	1	0	11.43	11.31	11.39	0-1	0
	1	36	11.49	11.40	11.47		0
	1	74	11.41	11.37	11.48		0
	36	0	11.23	11.24	11.28	0-2	0
	36	18	11.23	11.28	11.31		0
	36	37	11.21	11.24	11.26		0
	75	0	11.23	11.25	11.29		0
64QAM	1	0	11.22	11.38	11.28	0-2	0
	1	36	11.28	11.39	11.34		0
	1	74	11.31	11.35	11.24		0
	36	0	11.20	11.24	11.27	0-3	0
	36	18	11.20	11.24	11.29		0
	36	37	11.21	11.21	11.26		0
	75	0	11.20	11.25	11.28		0
256QAM	1	0	11.28	11.37	11.32	0-5	0
	1	36	11.28	11.35	11.30		0
	1	74	11.35	11.34	11.33		0
	36	0	11.20	11.22	11.28		0
	36	18	11.23	11.27	11.31		0
	36	37	11.20	11.20	11.29		0
	75	0	11.21	11.26	11.28		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 75 of 225

Table I-77
LTE Band 7 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.31	11.37	11.33	0	0
	1	25	11.35	11.39	11.37		0
	1	49	11.35	11.41	11.35		0
	25	0	11.38	11.36	11.42	0-1	0
	25	12	11.36	11.40	11.43		0
	25	25	11.31	11.31	11.42		0
	50	0	11.29	11.39	11.41		0
16QAM	1	0	11.46	11.57	11.68	0-1	0
	1	25	11.57	11.62	11.70		0
	1	49	11.54	11.69	11.69		0
	25	0	11.42	11.45	11.47	0-2	0
	25	12	11.41	11.46	11.49		0
	25	25	11.35	11.36	11.47		0
	50	0	11.32	11.38	11.45		0
64QAM	1	0	11.58	11.48	11.54	0-2	0
	1	25	11.60	11.60	11.63		0
	1	49	11.56	11.57	11.61		0
	25	0	11.41	11.45	11.45	0-3	0
	25	12	11.38	11.42	11.49		0
	25	25	11.35	11.31	11.44		0
	50	0	11.32	11.38	11.44		0
256QAM	1	0	11.41	11.43	11.52	0-5	0
	1	25	11.50	11.56	11.63		0
	1	49	11.46	11.52	11.57		0
	25	0	11.32	11.35	11.37		0
	25	12	11.30	11.41	11.43		0
	25	25	11.31	11.33	11.44		0
	50	0	11.30	11.37	11.40		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 76 of 225

Table I-78
LTE Band 7 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	11.32	11.31	11.30	0	0	
	1	12	11.43	11.39	11.37		0	
	1	24	11.40	11.35	11.36		0	
	QPSK	12	0	11.28	11.26	11.32	0-1	0
		12	6	11.34	11.37	11.44		0
		12	13	11.40	11.31	11.46		0
		25	0	11.31	11.33	11.39		0
16QAM	1	0	11.64	11.62	11.67	0-1	0	
	1	12	11.71	11.76	11.75		0	
	1	24	11.67	11.65	11.72		0	
	16QAM	12	0	11.31	11.34	11.37	0-2	0
		12	6	11.37	11.40	11.45		0
		12	13	11.42	11.36	11.50		0
		25	0	11.34	11.37	11.44		0
64QAM	1	0	11.48	11.49	11.64	0-2	0	
	1	12	11.52	11.60	11.70		0	
	1	24	11.46	11.55	11.71		0	
	64QAM	12	0	11.27	11.31	11.43	0-3	0
		12	6	11.37	11.42	11.47		0
		12	13	11.37	11.36	11.50		0
		25	0	11.34	11.36	11.40		0
256QAM	1	0	11.43	11.46	11.48	0-5	0	
	1	12	11.48	11.51	11.48		0	
	1	24	11.49	11.42	11.53		0	
	12	0	11.29	11.35	11.35		0	
	12	6	11.37	11.37	11.46		0	
	12	13	11.39	11.32	11.45		0	
	25	0	11.30	11.37	11.39		0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 77 of 225

Table I-79
LTE Band 7 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.07	14.26	14.31	0	0
	1	36	14.08	14.29	14.29		0
	1	74	14.12	14.27	14.28		0
	36	0	14.21	14.26	14.32	0-1	0
	36	18	14.21	14.28	14.34		0
	36	37	14.22	14.29	14.30		0
	75	0	14.22	14.27	14.28		0
16QAM	1	0	14.38	14.43	14.45	0-1	0
	1	36	14.53	14.52	14.55		0
	1	74	14.41	14.52	14.52		0
	36	0	14.26	14.29	14.34	0-2	0
	36	18	14.24	14.29	14.41		0
	36	37	14.24	14.30	14.38		0
	75	0	14.24	14.27	14.41		0
64QAM	1	0	14.27	14.34	14.49	0-2	0
	1	36	14.39	14.39	14.60		0
	1	74	14.36	14.40	14.53		0
	36	0	14.24	14.31	14.37	0-3	0
	36	18	14.28	14.32	14.41		0
	36	37	14.25	14.32	14.42		0
	75	0	14.25	14.30	14.42		0
256QAM	1	0	14.24	14.29	14.43	0-5	0
	1	36	14.28	14.23	14.51		0
	1	74	14.35	14.34	14.57		0
	36	0	14.22	14.26	14.27		0
	36	18	14.21	14.30	14.39		0
	36	37	14.24	14.29	14.40		0
	75	0	14.23	14.29	14.41		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 78 of 225

Table I-80
LTE Band 7 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.29	14.46	14.40	0	0
	1	25	14.37	14.45	14.45		0
	1	49	14.36	14.44	14.41		0
	25	0	14.37	14.45	14.46	0-1	0
	25	12	14.39	14.47	14.49		0
	25	25	14.38	14.46	14.45		0
16QAM	50	0	14.37	14.42	14.45	0-1	0
	1	0	14.53	14.68	14.81		0
	1	25	14.52	14.72	14.83		0
	1	49	14.65	14.69	14.91	0-2	0
	25	0	14.44	14.49	14.55		0
	25	12	14.44	14.48	14.56		0
64QAM	25	25	14.42	14.48	14.59	0-2	0
	50	0	14.43	14.42	14.51		0
	1	0	14.55	14.55	14.59		0
	1	25	14.60	14.67	14.67	0-3	0
	1	49	14.58	14.60	14.73		0
	25	0	14.42	14.45	14.50		0
256QAM	25	12	14.39	14.45	14.51	0-3	0
	25	25	14.39	14.43	14.54		0
	50	0	14.38	14.42	14.47		0
	1	0	14.46	14.40	14.59	0-5	0
	1	25	14.54	14.48	14.67		0
	1	49	14.52	14.52	14.57		0
256QAM	25	0	14.36	14.42	14.45	0-5	0
	25	12	14.42	14.44	14.47		0
	25	25	14.39	14.49	14.53		0
	50	0	14.39	14.44	14.48		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 79 of 225

**Table I-81
LTE Band 7 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth**

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.33	14.41	14.33	0	0
	1	12	14.46	14.48	14.40		0
	1	24	14.37	14.45	14.38		0
	12	0	14.30	14.33	14.36	0-1	0
	12	6	14.38	14.43	14.41		0
	12	13	14.38	14.44	14.43		0
	25	0	14.29	14.38	14.38	0	
16QAM	1	0	14.60	14.68	14.83	0-1	0
	1	12	14.74	14.74	14.97		0
	1	24	14.70	14.81	14.88		0
	12	0	14.35	14.45	14.49	0-2	0
	12	6	14.40	14.52	14.60		0
	12	13	14.43	14.54	14.59		0
	25	0	14.38	14.46	14.52	0	
64QAM	1	0	14.37	14.55	14.64	0-2	0
	1	12	14.44	14.52	14.75		0
	1	24	14.43	14.47	14.71		0
	12	0	14.29	14.39	14.50	0-3	0
	12	6	14.38	14.46	14.55		0
	12	13	14.40	14.45	14.54		0
	25	0	14.36	14.41	14.51	0	
256QAM	1	0	14.50	14.52	14.56	0-5	0
	1	12	14.49	14.56	14.64		0
	1	24	14.55	14.58	14.62		0
	12	0	14.33	14.36	14.48		0
	12	6	14.37	14.46	14.55		0
	12	13	14.40	14.46	14.54		0
	25	0	14.36	14.40	14.51	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 80 of 225

Table I-82
LTE Band 7 Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.11	12.10	11.93	0	0
	1	36	12.18	12.12	11.92		0
	1	74	12.12	12.12	11.87		0
	36	0	12.14	12.17	12.08	0-1	0
	36	18	12.09	12.14	12.04		0
	36	37	12.06	12.10	12.02		0
	75	0	12.05	12.08	12.05		0
16QAM	1	0	12.39	12.30	12.25	0-1	0
	1	36	12.41	12.36	12.24		0
	1	74	12.38	12.24	12.26		0
	36	0	12.20	12.19	12.09	0-2	0
	36	18	12.12	12.19	12.07		0
	36	37	12.08	12.10	12.07		0
	75	0	12.10	12.10	12.09		0
64QAM	1	0	12.16	12.22	12.14	0-2	0
	1	36	12.23	12.24	12.12		0
	1	74	12.18	12.22	12.12		0
	36	0	12.15	12.13	12.05	0-3	0
	36	18	12.09	12.14	12.05		0
	36	37	12.10	12.09	12.03		0
	75	0	12.10	12.06	12.04		0
256QAM	1	0	12.22	12.18	12.18	0-5	0
	1	36	12.24	12.24	12.10		0
	1	74	12.24	12.26	12.07		0
	36	0	12.15	12.15	12.04		0
	36	18	12.07	12.16	12.07		0
	36	37	12.12	12.10	12.04		0
	75	0	12.09	12.08	12.06		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 81 of 225

Table I-83
LTE Band 7 Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.07	12.26	12.12	0	0
	1	25	12.18	12.28	12.15		0
	1	49	12.12	12.25	12.08		0
	25	0	12.18	12.27	12.17	0-1	0
	25	12	12.22	12.28	12.17		0
	25	25	12.10	12.21	12.14		0
16QAM	50	0	12.10	12.25	12.13	0-1	0
	1	0	12.34	12.47	12.45		0
	1	25	12.53	12.49	12.42		0
	1	49	12.43	12.51	12.42	0-2	0
	25	0	12.28	12.28	12.22		0
	25	12	12.32	12.30	12.20		0
64QAM	25	25	12.22	12.20	12.16	0-2	0
	50	0	12.21	12.28	12.17		0
	1	0	12.52	12.42	12.29		0-2
	1	25	12.61	12.55	12.26	0	
	1	49	12.47	12.45	12.25	0	
	256QAM	25	0	12.26	12.27	12.20	0-3
25		12	12.33	12.28	12.23	0	
25		25	12.24	12.23	12.20	0	
50		0	12.20	12.26	12.18	0-5	0
1		0	12.32	12.28	12.31		0
1		25	12.43	12.38	12.35		0
256QAM	1	49	12.31	12.21	12.25	0-5	0
	25	0	12.27	12.28	12.14		0
	25	12	12.34	12.32	12.20		0
	25	25	12.24	12.23	12.18	0	
	50	0	12.23	12.31	12.15	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 82 of 225

Table I-84
LTE Band 7 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.07	12.18	11.97	0	0
	1	12	12.18	12.27	12.00		0
	1	24	12.14	12.22	12.02		0
	12	0	11.99	12.11	11.96	0-1	0
	12	6	12.07	12.21	12.02		0
	12	13	12.13	12.23	12.07		0
	25	0	12.08	12.17	12.03		0
16QAM	1	0	12.51	12.48	12.37	0-1	0
	1	12	12.56	12.54	12.40		0
	1	24	12.50	12.53	12.27		0
	12	0	12.20	12.21	12.01	0-2	0
	12	6	12.28	12.30	12.10		0
	12	13	12.27	12.32	12.11		0
	25	0	12.23	12.19	12.07		0
64QAM	1	0	12.23	12.28	12.17	0-2	0
	1	12	12.19	12.36	12.22		0
	1	24	12.30	12.32	12.16		0
	12	0	12.15	12.16	12.04	0-3	0
	12	6	12.20	12.23	12.19		0
	12	13	12.26	12.25	12.16		0
	25	0	12.17	12.22	12.10		0
256QAM	1	0	12.35	12.30	12.18	0-5	0
	1	12	12.48	12.36	12.20		0
	1	24	12.40	12.28	12.21		0
	12	0	12.15	12.17	12.09		0
	12	6	12.23	12.24	12.15		0
	12	13	12.27	12.28	12.18		0
	25	0	12.20	12.19	12.14		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 83 of 225

I.1.11 LTE Band 41

**Table I-85
LTE Band 41 PC3 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth**

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.80	14.90	14.93	14.67	14.69	0	0
	1	36	14.86	14.87	14.82	14.65	14.65		0
	1	74	14.77	14.84	14.87	14.64	14.67		0
	36	0	14.94	14.96	14.88	14.69	14.68	0-1	0
	36	18	14.94	14.87	14.89	14.70	14.77		0
	36	37	14.87	14.87	14.86	14.73	14.80		0
	75	0	14.94	14.89	14.87	14.67	14.77		0
16QAM	1	0	14.72	14.84	14.70	14.69	14.41	0-1	0
	1	36	14.84	14.79	14.74	14.69	14.45		0
	1	74	14.82	14.87	14.60	14.62	14.47		0
	36	0	14.88	14.94	14.90	14.71	14.60	0-2	0
	36	18	14.89	14.95	14.87	14.69	14.58		0
	36	37	14.86	14.90	14.87	14.65	14.56		0
	75	0	14.82	14.94	14.88	14.68	14.57		0
64QAM	1	0	14.50	14.89	14.75	14.66	14.60	0-2	0
	1	36	14.61	14.81	14.81	14.62	14.61		0
	1	74	14.66	14.88	14.79	14.59	14.66		0
	36	0	14.70	14.80	14.90	14.66	14.70	0-3	0
	36	18	14.77	14.79	14.69	14.69	14.81		0
	36	37	14.79	14.82	14.66	14.77	14.82		0
	75	0	14.81	14.90	14.70	14.80	14.90		0
256QAM	1	0	14.84	14.84	14.83	14.71	14.52	0-5	0
	1	36	14.82	14.83	14.72	14.57	14.48		0
	1	74	14.81	14.85	14.82	14.61	14.51		0
	36	0	14.87	14.96	14.91	14.71	14.56		0
	36	18	14.90	14.95	14.85	14.66	14.56		0
	36	37	14.84	14.90	14.87	14.65	14.58		0
	75	0	14.83	14.96	14.88	14.67	14.55		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 84 of 225

Table I-86
LTE Band 41 PC3 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.98	14.84	14.69	14.85	14.80	0	0
	1	25	14.87	14.88	14.65	14.83	14.88		0
	1	49	14.85	14.80	14.67	14.87	14.79		0
	25	0	14.76	14.82	14.68	15.03	14.77	0-1	0
	25	12	14.88	14.85	14.77	15.06	14.90		0
	25	25	14.87	14.75	14.80	14.93	14.91		0
50	0	14.83	14.77	14.77	15.04	14.86	0		
16QAM	1	0	14.87	14.64	14.41	14.57	14.72	0-1	0
	1	25	14.77	14.69	14.45	14.79	14.84		0
	1	49	14.76	14.61	14.47	14.76	14.82		0
	25	0	14.62	14.59	14.60	14.79	14.88	0-2	0
	25	12	14.81	14.57	14.58	14.83	14.89		0
	25	25	14.79	14.51	14.56	14.79	14.86		0
50	0	14.69	14.57	14.57	14.80	14.82	0		
64QAM	1	0	14.89	14.92	14.80	14.76	14.50	0-2	0
	1	25	14.81	15.01	14.86	14.88	14.61		0
	1	49	14.88	14.92	14.77	14.85	14.66		0
	25	0	14.80	15.07	14.94	14.76	14.70	0-3	0
	25	12	14.79	15.08	14.94	14.89	14.77		0
	25	25	14.82	14.97	14.87	14.85	14.79		0
50	0	14.90	15.08	14.94	14.77	14.81	0		
256QAM	1	0	14.84	14.84	14.66	14.48	14.85	0-5	0
	1	25	14.83	14.72	14.63	14.52	14.93		0
	1	49	14.85	14.73	14.63	14.53	14.80		0
	25	0	14.96	14.74	14.71	14.56	14.93		0
	25	12	14.95	14.70	14.73	14.58	14.94		0
	25	25	14.90	14.66	14.64	14.56	14.88		0
50	0	14.96	14.69	14.88	14.58	15.00	0		

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 85 of 225

Table I-87
LTE Band 41 PC3 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	15.01	14.94	14.86	14.76	14.72	0	0
	1	12	15.01	15.02	14.92	14.88	14.78		0
	1	24	14.97	14.96	14.90	14.85	14.78		0
	12	0	15.06	15.08	14.98	14.76	14.84	0-1	0
	12	6	15.08	15.02	15.00	14.89	14.85		0
	12	13	14.99	14.99	14.98	14.85	14.84		0
16QAM	25	0	15.03	14.98	14.98	14.77	14.84	0-1	0
	1	0	15.00	14.96	14.81	14.77	14.49		0
	1	12	15.00	15.06	14.87	14.80	14.58		0
	1	24	14.97	14.92	14.86	14.80	14.57	0-2	0
	12	0	15.06	15.08	14.96	14.86	14.70		0
	12	6	15.07	15.14	15.02	14.84	14.76		0
64QAM	12	13	14.98	15.04	15.01	14.80	14.71	0-2	0
	25	0	15.03	15.05	15.01	14.82	14.69		0
	1	0	14.88	14.98	14.76	14.75	14.92		0-3
	1	12	14.75	15.00	14.88	14.81	14.70	0	
	1	24	15.00	14.86	14.85	14.79	14.92	0	
	12	0	14.77	14.89	14.76	14.90	14.85	0-3	0
12	6	14.95	15.02	14.89	14.69	14.87	0		
12	13	14.89	15.00	14.85	14.66	14.97	0		
256QAM	25	0	14.99	14.87	14.77	14.70	14.97	0-5	0
	1	0	14.85	14.92	14.81	14.57	14.65		0
	1	12	14.83	15.01	14.81	14.79	14.68		0
	1	24	14.87	14.92	14.82	14.76	14.65		0
	12	0	15.03	14.90	14.95	14.79	14.68		0
	12	6	15.06	15.08	15.02	14.83	14.70		0
12	13	14.93	14.97	14.97	14.79	14.67	0		
25	0	15.04	15.08	14.99	14.80	14.67	0		

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 86 of 225

Table I-88
LTE Band 41 PC3 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.07	13.40	13.28	13.20	13.19	0	0
	1	36	13.24	13.39	13.25	13.23	13.22		0
	1	74	13.15	13.34	13.20	13.17	13.25		0
	36	0	13.30	13.43	13.33	13.25	13.19	0-1	0
	36	18	13.31	13.36	13.32	13.24	13.38		0
	36	37	13.26	13.36	13.31	13.30	13.33		0
16QAM	75	0	13.29	13.35	13.35	13.26	13.36	0-1	0
	1	0	12.87	13.19	13.07	13.03	13.12		0
	1	36	13.05	13.28	13.13	13.01	13.13		0
	1	74	12.92	13.06	13.05	13.00	13.17	0-2	0
	36	0	13.10	13.20	13.20	13.08	13.08		0
	36	18	13.15	13.19	13.16	13.06	13.20		0
64QAM	36	37	13.07	13.17	13.12	13.10	13.16	0-2	0
	75	0	13.10	13.18	13.14	13.09	13.15		0
	1	0	13.29	13.29	13.27	13.27	13.22		0-3
	1	36	13.30	13.27	13.15	13.15	13.19	0	
	1	74	13.25	13.25	13.18	13.20	13.26	0	
	256QAM	36	0	13.15	13.18	13.09	13.05	13.04	0-5
36		18	13.20	13.15	13.08	13.02	13.18	0	
36		37	13.14	13.12	13.04	13.09	13.13	0	
75		0	13.16	13.11	13.05	13.03	13.11	0-5	0
1		0	13.19	13.22	13.28	13.12	13.10		0
1		36	13.22	13.26	13.21	13.20	13.18		0
256QAM	1	74	13.20	13.28	13.18	13.21	13.22	0-5	0
	36	0	13.30	13.43	13.34	13.19	13.15		0
	36	18	13.34	13.45	13.36	13.25	13.23		0
	36	37	13.27	13.36	13.37	13.21	13.22		0
	75	0	13.24	13.46	13.34	13.23	13.19		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 87 of 225

Table I-89
LTE Band 41 PC3 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.30	13.34	13.27	13.22	13.18	0	0
	1	25	13.31	13.37	13.24	13.28	13.21		0
	1	49	13.27	13.21	13.18	13.20	13.19		0
	25	0	13.24	13.31	13.22	13.15	13.22	0-1	0
	25	12	13.29	13.28	13.24	13.16	13.30		0
	25	25	13.23	13.29	13.29	13.22	13.28		0
16QAM	50	0	13.27	13.27	13.22	13.14	13.29	0-1	0
	1	0	13.08	13.24	13.24	13.20	13.27		0
	1	25	13.04	13.25	13.20	13.25	13.32		0
	1	49	13.12	13.20	13.13	13.15	13.25	0-2	0
	25	0	13.27	13.34	13.26	13.12	13.18		0
	25	12	13.26	13.30	13.24	13.15	13.29		0
64QAM	25	25	13.20	13.29	13.28	13.22	13.28	0-2	0
	50	0	13.26	13.27	13.23	13.15	13.28		0
	1	0	13.12	13.23	13.00	13.16	13.21		0-2
	1	25	13.13	13.24	13.05	13.20	13.22	0	
	1	49	13.17	13.17	13.05	13.12	13.24	0	
	256QAM	25	0	13.08	13.18	13.10	13.22	13.19	0-3
25		12	13.20	13.29	13.15	13.10	13.31	0	
25		25	13.16	13.27	13.07	13.12	13.33	0	
50		0	13.15	13.19	13.10	13.18	13.36	0-5	0
1		0	13.19	13.35	13.20	13.37	13.11		0
1		25	13.28	13.26	13.19	13.15	13.13		0
256QAM	1	49	13.06	13.27	13.14	13.23	13.17	0-5	0
	25	0	13.20	13.19	13.15	13.12	13.08		0
	25	12	13.19	13.25	13.20	13.29	13.20		0
	25	25	13.17	13.28	13.14	13.31	13.16	0	
	50	0	13.18	13.33	13.16	13.27	13.15	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 88 of 225

Table I-90
LTE Band 41 PC3 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.25	13.24	13.19	13.16	13.06	0	0
	1	12	13.29	13.34	13.23	13.25	13.19		0
	1	24	13.27	13.30	13.21	13.24	13.16		0
	12	0	13.25	13.34	13.27	13.15	13.17	0-1	0
	12	6	13.27	13.27	13.25	13.14	13.29		0
	12	13	13.22	13.25	13.22	13.19	13.27		0
16QAM	25	0	13.25	13.24	13.21	13.13	13.25	0-1	0
	1	0	13.19	13.22	13.20	13.07	13.21		0
	1	12	13.22	13.24	13.18	13.19	13.24		0
	1	24	13.20	13.20	13.21	13.24	13.26	0-2	0
	12	0	13.25	13.31	13.22	13.16	13.19		0
	12	6	13.29	13.28	13.25	13.18	13.29		0
64QAM	12	13	13.30	13.25	13.21	13.24	13.25	0-2	0
	25	0	13.24	13.24	13.21	13.17	13.29		0
	1	0	13.20	13.26	13.16	13.33	13.15		0-2
	1	12	13.13	13.03	13.05	13.31	13.23	0	
	1	24	13.26	13.01	13.26	13.01	13.12	0	
	256QAM	12	0	13.24	13.00	13.27	13.06	13.29	0-3
12		6	13.28	13.08	13.19	13.08	13.31	0	
12		13	13.23	13.06	13.25	13.20	13.27	0	
25		0	13.00	13.10	13.28	13.24	13.20	0-5	0
1		0	13.05	13.09	13.33	13.17	13.36		0
256QAM	1	12	13.05	13.27	13.20	13.19	13.38	0-5	0
	1	24	13.10	13.15	13.42	13.22	13.27		0
	12	0	13.15	13.20	13.44	13.29	13.33		0
	12	6	13.20	13.05	13.39	13.31	13.36	0	
	12	13	13.19	13.02	13.41	13.34	13.29	0	
	25	0	13.22	13.09	13.38	13.36	13.30	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 89 of 225

Table I-91
LTE Band 41 PC3 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
Conducted Power [dBm]										
QPSK	1	0	15.75	16.10	15.78	15.70	16.28	0	0	
	1	36	15.86	16.08	15.69	15.65	16.37		0	
	1	74	15.85	16.09	15.74	15.68	16.30		0	
	QPSK	36	0	15.84	16.17	15.85	15.69	16.26	0-1	0
		36	18	15.84	16.16	15.83	15.76	16.35		0
		36	37	15.85	16.15	15.82	15.76	16.35		0
		75	0	15.83	16.14	15.82	15.74	16.34		0
16QAM	1	0	16.07	16.26	16.18	15.89	16.50	0-1	0	
	1	36	16.10	16.07	16.15	15.93	16.52		0	
	1	74	16.11	16.27	16.09	15.91	16.51		0	
	16QAM	36	0	16.03	16.35	16.10	15.89	16.48	0-2	0
		36	18	16.07	16.34	16.09	16.01	16.53		0
		36	37	16.05	16.35	16.08	16.04	16.55		0
		75	0	16.06	16.37	16.08	16.02	16.57		0
64QAM	1	0	16.04	16.32	16.09	15.96	16.52	0-2	0	
	1	36	16.02	16.17	15.97	15.97	16.51		0	
	1	74	15.98	16.28	15.95	15.97	16.52		0	
	64QAM	36	0	16.03	16.34	16.08	16.01	16.47	0-3	0
		36	18	16.04	16.33	16.09	16.01	16.52		0
		36	37	16.04	16.33	16.06	15.90	16.52		0
		75	0	16.04	16.33	16.08	15.91	16.53		0
256QAM	1	0	15.99	16.29	16.11	15.91	16.42	0-5	0	
	1	36	16.00	16.23	15.99	15.94	16.48		0	
	1	74	16.00	16.23	16.01	15.96	16.51		0	
	36	0	16.06	16.35	16.08	15.95	16.46		0	
	36	18	16.05	16.33	16.06	16.01	16.54		0	
	36	37	16.05	16.33	16.07	16.00	16.55		0	
	75	0	16.06	16.34	16.07	16.02	16.53		0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 90 of 225

Table I-92
LTE Band 41 PC3 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
Conducted Power [dBm]										
QPSK	1	0	15.92	16.00	15.90	15.57	16.22	0	0	
	1	25	15.93	16.05	15.90	15.58	16.26		0	
	1	49	15.96	15.99	15.84	15.53	16.21		0	
	QPSK	25	0	15.96	15.97	15.91	15.56	16.15	0-1	0
		25	12	15.98	16.11	15.94	15.35	16.17		0
		25	25	15.95	16.10	15.93	15.67	16.24		0
		50	0	15.95	16.07	15.92	15.64	16.17		0
16QAM	1	0	16.07	16.33	16.19	16.02	16.39	0-1	0	
	1	25	16.12	16.29	16.14	16.00	16.50		0	
	1	49	16.03	16.25	16.08	16.02	16.51		0	
	16QAM	25	0	16.14	16.43	16.16	16.01	16.52	0-2	0
		25	12	16.16	16.45	16.20	16.02	16.64		0
		25	25	16.13	16.44	16.19	16.00	16.62		0
		50	0	16.12	16.42	16.18	16.02	16.62		0
64QAM	1	0	16.13	16.36	16.21	16.01	16.51	0-2	0	
	1	25	16.19	16.37	16.19	16.03	16.52		0	
	1	49	16.15	16.29	16.15	16.01	16.51		0	
	64QAM	25	0	16.16	16.44	16.19	16.01	16.52	0-3	0
		25	12	16.16	16.46	16.18	16.01	16.63		0
		25	25	16.12	16.45	16.19	16.03	16.65		0
		50	0	16.13	16.43	16.19	16.02	16.61		0
256QAM	1	0	16.12	16.37	16.16	16.01	16.48	0-5	0	
	1	25	16.11	16.38	16.13	16.08	16.51		0	
	1	49	16.07	16.37	16.06	16.04	16.52		0	
	25	0	16.15	16.43	16.18	16.03	16.54		0	
	25	12	16.18	16.48	16.22	16.15	16.66		0	
	25	25	16.17	16.47	16.18	16.13	16.65		0	
	50	0	16.15	16.46	16.19	16.13	16.63		0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 91 of 225

Table I-93
LTE Band 41 PC3 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	15.91	15.87	15.84	15.48	16.16	0	0
	1	12	15.92	15.95	15.91	15.57	16.23		0
	1	24	15.89	15.94	15.87	15.53	16.20		0
	12	0	15.94	16.05	15.90	15.64	16.19	0-1	0
	12	6	15.95	16.04	15.92	15.62	16.21		0
	12	13	15.95	16.02	15.91	15.63	16.22		0
16QAM	25	0	15.93	16.04	15.89	15.65	16.18	0-1	0
	1	0	16.06	16.27	16.09	16.06	16.51		0
	1	12	16.14	16.40	16.17	16.16	16.52		0
	1	24	16.09	16.37	16.17	16.17	16.48	0-2	0
	12	0	16.13	16.46	16.16	16.17	16.60		0
	12	6	16.16	16.49	16.20	16.15	16.63		0
64QAM	12	13	16.12	16.43	16.16	16.19	16.60	0-2	0
	25	0	16.08	16.44	16.19	16.18	16.62		0
	1	0	16.06	16.33	16.03	16.15	16.48		0-2
	1	12	16.14	16.40	16.17	16.09	16.50	0	
	1	24	16.13	16.39	16.12	16.09	16.52	0	
	256QAM	12	0	16.14	16.42	16.17	16.06	16.67	0-3
12		6	16.17	16.45	16.20	16.07	16.69	0	
12		13	16.14	16.41	16.17	16.14	16.66	0	
25		0	16.12	16.43	16.17	16.05	16.60	0-5	0
1		0	16.11	16.26	16.13	15.97	16.50		0
1		12	16.22	16.38	16.21	16.12	16.52		0
256QAM	1	24	16.22	16.33	16.19	16.11	16.51	0-5	0
	12	0	16.15	16.42	16.20	16.14	16.62		0
	12	6	16.16	16.45	16.22	16.18	16.65		0
	12	13	16.13	16.45	16.19	16.11	16.63		0
	25	0	16.11	16.45	16.22	16.10	16.63		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 92 of 225

Table I-94
LTE Band 41 PC3 Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	13.43	13.48	13.45	13.36	13.35	0	0	
	1	36	13.46	13.39	13.39	13.22	13.38		0	
	1	74	13.36	13.33	13.36	13.27	13.33		0	
	QPSK	36	0	13.53	13.54	13.43	13.33	13.37	0-1	0
		36	18	13.56	13.51	13.41	13.31	13.36		0
		36	37	13.53	13.40	13.39	13.29	13.45		0
		75	0	13.53	13.52	13.42	13.29	13.35		0
16QAM	1	0	13.72	13.68	13.55	13.33	13.48	0-1	0	
	1	36	13.75	13.62	13.44	13.30	13.43		0	
	1	74	13.67	13.52	13.41	13.29	13.41		0	
	16QAM	36	0	13.74	13.75	13.66	13.54	13.39	0-2	0
		36	18	13.74	13.73	13.62	13.50	13.37		0
		36	37	13.72	13.62	13.59	13.46	13.45		0
75		0	13.75	13.69	13.61	13.50	13.39	0		
64QAM	1	0	13.63	13.65	13.50	13.39	13.28	0-2	0	
	1	36	13.76	13.59	13.41	13.32	13.24		0	
	1	74	13.58	13.71	13.41	13.29	13.23		0	
	64QAM	36	0	13.73	13.75	13.63	13.39	13.35	0-3	0
		36	18	13.72	13.71	13.61	13.35	13.34		0
		36	37	13.67	13.60	13.57	13.44	13.33		0
256QAM	75	0	13.74	13.72	13.59	13.39	13.35	0-5	0	
	1	0	13.72	13.65	13.58	13.34	13.26		0	
	1	36	13.66	13.59	13.51	13.36	13.21		0	
	1	74	13.58	13.44	13.47	13.29	13.21		0	
	36	0	13.72	13.71	13.62	13.37	13.32		0	
	36	18	13.70	13.68	13.56	13.35	13.33		0	
36	37	13.62	13.60	13.55	13.42	13.30	0			
75	0	13.70	13.68	13.59	13.34	13.33	0			

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 93 of 225

Table I-95
LTE Band 41 PC3 Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
Conducted Power [dBm]									
QPSK	1	0	13.49	13.52	13.45	13.37	13.38	0	0
	1	25	13.60	13.62	13.52	13.34	13.43		0
	1	49	13.57	13.53	13.42	13.32	13.34		0
	25	0	13.67	13.59	13.55	13.32	13.33	0-1	0
	25	12	13.72	13.62	13.56	13.45	13.36		0
	25	25	13.68	13.59	13.52	13.39	13.41		0
16QAM	50	0	13.69	13.60	13.56	13.40	13.33	0-1	0
	1	0	13.83	13.75	13.70	13.57	13.53		0
	1	25	13.87	13.79	13.65	13.49	13.56		0
	1	49	13.82	13.72	13.65	13.41	13.51	0-2	0
	25	0	13.90	13.85	13.80	13.67	13.51		0
	25	12	13.92	13.88	13.80	13.70	13.57		0
64QAM	25	25	13.90	13.87	13.77	13.70	13.62	0-2	0
	50	0	13.89	13.83	13.76	13.68	13.55		0
	1	0	13.87	13.83	13.81	13.54	13.42		0-3
	1	25	13.88	13.81	13.78	13.59	13.40	0	
	1	49	13.84	13.71	13.70	13.50	13.38	0	
	256QAM	25	0	13.90	13.88	13.79	13.53	13.54	0-5
25		12	13.91	13.90	13.77	13.55	13.56	0	
25		25	13.89	13.87	13.74	13.59	13.52	0	
50		0	13.87	13.85	13.73	13.56	13.54	0-5	0
1		0	13.92	13.87	13.79	13.58	13.49		0
1		25	13.96	13.84	13.77	13.64	13.52		0
256QAM	1	49	13.85	13.76	13.65	13.57	13.42	0-5	0
	25	0	13.89	13.85	13.78	13.61	13.58		0
	25	12	13.92	13.89	13.82	13.61	13.56		0
	25	25	13.94	13.88	13.81	13.67	13.55		0
	50	0	13.91	13.87	13.81	13.61	13.56		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 94 of 225

Table I-96
LTE Band 41 PC3 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.50	13.52	13.45	13.35	13.34	0	0
	1	12	13.67	13.57	13.43	13.32	13.40		0
	1	24	13.56	13.53	13.41	13.30	13.34		0
	12	0	13.68	13.64	13.52	13.33	13.33	0-1	0
	12	6	13.69	13.66	13.55	13.47	13.37		0
	12	13	13.65	13.59	13.50	13.40	13.41		0
16QAM	25	0	13.67	13.63	13.49	13.40	13.35	0-1	0
	1	0	13.86	13.69	13.63	13.49	13.47		0
	1	12	13.87	13.78	13.69	13.59	13.59		0
	1	24	13.80	13.72	13.67	13.53	13.56	0-2	0
	12	0	13.90	13.85	13.75	13.68	13.51		0
	12	6	13.94	13.86	13.77	13.68	13.52		0
64QAM	12	13	13.88	13.83	13.70	13.62	13.56	0-2	0
	25	0	13.87	13.87	13.72	13.65	13.51		0
	1	0	13.82	13.68	13.66	13.51	13.36		0-2
	1	12	13.83	13.73	13.71	13.57	13.38	0	
	1	24	13.76	13.72	13.67	13.58	13.35	0	
	256QAM	12	0	13.87	13.83	13.79	13.60	13.54	0-3
12		6	13.89	13.87	13.77	13.68	13.58	0	
12		13	13.88	13.83	13.74	13.66	13.54	0	
25		0	13.86	13.86	13.77	13.55	13.54	0-5	0
1		0	13.86	13.78	13.59	13.52	13.50		0
1		12	13.93	13.83	13.71	13.66	13.55		0
256QAM	1	24	13.88	13.88	13.60	13.69	13.53	0-5	0
	12	0	13.84	13.83	13.71	13.54	13.51		0
	12	6	13.88	13.88	13.73	13.64	13.58		0
	12	13	13.87	13.83	13.70	13.59	13.52		0
	25	0	13.88	13.84	13.71	13.52	13.53		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 95 of 225

I.1.12

LTE Band 48

Table I-97
LTE Band 48 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.50	12.63	12.85	12.81	0	0
	1	36	12.61	12.74	12.91	12.85		0
	1	74	12.66	12.79	12.91	12.80		0
	36	0	12.62	12.74	12.86	12.89	0-1	0
	36	18	12.74	12.76	12.89	12.89		0
	36	37	12.78	12.82	13.00	12.98		0
	75	0	12.73	12.76	12.89	12.90		0
16QAM	1	0	12.61	12.59	12.69	12.93	0-1	0
	1	36	12.76	12.67	12.76	12.95		0
	1	74	12.78	12.69	12.77	12.94		0
	36	0	12.64	12.77	12.88	12.91	0-2	0
	36	18	12.76	12.80	12.90	12.93		0
	36	37	12.78	12.84	13.00	13.01		0
	75	0	12.76	12.81	12.93	12.94		0
64QAM	1	0	12.63	12.60	12.75	12.94	0-2	0
	1	36	12.74	12.68	12.82	12.94		0
	1	74	12.77	12.72	12.80	12.90		0
	36	0	12.66	12.76	12.91	12.92	0-3	0
	36	18	12.76	12.78	12.90	12.92		0
	36	37	12.82	12.85	13.01	13.00		0
	75	0	12.77	12.80	12.91	12.95		0
256QAM	1	0	12.54	12.56	12.75	12.74	0-5	0
	1	36	12.56	12.63	12.78	12.78		0
	1	74	12.69	12.70	12.81	12.84		0
	36	0	12.70	12.68	12.87	12.83		0
	36	18	12.76	12.72	12.87	12.84		0
	36	37	12.81	12.75	12.93	12.91		0
	75	0	12.74	12.72	12.91	12.86		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 96 of 225

Table I-98
LTE Band 48 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.80	12.80	13.05	13.07	0	0
	1	25	12.87	12.86	13.09	13.07		0
	1	49	12.87	12.86	13.06	13.01		0
	25	0	12.81	12.90	12.99	12.99	0-1	0
	25	12	12.84	12.93	13.10	13.11		0
	25	25	12.86	12.93	13.06	13.06		0
16QAM	1	0	12.84	12.92	13.07	13.01	0-1	0
	1	25	12.79	12.82	12.87	13.05		0
	1	49	12.81	12.85	12.95	13.02		0
	25	0	12.81	12.87	12.98	13.00	0-2	0
	25	12	12.85	12.90	13.11	13.09		0
	25	25	12.86	12.94	13.10	13.09		0
64QAM	50	0	12.84	12.91	13.06	12.98	0-2	0
	1	0	12.85	12.91	12.95	13.11		0
	1	25	12.87	12.87	12.95	13.00		0
	1	49	12.86	12.86	12.93	13.05	0-3	0
	25	0	12.82	12.91	12.98	12.99		0
	25	12	12.85	12.91	13.09	13.09		0
256QAM	25	25	12.87	12.93	13.08	13.04	0-3	0
	50	0	12.84	12.90	13.06	12.97		0
	1	0	12.75	12.80	12.96	13.04		0-5
	1	25	12.81	12.89	12.97	12.94	0	
	1	49	12.77	12.84	12.91	12.97	0	
	25	0	12.82	12.86	12.99	13.01	0	
25	12	12.90	12.88	13.02	13.05	0		
25	25	12.90	12.90	13.02	13.01	0		
50	0	12.85	12.89	13.04	13.01	0		

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 97 of 225

Table I-99
LTE Band 48 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.77	12.71	12.90	13.00	0	0
	1	12	12.87	12.80	12.96	13.05		0
	1	24	12.84	12.79	12.94	13.05		0
	12	0	12.81	12.84	13.03	13.06	0-1	0
	12	6	12.88	12.86	13.07	13.09		0
	12	13	12.82	12.85	13.00	13.06		0
16QAM	25	0	12.83	12.86	13.02	13.08	0-1	0
	1	0	12.78	12.74	12.95	13.00		0
	1	12	12.88	12.86	12.93	13.08		0
	1	24	12.86	12.87	12.95	13.09	0-2	0
	12	0	12.81	12.83	13.02	13.08		0
	12	6	12.88	12.86	13.08	13.12		0
64QAM	12	13	12.83	12.84	13.05	13.08	0-2	0
	25	0	12.84	12.84	13.02	13.09		0
	1	0	12.75	12.75	12.96	13.08		0-2
	1	12	12.79	12.83	13.06	13.08	0	
	1	24	12.80	12.83	13.02	13.04	0	
	256QAM	12	0	12.81	12.87	13.00	13.09	0-3
12		6	12.84	12.91	13.05	13.12	0	
12		13	12.82	12.91	13.01	13.08	0	
25		0	12.82	12.86	13.00	13.06	0-5	0
1		0	12.77	12.81	12.92	12.98		0
1		12	12.74	12.92	13.04	13.06		0
256QAM	1	24	12.81	12.92	12.96	13.03	0-5	0
	12	0	12.84	12.82	12.99	13.05		0
	12	6	12.87	12.85	12.98	13.06		0
	12	13	12.82	12.81	12.96	13.00	0	
	25	0	12.84	12.82	12.95	13.01	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 98 of 225

Table I-100
LTE Band 48 Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.43	12.29	12.39	12.46	0	0
	1	36	12.47	12.32	12.43	12.51		0
	1	74	12.40	12.30	12.46	12.48		0
	36	0	12.52	12.46	12.42	12.57	0-1	0
	36	18	12.46	12.39	12.47	12.59		0
	36	37	12.49	12.41	12.58	12.65		0
	75	0	12.44	12.37	12.45	12.56		0
16QAM	1	0	12.29	12.37	12.26	12.46	0-1	0
	1	36	12.32	12.34	12.38	12.51		0
	1	74	12.24	12.36	12.37	12.46		0
	36	0	12.57	12.45	12.44	12.57	0-2	0
	36	18	12.49	12.39	12.47	12.61		0
	36	37	12.51	12.40	12.58	12.68		0
	75	0	12.48	12.38	12.48	12.60		0
64QAM	1	0	12.44	12.38	12.46	12.52	0-2	0
	1	36	12.40	12.45	12.33	12.71		0
	1	74	12.42	12.40	12.43	12.37		0
	36	0	12.54	12.49	12.42	12.60	0-3	0
	36	18	12.48	12.40	12.48	12.63		0
	36	37	12.51	12.42	12.58	12.69		0
	75	0	12.49	12.41	12.49	12.61		0
256QAM	1	0	12.63	12.34	12.31	12.55	0-5	0
	1	36	12.53	12.36	12.39	12.62		0
	1	74	12.49	12.37	12.62	12.77		0
	36	0	12.55	12.50	12.47	12.60		0
	36	18	12.48	12.43	12.53	12.62		0
	36	37	12.50	12.44	12.55	12.70		0
	75	0	12.54	12.42	12.47	12.60		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 99 of 225

Table I-101
LTE Band 48 Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.29	12.20	12.27	12.44	0	0
	1	25	12.34	12.23	12.34	12.49		0
	1	49	12.27	12.16	12.35	12.41		0
	25	0	12.33	12.28	12.29	12.40	0-1	0
	25	12	12.38	12.25	12.31	12.43		0
	25	25	12.31	12.22	12.39	12.48		0
16QAM	50	0	12.30	12.20	12.36	12.39	0-1	0
	1	0	12.16	12.27	12.23	12.52		0
	1	25	12.16	12.33	12.32	12.61		0
	1	49	12.10	12.46	12.32	12.47	0-2	0
	25	0	12.38	12.31	12.30	12.39		0
	25	12	12.45	12.25	12.31	12.44		0
64QAM	25	25	12.33	12.25	12.38	12.49	0-2	0
	50	0	12.32	12.20	12.35	12.40		0
	1	0	12.21	12.30	12.31	12.38		0-2
	1	25	12.45	12.45	12.38	12.48	0	
	1	49	12.29	12.28	12.47	12.43	0	
	256QAM	25	0	12.36	12.31	12.25	12.41	0-3
25		12	12.41	12.28	12.34	12.43	0	
25		25	12.33	12.27	12.42	12.78	0	
50		0	12.29	12.25	12.38	12.43	0-5	0
1		0	12.44	12.33	12.24	12.44		0
1		25	12.42	12.41	12.29	12.52		0
256QAM	1	49	12.18	12.26	12.21	12.40	0-5	0
	25	0	12.42	12.33	12.27	12.43		0
	25	12	12.42	12.30	12.34	12.46		0
	25	25	12.34	12.22	12.40	12.51	0	
	50	0	12.33	12.25	12.42	12.44	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 100 of 225

Table I-102
LTE Band 48 Measured P_{Limit} Antenna 2a - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.37	12.18	12.27	12.32	0	0
	1	12	12.44	12.21	12.42	12.46		0
	1	24	12.42	12.22	12.39	12.42		0
	12	0	12.36	12.29	12.29	12.49	0-1	0
	12	6	12.39	12.29	12.32	12.49		0
	12	13	12.36	12.28	12.38	12.44		0
16QAM	25	0	12.36	12.27	12.24	12.45	0-1	0
	1	0	12.39	12.22	12.35	12.45		0
	1	12	12.50	12.20	12.32	12.45		0
	1	24	12.42	12.41	12.41	12.46	0-2	0
	12	0	12.36	12.29	12.28	12.49		0
	12	6	12.39	12.36	12.38	12.49		0
64QAM	12	13	12.33	12.34	12.39	12.48	0-2	0
	25	0	12.37	12.29	12.27	12.49		0
	1	0	12.43	12.37	12.35	12.47		0-2
	1	12	12.37	12.38	12.48	12.51	0	
	1	24	12.32	12.38	12.48	12.46	0	
	256QAM	12	0	12.36	12.27	12.30	12.52	0-3
12		6	12.42	12.34	12.32	12.54	0	
12		13	12.36	12.32	12.42	12.50	0	
25		0	12.38	12.30	12.31	12.49	0-5	0
1		0	12.36	12.32	12.36	12.42		0
1		12	12.45	12.41	12.48	12.43		0
256QAM	1	24	12.42	12.33	12.50	12.52	0-5	0
	12	0	12.41	12.30	12.33	12.50		0
	12	6	12.42	12.31	12.38	12.51		0
	12	13	12.41	12.31	12.38	12.49	0	
	25	0	12.39	12.30	12.32	12.50	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 101 of 225

Table I-103
LTE Band 48 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.97	12.96	13.17	12.97	0	0
	1	36	13.01	13.07	13.17	13.02		0
	1	74	13.03	13.04	13.22	12.91		0
	36	0	13.16	12.96	13.21	13.15	0-1	0
	36	18	13.17	13.07	13.13	13.13		0
	36	37	13.20	13.08	13.16	13.12		0
	75	0	13.17	13.05	13.06	13.12		0
16QAM	1	0	13.10	12.43	13.02	12.93	0-1	0
	1	36	13.18	12.54	13.25	12.94		0
	1	74	13.12	12.54	13.27	12.83		0
	36	0	13.14	12.67	13.27	12.92	0-2	0
	36	18	13.14	12.76	13.27	12.88		0
	36	37	13.16	12.79	13.26	12.86		0
	75	0	13.16	12.78	13.28	12.89		0
64QAM	1	0	13.02	12.56	13.22	12.77	0-2	0
	1	36	13.03	12.62	13.23	12.79		0
	1	74	13.07	12.62	13.06	12.69		0
	36	0	13.12	12.67	13.04	12.90	0-3	0
	36	18	13.14	12.76	13.08	12.89		0
	36	37	13.16	12.81	13.03	12.87		0
	75	0	13.15	12.78	13.09	12.90		0
256QAM	1	0	13.26	12.68	13.05	12.88	0-5	0
	1	36	13.09	12.68	13.11	12.81		0
	1	74	13.16	12.82	13.18	12.83		0
	36	0	13.20	12.78	13.18	12.94		0
	36	18	13.23	12.79	13.26	12.92		0
	36	37	13.27	12.81	13.30	12.91		0
	75	0	13.26	12.81	13.19	12.94		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 102 of 225

Table I-104
LTE Band 48 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	13.28	12.92	13.53	13.02	0	0
	1	25	13.33	13.01	13.46	13.02		0
	1	49	13.30	12.96	13.45	12.93		0
	25	0	13.29	13.10	13.48	13.02	0-1	0
	25	12	13.33	13.10	13.49	13.05		0
	25	25	13.29	13.10	13.31	13.03		0
	50	0	13.30	13.10	13.31	13.02		0
16QAM	1	0	13.23	12.66	13.42	13.00	0-1	0
	1	25	13.31	12.68	13.29	12.99		0
	1	49	13.28	12.69	13.42	12.98		0
	25	0	13.24	12.85	13.26	13.02	0-2	0
	25	12	13.26	12.89	13.34	13.01		0
	25	25	13.25	12.87	13.38	13.00		0
	50	0	13.25	12.89	13.36	13.00		0
64QAM	1	0	13.30	12.71	13.30	13.11	0-2	0
	1	25	13.31	12.81	13.36	13.01		0
	1	49	13.22	12.74	13.40	12.87		0
	25	0	13.22	12.88	13.37	13.03	0-3	0
	25	12	13.29	12.93	13.38	13.03		0
	25	25	13.27	12.89	13.42	13.04		0
	50	0	13.25	12.90	13.31	13.02		0
256QAM	1	0	13.41	12.89	13.37	13.24	0-5	0
	1	25	13.41	12.91	13.31	13.13		0
	1	49	13.34	12.84	13.24	13.02		0
	25	0	13.35	12.91	13.40	13.10		0
	25	12	13.39	12.96	13.42	13.10		0
	25	25	13.39	12.94	13.40	13.09		0
	50	0	13.37	12.92	13.41	13.08		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 103 of 225

Table I-105
LTE Band 48 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	13.27	12.95	13.40	13.00	0	0
	1	12	13.32	13.03	13.41	13.09		0
	1	24	13.32	12.92	13.42	13.02		0
	12	0	13.28	13.02	13.42	13.01	0-1	0
	12	6	13.31	13.10	13.38	13.06		0
	12	13	13.27	13.10	13.39	13.03		0
	25	0	13.27	13.00	13.39	13.00		0
16QAM	1	0	13.35	12.78	13.40	12.99	0-1	0
	1	12	13.35	12.88	13.40	13.10		0
	1	24	13.39	12.82	13.42	13.12		0
	12	0	13.28	12.91	13.40	13.01	0-2	0
	12	6	13.32	12.95	13.42	13.02		0
	12	13	13.29	12.92	13.40	12.99		0
	25	0	13.27	12.91	13.38	13.00		0
64QAM	1	0	13.27	12.82	13.38	13.07	0-2	0
	1	12	13.32	12.93	13.40	13.08		0
	1	24	13.30	12.92	13.40	13.03		0
	12	0	13.33	12.89	13.41	12.99	0-3	0
	12	6	13.37	12.93	13.39	13.02		0
	12	13	13.32	12.91	13.38	12.96		0
	25	0	13.25	12.90	13.42	12.98		0
256QAM	1	0	13.32	12.77	13.24	12.96	0-5	0
	1	12	13.45	12.86	13.37	12.87		0
	1	24	13.44	12.89	13.37	12.85		0
	12	0	13.37	12.95	13.46	13.07		0
	12	6	13.40	12.96	13.48	13.08		0
	12	13	13.38	12.93	13.48	13.04		0
	25	0	13.41	12.95	13.46	13.08		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 104 of 225

Table I-106
LTE Band 48 Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.29	12.35	12.35	12.24	0	0
	1	36	12.28	12.34	12.36	12.18		0
	1	74	12.35	12.31	12.33	12.30		0
	36	0	12.39	12.38	12.20	12.41	0-1	0
	36	18	12.38	12.32	12.21	12.33		0
	36	37	12.44	12.35	12.25	12.31		0
	75	0	12.39	12.29	12.22	12.33		0
16QAM	1	0	12.21	12.39	12.38	12.21	0-1	0
	1	36	12.39	12.25	12.39	12.36		0
	1	74	12.24	12.39	12.29	12.39		0
	36	0	12.35	12.23	12.26	12.22	0-2	0
	36	18	12.37	12.40	12.31	12.38		0
	36	37	12.40	12.44	12.36	12.44		0
	75	0	12.30	12.44	12.35	12.41		0
64QAM	1	0	12.40	12.31	12.39	12.39	0-2	0
	1	36	12.39	12.46	12.35	12.45		0
	1	74	12.41	12.49	12.40	12.30		0
	36	0	12.45	12.43	12.42	12.29	0-3	0
	36	18	12.47	12.44	12.41	12.29		0
	36	37	12.45	12.35	12.43	12.31		0
	75	0	12.39	12.36	12.48	12.31		0
256QAM	1	0	12.42	12.45	12.46	12.40	0-5	0
	1	36	12.42	12.42	12.41	12.42		0
	1	74	12.44	12.39	12.40	12.35		0
	36	0	12.45	12.38	12.42	12.39		0
	36	18	12.30	12.37	12.40	12.44		0
	36	37	12.39	12.32	12.45	12.38		0
	75	0	12.36	12.22	12.40	12.32		0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 105 of 225

Table I-107
LTE Band 48 Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.32	12.47	12.42	12.24	0	0
	1	25	12.22	12.51	12.35	12.32		0
	1	49	12.28	12.39	12.38	12.39		0
	25	0	12.27	12.31	12.39	12.26	0-1	0
	25	12	12.25	12.38	12.41	12.34		0
	25	25	12.39	12.35	12.39	12.25		0
16QAM	50	0	12.43	12.31	12.43	12.29	0-1	0
	1	0	12.21	12.46	12.40	12.26		0
	1	25	12.39	12.36	12.39	12.27		0
	1	49	12.25	12.37	12.35	12.39	0-2	0
	25	0	12.31	12.32	12.31	12.24		0
	25	12	12.23	12.31	12.46	12.38		0
64QAM	25	25	12.34	12.35	12.39	12.37	0-2	0
	50	0	12.43	12.35	12.43	12.40		0
	1	0	12.33	12.34	12.44	12.34		0-2
	1	25	12.27	12.30	12.36	12.33	0	
	1	49	12.26	12.36	12.34	12.33	0	
	256QAM	25	0	12.42	12.39	12.39	12.36	0-3
25		12	12.38	12.33	12.41	12.44	0	
25		25	12.44	12.35	12.39	12.39	0	
50		0	12.41	12.36	12.44	12.40	0-5	0
1		0	12.39	12.38	12.40	12.41		0
1		25	12.25	12.30	12.37	12.33		0
256QAM	1	49	12.30	12.39	12.31	12.34	0-5	0
	25	0	12.33	12.35	12.35	12.34		0
	25	12	12.34	12.36	12.30	12.33		0
	25	25	12.30	12.40	12.39	12.38	0	
	50	0	12.39	12.37	12.30	12.40	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 106 of 225

Table I-108
LTE Band 48 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.13	12.11	12.26	12.38	0	0
	1	12	12.09	12.26	12.27	12.32		0
	1	24	12.16	12.24	12.39	12.35		0
	12	0	12.25	12.07	12.24	12.29	0-1	0
	12	6	12.20	12.07	12.38	12.39		0
	12	13	12.22	12.09	12.37	12.25		0
16QAM	25	0	12.18	12.07	12.40	12.39	0-1	0
	1	0	12.10	12.14	12.34	12.23		0
	1	12	12.19	12.19	12.33	12.16		0
	1	24	12.19	12.21	12.33	12.25	0-2	0
	12	0	12.24	12.24	12.36	12.20		0
	12	6	12.22	12.22	12.34	12.22		0
64QAM	12	13	12.24	12.24	12.39	12.19	0-2	0
	25	0	12.20	12.20	12.40	12.10		0
	1	0	12.11	12.24	12.35	12.19		0-2
	1	12	12.26	12.32	12.36	12.19	0	
	1	24	12.24	12.39	12.33	12.18	0	
	256QAM	12	0	12.07	12.26	12.20	12.21	0-3
12		6	12.07	12.34	12.21	12.25	0	
12		13	12.09	12.25	12.25	12.22	0	
25		0	12.07	12.29	12.22	12.38	0-5	0
1		0	12.29	12.18	12.34	12.39		0
1		12	12.28	12.10	12.30	12.29		0
256QAM	1	24	12.35	12.22	12.36	12.26	0-5	0
	12	0	12.29	12.19	12.39	12.31		0
	12	6	12.31	12.24	12.33	12.36		0
	12	13	12.24	12.22	12.35	12.35	0	
	25	0	12.29	12.30	12.36	12.39	0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 107 of 225

I.2 NR Conducted Powers

Note: Some bands do not support non-overlapping channels. Per FCC Guidance, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

I.2.1 NR Band n71

Table I-109
NR Band n71 Measured P_{limit} Antenna 1 - 15 MHz

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	20.60	0	0.0
	1	40	20.64		0.0
	1	77	20.52		0.0
	36	0	20.57	0-0.5	0.0
	36	22	20.58	0	0.0
	36	43	20.54	0-0.5	0.0
	75	0	20.58		0.0
DFT-s-OFDM QPSK	1	1	20.61	0	0.0
	1	40	20.63		0.0
	1	77	20.53		0.0
	36	0	20.59	0-1	0.0
	36	22	20.60	0	0.0
	36	43	20.57	0-1	0.0
	75	0	20.61		0.0
DFT-s-OFDM 16QAM	1	1	20.80	0-1	0.0
CP-OFDM QPSK	1	1	20.45	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 108 of 225

Table I-110
NR Band n71 Measured P_{limit} Antenna 1 - 10 MHz

NR Band n71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	20.52	20.52	20.47	0	0.0
	1	26	20.54	20.62	20.35		0.0
	1	50	20.41	20.60	20.25		0.0
	25	0	20.40	20.41	20.29	0-0.5	0.0
	25	14	20.38	20.49	20.57	0	0.0
	25	27	20.36	20.42	20.22	0-0.5	0.0
	50	0	20.44	20.50	20.28		0.0
DFT-s-OFDM QPSK	1	1	20.58	20.47	20.45	0	0.0
	1	26	20.53	20.58	20.37		0.0
	1	50	20.35	20.61	20.31		0.0
	25	0	20.43	20.44	20.30	0-1	0.0
	25	14	20.32	20.54	20.27	0	0.0
	25	27	20.36	20.47	20.20	0-1	0.0
	50	0	20.39	20.50	20.28		0.0
DFT-s-OFDM 16QAM	1	1	20.72	20.62	20.58	0-1	0.0
CP-OFDM QPSK	1	1	20.30	20.18	20.28	0-1.5	0.0

Table I-111
NR Band n71 Measured P_{limit} Antenna 1 - 5 MHz

NR Band n71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	20.46	20.34	20.22	0	0.0
	1	13	20.41	20.51	20.33		0.0
	1	23	20.34	20.33	20.15		0.0
	12	0	20.37	20.40	20.23	0-0.5	0.0
	12	7	20.42	20.38	20.22	0	0.0
	12	13	20.38	20.37	20.19	0-0.5	0.0
	25	0	20.28	20.30	20.12		0.0
DFT-s-OFDM QPSK	1	1	20.46	20.33	20.30	0	0.0
	1	13	20.43	20.39	20.37		0.0
	1	23	20.44	20.37	20.22		0.0
	12	0	20.48	20.42	20.28	0-1	0.0
	12	7	20.41	20.37	20.21	0	0.0
	12	13	20.37	20.41	20.18	0-1	0.0
	25	0	20.34	20.35	20.21		0.0
DFT-s-OFDM 16QAM	1	1	20.72	20.58	20.58	0-1	0.0
CP-OFDM QPSK	1	1	20.22	20.15	20.18	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 109 of 225

Table I-112
NR n71 Band Measured P_{limit} Antenna 3 - 15 MHz

NR Band n71 15 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.52	0	0.0	
	1	40	19.56		0.0	
	1	77	19.51		0.0	
	36	0	19.61	0-0.5	0.0	
	36	22	19.57	0	0.0	
	36	43	19.55	0-0.5	0.0	
	75	0	19.60		0.0	
DFT-s-OFDM QPSK	1	1	19.54	0	0.0	
	1	40	19.59		0.0	
	1	77	19.53		0.0	
	36	0	19.55	0-1	0.0	
	36	22	19.58	0	0.0	
	36	43	19.58	0-1	0.0	
	75	0	19.67		0.0	
DFT-s-OFDM 16QAM	1	1	19.52	0-1	0.0	
CP-OFDM QPSK	1	1	19.58	0-1.5	0.0	

Table I-113
NR n71 Band Measured P_{limit} Antenna 3 - 10 MHz

NR Band n71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.63	19.53	19.52	0	0.0
	1	26	19.60	19.67	19.58		0.0
	1	50	19.50	19.53	19.55		0.0
	25	0	19.51	19.51	19.55	0-0.5	0.0
	25	14	19.57	19.55	19.54	0	0.0
	25	27	19.55	19.53	19.51	0-0.5	0.0
	50	0	19.58	19.62	19.63		0.0
DFT-s-OFDM QPSK	1	1	19.55	19.63	19.60	0	0.0
	1	26	19.64	19.72	19.50		0.0
	1	50	19.62	19.65	19.61		0.0
	25	0	19.58	19.58	19.54	0-1	0.0
	25	14	19.55	19.65	19.52	0	0.0
	25	27	19.52	19.60	19.56	0-1	0.0
	50	0	19.55	19.61	19.50		0.0
DFT-s-OFDM 16QAM	1	1	19.83	19.85	19.56	0-1	0.0
CP-OFDM QPSK	1	1	19.54	19.51	19.66	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 110 of 225

Table I-114
NR Band n71 Measured P_{limit} Antenna 3 - 5 MHz

NR Band n71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.75	19.51	19.57	0	0.0
	1	13	19.67	19.60	19.64		0.0
	1	23	19.61	19.54	19.54		0.0
	12	0	19.57	19.56	19.52	0-0.5	0.0
	12	7	19.63	19.58	19.50	0	0.0
	12	13	19.58	19.50	19.51	0-0.5	0.0
25	0	19.57	19.52	19.51	0.0		
DFT-s-OFDM QPSK	1	1	19.84	19.54	19.56	0	0.0
	1	13	19.80	19.55	19.52		0.0
	1	23	19.66	19.74	19.53		0.0
	12	0	19.65	19.51	19.51	0-1	0.0
	12	7	19.68	19.50	19.55	0	0.0
	12	13	19.54	19.52	19.53	0-1	0.0
25	0	19.51	19.50	19.51	0.0		
DFT-s-OFDM 16QAM	1	1	19.57	19.56	19.53	0-1	0.0
CP-OFDM QPSK	1	1	19.75	19.52	19.58	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 111 of 225

I.2.2 NR Band n12

**Table I-115
NR Band n12 Measured P_{limit} Antenna 1 - 10 MHz**

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.78	0	0.0
	1	26	18.60		0.0
	1	50	18.76		0.0
	25	0	18.54	0-0.5	0.0
	25	14	18.53	0	0.0
	25	27	18.57	0-0.5	0.0
	50	0	18.55		0.0
DFT-s-OFDM QPSK	1	1	18.82	0	0.0
	1	26	18.56		0.0
	1	50	18.70		0.0
	25	0	18.58	0-1	0.0
	25	14	18.54	0	0.0
	25	27	18.62	0-1	0.0
	50	0	18.54		0.0
DFT-s-OFDM 16QAM	1	1	18.92	0-1	0.0
CP-OFDM QPSK	1	1	18.58	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 112 of 225

Table I-116
NR Band n12 Measured P_{limit} Antenna 1 - 5 MHz

NR Band n12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.75	18.70	18.77	0	0.0
	1	13	18.76	18.63	18.68		0.0
	1	23	18.60	18.79	18.75		0.0
	12	0	18.78	18.64	18.78	0-0.5	0.0
	12	7	18.68	18.63	18.76	0	0.0
	12	13	18.67	18.56	18.66	0-0.5	0.0
	25	0	18.62	18.55	18.71		0.0
DFT-s-OFDM QPSK	1	1	18.78	18.71	18.73	0	0.0
	1	13	18.74	18.72	18.75		0.0
	1	23	18.68	18.82	18.74		0.0
	12	0	18.72	18.67	18.77	0-1	0.0
	12	7	18.70	18.64	18.70	0	0.0
	12	13	18.69	18.60	18.73	0-1	0.0
	25	0	18.71	18.62	18.74		0.0
DFT-s-OFDM 16QAM	1	1	18.98	18.94	19.04	0-1	0.0
CP-OFDM QPSK	1	1	18.55	18.57	18.58	0-1.5	0.0

Table I-117
NR Band n12 Measured P_{limit} Antenna 3 - 10 MHz

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.54	0	0.0
	1	26	18.35		0.0
	1	50	18.37		0.0
	25	0	18.40	0-0.5	0.0
	25	14	18.31	0	0.0
	25	27	18.34	0-0.5	0.0
	50	0	18.33		0.0
DFT-s-OFDM QPSK	1	1	18.54	0	0.0
	1	26	18.47		0.0
	1	50	18.46		0.0
	25	0	18.39	0-1	0.0
	25	14	18.38	0	0.0
	25	27	18.41	0-1	0.0
	50	0	18.34		0.0
DFT-s-OFDM 16QAM	1	1	18.36	0-1	0.0
CP-OFDM QPSK	1	1	18.58	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 113 of 225

Table I-118
NR Band n12 Measured P_{limit} Antenna 3 - 5 MHz

NR Band n12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.45	18.47	18.24	0	0.0
	1	13	18.58	18.38	18.28		0.0
	1	23	18.47	18.41	18.25		0.0
	12	0	18.53	18.37	18.22	0-0.5	0.0
	12	7	18.51	18.44	18.21	0	0.0
	12	13	18.44	18.29	18.08	0-0.5	0.0
	25	0	18.39	18.30	18.10		0.0
DFT-s-OFDM QPSK	1	1	18.55	18.39	18.12	0	0.0
	1	13	18.40	18.42	18.11		0.0
	1	23	18.45	18.44	18.01		0.0
	12	0	18.52	18.42	18.05	0-1	0.0
	12	7	18.51	18.38	17.96	0	0.0
	12	13	18.48	18.34	18.03	0-1	0.0
	25	0	18.45	18.33	17.97		0.0
DFT-s-OFDM 16QAM	1	1	18.65	18.55	18.11	0-1	0.0
CP-OFDM QPSK	1	1	18.34	18.34	18.25	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 114 of 225

I.2.3 NR Band n14

Table I-119
NR Band n14 Measured P_{limit} Antenna 1 - 5 MHz

NR Band n14 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	20.01	20.03	0	0.0
	1	13	19.96	20.05		0.0
	1	23	19.86	19.95		0.0
	12	0	19.98	20.01	0-0.5	0.0
	12	7	19.91	19.96	0	0.0
	12	13	19.82	19.93	0-0.5	0.0
25	0	19.84	19.90	0.0		
DFT-s-OFDM QPSK	1	1	20.02	20.06	0	0.0
	1	13	19.95	19.95		0.0
	1	23	19.87	19.92		0.0
	12	0	19.97	20.03	0-1	0.0
	12	7	19.96	20.01	0	0.0
	12	13	19.90	19.95	0-1	0.0
25	0	19.91	20.01	0.0		
DFT-s-OFDM 16QAM	1	1	20.05	20.15	0-1	0.0
CP-OFDM QPSK	1	1	19.77	19.74	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 115 of 225

Table I-120
NR Band n14 Measured P_{limit} Antenna 3 - 5 MHz

NR Band n14 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.26	19.24	0	0.0
	1	13	19.17	19.25		0.0
	1	23	19.23	19.22		0.0
	12	0	19.23	19.18	0-0.5	0.0
	12	7	19.16	19.22	0	0.0
	12	13	19.08	19.04	0-0.5	0.0
	25	0	19.10	19.13		0.0
DFT-s-OFDM QPSK	1	1	19.18	19.25	0	0.0
	1	13	19.24	19.16		0.0
	1	23	19.16	19.27		0.0
	12	0	19.15	19.09	0-1	0.0
	12	7	19.24	19.20	0	0.0
	12	13	19.11	19.13	0-1	0.0
	25	0	19.16	19.15		0.0
DFT-s-OFDM 16QAM	1	1	19.44	19.09	0-1	0.0
CP-OFDM QPSK	1	1	19.16	19.25	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 116 of 225

I.2.4

NR Band n5

Table I-121
NR Band n5 Measured P_{limit} Antenna 1 - 15 MHz

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.60	0	0.0
	1	40	18.37		0.0
	1	77	18.36		0.0
	36	0	18.43	0-0.5	0.0
	36	22	18.35	0	0.0
	36	43	18.36	0-0.5	0.0
	75	0	18.42		0.0
DFT-s-OFDM QPSK	1	1	18.58	0	0.0
	1	40	18.45		0.0
	1	77	18.40		0.0
	36	0	18.51	0-1	0.0
	36	22	18.39	0	0.0
	36	43	18.38	0-1	0.0
	75	0	18.44		0.0
DFT-s-OFDM 16QAM	1	1	18.73	0-1	0.0
CP-OFDM QPSK	1	1	18.40	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 117 of 225

Table I-122
NR Band n5 Measured P_{limit} Antenna 1 - 10 MHz

NR Band n5 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.42	0	0.0	
	1	26	18.35		0.0	
	1	50	18.40		0.0	
	25	0	18.38	0-0.5	0.0	
	25	14	18.32	0	0.0	
	25	27	18.28	0-0.5	0.0	
50	0	18.33	0.0			
DFT-s-OFDM QPSK	1	1	18.45	0	0.0	
	1	26	18.41		0.0	
	1	50	18.31		0.0	
	25	0	18.39	0-1	0.0	
	25	14	18.37	0	0.0	
	25	27	18.35	0-1	0.0	
	50	0	18.33		0.0	
DFT-s-OFDM 16QAM	1	1	18.65	0-1	0.0	
CP-OFDM QPSK	1	1	18.35	0-1.5	0.0	

Table I-123
NR Band n5 Measured P_{limit} Antenna 1 - 5 MHz

NR Band n5 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.54	18.45	18.23	0	0.0
	1	13	18.37	18.34	18.20		0.0
	1	23	18.50	18.45	18.25		0.0
	12	0	18.43	18.41	18.27	0-0.5	0.0
	12	7	18.48	18.40	18.16	0	0.0
	12	13	18.40	18.35	18.24	0-0.5	0.0
25	0	18.36	18.30	18.16	0.0		
DFT-s-OFDM QPSK	1	1	18.39	18.45	18.30	0	0.0
	1	13	18.44	18.28	18.25		0.0
	1	23	18.45	18.42	18.24		0.0
	12	0	18.48	18.42	18.28	0-1	0.0
	12	7	18.43	18.39	18.20	0	0.0
	12	13	18.42	18.41	18.25	0-1	0.0
25	0	18.41	18.40	18.24	0.0		
DFT-s-OFDM 16QAM	1	1	18.80	18.72	18.59	0-1	0.0
CP-OFDM QPSK	1	1	18.20	18.21	18.50	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 118 of 225

Table I-124
NR Band n5 Measured P_{limit} Antenna 3 - 15 MHz

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.16	0	0.0
	1	40	17.98		0.0
	1	77	17.89		0.0
	36	0	17.98	0-0.5	0.0
	36	22	17.87	0	0.0
	36	43	17.90	0-0.5	0.0
	75	0	17.93		0.0
DFT-s-OFDM QPSK	1	1	18.15	0	0.0
	1	40	18.03		0.0
	1	77	17.95		0.0
	36	0	18.02	0-1	0.0
	36	22	17.93	0	0.0
	36	43	17.90	0-1	0.0
	75	0	17.96		0.0
DFT-s-OFDM 16QAM	1	1	18.22	0-1	0.0
CP-OFDM QPSK	1	1	18.15	0-1.5	0.0

Table I-125
NR Band n5 Measured P_{limit} Antenna 3 - 10 MHz

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	17.96	0	0.0
	1	26	18.14		0.0
	1	50	18.01		0.0
	25	0	17.95	0-0.5	0.0
	25	14	17.99	0	0.0
	25	27	17.93	0-0.5	0.0
	50	0	18.04		0.0
DFT-s-OFDM QPSK	1	1	18.01	0	0.0
	1	26	18.08		0.0
	1	50	18.02		0.0
	25	0	17.99	0-1	0.0
	25	14	18.04	0	0.0
	25	27	18.01	0-1	0.0
	50	0	18.02		0.0
DFT-s-OFDM 16QAM	1	1	18.22	0-1	0.0
CP-OFDM QPSK	1	1	18.06	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 119 of 225

Table I-126
NR Band n5 Measured P_{limit} Antenna 3 - 5 MHz

NR Band n5 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.10	18.12	17.94	0	0.0
	1	13	18.03	18.09	17.95		0.0
	1	23	18.08	18.05	18.05		0.0
	12	0	18.16	18.05	17.89	0-0.5	0.0
	12	7	18.12	18.04	17.88	0	0.0
	12	13	18.03	18.09	17.83	0-0.5	0.0
	25	0	18.03	18.00	17.81		0.0
DFT-s-OFDM QPSK	1	1	18.22	18.06	17.90	0	0.0
	1	13	18.07	18.01	17.91		0.0
	1	23	18.12	18.06	17.96		0.0
	12	0	18.13	17.92	17.88	0-1	0.0
	12	7	18.06	18.10	17.91	0	0.0
	12	13	18.04	18.06	17.89	0-1	0.0
	25	0	18.13	18.04	17.88		0.0
DFT-s-OFDM 16QAM	1	1	18.41	18.14	18.11	0-1	0.0
CP-OFDM QPSK	1	1	17.95	17.87	18.09	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 120 of 225

I.2.5

NR Band n26

Table I-127
NR Band n26 Measured P_{limit} Antenna 1 - 5 MHz

NR Band n26 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.57	18.48	18.43	0	0.0
	1	13	18.52	18.25	18.41		0.0
	1	23	18.54	18.30	18.48		0.0
	12	0	18.57	18.35	18.49	0-0.5	0.0
	12	7	18.59	18.32	18.42	0	0.0
	12	13	18.54	18.25	18.43	0-0.5	0.0
	25	0	18.55	18.21	18.36		0.0
DFT-s-OFDM QPSK	1	1	18.65	18.32	18.43	0	0.0
	1	13	18.65	18.23	18.38		0.0
	1	23	18.52	18.33	18.50		0.0
	12	0	18.61	18.35	18.48	0-1	0.0
	12	7	18.61	18.21	18.47	0	0.0
	12	13	18.64	18.34	18.50	0-1	0.0
	25	0	18.58	18.20	18.41		0.0
DFT-s-OFDM 16QAM	1	1	18.66	18.56	18.65	0-1	0.0
CP-OFDM QPSK	1	1	18.35	18.22	18.38	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 121 of 225

Table I-128
NR Band n26 Measured P_{limit} Antenna 3 - 5 MHz

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.12	18.02	18.04	0	0.0
	1	13	18.27	18.07	18.07		0.0
	1	23	18.18	18.04	18.03		0.0
	12	0	18.20	18.02	18.07	0-0.5	0.0
	12	7	18.17	18.01	18.06	0	0.0
	12	13	18.19	18.10	18.02	0-0.5	0.0
DFT-s-OFDM QPSK	25	0	18.15	18.06	18.04		0.0
	1	1	18.17	18.14	18.13	0	0.0
	1	13	18.25	18.09	18.11		0.0
	1	23	18.13	18.15	18.08		0.0
	12	0	18.20	18.07	18.10	0-1	0.0
	12	7	18.21	18.03	18.11	0	0.0
	12	13	18.16	18.02	18.05	0-1	0.0
25	0	18.19	18.05	18.08	0.0		
DFT-s-OFDM 16QAM	1	1	18.45	18.19	18.33	0-1	0.0
CP-OFDM QPSK	1	1	18.12	17.96	18.01	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 122 of 225

I.2.6 NR Band n66

Table I-129
NR Band n66 Measured P_{limit} Antenna 1 - 30 MHz

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.77	0	0.0
	1	80	14.65		0.0
	1	158	14.57		0.0
	80	0	14.68	0-0.5	0.0
	80	40	14.64	0	0.0
	80	80	14.70	0-0.5	0.0
	160	0	14.69		0.0
DFT-s-OFDM QPSK	1	1	14.72	0	0.0
	1	80	14.65		0.0
	1	158	14.55		0.0
	80	0	14.67	0-1	0.0
	80	40	14.64	0	0.0
	80	80	14.69	0-1	0.0
	160	0	14.68		0.0
DFT-s-OFDM 16QAM	1	1	14.95	0-1	0.0
CP-OFDM QPSK	1	1	14.60	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 123 of 225

Table I-130
NR Band n66 Measured P_{limit} Antenna 1 - 20 MHz

NR Band n66 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.64	14.57	14.56	0	0.0
	1	53	14.63	14.50	14.53		0.0
	1	104	14.74	14.58	14.63		0.0
	50	0	14.60	14.51	14.52	0-0.5	0.0
	50	28	14.62	14.54	14.52	0	0.0
	50	56	14.66	14.56	14.53	0-0.5	0.0
	100	0	14.63	14.56	14.51		0.0
DFT-s-OFDM QPSK	1	1	14.68	14.65	14.57	0	0.0
	1	53	14.66	14.53	14.55		0.0
	1	104	14.71	14.64	14.69		0.0
	50	0	14.60	14.56	14.54	0-1	0.0
	50	28	14.61	14.52	14.53	0	0.0
	50	56	14.63	14.54	14.57	0-1	0.0
	100	0	14.61	14.55	14.56		0.0
DFT-s-OFDM 16QAM	1	1	14.88	14.85	14.81	0-1	0.0
CP-OFDM QPSK	1	1	14.43	14.45	14.44	0-1.5	0.0

Table I-131
NR Band n66 Measured P_{limit} Antenna 1 - 15 MHz

NR Band n66 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.68	14.58	14.60	0	0.0
	1	40	14.64	14.58	14.52		0.0
	1	77	14.80	14.63	14.65		0.0
	36	0	14.63	14.54	14.56	0-0.5	0.0
	36	22	14.61	14.53	14.51	0	0.0
	36	43	14.66	14.57	14.55	0-0.5	0.0
	75	0	14.61	14.56	14.57		0.0
DFT-s-OFDM QPSK	1	1	14.67	14.64	14.61	0	0.0
	1	40	14.67	14.56	14.56		0.0
	1	77	14.78	14.63	14.70		0.0
	36	0	14.63	14.54	14.57	0-1	0.0
	36	22	14.60	14.53	14.53	0	0.0
	36	43	14.69	14.59	14.62	0-1	0.0
	75	0	14.64	14.60	14.56		0.0
DFT-s-OFDM 16QAM	1	1	14.55	14.83	14.81	0-1	0.0
CP-OFDM QPSK	1	1	14.66	14.42	14.40	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 124 of 225

Table I-132
NR Band n66 Measured P_{limit} Antenna 1 - 10 MHz

NR Band n66 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.66	14.51	14.50	0	0.0
	1	26	14.74	14.58	14.61		0.0
	1	50	14.69	14.56	14.54		0.0
	25	0	14.64	14.47	14.46	0-0.5	0.0
	25	14	14.63	14.46	14.45	0	0.0
	25	27	14.64	14.49	14.47	0-0.5	0.0
	50	0	14.61	14.47	14.44		0.0
DFT-s-OFDM QPSK	1	1	14.70	14.52	14.55	0	0.0
	1	26	14.77	14.61	14.56		0.0
	1	50	14.68	14.58	14.49		0.0
	25	0	14.68	14.51	14.51	0-1	0.0
	25	14	14.67	14.47	14.48	0	0.0
	25	27	14.68	14.48	14.46	0-1	0.0
	50	0	14.65	14.48	14.48		0.0
DFT-s-OFDM 16QAM	1	1	14.90	14.71	14.73	0-1	0.0
CP-OFDM QPSK	1	1	14.50	14.42	14.31	0-1.5	0.0

Table I-133
NR Band n66 Measured P_{limit} Antenna 1 - 5 MHz

NR Band n66 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.61	14.49	14.45	0	0.0
	1	13	14.59	14.43	14.44		0.0
	1	23	14.66	14.52	14.45		0.0
	12	0	14.58	14.46	14.42	0-0.5	0.0
	12	7	14.64	14.48	14.47	0	0.0
	12	13	14.57	14.42	14.44	0-0.5	0.0
	25	0	14.53	14.42	14.38		0.0
DFT-s-OFDM QPSK	1	1	14.59	14.51	14.49	0	0.0
	1	13	14.74	14.49	14.50		0.0
	1	23	14.62	14.54	14.51		0.0
	12	0	14.62	14.49	14.46	0-1	0.0
	12	7	14.61	14.48	14.48	0	0.0
	12	13	14.57	14.47	14.46	0-1	0.0
	25	0	14.57	14.45	14.43		0.0
DFT-s-OFDM 16QAM	1	1	14.72	14.77	14.68	0-1	0.0
CP-OFDM QPSK	1	1	14.37	14.31	14.21	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 125 of 225

Table I-134
NR Band n66 Measured P_{limit} Antenna 2b - 30 MHz

NR Band n66 30 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.45	0	0.0	
	1	80	14.47		0.0	
	1	158	14.49		0.0	
	80	0	14.43	0-0.5	0.0	
	80	40	14.45	0	0.0	
	80	80	14.50	0-0.5	0.0	
	160	0	14.42		0.0	
DFT-s-OFDM QPSK	1	1	14.44	0	0.0	
	1	80	14.48		0.0	
	1	158	14.50		0.0	
	80	0	14.42	0-1	0.0	
	80	40	14.43	0	0.0	
	80	80	14.47	0-1	0.0	
	160	0	14.43		0.0	
DFT-s-OFDM 16QAM	1	1	14.53	0-1	0.0	
CP-OFDM QPSK	1	1	14.34	0-1.5	0.0	

Table I-135
NR Band n66 Measured P_{limit} Antenna 2b - 20 MHz

NR Band n66 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.27	14.31	14.37	0	0.0
	1	53	14.32	14.24	14.40		0.0
	1	104	14.39	14.33	14.44		0.0
	50	0	14.31	14.22	14.39	0-0.5	0.0
	50	28	14.30	14.24	14.41	0	0.0
	50	56	14.33	14.30	14.46	0-0.5	0.0
	100	0	14.27	14.28	14.45		0.0
DFT-s-OFDM QPSK	1	1	14.34	14.41	14.37	0	0.0
	1	53	14.31	14.38	14.42		0.0
	1	104	14.36	14.43	14.45		0.0
	50	0	14.25	14.35	14.40	0-1	0.0
	50	28	14.27	14.31	14.39	0	0.0
	50	56	14.30	14.34	14.43	0-1	0.0
	100	0	14.30	14.28	14.41		0.0
DFT-s-OFDM 16QAM	1	1	14.47	14.52	14.60	0-1	0.0
CP-OFDM QPSK	1	1	14.24	14.22	14.28	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 126 of 225

Table I-136
NR Band n66 Measured P_{limit} Antenna 2b - 15 MHz

NR Band n66 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.28	14.35	14.33	0	0.0
	1	40	14.32	14.34	14.37		0.0
	1	77	14.36	14.42	14.22		0.0
	36	0	14.31	14.32	14.12	0-0.5	0.0
	36	22	14.26	14.30	14.14	0	0.0
	36	43	14.30	14.33	14.21	0-0.5	0.0
	75	0	14.26	14.30	14.18		0.0
DFT-s-OFDM QPSK	1	1	14.24	14.37	14.32	0	0.0
	1	40	14.31	14.30	14.28		0.0
	1	77	14.42	14.40	14.37		0.0
	36	0	14.25	14.34	14.33	0-1	0.0
	36	22	14.26	14.32	14.32	0	0.0
	36	43	14.32	14.31	14.35	0-1	0.0
	75	0	14.27	14.33	14.36		0.0
DFT-s-OFDM 16QAM	1	1	14.44	14.47	14.52	0-1	0.0
CP-OFDM QPSK	1	1	14.12	14.24	14.22	0-1.5	0.0

Table I-137
NR Band n66 Measured P_{limit} Antenna 2b - 10 MHz

NR Band n66 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.90	14.10	13.92	0	0.0
	1	26	14.03	14.17	13.96		0.0
	1	50	13.99	14.14	14.03		0.0
	25	0	13.90	14.04	13.95	0-0.5	0.0
	25	14	13.89	14.03	13.95	0	0.0
	25	27	13.92	14.07	13.96	0-0.5	0.0
	50	0	13.88	14.00	13.98		0.0
DFT-s-OFDM QPSK	1	1	13.93	14.07	14.02	0	0.0
	1	26	14.05	14.18	14.01		0.0
	1	50	14.02	14.12	14.04		0.0
	25	0	13.86	14.04	13.97	0-1	0.0
	25	14	13.87	14.08	13.90	0	0.0
	25	27	14.01	14.02	14.00	0-1	0.0
	50	0	13.90	14.05	14.00		0.0
DFT-s-OFDM 16QAM	1	1	14.03	14.33	14.18	0-1	0.0
CP-OFDM QPSK	1	1	13.75	14.02	13.85	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 127 of 225

Table I-138
NR Band n66 Measured P_{limit} Antenna 2b - 5 MHz

NR Band n66 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.07	14.17	13.96	0	0.0
	1	13	14.11	14.16	14.18		0.0
	1	23	14.08	14.09	14.04		0.0
	12	0	14.01	14.14	14.01	0-0.5	0.0
	12	7	14.09	14.18	14.07	0	0.0
	12	13	14.10	14.14	14.03	0-0.5	0.0
DFT-s-OFDM QPSK	25	0	14.01	14.12	14.02	0	0.0
	1	1	14.08	14.22	14.07		0.0
	1	13	14.10	14.28	14.12		0.0
	1	23	14.05	14.16	14.03	0.0	
	12	0	14.03	14.13	14.19	0-1	0.0
	12	7	13.96	14.19	14.02	0	0.0
DFT-s-OFDM 16QAM	12	13	14.02	14.10	14.05	0-1	0.0
	25	0	14.01	14.15	14.02		0.0
CP-OFDM QPSK	1	1	13.81	14.02	13.82	0-1.5	0.0

Table I-139
NR Band n66 Measured P_{limit} Antenna 3 - 30 MHz

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.58	0	0.0
	1	80	14.58		0.0
	1	158	14.44		0.0
	80	0	14.48	0-0.5	0.0
	80	40	14.55	0	0.0
	80	80	14.56	0-0.5	0.0
160	0	14.55	0.0		
DFT-s-OFDM QPSK	1	1	14.57	0	0.0
	1	80	14.59		0.0
	1	158	14.54		0.0
	80	0	14.45	0-1	0.0
	80	40	14.51	0	0.0
	80	80	14.56	0-1	0.0
160	0	14.57	0.0		
DFT-s-OFDM 16QAM	1	1	14.71	0-1	0.0
CP-OFDM QPSK	1	1	14.37	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 128 of 225

Table I-140
NR Band n66 Measured P_{limit} Antenna 3 - 20 MHz

NR Band n66 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.64	14.59	14.47	0	0.0
	1	53	14.54	14.44	14.35		0.0
	1	104	14.62	14.41	14.43		0.0
	50	0	14.62	14.48	14.39	0-0.5	0.0
	50	28	14.60	14.43	14.37	0	0.0
	50	56	14.61	14.40	14.37	0-0.5	0.0
DFT-s-OFDM QPSK	100	0	14.60	14.46	14.38	0-0.5	0.0
	1	1	14.73	14.61	14.52	0	0.0
	1	53	14.65	14.42	14.42		0.0
	1	104	14.70	14.44	14.41		0.0
	50	0	14.57	14.47	14.39	0-1	0.0
	50	28	14.56	14.46	14.36	0	0.0
50	56	14.58	14.43	14.37	0-1	0.0	
DFT-s-OFDM 16QAM	100	0	14.59	14.46	14.38	0-1	0.0
CP-OFDM QPSK	1	1	14.86	14.65	14.74	0-1	0.0
	1	1	14.58	14.37	14.32	0-1.5	0.0

Table I-141
NR Band n66 Measured P_{limit} Antenna 3 - 15 MHz

NR Band n66 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.68	14.50	14.37	0	0.0
	1	40	14.56	14.40	14.36		0.0
	1	77	14.62	14.43	14.32		0.0
	36	0	14.57	14.43	14.37	0-0.5	0.0
	36	22	14.52	14.39	14.27	0	0.0
	36	43	14.56	14.37	14.32	0-0.5	0.0
DFT-s-OFDM QPSK	75	0	14.57	14.42	14.35	0-0.5	0.0
	1	1	14.62	14.53	14.43	0	0.0
	1	40	14.61	14.47	14.32		0.0
	1	77	14.67	14.53	14.38		0.0
	36	0	14.60	14.46	14.35	0-1	0.0
	36	22	14.54	14.38	14.32	0	0.0
DFT-s-OFDM 16QAM	36	43	14.56	14.39	14.35	0-1	0.0
	75	0	14.57	14.45	14.34	0-1	0.0
CP-OFDM QPSK	1	1	14.82	14.70	14.69	0-1	0.0
	1	1	14.58	14.51	14.33	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 129 of 225

Table I-142
NR Band n66 Measured P_{limit} Antenna 3 - 10 MHz

NR Band n66 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.67	14.58	14.51	0	0.0
	1	26	14.61	14.53	14.41		0.0
	1	50	14.67	14.48	14.36		0.0
	25	0	14.60	14.49	14.45	0-0.5	0.0
	25	14	14.58	14.52	14.38	0	0.0
	25	27	14.55	14.49	14.40	0-0.5	0.0
	50	0	14.52	14.47	14.39		0.0
DFT-s-OFDM QPSK	1	1	14.71	14.59	14.55	0	0.0
	1	26	14.71	14.65	14.48		0.0
	1	50	14.73	14.53	14.43		0.0
	25	0	14.61	14.57	14.43	0-1	0.0
	25	14	14.57	14.50	14.40	0	0.0
	25	27	14.59	14.48	14.40	0-1	0.0
	50	0	14.58	14.49	14.39		0.0
DFT-s-OFDM 16QAM	1	1	14.82	14.71	14.76	0-1	0.0
CP-OFDM QPSK	1	1	14.52	14.36	14.42	0-1.5	0.0

Table I-143
NR Band n66 Measured P_{limit} Antenna 3 - 5 MHz

NR Band n66 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.54	14.54	14.35	0	0.0
	1	13	14.68	14.57	14.44		0.0
	1	23	14.67	14.47	14.42		0.0
	12	0	14.54	14.48	14.38	0-0.5	0.0
	12	7	14.61	14.47	14.40	0	0.0
	12	13	14.60	14.44	14.32	0-0.5	0.0
	25	0	14.55	14.45	14.35		0.0
DFT-s-OFDM QPSK	1	1	14.61	14.57	14.32	0	0.0
	1	13	14.63	14.52	14.42		0.0
	1	23	14.64	14.45	14.41		0.0
	12	0	14.58	14.52	14.34	0-1	0.0
	12	7	14.59	14.55	14.32	0	0.0
	12	13	14.58	14.51	14.35	0-1	0.0
	25	0	14.58	14.48	14.34		0.0
DFT-s-OFDM 16QAM	1	1	14.82	14.74	14.64	0-1	0.0
CP-OFDM QPSK	1	1	14.52	14.44	14.25	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 130 of 225

Table I-144
NR Band n66 Measured P_{limit} Antenna 4b - 30 MHz

NR Band n66 30 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.32	0	0.0	
	1	80	12.36		0.0	
	1	158	12.27		0.0	
	80	0	12.27	0-0.5	0.0	
	80	40	12.27	0	0.0	
	80	80	12.22	0-0.5	0.0	
	160	0	12.38		0.0	
DFT-s-OFDM QPSK	1	1	12.42	0	0.0	
	1	80	12.30		0.0	
	1	158	12.36		0.0	
	80	0	12.30	0-1	0.0	
	80	40	12.31	0	0.0	
	80	80	12.30	0-1	0.0	
	160	0	12.28		0.0	
DFT-s-OFDM 16QAM	1	1	12.25	0-1	0.0	
CP-OFDM QPSK	1	1	12.12	0-1.5	0.0	

Table I-145
NR Band n66 Measured P_{limit} Antenna 4b - 20 MHz

NR Band n66 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.25	12.21	12.21	0	0.0
	1	53	12.20	12.11	12.15		0.0
	1	104	12.25	12.23	12.24		0.0
	50	0	12.19	12.07	12.18	0-0.5	0.0
	50	28	12.26	12.06	12.13	0	0.0
	50	56	12.22	12.09	12.13	0-0.5	0.0
	100	0	12.22	12.04	12.16		0.0
DFT-s-OFDM QPSK	1	1	12.23	12.26	12.18	0	0.0
	1	53	12.26	12.13	12.11		0.0
	1	104	12.33	12.29	12.17		0.0
	50	0	12.20	12.20	12.11	0-1	0.0
	50	28	12.19	12.07	12.13	0	0.0
	50	56	12.19	12.09	12.12	0-1	0.0
	100	0	12.17	12.09	12.10		0.0
DFT-s-OFDM 16QAM	1	1	12.33	12.30	12.26	0-1	0.0
CP-OFDM QPSK	1	1	12.14	12.12	12.09	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 131 of 225

Table I-146
NR Band n66 Measured P_{limit} Antenna 4b - 15 MHz

NR Band n66 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
			343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.26	12.27	12.24	0	0.0	
	1	40	12.18	12.19	12.16		0.0	
	1	77	12.25	12.22	12.13		0.0	
		36	0	12.17	12.15	12.06	0-0.5	0.0
		36	22	12.16	12.10	12.06	0	0.0
		36	43	12.25	12.14	12.08	0-0.5	0.0
		75	0	12.20	12.18	12.09		0.0
DFT-s-OFDM QPSK	1	1	12.30	12.27	12.33	0	0.0	
	1	40	12.27	12.15	12.17		0.0	
	1	77	12.37	12.20	12.26		0.0	
		36	0	12.23	12.22	12.17	0-1	0.0
		36	22	12.21	12.09	12.13	0	0.0
		36	43	12.26	12.19	12.10	0-1	0.0
		75	0	12.16	12.16	12.10		0.0
DFT-s-OFDM 16QAM	1	1	12.39	12.46	12.47	0-1	0.0	
CP-OFDM QPSK	1	1	12.15	12.22	12.12	0-1.5	0.0	

Table I-147
NR Band n66 Measured P_{limit} Antenna 4b - 10 MHz

NR Band n66 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.34	12.29	12.32	0	0.0	
	1	26	12.38	12.36	12.19		0.0	
	1	50	12.39	12.34	12.28		0.0	
		25	0	12.23	12.29	12.22	0-0.5	0.0
		25	14	12.32	12.26	12.16	0	0.0
		25	27	12.35	12.25	12.16	0-0.5	0.0
		50	0	12.27	12.30	12.17		0.0
DFT-s-OFDM QPSK	1	1	12.34	12.33	12.26	0	0.0	
	1	26	12.42	12.37	12.39		0.0	
	1	50	12.34	12.30	12.30		0.0	
		25	0	12.33	12.24	12.25	0-1	0.0
		25	14	12.30	12.31	12.18	0	0.0
		25	27	12.30	12.26	12.21	0-1	0.0
		50	0	12.27	12.23	12.19		0.0
DFT-s-OFDM 16QAM	1	1	12.41	12.48	12.43	0-1	0.0	
CP-OFDM QPSK	1	1	12.07	12.25	12.19	0-1.5	0.0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 132 of 225

Table I-148
NR Band n66 Measured P_{limit} Antenna 4b - 5 MHz

NR Band n66 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.32	12.34	12.29	0	0.0
	1	13	12.32	12.33	12.24		0.0
	1	23	12.32	12.21	12.21		0.0
	12	0	12.26	12.24	12.20	0-0.5	0.0
	12	7	12.41	12.28	12.14	0	0.0
	12	13	12.24	12.25	12.21	0-0.5	0.0
25	0	12.26	12.19	12.15	0.0		
DFT-s-OFDM QPSK	1	1	12.32	12.30	12.27	0	0.0
	1	13	12.30	12.30	12.32		0.0
	1	23	12.41	12.26	12.28		0.0
	12	0	12.42	12.24	12.19	0-1	0.0
	12	7	12.22	12.17	12.17	0	0.0
	12	13	12.26	12.26	12.21	0-1	0.0
25	0	12.26	12.28	12.12	0.0		
DFT-s-OFDM 16QAM	1	1	12.46	12.44	12.45	0-1	0.0
CP-OFDM QPSK	1	1	12.14	12.18	12.05	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 133 of 225

I.2.7

NR Band n70

Table I-149
NR Band n70 Measured P_{limit} Antenna 1 - 10 MHz

NR Band n70 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1		14.57	0	0.0
	1	26		14.71		0.0
	1	50		14.66		0.0
	25	0		14.64	0-0.5	0.0
	25	14		14.65	0	0.0
	25	27		14.66	0-0.5	0.0
	50	0		14.62		0.0
DFT-s-OFDM QPSK	1	1		14.68	0	0.0
	1	26		14.79		0.0
	1	50		14.67		0.0
	25	0		14.60	0-1	0.0
	25	14		14.63	0	0.0
	25	27		14.61	0-1	0.0
	50	0		14.65		0.0
DFT-s-OFDM 16QAM	1	1		14.51	0-1	0.0
CP-OFDM QPSK	1	1		14.66	0-1.5	0.0

Table I-150
NR Band n70 Measured P_{limit} Antenna 1 - 5 MHz

NR Band n70 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.71	14.76	0	0.0
	1	13	14.62	14.74		0.0
	1	23	14.73	14.75		0.0
	12	0	14.70	14.71	0-0.5	0.0
	12	7	14.65	14.66	0	0.0
	12	13	14.68	14.68	0-0.5	0.0
	25	0	14.67	14.69		0.0
DFT-s-OFDM QPSK	1	1	14.66	14.80	0	0.0
	1	13	14.75	14.76		0.0
	1	23	14.73	14.78		0.0
	12	0	14.71	14.73	0-1	0.0
	12	7	14.63	14.69	0	0.0
	12	13	14.70	14.71	0-1	0.0
	25	0	14.73	14.70		0.0
DFT-s-OFDM 16QAM	1	1	14.95	14.99	0-1	0.0
CP-OFDM QPSK	1	1	14.58	14.52	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 134 of 225

Table I-151
NR Band n70 Measured P_{limit} Antenna 2b - 10 MHz

NR Band n70 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.10		0	0.0
	1	26	14.12			0.0
	1	50	14.07			0.0
	25	0	14.03		0-0.5	0.0
	25	14	14.06		0	0.0
	25	27	14.09		0-0.5	0.0
	50	0	14.01			0.0
DFT-s-OFDM QPSK	1	1	14.11		0	0.0
	1	26	14.13			0.0
	1	50	14.14			0.0
	25	0	14.04		0-1	0.0
	25	14	14.03		0	0.0
	25	27	14.02		0-1	0.0
	50	0	14.01			0.0
DFT-s-OFDM 16QAM	1	1	14.03		0-1	0.0
CP-OFDM QPSK	1	1	14.02		0-1.5	0.0

Table I-152
NR Band n70 Measured P_{limit} Antenna 2b - 5 MHz

NR Band n70 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.01	14.12	0	0.0
	1	13	14.08	14.13		0.0
	1	23	14.14	14.11		0.0
	12	0	14.01	14.02	0-0.5	0.0
	12	7	14.00	14.05	0	0.0
	12	13	14.04	14.07	0-0.5	0.0
	25	0	13.97	13.97		0.0
DFT-s-OFDM QPSK	1	1	14.05	14.03	0	0.0
	1	13	14.09	14.04		0.0
	1	23	14.10	14.16		0.0
	12	0	14.05	14.06	0-1	0.0
	12	7	14.08	14.05	0	0.0
	12	13	14.07	14.05	0-1	0.0
	25	0	14.05	14.03		0.0
DFT-s-OFDM 16QAM	1	1	14.28	14.29	0-1	0.0
CP-OFDM QPSK	1	1	13.82	13.85	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 135 of 225

Table I-153
NR Band n70 Measured P_{limit} Antenna 3 - 10 MHz

NR Band n70 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.40		0	0.0
	1	26	14.43			0.0
	1	50	14.37			0.0
	25	0	14.49		0-0.5	0.0
	25	14	14.33		0	0.0
	25	27	14.38		0-0.5	0.0
	50	0	14.36			0.0
DFT-s-OFDM QPSK	1	1	14.41		0	0.0
	1	26	14.46			0.0
	1	50	14.35			0.0
	25	0	14.40		0-1	0.0
	25	14	14.37		0	0.0
	25	27	14.34		0-1	0.0
	50	0	14.36			0.0
DFT-s-OFDM 16QAM	1	1	14.32		0-1	0.0
CP-OFDM QPSK	1	1	14.49		0-1.5	0.0

Table I-154
NR Band n70 Measured P_{limit} Antenna 3 - 5 MHz

NR Band n70 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.45	14.52	0	0.0
	1	13	14.51	14.42		0.0
	1	23	14.44	14.45		0.0
	12	0	14.35	14.36	0-0.5	0.0
	12	7	14.41	14.29	0	0.0
	12	13	14.40	14.32	0-0.5	0.0
	25	0	14.34	14.35		0.0
DFT-s-OFDM QPSK	1	1	14.44	14.48	0	0.0
	1	13	14.45	14.47		0.0
	1	23	14.55	14.46		0.0
	12	0	14.32	14.31	0-1	0.0
	12	7	14.37	14.30	0	0.0
	12	13	14.40	14.35	0-1	0.0
	25	0	14.42	14.34		0.0
DFT-s-OFDM 16QAM	1	1	14.33	14.32	0-1	0.0
CP-OFDM QPSK	1	1	14.42	14.45	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 136 of 225

Table I-155
NR Band n70 Measured P_{limit} Antenna 4b - 10 MHz

NR Band n70 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.32		0	0.0
	1	26	12.39			0.0
	1	50	12.42			0.0
	25	0	12.30		0-0.5	0.0
	25	14	12.37		0	0.0
	25	27	12.41		0-0.5	0.0
	50	0	12.33			0.0
DFT-s-OFDM QPSK	1	1	12.37		0	0.0
	1	26	12.44			0.0
	1	50	12.44			0.0
	25	0	12.32		0-1	0.0
	25	14	12.38		0	0.0
	25	27	12.35		0-1	0.0
	50	0	12.34			0.0
DFT-s-OFDM 16QAM	1	1	12.64		0-1	0.0
CP-OFDM QPSK	1	1	12.19		0-1.5	0.0

Table I-156
NR Band n70 Measured P_{limit} Antenna 4b - 5 MHz

NR Band n70 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.35	12.35	0	0.0
	1	13	12.36	12.46		0.0
	1	23	12.34	12.41		0.0
	12	0	12.31	12.33	0-0.5	0.0
	12	7	12.33	12.37	0	0.0
	12	13	12.33	12.37	0-0.5	0.0
	25	0	12.31	12.34		0.0
DFT-s-OFDM QPSK	1	1	12.34	12.41	0	0.0
	1	13	12.37	12.43		0.0
	1	23	12.37	12.38		0.0
	12	0	12.35	12.34	0-1	0.0
	12	7	12.37	12.37	0	0.0
	12	13	12.34	12.39	0-1	0.0
	25	0	12.34	12.38		0.0
DFT-s-OFDM 16QAM	1	1	12.53	12.59	0-1	0.0
CP-OFDM QPSK	1	1	12.20	12.24	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 137 of 225

I.2.8

NR Band n25

Table I-157
NR Band n25 Measured P_{limit} Antenna 1 - 30 MHz

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.48	0	0.0
	1	80	14.57		0.0
	1	158	14.54		0.0
	80	0	14.55	0-0.5	0.0
	80	40	14.52	0	0.0
	80	80	14.51	0-0.5	0.0
	160	0	14.58		0.0
DFT-s-OFDM QPSK	1	1	14.50	0	0.0
	1	80	14.62		0.0
	1	158	14.52		0.0
	80	0	14.56	0-1	0.0
	80	40	14.55	0	0.0
	80	80	14.53	0-1	0.0
	160	0	14.58		0.0
DFT-s-OFDM 16QAM	1	1	14.38	0-1	0.0
CP-OFDM QPSK	1	1	14.48	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 138 of 225

Table I-158
NR Band n25 Measured P_{limit} Antenna 1 - 25 MHz

NR Band n25 25 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.49	0	0.0	
	1	67	14.40		0.0	
	1	131	14.37		0.0	
	64	0	14.37	0-0.5	0.0	
	64	35	14.35	0	0.0	
	64	69	14.32	0-0.5	0.0	
	128	0	14.41		0.0	
DFT-s-OFDM QPSK	1	1	14.53	0	0.0	
	1	67	14.44		0.0	
	1	131	14.42		0.0	
	64	0	14.38	0-1	0.0	
	64	35	14.32	0	0.0	
	64	69	14.31	0-1	0.0	
	128	0	14.38		0.0	
DFT-s-OFDM 16QAM	1	1	14.67	0-1	0.0	
CP-OFDM QPSK	1	1	14.45	0-1.5	0.0	

Table I-159
NR Band n25 Measured P_{limit} Antenna 1 - 20 MHz

NR Band n25 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.53	14.47	14.38	0	0.0
	1	53	14.47	14.45	14.29		0.0
	1	104	14.42	14.38	14.30		0.0
	50	0	14.44	14.35	14.31	0-0.5	0.0
	50	28	14.43	14.36	14.28	0	0.0
	50	56	14.38	14.33	14.27	0-0.5	0.0
	100	0	14.45	14.34	14.30		0.0
DFT-s-OFDM QPSK	1	1	14.50	14.53	14.36	0	0.0
	1	53	14.45	14.41	14.32		0.0
	1	104	14.49	14.36	14.31		0.0
	50	0	14.45	14.36	14.27	0-1	0.0
	50	28	14.40	14.39	14.28	0	0.0
	50	56	14.39	14.34	14.26	0-1	0.0
	100	0	14.45	14.37	14.27		0.0
DFT-s-OFDM 16QAM	1	1	14.74	14.67	14.57	0-1	0.0
CP-OFDM QPSK	1	1	14.37	14.31	14.12	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 139 of 225

Table I-160
NR Band n25 Measured P_{limit} Antenna 1 - 15 MHz

NR Band n25 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.52	14.52	14.28	0	0.0
	1	40	14.52	14.40	14.26		0.0
	1	77	14.54	14.46	14.27		0.0
	36	0	14.45	14.30	14.22	0-0.5	0.0
	36	22	14.44	14.26	14.18	0	0.0
	36	43	14.43	14.25	14.16	0-0.5	0.0
	75	0	14.41	14.26	14.15		0.0
DFT-s-OFDM QPSK	1	1	14.56	14.43	14.33	0	0.0
	1	40	14.52	14.43	14.23		0.0
	1	77	14.54	14.39	14.27		0.0
	36	0	14.48	14.40	14.34	0-1	0.0
	36	22	14.46	14.28	14.21	0	0.0
	36	43	14.47	14.27	14.15	0-1	0.0
	75	0	14.46	14.33	14.21		0.0
DFT-s-OFDM 16QAM	1	1	14.79	14.37	14.51	0-1	0.0
CP-OFDM QPSK	1	1	14.50	14.48	14.18	0-1.5	0.0

Table I-161
NR Band n25 Measured P_{limit} Antenna 1 - 10 MHz

NR Band n25 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.35	14.48	14.32	0	0.0
	1	26	14.38	14.44	14.33		0.0
	1	50	14.35	14.41	14.36		0.0
	25	0	14.38	14.42	14.28	0-0.5	0.0
	25	14	14.38	14.41	14.33	0	0.0
	25	27	14.41	14.40	14.34	0-0.5	0.0
	50	0	14.38	14.44	14.27		0.0
DFT-s-OFDM QPSK	1	1	14.45	14.50	14.36	0	0.0
	1	26	14.44	14.42	14.37		0.0
	1	50	14.40	14.42	14.41		0.0
	25	0	14.38	14.45	14.33	0-1	0.0
	25	14	14.39	14.39	14.33	0	0.0
	25	27	14.37	14.42	14.28	0-1	0.0
	50	0	14.42	14.40	14.30		0.0
DFT-s-OFDM 16QAM	1	1	14.62	14.66	14.52	0-1	0.0
CP-OFDM QPSK	1	1	14.17	14.32	14.11	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 140 of 225

Table I-162
NR Band n25 Measured P_{limit} Antenna 1 - 5 MHz

NR Band n25 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.42	14.48	14.34	0	0.0
	1	13	14.33	14.42	14.32		0.0
	1	23	14.46	14.46	14.36		0.0
	12	0	14.40	14.44	14.35	0-0.5	0.0
	12	7	14.39	14.41	14.35	0	0.0
	12	13	14.36	14.38	14.39	0-0.5	0.0
	25	0	14.33	14.37	14.41		0.0
DFT-s-OFDM QPSK	1	1	14.44	14.51	14.33	0	0.0
	1	13	14.41	14.44	14.35		0.0
	1	23	14.51	14.42	14.30		0.0
	12	0	14.38	14.47	14.31	0-1	0.0
	12	7	14.34	14.41	14.27	0	0.0
	12	13	14.33	14.42	14.33	0-1	0.0
	25	0	14.37	14.42	14.34		0.0
DFT-s-OFDM 16QAM	1	1	14.66	14.69	14.53	0-1	0.0
CP-OFDM QPSK	1	1	14.23	14.29	14.15	0-1.5	0.0

Table I-163
NR Band n25 Measured P_{limit} Antenna 2b - 30 MHz

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.14	0	0.0
	1	80	13.14		0.0
	1	158	13.15		0.0
	80	0	13.13	0-0.5	0.0
	80	40	13.16	0	0.0
	80	80	13.19	0-0.5	0.0
	160	0	13.20		0.0
DFT-s-OFDM QPSK	1	1	13.12	0	0.0
	1	80	13.18		0.0
	1	158	13.20		0.0
	80	0	13.06	0-1	0.0
	80	40	13.18	0	0.0
	80	80	13.13	0-1	0.0
	160	0	13.20		0.0
DFT-s-OFDM 16QAM	1	1	13.38	0-1	0.0
CP-OFDM QPSK	1	1	13.03	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 141 of 225

Table I-164
NR Band n25 Measured P_{limit} Antenna 2b - 25 MHz

NR Band n25 25 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)				
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.23			0	0.0
	1	67	13.15				0.0
	1	131	13.20				0.0
	64	0	13.12			0-0.5	0.0
	64	35	13.12			0	0.0
	64	69	13.15			0-0.5	0.0
	128	0	13.17				0.0
DFT-s-OFDM QPSK	1	1	13.26			0	0.0
	1	67	13.17				0.0
	1	131	13.18				0.0
	64	0	13.16			0-1	0.0
	64	35	13.16			0	0.0
	64	69	13.12			0-1	0.0
	128	0	13.14				0.0
DFT-s-OFDM 16QAM	1	1	13.52			0-1	0.0
CP-OFDM QPSK	1	1	13.09			0-1.5	0.0

Table I-165
NR Band n25 Measured P_{limit} Antenna 2b - 20 MHz

NR Band n25 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.18	13.25	13.21	0	0.0
	1	53	13.22	13.22	13.14		0.0
	1	104	13.16	13.24	13.18		0.0
	50	0	13.17	13.17	13.13	0-0.5	0.0
	50	28	13.15	13.16	13.12	0	0.0
	50	56	13.14	13.13	13.13	0-0.5	0.0
	100	0	13.20	13.17	13.14		0.0
DFT-s-OFDM QPSK	1	1	13.24	13.27	13.18	0	0.0
	1	53	13.25	13.29	13.24		0.0
	1	104	13.18	13.25	13.22		0.0
	50	0	13.14	13.14	13.14	0-1	0.0
	50	28	13.17	13.15	13.09	0	0.0
	50	56	13.16	13.14	13.08	0-1	0.0
	100	0	13.14	13.15	13.13		0.0
DFT-s-OFDM 16QAM	1	1	13.38	13.08	13.43	0-1	0.0
CP-OFDM QPSK	1	1	13.15	13.20	13.04	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 142 of 225

Table I-166
NR Band n25 Measured P_{limit} Antenna 2b - 15 MHz

NR Band n25 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.24	13.28	13.18	0	0.0
	1	40	13.21	13.18	13.16		0.0
	1	77	13.25	13.24	13.18		0.0
	36	0	13.18	13.17	13.07	0-0.5	0.0
	36	22	13.18	13.12	13.04	0	0.0
	36	43	13.19	13.10	13.08	0-0.5	0.0
	75	0	13.22	13.13	13.11		0.0
DFT-s-OFDM QPSK	1	1	13.28	13.24	13.23	0	0.0
	1	40	13.26	13.20	13.15		0.0
	1	77	13.30	13.21	13.15		0.0
	36	0	13.20	13.17	13.14	0-1	0.0
	36	22	13.19	13.13	13.11	0	0.0
	36	43	13.22	13.17	13.07	0-1	0.0
	75	0	13.17	13.15	13.12		0.0
DFT-s-OFDM 16QAM	1	1	13.56	13.47	13.44	0-1	0.0
CP-OFDM QPSK	1	1	13.15	13.12	12.96	0-1.5	0.0

Table I-167
NR Band n25 Measured P_{limit} Antenna 2b - 10 MHz

NR Band n25 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.20	13.30	13.25	0	0.0
	1	26	13.24	13.21	13.21		0.0
	1	50	13.21	13.22	13.23		0.0
	25	0	13.19	13.26	13.17	0-0.5	0.0
	25	14	13.13	13.19	13.15	0	0.0
	25	27	13.19	13.18	13.17	0-0.5	0.0
	50	0	13.16	13.24	13.17		0.0
DFT-s-OFDM QPSK	1	1	13.17	13.24	13.27	0	0.0
	1	26	13.22	13.28	13.22		0.0
	1	50	13.13	13.22	13.20		0.0
	25	0	13.14	13.28	13.22	0-1	0.0
	25	14	13.17	13.25	13.16	0	0.0
	25	27	13.17	13.22	13.18	0-1	0.0
	50	0	13.18	13.22	13.18		0.0
DFT-s-OFDM 16QAM	1	1	13.37	13.48	13.47	0-1	0.0
CP-OFDM QPSK	1	1	13.05	13.06	12.94	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 143 of 225

Table I-168
NR Band n25 Measured P_{limit} Antenna 2b - 5 MHz

NR Band n25 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.22	13.34	13.17	0	0.0
	1	13	13.11	13.25	13.18		0.0
	1	23	13.23	13.26	13.23		0.0
	12	0	13.18	13.26	13.16	0-0.5	0.0
	12	7	13.15	13.25	13.14	0	0.0
	12	13	13.17	13.24	13.17	0-0.5	0.0
	25	0	13.14	13.23	13.14		0.0
DFT-s-OFDM QPSK	1	1	13.25	13.30	13.21	0	0.0
	1	13	13.19	13.21	13.22		0.0
	1	23	13.18	13.30	13.21		0.0
	12	0	13.18	13.21	13.17	0-1	0.0
	12	7	13.17	13.23	13.16	0	0.0
	12	13	13.18	13.24	13.14	0-1	0.0
	25	0	13.16	13.21	13.19		0.0
DFT-s-OFDM 16QAM	1	1	13.51	13.51	13.43	0-1	0.0
CP-OFDM QPSK	1	1	13.02	13.19	13.02	0-1.5	0.0

Table I-169
NR Band n25 Measured P_{limit} Antenna 3 - 30 MHz

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.01	0	0.0
	1	80	16.10		0.0
	1	158	15.98		0.0
	80	0	15.97	0-0.5	0.0
	80	40	16.04	0	0.0
	80	80	16.04	0-0.5	0.0
	160	0	15.98		0.0
DFT-s-OFDM QPSK	1	1	16.03	0	0.0
	1	80	16.14		0.0
	1	158	15.94		0.0
	80	0	15.99	0-1	0.0
	80	40	16.07	0	0.0
	80	80	16.06	0-1	0.0
	160	0	15.97		0.0
DFT-s-OFDM 16QAM	1	1	16.26	0-1	0.0
CP-OFDM QPSK	1	1	15.82	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 144 of 225

Table I-170
NR Band n25 Measured P_{limit} Antenna 3 - 25 MHz

NR Band n25 25 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	15.96	0	0.0	
	1	67	15.92		0.0	
	1	131	15.94		0.0	
	64	0	15.93	0-0.5	0.0	
	64	35	15.91	0	0.0	
	64	69	15.91	0-0.5	0.0	
	128	0	15.89		0.0	
DFT-s-OFDM QPSK	1	1	16.02	0	0.0	
	1	67	15.97		0.0	
	1	131	15.97		0.0	
	64	0	15.89	0-1	0.0	
	64	35	15.92	0	0.0	
	64	69	15.88	0-1	0.0	
	128	0	15.89		0.0	
DFT-s-OFDM 16QAM	1	1	16.23	0-1	0.0	
CP-OFDM QPSK	1	1	15.81	0-1.5	0.0	

Table I-171
NR Band n25 Measured P_{limit} Antenna 3 - 20 MHz

NR Band n25 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.04	15.97	15.94	0	0.0
	1	53	16.00	16.02	15.94		0.0
	1	104	15.94	15.97	15.91		0.0
	50	0	15.98	15.96	15.88	0-0.5	0.0
	50	28	16.01	15.94	15.92	0	0.0
	50	56	15.95	15.97	15.91	0-0.5	0.0
	100	0	16.01	15.98	15.95		0.0
DFT-s-OFDM QPSK	1	1	16.06	16.08	15.96	0	0.0
	1	53	16.04	16.08	16.04		0.0
	1	104	16.01	15.98	15.92		0.0
	50	0	15.98	15.98	15.93	0-1	0.0
	50	28	15.98	15.97	15.91	0	0.0
	50	56	15.98	15.90	15.87	0-1	0.0
	100	0	15.97	15.97	15.92		0.0
DFT-s-OFDM 16QAM	1	1	16.27	16.36	16.15	0-1	0.0
CP-OFDM QPSK	1	1	15.88	15.91	15.83	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 145 of 225

Table I-172
NR Band n25 Measured P_{limit} Antenna 3 - 15 MHz

NR Band n25 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.08	16.15	16.02	0	0.0
	1	40	16.06	16.03	16.01		0.0
	1	77	16.01	16.04	16.02		0.0
	36	0	15.98	16.02	15.95	0-0.5	0.0
	36	22	16.03	15.97	15.91	0	0.0
	36	43	16.01	15.96	15.89	0-0.5	0.0
DFT-s-OFDM QPSK	1	1	16.10	16.17	16.02	0	0.0
	1	40	16.08	16.08	16.02		0.0
	1	77	16.02	16.11	16.01		0.0
	36	0	16.03	15.97	15.91	0-1	0.0
	36	22	16.02	16.02	15.98	0	0.0
	36	43	15.98	15.98	15.93	0-1	0.0
DFT-s-OFDM 16QAM	1	1	16.32	16.25	16.25	0-1	0.0
CP-OFDM QPSK	1	1	15.88	16.01	15.83	0-1.5	0.0

Table I-173
NR Band n25 Measured P_{limit} Antenna 3 - 10 MHz

NR Band n25 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	15.94	16.02	16.01	0	0.0
	1	26	15.90	16.07	15.93		0.0
	1	50	15.93	16.03	15.94		0.0
	25	0	15.92	16.00	15.96	0-0.5	0.0
	25	14	15.90	15.97	15.93	0	0.0
	25	27	15.91	15.99	15.94	0-0.5	0.0
DFT-s-OFDM QPSK	1	1	15.93	15.97	16.02	0	0.0
	1	26	15.98	16.03	15.97		0.0
	1	50	15.88	16.02	15.93		0.0
	25	0	15.94	15.99	15.92	0-1	0.0
	25	14	15.97	16.00	15.95	0	0.0
	25	27	15.93	15.99	15.94	0-1	0.0
DFT-s-OFDM 16QAM	1	1	16.19	15.90	16.27	0-1	0.0
CP-OFDM QPSK	1	1	15.77	16.02	15.80	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 146 of 225

Table I-174
NR Band n25 Measured P_{limit} Antenna 3 - 5 MHz

NR Band n25 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.10	16.14	16.03	0	0.0
	1	13	16.04	16.04	16.05		0.0
	1	23	16.02	16.07	16.02		0.0
	12	0	16.06	16.06	16.03	0-0.5	0.0
	12	7	16.03	16.07	16.01	0	0.0
	12	13	16.01	16.06	16.04	0-0.5	0.0
DFT-s-OFDM QPSK	25	0	15.98	16.02	15.99	0	0.0
	1	1	16.15	16.15	16.05	0	0.0
	1	13	16.03	16.07	16.02		0.0
	1	23	16.05	16.13	16.07		0.0
	12	0	16.02	16.11	16.04	0-1	0.0
	12	7	16.06	16.04	15.98	0	0.0
12	13	16.02	16.11	16.04	0-1	0.0	
DFT-s-OFDM 16QAM	25	0	16.06	16.02	16.01	0-1	0.0
CP-OFDM QPSK	1	1	15.87	15.96	15.83	0-1.5	0.0

Table I-175
NR Band n25 Measured P_{limit} Antenna 4b - 30 MHz

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.14	0	0.0
	1	80	12.24		0.0
	1	158	12.08		0.0
	80	0	12.16	0-0.5	0.0
	80	40	12.18	0	0.0
	80	80	12.11	0-0.5	0.0
DFT-s-OFDM QPSK	160	0	12.23	0	0.0
	1	1	12.15	0	0.0
	1	80	12.22		0.0
	1	158	12.09		0.0
	80	0	12.13	0-1	0.0
	80	40	12.17	0	0.0
80	80	12.14	0-1	0.0	
160	0	12.21	0-1	0.0	
DFT-s-OFDM 16QAM	1	1	12.37	0-1	0.0
CP-OFDM QPSK	1	1	12.08	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 147 of 225

Table I-176
NR Band n25 Measured P_{limit} Antenna 4b - 25 MHz

NR Band n25 25 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)				
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.15			0	0.0
	1	67	12.11				0.0
	1	131	12.06				0.0
	64	0	12.07			0-0.5	0.0
	64	35	12.03			0	0.0
	64	69	12.01			0-0.5	0.0
	128	0	12.06				0.0
DFT-s-OFDM QPSK	1	1	12.14			0	0.0
	1	67	12.09				0.0
	1	131	12.08				0.0
	64	0	12.01			0-1	0.0
	64	35	12.08			0	0.0
	64	69	12.01			0-1	0.0
	128	0	12.06				0.0
DFT-s-OFDM 16QAM	1	1	12.36			0-1	0.0
CP-OFDM QPSK	1	1	12.07			0-1.5	0.0

Table I-177
NR Band n25 Measured P_{limit} Antenna 4b - 20 MHz

NR Band n25 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.23	12.21	12.17	0	0.0
	1	53	12.21	12.21	12.12		0.0
	1	104	12.22	12.18	12.11		0.0
	50	0	12.24	12.16	12.09	0-0.5	0.0
	50	28	12.23	12.16	12.10	0	0.0
	50	56	12.22	12.11	12.03	0-0.5	0.0
	100	0	12.19	12.17	12.08		0.0
DFT-s-OFDM QPSK	1	1	12.20	12.24	12.18	0	0.0
	1	53	12.23	12.19	12.15		0.0
	1	104	12.25	12.23	12.17		0.0
	50	0	12.22	12.17	12.08	0-1	0.0
	50	28	12.23	12.13	12.08	0	0.0
	50	56	12.21	12.11	12.10	0-1	0.0
100	0	12.21	12.17	12.11	0.0		
DFT-s-OFDM 16QAM	1	1	12.45	12.38	12.38	0-1	0.0
CP-OFDM QPSK	1	1	12.02	12.08	12.02	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 148 of 225

Table I-178
NR Band n25 Measured P_{limit} Antenna 4b - 15 MHz

NR Band n25 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.35	12.30	12.15	0	0.0
	1	40	12.28	12.24	12.12		0.0
	1	77	12.34	12.21	12.19		0.0
	36	0	12.23	12.16	12.10	0-0.5	0.0
	36	22	12.18	12.18	12.08	0	0.0
	36	43	12.19	12.12	12.06	0-0.5	0.0
	75	0	12.21	12.14	12.12		0.0
DFT-s-OFDM QPSK	1	1	12.31	12.29	12.19	0	0.0
	1	40	12.31	12.25	12.16		0.0
	1	77	12.31	12.26	12.13		0.0
	36	0	12.28	12.19	12.10	0-1	0.0
	36	22	12.22	12.13	12.11	0	0.0
	36	43	12.25	12.16	12.12	0-1	0.0
	75	0	12.20	12.16	12.09		0.0
DFT-s-OFDM 16QAM	1	1	12.22	12.53	12.34	0-1	0.0
CP-OFDM QPSK	1	1	12.25	12.17	12.13	0-1.5	0.0

Table I-179
NR Band n25 Measured P_{limit} Antenna 4b - 10 MHz

NR Band n25 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.17	12.23	12.13	0	0.0
	1	26	12.25	12.26	12.16		0.0
	1	50	12.21	12.24	12.11		0.0
	25	0	12.23	12.27	12.07	0-0.5	0.0
	25	14	12.18	12.26	12.03	0	0.0
	25	27	12.28	12.24	12.08	0-0.5	0.0
	50	0	12.20	12.25	12.06		0.0
DFT-s-OFDM QPSK	1	1	12.24	12.37	12.15	0	0.0
	1	26	12.23	12.30	12.12		0.0
	1	50	12.25	12.22	12.14		0.0
	25	0	12.21	12.32	12.07	0-1	0.0
	25	14	12.20	12.27	12.13	0	0.0
	25	27	12.21	12.24	12.13	0-1	0.0
	50	0	12.24	12.28	12.12		0.0
DFT-s-OFDM 16QAM	1	1	12.42	12.48	12.33	0-1	0.0
CP-OFDM QPSK	1	1	12.03	12.12	12.05	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 149 of 225

Table I-180
NR Band n25 Measured P_{limit} Antenna 4b - 5 MHz

NR Band n25 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.24	12.31	12.08	0	0.0
	1	13	12.22	12.34	12.12		0.0
	1	23	12.27	12.32	12.09		0.0
	12	0	12.26	12.24	12.15	0-0.5	0.0
	12	7	12.17	12.26	12.07	0	0.0
	12	13	12.18	12.25	12.08	0-0.5	0.0
DFT-s-OFDM QPSK	25	0	12.20	12.22	12.09	0	0.0
	1	1	12.27	12.36	12.14		0.0
	1	13	12.26	12.27	12.11		0.0
	1	23	12.33	12.34	12.06	0	0.0
	12	0	12.18	12.23	12.08	0-1	0.0
	12	7	12.16	12.23	12.07	0	0.0
DFT-s-OFDM 16QAM	12	13	12.23	12.27	12.09	0-1	0.0
	25	0	12.21	12.25	12.06		0.0
CP-OFDM QPSK	1	1	12.48	12.55	12.34	0-1	0.0
CP-OFDM QPSK	1	1	12.05	12.17	12.04	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 150 of 225

I.2.9

NR Band n30

Table I-181
NR Band n30 Measured P_{limit} Antenna 1 - 5 MHz

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.58	0	0.0
	1	13	14.52		0.0
	1	23	14.49		0.0
	12	0	14.44	0-0.5	0.0
	12	7	14.48	0	0.0
	12	13	14.43	0-0.5	0.0
	25	0	14.36		0.0
DFT-s-OFDM QPSK	1	1	14.52	0	0.0
	1	13	14.47		0.0
	1	23	14.42		0.0
	12	0	14.39	0-1	0.0
	12	7	14.49	0	0.0
	12	13	14.53	0-1	0.0
	25	0	14.48		0.0
DFT-s-OFDM 16QAM	1	1	14.41	0-1	0.0
CP-OFDM QPSK	1	1	14.51	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 151 of 225

Table I-182
NR Band n30 Measured P_{limit} Antenna 2b - 5 MHz

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.36	0	0.0
	1	13	12.47		0.0
	1	23	12.38		0.0
	12	0	12.32	0-0.5	0.0
	12	7	12.48	0	0.0
	12	13	12.42	0-0.5	0.0
DFT-s-OFDM QPSK	25	0	12.37	0	0.0
	1	1	12.44		0.0
	1	13	12.51		0.0
	1	23	12.40	0.0	
	12	0	12.30	0-1	0.0
	12	7	12.43	0	0.0
DFT-s-OFDM 16QAM	12	13	12.41	0-1	0.0
	25	0	12.37		0.0
CP-OFDM QPSK	1	1	12.31	0-1.5	0.0

Table I-183
NR Band n30 Measured P_{limit} Antenna 3 - 5 MHz

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.70	0	0.0
	1	13	16.64		0.0
	1	23	16.58		0.0
	12	0	16.66	0-0.5	0.0
	12	7	16.59	0	0.0
	12	13	16.55	0-0.5	0.0
DFT-s-OFDM QPSK	25	0	16.52	0	0.0
	1	1	16.66		0.0
	1	13	16.73		0.0
	1	23	16.59	0.0	
	12	0	16.66	0-1	0.0
	12	7	16.61	0	0.0
DFT-s-OFDM 16QAM	12	13	16.59	0-1	0.0
	25	0	16.55		0.0
CP-OFDM QPSK	1	1	17.00	0-1	0.0
CP-OFDM QPSK	1	1	16.53	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 152 of 225

Table I-184
NR Band n30 Measured P_{limit} Antenna 4b - 5 MHz

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.58	0	0.0
	1	13	11.60		0.0
	1	23	11.50		0.0
	12	0	11.46	0-0.5	0.0
	12	7	11.56	0	0.0
	12	13	11.59	0-0.5	0.0
	25	0	11.49		0.0
DFT-s-OFDM QPSK	1	1	11.60	0	0.0
	1	13	11.34		0.0
	1	23	11.45		0.0
	12	0	11.50	0-1	0.0
	12	7	11.59	0	0.0
	12	13	11.51	0-1	0.0
	25	0	11.48		0.0
DFT-s-OFDM 16QAM	1	1	11.38	0-1	0.0
CP-OFDM QPSK	1	1	11.71	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 153 of 225

I.2.10

NR Band n7

Table I-185
NR Band n7 Measured P_{limit} Antenna 1 - 30 MHz

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.81	0	0.0
	1	80	12.72		0.0
	1	158	12.70		0.0
	80	0	12.52	0-0.5	0.0
	80	40	12.57	0	0.0
	80	80	12.52	0-0.5	0.0
160	0	12.60	0.0		
DFT-s-OFDM QPSK	1	1	12.79	0	0.0
	1	80	12.82		0.0
	1	158	12.72		0.0
	80	0	12.56	0-1	0.0
	80	40	12.65	0	0.0
	80	80	12.62	0-1	0.0
160	0	12.61	0.0		
DFT-s-OFDM 16QAM	1	1	12.68	0-1	0.0
CP-OFDM QPSK	1	1	12.77	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 154 of 225

Table I-186
NR Band n7 Measured P_{limit} Antenna 1 - 25 MHz

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel		
			507000 (2535 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.64	0	0.0
	1	67	12.59		0.0
	1	131	12.72		0.0
	64	0	12.47	0-0.5	0.0
	64	35	12.52	0	0.0
	64	69	12.55	0-0.5	0.0
DFT-s-OFDM QPSK	128	0	12.49	0	0.0
	1	1	12.60		0.0
	1	67	12.61		0.0
	1	131	12.75	0.0	
	64	0	12.46	0-1	0.0
	64	35	12.50	0	0.0
DFT-s-OFDM 16QAM	64	69	12.54	0-1	0.0
	128	0	12.48		0.0
CP-OFDM QPSK	1	1	12.83	0-1	0.0
CP-OFDM QPSK	1	1	12.45	0-1.5	0.0

Table I-187
NR Band n7 Measured P_{limit} Antenna 1 - 20 MHz

NR Band n7 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.62	12.55	12.60	0	0.0
	1	53	12.69	12.47	12.68		0.0
	1	104	12.61	12.64	12.70		0.0
	50	0	12.57	12.52	12.62	0-0.5	0.0
	50	28	12.60	12.53	12.65	0	0.0
	50	56	12.59	12.57	12.67	0-0.5	0.0
DFT-s-OFDM QPSK	100	0	12.60	12.55	12.64	0	0.0
	1	1	12.58	12.64	12.67		0.0
	1	53	12.74	12.71	12.71		0.0
	1	104	12.67	12.62	12.70	0.0	
	50	0	12.54	12.53	12.63	0-1	0.0
	50	28	12.64	12.57	12.65	0	0.0
DFT-s-OFDM 16QAM	50	56	12.57	12.56	12.66	0-1	0.0
	100	0	12.60	12.52	12.61		0.0
CP-OFDM QPSK	1	1	12.77	12.91	12.81	0-1	0.0
CP-OFDM QPSK	1	1	12.67	12.50	12.56	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 155 of 225

Table I-188
NR Band n7 Measured P_{limit} Antenna 1 - 15 MHz

NR Band n7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.58	12.66	12.63	0	0.0
	1	40	12.64	12.60	12.65		0.0
	1	77	12.71	12.61	12.71		0.0
	36	0	12.55	12.48	12.62	0-0.5	0.0
	36	22	12.56	12.47	12.61	0	0.0
	36	43	12.60	12.51	12.65	0-0.5	0.0
DFT-s-OFDM QPSK	1	1	12.61	12.68	12.67	0	0.0
	1	40	12.70	12.67	12.74		0.0
	1	77	12.74	12.69	12.70		0.0
	36	0	12.58	12.50	12.66	0-1	0.0
	36	22	12.59	12.55	12.62	0	0.0
	36	43	12.62	12.57	12.67	0-1	0.0
DFT-s-OFDM 16QAM	1	1	12.86	12.82	12.80	0-1	0.0
CP-OFDM QPSK	1	1	12.61	12.70	12.55	0-1.5	0.0

Table I-189
NR Band n7 Measured P_{limit} Antenna 1 - 10 MHz

NR Band n7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.62	12.73	12.74	0	0.0
	1	26	12.83	12.77	12.81		0.0
	1	50	12.84	12.71	12.86		0.0
	25	0	12.70	12.67	12.77	0-0.5	0.0
	25	14	12.72	12.65	12.80	0	0.0
	25	27	12.75	12.67	12.82	0-0.5	0.0
DFT-s-OFDM QPSK	1	1	12.80	12.70	12.77	0	0.0
	1	26	12.78	12.77	12.84		0.0
	1	50	12.81	12.81	12.82		0.0
	25	0	12.74	12.71	12.74	0-1	0.0
	25	14	12.77	12.73	12.80	0	0.0
	25	27	12.80	12.70	12.80	0-1	0.0
DFT-s-OFDM 16QAM	1	1	12.86	12.87	12.60	0-1	0.0
CP-OFDM QPSK	1	1	12.58	12.55	12.55	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 156 of 225

Table I-190
NR Band n7 Measured P_{limit} Antenna 1 - 5 MHz

NR Band n7 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
			500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.82	12.72	12.82	0	0.0	
	1	13	12.73	12.81	12.84		0.0	
	1	23	12.81	12.71	12.82		0.0	
		12	0	12.67	12.75	12.72	0-0.5	0.0
		12	7	12.80	12.77	12.80	0	0.0
		12	13	12.77	12.74	12.84	0-0.5	0.0
		25	0	12.10	12.68	12.79		0.0
DFT-s-OFDM QPSK	1	1	12.75	12.70	12.82	0	0.0	
	1	13	12.74	12.81	12.88		0.0	
	1	23	12.80	12.68	12.81		0.0	
		12	0	12.70	12.64	12.77	0-1	0.0
		12	7	12.75	12.77	12.80	0	0.0
		12	13	12.78	12.79	12.83	0-1	0.0
		25	0	12.77	12.74	12.78		0.0
DFT-s-OFDM 16QAM	1	1	12.86	12.82	12.90	0-1	0.0	
CP-OFDM QPSK	1	1	12.65	12.62	12.72	0-1.5	0.0	

Table I-191
NR Band n7 Measured P_{limit} Antenna 2b - 30 MHz

NR Band n7 30 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			507000 (2535 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.12	0	0.0	
	1	80	12.13		0.0	
	1	158	12.06		0.0	
		80	0	12.09	0-0.5	0.0
		80	40	11.99	0	0.0
		80	80	12.03	0-0.5	0.0
		160	0	12.02		0.0
DFT-s-OFDM QPSK	1	1	12.20	0	0.0	
	1	80	12.11		0.0	
	1	158	12.13		0.0	
		80	0	12.05	0-1	0.0
		80	40	12.06	0	0.0
		80	80	12.01	0-1	0.0
		160	0	12.04		0.0
DFT-s-OFDM 16QAM	1	1	12.34	0-1	0.0	
CP-OFDM QPSK	1	1	11.93	0-1.5	0.0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 157 of 225

Table I-192
NR Band n7 Measured P_{limit} Antenna 2b - 25 MHz

NR Band n7 25 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.08	0	0	0.0
	1	67	12.05			0.0
	1	131	12.03			0.0
	64	0	12.02	0-0.5	0.0	0.0
	64	35	12.00	0	0.0	0.0
	64	69	12.01	0-0.5	0.0	0.0
	128	0	12.00		0.0	
DFT-s-OFDM QPSK	1	1	12.12	0	0	0.0
	1	67	12.01			0.0
	1	131	11.98			0.0
	64	0	11.97	0-1	0.0	0.0
	64	35	11.94	0	0.0	0.0
	64	69	11.96	0-1	0.0	0.0
	128	0	11.93		0.0	
DFT-s-OFDM 16QAM	1	1	12.28	0-1	0.0	0.0
CP-OFDM QPSK	1	1	11.98	0-1.5	0.0	0.0

Table I-193
NR Band n7 Measured P_{limit} Antenna 2b - 20 MHz

NR Band n7 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.07	12.00	11.99	0	0.0
	1	53	12.03	11.96	11.95		0.0
	1	104	11.98	11.94	11.96		0.0
	50	0	11.99	12.05	11.94	0-0.5	0.0
	50	28	11.97	12.03	11.93	0	0.0
	50	56	11.95	11.94	11.92	0-0.5	0.0
	100	0	11.98	11.97	11.90		0.0
DFT-s-OFDM QPSK	1	1	12.05	12.02	12.06	0	0.0
	1	53	12.03	12.03	12.04		0.0
	1	104	12.06	12.04	12.01		0.0
	50	0	12.04	12.11	12.00	0-1	0.0
	50	28	12.07	12.05	11.97	0	0.0
	50	56	12.00	12.04	11.98	0-1	0.0
	100	0	11.96	12.03	11.93		0.0
DFT-s-OFDM 16QAM	1	1	12.34	12.26	12.21	0-1	0.0
CP-OFDM QPSK	1	1	12.05	12.01	11.96	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 158 of 225

Table I-194
NR Band n7 Measured P_{limit} Antenna 2b - 15 MHz

NR Band n7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.11	12.07	12.01	0	0.0
	1	40	12.09	11.97	11.96		0.0
	1	77	12.07	11.95	11.98		0.0
	36	0	12.04	11.96	11.97	0-0.5	0.0
	36	22	12.03	11.94	11.99	0	0.0
	36	43	11.96	11.93	11.93	0-0.5	0.0
75	0	11.98	11.90	11.94	0.0		
DFT-s-OFDM QPSK	1	1	12.06	12.04	12.00	0	0.0
	1	40	12.05	12.03	11.95		0.0
	1	77	12.03	12.01	11.93		0.0
	36	0	12.12	12.03	11.94	0-1	0.0
	36	22	12.00	11.98	11.97	0	0.0
	36	43	11.99	11.92	11.98	0-1	0.0
75	0	11.96	11.93	11.93	0.0		
DFT-s-OFDM 16QAM	1	1	12.36	12.31	12.28	0-1	0.0
CP-OFDM QPSK	1	1	12.01	11.96	11.93	0-1.5	0.0

Table I-195
NR Band n7 Measured P_{limit} Antenna 2b - 10 MHz

NR Band n7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.12	12.08	11.99	0	0.0
	1	26	12.10	12.06	11.94		0.0
	1	50	12.11	12.04	11.87		0.0
	25	0	12.00	12.03	11.86	0-0.5	0.0
	25	14	12.04	12.01	11.93	0	0.0
	25	27	12.03	12.00	11.91	0-0.5	0.0
50	0	11.98	12.03	11.90	0.0		
DFT-s-OFDM QPSK	1	1	12.10	12.06	11.95	0	0.0
	1	26	11.98	11.97	11.87		0.0
	1	50	11.97	11.99	11.94		0.0
	25	0	11.99	11.98	11.86	0-1	0.0
	25	14	12.01	11.96	11.88	0	0.0
	25	27	11.96	11.99	11.94	0-1	0.0
50	0	11.94	11.94	11.93	0.0		
DFT-s-OFDM 16QAM	1	1	12.26	12.18	11.75	0-1	0.0
CP-OFDM QPSK	1	1	12.07	12.01	11.94	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 159 of 225

Table I-196
NR Band n7 Measured P_{limit} Antenna 2b - 5 MHz

NR Band n7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.16	12.01	12.00	0	0.0
	1	13	12.13	11.99	11.94		0.0
	1	23	12.20	11.93	11.97		0.0
	12	0	12.05	11.98	11.99	0-0.5	0.0
	12	7	12.00	11.96	12.02	0	0.0
	12	13	12.04	11.92	11.93	0-0.5	0.0
	25	0	12.08	11.95	11.95		0.0
DFT-s-OFDM QPSK	1	1	12.14	12.00	11.85	0	0.0
	1	13	12.12	12.01	11.86		0.0
	1	23	12.11	11.93	11.90		0.0
	12	0	12.03	11.97	11.94	0-1	0.0
	12	7	12.09	11.93	11.96	0	0.0
	12	13	12.11	11.92	11.95	0-1	0.0
	25	0	12.13	11.96	11.97		0.0
DFT-s-OFDM 16QAM	1	1	11.89	11.83	11.81	0-1	0.0
CP-OFDM QPSK	1	1	12.06	12.01	11.94	0-1.5	0.0

Table I-197
NR Band n7 Measured P_{limit} Antenna 3 - 30 MHz

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.85	0	0.0
	1	80	13.87		0.0
	1	158	13.79		0.0
	80	0	13.72	0-0.5	0.0
	80	40	13.76	0	0.0
	80	80	13.78	0-0.5	0.0
	160	0	13.81		0.0
DFT-s-OFDM QPSK	1	1	13.80	0	0.0
	1	80	13.84		0.0
	1	158	13.82		0.0
	80	0	13.78	0-1	0.0
	80	40	13.77	0	0.0
	80	80	13.76	0-1	0.0
	160	0	13.78		0.0
DFT-s-OFDM 16QAM	1	1	14.00	0-1	0.0
CP-OFDM QPSK	1	1	13.71	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 160 of 225

Table I-198
NR Band n7 Measured P_{limit} Antenna 3 - 25 MHz

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel		
			507000 (2535 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.85	0	0.0
	1	67	13.87		0.0
	1	131	13.95		0.0
	64	0	13.83	0-0.5	0.0
	64	35	13.81	0	0.0
	64	69	13.82	0-0.5	0.0
	128	0	13.71		0.0
DFT-s-OFDM QPSK	1	1	13.93	0	0.0
	1	67	13.89		0.0
	1	131	13.87		0.0
	64	0	13.82	0-1	0.0
	64	35	13.80	0	0.0
	64	69	13.84	0-1	0.0
	128	0	13.83		0.0
DFT-s-OFDM 16QAM	1	1	14.10	0-1	0.0
CP-OFDM QPSK	1	1	13.75	0-1.5	0.0

Table I-199
NR Band n7 Measured P_{limit} Antenna 3 - 20 MHz

NR Band n7 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.88	13.89	13.90	0	0.0
	1	53	13.91	13.87	13.84		0.0
	1	104	13.84	13.90	13.91		0.0
	50	0	13.86	13.82	13.81	0-0.5	0.0
	50	28	13.83	13.84	13.86	0	0.0
	50	56	13.85	13.82	13.86	0-0.5	0.0
	100	0	13.86	13.84	13.82		0.0
DFT-s-OFDM QPSK	1	1	13.91	13.92	13.91	0	0.0
	1	53	13.92	13.87	13.92		0.0
	1	104	13.91	13.90	13.94		0.0
	50	0	13.86	13.84	13.87	0-1	0.0
	50	28	13.87	13.78	13.85	0	0.0
	50	56	13.88	13.85	13.83	0-1	0.0
	100	0	13.85	13.84	13.86		0.0
DFT-s-OFDM 16QAM	1	1	14.12	14.08	14.04	0-1	0.0
CP-OFDM QPSK	1	1	13.80	13.81	13.90	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 161 of 225

Table I-200
NR Band n7 Measured P_{limit} Antenna 3 - 15 MHz

NR Band n7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.90	13.84	13.82	0	0.0
	1	40	13.78	13.85	13.90		0.0
	1	77	13.84	13.86	13.85		0.0
	36	0	13.83	13.74	13.82	0-0.5	0.0
	36	22	13.82	13.73	13.79	0	0.0
	36	43	13.81	13.77	13.87	0-0.5	0.0
	75	0	13.78	13.75	13.82		0.0
DFT-s-OFDM QPSK	1	1	13.94	13.86	13.90	0	0.0
	1	40	13.95	13.85	13.87		0.0
	1	77	13.89	13.84	13.94		0.0
	36	0	13.87	13.83	13.84	0-1	0.0
	36	22	13.88	13.81	13.86	0	0.0
	36	43	13.82	13.85	13.87	0-1	0.0
	75	0	13.85	13.79	13.88		0.0
DFT-s-OFDM 16QAM	1	1	14.10	14.08	14.04	0-1	0.0
CP-OFDM QPSK	1	1	13.87	13.79	13.85	0-1.5	0.0

Table I-201
NR Band n7 Measured P_{limit} Antenna 3 - 10 MHz

NR Band n7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.96	14.10	13.95	0	0.0
	1	26	14.15	14.05	13.98		0.0
	1	50	14.21	14.03	13.97		0.0
	25	0	14.02	13.96	13.91	0-0.5	0.0
	25	14	13.98	14.00	13.85	0	0.0
	25	27	14.00	13.99	13.91	0-0.5	0.0
	50	0	13.97	13.97	13.92		0.0
DFT-s-OFDM QPSK	1	1	13.99	14.01	13.99	0	0.0
	1	26	14.05	14.12	14.00		0.0
	1	50	14.07	14.15	14.10		0.0
	25	0	13.92	13.98	13.85	0-1	0.0
	25	14	13.91	14.03	13.94	0	0.0
	25	27	14.03	14.01	13.88	0-1	0.0
	50	0	14.00	14.00	13.89		0.0
DFT-s-OFDM 16QAM	1	1	14.28	14.25	13.88	0-1	0.0
CP-OFDM QPSK	1	1	14.00	13.81	13.90	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 162 of 225

Table I-202
NR Band n7 Measured P_{limit} Antenna 3 - 5 MHz

NR Band n7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.02	13.95	14.02	0	0.0
	1	13	14.20	14.06	14.01		0.0
	1	23	14.04	14.05	14.12		0.0
	12	0	13.89	13.96	13.97	0-0.5	0.0
	12	7	14.01	14.03	13.99	0	0.0
	12	13	14.07	14.07	14.05	0-0.5	0.0
	25	0	13.97	13.95	13.92		0.0
DFT-s-OFDM QPSK	1	1	13.99	14.05	13.97	0	0.0
	1	13	13.95	14.08	13.98		0.0
	1	23	13.87	14.04	14.09		0.0
	12	0	13.93	14.00	13.87	0-1	0.0
	12	7	14.05	14.01	14.02	0	0.0
	12	13	14.00	14.07	14.00	0-1	0.0
	25	0	13.89	14.01	13.93		0.0
DFT-s-OFDM 16QAM	1	1	14.18	13.99	14.21	0-1	0.0
CP-OFDM QPSK	1	1	13.79	13.83	13.90	0-1.5	0.0

Table I-203
NR Band n7 Measured P_{limit} Antenna 4b - 30 MHz

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.76	0	0.0
	1	80	11.74		0.0
	1	158	11.72		0.0
	80	0	11.59	0-0.5	0.0
	80	40	11.60	0	0.0
	80	80	11.59	0-0.5	0.0
	160	0	11.63		0.0
DFT-s-OFDM QPSK	1	1	11.70	0	0.0
	1	80	11.72		0.0
	1	158	11.73		0.0
	80	0	11.63	0-1	0.0
	80	40	11.63	0	0.0
	80	80	11.61	0-1	0.0
	160	0	11.63		0.0
DFT-s-OFDM 16QAM	1	1	11.67	0-1	0.0
CP-OFDM QPSK	1	1	11.73	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 163 of 225

Table I-204
NR Band n7 Measured P_{limit} Antenna 4b - 25 MHz

NR Band n7 25 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1		11.61	0	0.0
	1	67		11.55		0.0
	1	131		11.57		0.0
	64	0		11.54	0-0.5	0.0
	64	35		11.54	0	0.0
	64	69		11.57	0-0.5	0.0
	128	0		11.55		0.0
DFT-s-OFDM QPSK	1	1		11.58	0	0.0
	1	67		11.59		0.0
	1	131		11.61		0.0
	64	0		11.57	0-1	0.0
	64	35		11.54	0	0.0
	64	69		11.55	0-1	0.0
	128	0		11.55		0.0
DFT-s-OFDM 16QAM	1	1		11.85	0-1	0.0
CP-OFDM QPSK	1	1		11.47	0-1.5	0.0

Table I-205
NR Band n7 Measured P_{limit} Antenna 4b - 20 MHz

NR Band n7 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.73	11.61	11.59	0	0.0
	1	53	11.75	11.62	11.64		0.0
	1	104	11.69	11.59	11.72		0.0
	50	0	11.68	11.54	11.55	0-0.5	0.0
	50	28	11.66	11.57	11.62	0	0.0
	50	56	11.62	11.53	11.61	0-0.5	0.0
	100	0	11.67	11.57	11.59		0.0
DFT-s-OFDM QPSK	1	1	11.77	11.61	11.62	0	0.0
	1	53	11.75	11.61	11.67		0.0
	1	104	11.64	11.65	11.75		0.0
	50	0	11.67	11.58	11.61	0-1	0.0
	50	28	11.64	11.56	11.61	0	0.0
	50	56	11.62	11.54	11.65	0-1	0.0
	100	0	11.67	11.56	11.59		0.0
DFT-s-OFDM 16QAM	1	1	11.98	11.87	11.81	0-1	0.0
CP-OFDM QPSK	1	1	11.55	11.51	11.51	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 164 of 225

Table I-206
NR Band n7 Measured P_{limit} Antenna 4b - 15 MHz

NR Band n7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.74	11.58	11.65	0	0.0
	1	40	11.71	11.56	11.75		0.0
	1	77	11.70	11.66	11.74		0.0
	36	0	11.72	11.51	11.61	0-0.5	0.0
	36	22	11.62	11.54	11.58	0	0.0
	36	43	11.62	11.54	11.68	0-0.5	0.0
	75	0	11.62	11.51	11.66		0.0
DFT-s-OFDM QPSK	1	1	11.77	11.61	11.67	0	0.0
	1	40	11.78	11.63	11.72		0.0
	1	77	11.73	11.68	11.73		0.0
	36	0	11.67	11.57	11.61	0-1	0.0
	36	22	11.66	11.55	11.64	0	0.0
	36	43	11.69	11.57	11.68	0-1	0.0
	75	0	11.68	11.57	11.64		0.0
DFT-s-OFDM 16QAM	1	1	12.04	11.91	11.95	0-1	0.0
CP-OFDM QPSK	1	1	11.63	11.53	11.62	0-1.5	0.0

Table I-207
NR Band n7 Measured P_{limit} Antenna 4b - 10 MHz

NR Band n7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.95	11.74	11.74	0	0.0
	1	26	11.92	11.70	11.74		0.0
	1	50	11.85	11.69	11.78		0.0
	25	0	11.81	11.58	11.71	0-0.5	0.0
	25	14	11.81	11.63	11.70	0	0.0
	25	27	11.80	11.62	11.70	0-0.5	0.0
	50	0	11.82	11.62	11.68		0.0
DFT-s-OFDM QPSK	1	1	11.88	11.68	11.77	0	0.0
	1	26	11.93	11.71	11.77		0.0
	1	50	11.86	11.72	11.83		0.0
	25	0	11.85	11.62	11.71	0-1	0.0
	25	14	11.80	11.66	11.74	0	0.0
	25	27	11.84	11.67	11.72	0-1	0.0
	50	0	11.84	11.63	11.73		0.0
DFT-s-OFDM 16QAM	1	1	12.09	11.81	11.96	0-1	0.0
CP-OFDM QPSK	1	1	11.68	11.44	11.52	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 165 of 225

Table I-208
NR Band n7 Measured P_{limit} Antenna 4b - 5 MHz

NR Band n7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.78	11.51	11.54	0	0.0
	1	13	11.74	11.51	11.62		0.0
	1	23	11.74	11.47	11.61		0.0
	12	0	11.67	11.36	11.48	0-0.5	0.0
	12	7	11.70	11.46	11.57	0	0.0
	12	13	11.69	11.51	11.58	0-0.5	0.0
	25	0	11.67	11.39	11.56		0.0
DFT-s-OFDM QPSK	1	1	11.82	11.48	11.51	0	0.0
	1	13	11.64	11.55	11.54		0.0
	1	23	11.82	11.49	11.67		0.0
	12	0	11.72	11.62	11.74	0-1	0.0
	12	7	11.71	11.47	11.58	0	0.0
	12	13	11.72	11.54	11.62	0-1	0.0
	25	0	11.58	11.44	11.52		0.0
DFT-s-OFDM 16QAM	1	1	12.06	11.71	11.71	0-1	0.0
CP-OFDM QPSK	1	1	11.76	11.32	11.25	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 166 of 225

I.2.11

NR Band n41 PC2

Table I-209
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 90 MHz

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.60	13.46	0	0.0
	1	123	13.59	13.44		0.0
	1	243	13.55	13.47		0.0
	120	0	13.50	13.42	0-0.5	0.0
	120	63	13.55	13.41	0	0.0
	120	125	13.56	13.40	0	0.0
	243	0	13.50	13.36	0-0.5	0.0
DFT-s-OFDM QPSK	1	1	13.57	13.44	0	0.0
	1	123	13.56	13.46		0.0
	1	243	13.52	13.45		0.0
	120	0	13.54	13.41	0-1	0.0
	120	63	13.53	13.40	0	0.0
	120	125	13.51	13.41	0	0.0
	243	0	13.50	13.39	0-1	0.0
DFT-s-OFDM 16QAM	1	1	13.68	13.63	0-1	0.0
CP-OFDM QPSK	1	1	13.33	13.30	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 167 of 225

Table I-210
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 80 MHz

NR Band n41 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.53	13.33	0	0.0
	1	109	13.55	13.34		0.0
	1	215	13.52	13.32		0.0
	108	0	13.54	13.33	0-0.5	0.0
	108	55	13.50	13.34	0	0.0
	108	109	13.49	13.36	0-0.5	0.0
DFT-s-OFDM QPSK	216	0	13.47	13.30		0.0
	1	1	13.55	13.26	0	0.0
	1	109	13.56	13.28		0.0
	1	215	13.58	13.29		0.0
	108	0	13.49	13.24	0-1	0.0
	108	55	13.50	13.30	0	0.0
108	109	13.46	13.33	0-1	0.0	
DFT-s-OFDM 16QAM	216	0	13.43	13.28		0.0
CP-OFDM QPSK	1	1	13.72	13.66	0-1	0.0
	1	1	13.39	13.31	0-1.5	0.0

Table I-211
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 70 MHz

NR Band n41 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.14	12.97	0	0.0
	1	95	13.12	12.97		0.0
	1	187	13.17	13.03		0.0
	90	0	13.09	12.92	0-0.5	0.0
	90	50	13.12	12.91	0	0.0
	90	99	13.17	12.92	0-0.5	0.0
DFT-s-OFDM QPSK	180	0	13.14	12.98		0.0
	1	1	13.12	12.98	0	0.0
	1	95	13.14	12.96		0.0
	1	187	13.21	12.97		0.0
	90	0	13.12	12.94	0-1	0.0
	90	50	13.08	12.91	0	0.0
90	99	13.13	12.94	0-1	0.0	
DFT-s-OFDM 16QAM	180	0	13.06	12.99		0.0
CP-OFDM QPSK	1	1	13.30	13.17	0-1	0.0
	1	1	13.00	12.93	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 168 of 225

Table I-212
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 60 MHz

NR Band n41 60 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.59	13.48	13.42	0	0.0
	1	81	13.55	13.47	13.44		0.0
	1	160	13.56	13.44	13.41		0.0
	81	0	13.51	13.46	13.40	0-0.5	0.0
	81	41	13.50	13.42	13.43	0	0.0
	81	81	13.52	13.41	13.45	0-0.5	0.0
	162	0	13.57	13.40	13.44		0.0
DFT-s-OFDM QPSK	1	1	13.50	13.49	13.57	0	0.0
	1	81	13.54	13.50	13.52		0.0
	1	160	13.56	13.47	13.53		0.0
	81	0	13.55	13.42	13.56	0-1	0.0
	81	41	13.51	13.46	13.45	0	0.0
	81	81	13.50	13.45	13.41	0-1	0.0
	162	0	13.52	13.43	13.42		0.0
DFT-s-OFDM 16QAM	1	1	13.74	13.42	13.36	0-1	0.0
CP-OFDM QPSK	1	1	13.36	13.24	13.34	0-1.5	0.0

Table I-213
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 50 MHz

NR Band n41 50 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.60	13.62	13.57	0	0.0
	1	67	13.59	13.57	13.58		0.0
	1	131	13.55	13.58	13.59		0.0
	64	0	13.61	13.54	13.54	0-0.5	0.0
	64	35	13.58	13.59	13.56	0	0.0
	64	69	13.57	13.55	13.55	0-0.5	0.0
	128	0	13.54	13.54	13.52		0.0
DFT-s-OFDM QPSK	1	1	13.56	13.45	13.57	0	0.0
	1	67	13.52	13.44	13.53		0.0
	1	131	13.53	13.34	13.50		0.0
	64	0	13.55	13.46	13.58	0-1	0.0
	64	35	13.52	13.42	13.59	0	0.0
	64	69	13.50	13.46	13.56	0-1	0.0
	128	0	13.53	13.41	13.52		0.0
DFT-s-OFDM 16QAM	1	1	13.76	13.60	13.62	0-1	0.0
CP-OFDM QPSK	1	1	13.41	13.38	13.34	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 169 of 225

Table I-214
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 40 MHz

NR Band n41 40 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.66	13.60	13.51	13.29	0	0.0
	1	53	13.63	13.59	13.54	13.41		0.0
	1	104	13.64	13.54	13.56	13.38		0.0
	50	0	13.67	13.57	13.53	13.39	0-0.5	0.0
	50	28	13.66	13.55	13.50	13.40	0	0.0
	50	56	13.63	13.56	13.56	13.41	0-0.5	0.0
100	0	13.64	13.52	13.55	13.37	0.0		
DFT-s-OFDM QPSK	1	1	13.72	13.68	13.58	13.30	0	0.0
	1	53	13.69	13.66	13.50	13.29		0.0
	1	104	13.71	13.69	13.60	13.36		0.0
	50	0	13.68	13.50	13.54	13.38	0-1	0.0
	50	28	13.66	13.43	13.57	13.32	0	0.0
	50	56	13.64	13.46	13.53	13.33	0-1	0.0
100	0	13.65	13.45	13.52	13.35	0.0		
DFT-s-OFDM 16QAM	1	1	13.79	13.77	13.74	13.60	0-1	0.0
CP-OFDM QPSK	1	1	13.62	13.61	13.54	13.49	0-1.5	0.0

Table I-215
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 30 MHz

NR Band n41 30 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.66	13.60	13.43	13.40	13.31	0	0.0
	1	39	13.64	13.59	13.36	13.34	13.32		0.0
	1	76	13.65	13.56	13.42	13.35	13.33		0.0
	36	0	13.63	13.57	13.40	13.38	13.36	0-0.5	0.0
	36	21	13.62	13.55	13.39	13.36	13.38	0	0.0
	36	42	13.67	13.54	13.41	13.35	13.37	0-0.5	0.0
75	0	13.66	13.58	13.38	13.31	13.32	0.0		
DFT-s-OFDM QPSK	1	1	13.61	13.60	13.55	13.41	13.32	0	0.0
	1	39	13.59	13.61	13.50	13.39	13.30		0.0
	1	76	13.60	13.54	13.54	13.36	13.31		0.0
	36	0	13.57	13.56	13.56	13.34	13.30	0-1	0.0
	36	21	13.54	13.55	13.57	13.35	13.29	0	0.0
	36	42	13.55	13.57	13.55	13.32	13.28	0-1	0.0
75	0	13.51	13.53	13.52	13.30	13.21	0.0		
DFT-s-OFDM 16QAM	1	1	13.76	13.72	13.70	13.68	13.51	0-1	0.0
CP-OFDM QPSK	1	1	13.48	13.43	13.40	13.33	13.30	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 170 of 225

Table I-216
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 20 MHz

NR Band n41 20 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.35	13.27	13.16	13.06	12.99	0	0.0
	1	26	13.37	13.24	13.15	13.09	13.00		0.0
	1	49	13.34	13.26	13.12	13.06	13.02		0.0
	25	0	13.30	13.25	13.11	13.05	13.03	0-0.5	0.0
	25	13	13.28	13.22	13.14	13.02	13.04	0	0.0
	25	26	13.24	13.20	13.18	13.10	13.02	0-0.5	0.0
50	0	13.25	13.18	13.12	13.09	13.01	0.0		
DFT-s-OFDM QPSK	1	1	13.31	13.24	13.11	13.08	13.07	0	0.0
	1	26	13.30	13.21	13.12	13.10	13.08		0.0
	1	49	13.32	13.23	13.11	13.11	13.09		0.0
	25	0	13.29	13.22	13.13	13.06	13.10	0-1	0.0
	25	13	13.26	13.20	13.09	13.07	13.03	0	0.0
	25	26	13.22	13.17	13.12	13.08	13.05	0-1	0.0
50	0	13.27	13.14	13.00	13.10	13.01	0.0		
DFT-s-OFDM 16QAM	1	1	13.51	13.46	13.37	13.24	13.20	0-1	0.0
CP-OFDM QPSK	1	1	13.23	13.19	13.10	13.07	13.04	0-1.5	0.0

Table I-217
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 90 MHz

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.51	11.58	0	0.0
	1	123	11.56	11.53		0.0
	1	243	11.61	11.63		0.0
	120	0	11.53	11.55	0-0.5	0.0
	120	63	11.56	11.45	0	0.0
	120	125	11.56	11.52	0-0.5	0.0
243	0	11.55	11.53	0.0		
DFT-s-OFDM QPSK	1	1	11.48	11.56	0	0.0
	1	123	11.57	11.60		0.0
	1	243	11.63	11.54		0.0
	120	0	11.58	11.53	0-1	0.0
	120	63	11.55	11.47	0	0.0
	120	125	11.53	11.52	0-1	0.0
243	0	11.56	11.52	0.0		
DFT-s-OFDM 16QAM	1	1	11.74	11.41	0-1	0.0
CP-OFDM QPSK	1	1	11.36	11.42	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 171 of 225

Table I-218
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 80 MHz

NR Band n41 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.56	11.54	0	0.0
	1	109	11.59	11.56		0.0
	1	215	11.57	11.67		0.0
	108	0	11.48	11.55	0-0.5	0.0
	108	55	11.56	11.53	0	0.0
	108	109	11.52	11.57	0-0.5	0.0
	216	0	11.55	11.58		0.0
DFT-s-OFDM QPSK	1	1	11.56	11.52	0	0.0
	1	109	11.62	11.60		0.0
	1	215	11.59	11.70		0.0
	108	0	11.53	11.52	0-1	0.0
	108	55	11.57	11.58	0	0.0
	108	109	11.53	11.61	0-1	0.0
	216	0	11.58	11.62		0.0
DFT-s-OFDM 16QAM	1	1	11.75	11.70	0-1	0.0
CP-OFDM QPSK	1	1	11.38	11.44	0-1.5	0.0

Table I-219
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 70 MHz

NR Band n41 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.58	11.61	0	0.0
	1	95	11.54	11.56		0.0
	1	187	11.52	11.64		0.0
	90	0	11.62	11.55	0-0.5	0.0
	90	50	11.54	11.52	0	0.0
	90	99	11.55	11.57	0-0.5	0.0
	180	0	11.53	11.55		0.0
DFT-s-OFDM QPSK	1	1	11.61	11.56	0	0.0
	1	95	11.57	11.60		0.0
	1	187	11.56	11.73		0.0
	90	0	11.59	11.53	0-1	0.0
	90	50	11.53	11.54	0	0.0
	90	99	11.51	11.57	0-1	0.0
	180	0	11.54	11.58		0.0
DFT-s-OFDM 16QAM	1	1	11.75	11.77	0-1	0.0
CP-OFDM QPSK	1	1	11.45	11.47	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 172 of 225

Table I-220
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 60 MHz

NR Band n41 60 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.48	11.46	11.52	0	0.0
	1	81	11.52	11.56	11.48		0.0
	1	160	11.59	11.53	11.60		0.0
	81	0	11.48	11.47	11.52	0-0.5	0.0
	81	41	11.47	11.49	11.50	0	0.0
	81	81	11.45	11.53	11.56	0-0.5	0.0
	162	0	11.46	11.51	11.50		0.0
DFT-s-OFDM QPSK	1	1	11.43	11.46	11.56	0	0.0
	1	81	11.45	11.53	11.59		0.0
	1	160	11.57	11.57	11.64		0.0
	81	0	11.46	11.49	11.48	0-1	0.0
	81	41	11.44	11.54	11.51	0	0.0
	81	81	11.43	11.52	11.56	0-1	0.0
	162	0	11.45	11.48	11.52		0.0
DFT-s-OFDM 16QAM	1	1	11.67	11.73	11.81	0-1	0.0
CP-OFDM QPSK	1	1	11.37	11.43	11.37	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 173 of 225

Table I-221
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 50 MHz

NR Band n41 50 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.44	11.53	11.52	0	0.0
	1	67	11.48	11.56	11.57		0.0
	1	131	11.57	11.66	11.72		0.0
	64	0	11.43	11.45	11.47	0-0.5	0.0
	64	35	11.45	11.51	11.46	0	0.0
	64	69	11.50	11.52	11.53	0-0.5	0.0
DFT-s-OFDM QPSK	128	0	11.41	11.48	11.52	0-0.5	0.0
	1	1	11.51	11.55	11.63	0	0.0
	1	67	11.46	11.52	11.51		0.0
	1	131	11.60	11.61	11.65		0.0
	64	0	11.42	11.44	11.45	0-1	0.0
	64	35	11.43	11.48	11.50	0	0.0
64	69	11.49	11.53	11.57	0-1	0.0	
128	0	11.43	11.51	11.50	0-1	0.0	
DFT-s-OFDM 16QAM	1	1	11.77	11.77	11.75	0-1	0.0
CP-OFDM QPSK	1	1	11.36	11.38	11.45	0-1.5	0.0

Table I-222
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 40 MHz

NR Band n41 40 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.46	11.56	11.47	11.45	0	0.0
	1	53	11.37	11.43	11.38	11.43		0.0
	1	104	11.56	11.52	11.51	11.65		0.0
	50	0	11.33	11.38	11.36	11.42	0-0.5	0.0
	50	28	11.35	11.37	11.37	11.47	0	0.0
	50	56	11.44	11.42	11.41	11.53	0-0.5	0.0
DFT-s-OFDM QPSK	100	0	11.38	11.41	11.36	11.50	0-0.5	0.0
	1	1	11.53	11.54	11.53	11.52	0	0.0
	1	53	11.42	11.48	11.42	11.44		0.0
	1	104	11.51	11.58	11.48	11.63		0.0
	50	0	11.32	11.35	11.38	11.45	0-1	0.0
	50	28	11.37	11.38	11.35	11.48	0	0.0
50	56	11.46	11.43	11.43	11.55	0-1	0.0	
100	0	11.37	11.40	11.40	11.49	0-1	0.0	
DFT-s-OFDM 16QAM	1	1	11.73	11.77	11.64	11.66	0-1	0.0
CP-OFDM QPSK	1	1	11.41	11.34	11.35	11.33	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 174 of 225

Table I-223
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 30 MHz

NR Band n41 30 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.43	11.36	11.32	11.23	11.20	0	0.0
	1	39	11.35	11.34	11.31	11.21	11.19		0.0
	1	76	11.53	11.32	11.35	11.20	11.23		0.0
	36	0	11.39	11.31	11.33	11.19	11.15	0-0.5	0.0
	36	21	11.38	11.35	11.31	11.17	11.16	0	0.0
	36	42	11.35	11.34	11.30	11.16	11.14	0-0.5	0.0
	75	0	11.37	11.36	11.29	11.18	11.13		0.0
DFT-s-OFDM QPSK	1	1	11.50	11.39	11.36	11.33	11.25	0	0.0
	1	39	11.45	11.34	11.34	11.30	11.23		0.0
	1	76	11.56	11.38	11.31	11.23	11.26		0.0
	36	0	11.43	11.37	11.26	11.31	11.20	0-1	0.0
	36	21	11.47	11.35	11.28	11.24	11.16	0	0.0
	36	42	11.44	11.34	11.27	11.27	11.14	0-1	0.0
	75	0	11.44	11.32	11.23	11.26	11.13		0.0
DFT-s-OFDM 16QAM	1	1	11.63	11.54	11.47	11.45	11.40	0-1	0.0
CP-OFDM QPSK	1	1	11.45	11.33	11.26	11.25	11.21	0-1.5	0.0

Table I-224
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 20 MHz

NR Band n41 20 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.38	11.26	11.24	11.20	11.18	0	0.0
	1	26	11.36	11.23	11.24	11.16	11.16		0.0
	1	49	11.39	11.24	11.26	11.18	11.25		0.0
	25	0	11.33	11.27	11.23	11.19	11.20	0-0.5	0.0
	25	13	11.34	11.26	11.25	11.14	11.13	0	0.0
	25	26	11.32	11.23	11.20	11.13	11.10	0-0.5	0.0
	50	0	11.31	11.20	11.21	11.10	11.09		0.0
DFT-s-OFDM QPSK	1	1	11.30	11.32	11.24	11.11	11.18	0	0.0
	1	26	11.29	11.31	11.23	11.23	11.14		0.0
	1	49	11.34	11.30	11.25	11.20	11.13		0.0
	25	0	11.24	11.29	11.26	11.23	11.17	0-1	0.0
	25	13	11.26	11.26	11.20	11.19	11.12	0	0.0
	25	26	11.24	11.27	11.21	11.15	11.13	0-1	0.0
50	0	11.22	11.24	11.22	11.16	11.16	0.0		
DFT-s-OFDM 16QAM	1	1	11.50	11.48	11.43	11.39	11.37	0-1	0.0
CP-OFDM QPSK	1	1	11.26	11.24	11.23	11.18	11.17	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 175 of 225

Table I-225
NR Band n41 PC2 Measured P_{limit} Antenna 3 - 90 MHz

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.55	13.58	0	0.0
	1	123	13.52	13.51		0.0
	1	243	13.34	13.78		0.0
	120	0	13.56	13.49	0-0.5	0.0
	120	63	13.51	13.48	0	0.0
	120	125	13.49	13.58	0-0.5	0.0
	243	0	13.54	13.53		0.0
DFT-s-OFDM QPSK	1	1	13.59	13.57	0	0.0
	1	123	13.53	13.51		0.0
	1	243	13.66	13.80		0.0
	120	0	13.55	13.54	0-1	0.0
	120	63	13.51	13.52	0	0.0
	120	125	13.50	13.54	0-1	0.0
	243	0	13.54	13.50		0.0
DFT-s-OFDM 16QAM	1	1	13.83	13.73	0-1	0.0
CP-OFDM QPSK	1	1	13.42	13.44	0-1.5	0.0

Table I-226
NR Band n41 PC2 Measured P_{limit} Antenna 3 - 80 MHz

NR Band n41 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.53	13.60	0	0.0
	1	109	13.51	13.52		0.0
	1	215	13.56	13.78		0.0
	108	0	13.57	13.52	0-0.5	0.0
	108	55	13.48	13.52	0	0.0
	108	109	13.55	13.55	0-0.5	0.0
	216	0	13.52	13.54		0.0
DFT-s-OFDM QPSK	1	1	13.56	13.62	0	0.0
	1	109	13.52	13.54		0.0
	1	215	13.64	13.83		0.0
	108	0	13.58	13.54	0-1	0.0
	108	55	13.48	13.52	0	0.0
	108	109	13.54	13.56	0-1	0.0
	216	0	13.54	13.53		0.0
DFT-s-OFDM 16QAM	1	1	13.77	13.79	0-1	0.0
CP-OFDM QPSK	1	1	13.44	13.48	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 176 of 225

Table I-227
NR Band n41 PC2 Measured P_{limit} Antenna 3 - 70 MHz

NR Band n41 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.40	13.46	0	0.0
	1	95	13.45	13.50		0.0
	1	187	13.46	13.54		0.0
	90	0	13.53	13.39	0-0.5	0.0
	90	50	13.47	13.45	0	0.0
	90	99	13.41	13.45	0-0.5	0.0
	180	0	13.49	13.48		0.0
DFT-s-OFDM QPSK	1	1	13.52	13.50	0	0.0
	1	95	13.43	13.51		0.0
	1	187	13.49	13.50		0.0
	90	0	13.44	13.41	0-1	0.0
	90	50	13.51	13.47	0	0.0
	90	99	13.43	13.45	0-1	0.0
	180	0	13.48	13.54		0.0
DFT-s-OFDM 16QAM	1	1	13.65	13.72	0-1	0.0
CP-OFDM QPSK	1	1	13.32	13.40	0-1.5	0.0

Table I-228
NR Band n41 PC2 Measured P_{limit} Antenna 3 - 60 MHz

NR Band n41 60 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.53	13.47	13.52	0	0.0
	1	81	13.41	13.57	13.54		0.0
	1	160	13.48	13.53	13.74		0.0
	81	0	13.37	13.53	13.53	0-0.5	0.0
	81	41	13.41	13.56	13.51	0	0.0
	81	81	13.46	13.54	13.57	0-0.5	0.0
	162	0	13.43	13.59	13.55		0.0
DFT-s-OFDM QPSK	1	1	13.51	13.48	13.49	0	0.0
	1	81	13.48	13.62	13.61		0.0
	1	160	13.51	13.52	13.74		0.0
	81	0	13.43	13.50	13.55	0-1	0.0
	81	41	13.40	13.55	13.52	0	0.0
	81	81	13.47	13.54	13.58	0-1	0.0
	162	0	13.44	13.57	13.53		0.0
DFT-s-OFDM 16QAM	1	1	13.71	13.68	13.77	0-1	0.0
CP-OFDM QPSK	1	1	13.36	13.33	13.42	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 177 of 225

Table I-229
NR Band n41 PC2 Measured P_{limit} Antenna 3 - 50 MHz

NR Band n41 50 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.87	13.84	13.91	0	0.0
	1	67	13.82	13.92	13.99		0.0
	1	131	13.80	14.00	14.10		0.0
	64	0	13.82	13.82	13.93	0-0.5	0.0
	64	35	13.73	13.90	13.91	0	0.0
	64	69	13.71	13.92	14.02	0-0.5	0.0
	128	0	13.75	13.88	13.89		0.0
DFT-s-OFDM QPSK	1	1	13.92	13.88	13.94	0	0.0
	1	67	13.75	13.90	14.01		0.0
	1	131	13.95	14.01	14.13		0.0
	64	0	13.82	13.82	13.80	0-1	0.0
	64	35	13.72	13.87	13.92	0	0.0
	64	69	13.79	13.93	14.04	0-1	0.0
	128	0	13.70	13.85	13.93		0.0
DFT-s-OFDM 16QAM	1	1	14.11	14.18	14.21	0-1	0.0
CP-OFDM QPSK	1	1	13.78	13.74	13.76	0-1.5	0.0

Table I-230
NR Band n41 PC2 Measured P_{limit} Antenna 3 - 40 MHz

NR Band n41 40 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.05	14.06	14.10	13.98	0	0.0
	1	53	13.92	13.93	14.03	14.01		0.0
	1	104	13.77	14.10	14.13	14.22		0.0
	50	0	13.91	13.99	13.96	13.97	0-0.5	0.0
	50	28	13.94	13.96	14.01	13.96	0	0.0
	50	56	13.97	14.02	14.00	14.08	0-0.5	0.0
	100	0	13.92	14.01	13.98	14.01		0.0
DFT-s-OFDM QPSK	1	1	14.09	14.04	14.08	14.04	0	0.0
	1	53	13.98	14.07	14.01	14.00		0.0
	1	104	14.13	14.23	14.12	14.27		0.0
	50	0	13.90	13.92	13.98	13.94	0-1	0.0
	50	28	13.91	14.00	14.00	14.02	0	0.0
	50	56	13.97	14.02	13.97	14.03	0-1	0.0
	100	0	13.95	13.94	14.02	13.96		0.0
DFT-s-OFDM 16QAM	1	1	14.20	14.27	14.20	14.21	0-1	0.0
CP-OFDM QPSK	1	1	13.84	14.02	14.03	13.92	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 178 of 225

Table I-231
NR Band n41 PC2 Measured P_{limit} Antenna 3 - 30 MHz

NR Band n41 30 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.05	13.96	13.95	14.05	14.02	0	0.0
	1	39	14.01	13.98	14.02	13.97	14.00		0.0
	1	76	13.84	14.06	14.06	14.12	14.27		0.0
	36	0	14.00	13.86	14.00	13.95	13.98	0-0.5	0.0
	36	21	14.01	13.89	13.97	13.94	13.94	0	0.0
	36	42	13.97	14.03	14.01	14.03	13.93	0-0.5	0.0
	75	0	14.00	13.92	13.98	13.98	14.02		0.0
DFT-s-OFDM QPSK	1	1	14.09	14.02	14.06	14.02	14.05	0	0.0
	1	39	14.02	13.94	14.03	14.00	13.96		0.0
	1	76	14.15	14.10	14.12	14.07	14.27		0.0
	36	0	14.02	13.86	13.94	13.89	14.04	0-1	0.0
	36	21	13.95	13.90	14.01	13.90	14.01	0	0.0
	36	42	13.99	13.99	13.97	14.00	14.01	0-1	0.0
	75	0	13.97	13.91	13.96	13.95	13.96		0.0
DFT-s-OFDM 16QAM	1	1	14.21	14.06	14.22	14.07	14.20	0-1	0.0
CP-OFDM QPSK	1	1	13.87	13.86	13.92	14.02	13.92	0-1.5	0.0

Table I-232
NR Band n41 PC2 Measured P_{limit} Antenna 3 - 20 MHz

NR Band n41 20 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.04	13.85	13.76	13.83	13.97	0	0.0
	1	26	14.02	13.80	13.85	13.86	13.95		0.0
	1	49	13.83	13.84	13.87	13.92	14.02		0.0
	25	0	13.85	13.76	13.77	13.86	13.95	0-0.5	0.0
	25	13	13.79	13.74	13.80	13.84	13.97	0	0.0
	25	26	13.74	13.77	13.84	13.88	14.00	0-0.5	0.0
	50	0	13.86	13.71	13.78	13.82	13.89		0.0
DFT-s-OFDM QPSK	1	1	13.85	13.84	13.80	13.87	13.96	0	0.0
	1	26	13.90	13.76	13.84	13.92	13.94		0.0
	1	49	13.84	13.90	13.95	14.00	14.10		0.0
	25	0	13.79	13.72	13.80	13.87	13.92	0-1	0.0
	25	13	13.82	13.70	13.77	13.84	13.95	0	0.0
	25	26	13.71	13.77	13.85	13.87	14.00	0-1	0.0
	50	0	13.82	13.72	13.82	13.83	13.93		0.0
DFT-s-OFDM 16QAM	1	1	14.07	14.05	14.02	14.07	14.06	0-1	0.0
CP-OFDM QPSK	1	1	13.77	13.74	13.71	13.85	13.94	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 179 of 225

Table I-233
NR Band n41 PC2 Measured P_{limit} Antenna 4b - 90 MHz

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.22	11.00	0	0.0
	1	123	11.20	11.05		0.0
	1	243	11.13	11.03		0.0
	120	0	11.22	11.20	0-0.5	0.0
	120	63	11.19	11.16	0	0.0
	120	125	11.16	11.03	0-0.5	0.0
	243	0	11.11	11.02		0.0
DFT-s-OFDM QPSK	1	1	11.26	11.29	0	0.0
	1	123	11.18	11.15		0.0
	1	243	11.15	11.13		0.0
	120	0	11.14	11.20	0-1	0.0
	120	63	11.12	11.10	0	0.0
	120	125	11.18	11.15	0-1	0.0
	243	0	11.17	11.10		0.0
DFT-s-OFDM 16QAM	1	1	11.51	11.47	0-1	0.0
CP-OFDM QPSK	1	1	11.11	11.16	0-1.5	0.0

Table I-234
NR Band n41 PC2 Measured P_{limit} Antenna 4b - 80 MHz

NR Band n41 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.30	11.21	0	0.0
	1	109	11.27	11.23		0.0
	1	215	11.26	11.25		0.0
	108	0	11.24	11.12	0-0.5	0.0
	108	55	11.28	11.15	0	0.0
	108	109	11.19	11.10	0-0.5	0.0
	216	0	11.21	11.23		0.0
DFT-s-OFDM QPSK	1	1	11.15	11.36	0	0.0
	1	109	11.23	11.38		0.0
	1	215	11.21	11.34		0.0
	108	0	11.17	11.30	0-1	0.0
	108	55	11.19	11.21	0	0.0
	108	109	11.20	11.20	0-1	0.0
	216	0	11.15	11.23		0.0
DFT-s-OFDM 16QAM	1	1	11.43	11.52	0-1	0.0
CP-OFDM QPSK	1	1	11.35	11.29	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 180 of 225

Table I-235
NR Band n41 PC2 Measured P_{limit} Antenna 4b - 70 MHz

NR Band n41 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.16	11.05	0	0.0
	1	95	11.17	10.97		0.0
	1	187	11.12	10.95		0.0
	90	0	11.23	10.94	0-0.5	0.0
	90	50	11.19	10.98	0	0.0
	90	99	11.14	10.90	0-0.5	0.0
	180	0	11.19	10.97		0.0
DFT-s-OFDM QPSK	1	1	11.18	11.07	0	0.0
	1	95	11.12	10.97		0.0
	1	187	11.00	10.99		0.0
	90	0	11.16	10.96	0-1	0.0
	90	50	11.10	10.93	0	0.0
	90	99	11.12	10.93	0-1	0.0
	180	0	11.14	11.00		0.0
DFT-s-OFDM 16QAM	1	1	11.45	11.29	0-1	0.0
CP-OFDM QPSK	1	1	11.12	11.01	0-1.5	0.0

Table I-236
NR Band n41 PC2 Measured P_{limit} Antenna 4b - 60 MHz

NR Band n41 60 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.23	11.20	11.12	0	0.0
	1	81	11.24	11.23	11.15		0.0
	1	160	11.21	11.22	11.11		0.0
	81	0	11.22	11.13	11.16	0-0.5	0.0
	81	41	11.13	11.09	11.12	0	0.0
	81	81	11.17	11.11	11.00	0-0.5	0.0
	162	0	11.14	11.18	10.96		0.0
DFT-s-OFDM QPSK	1	1	11.32	11.12	11.06	0	0.0
	1	81	11.31	11.15	11.08		0.0
	1	160	11.30	11.13	11.03		0.0
	81	0	11.26	11.14	11.12	0-1	0.0
	81	41	11.25	11.15	11.16	0	0.0
	81	81	11.21	11.13	11.10	0-1	0.0
	162	0	11.22	11.10	11.13		0.0
DFT-s-OFDM 16QAM	1	1	11.45	11.31	11.23	0-1	0.0
CP-OFDM QPSK	1	1	11.27	11.07	11.02	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 181 of 225

Table I-237
NR Band n41 PC2 Measured P_{limit} Antenna 4b - 50 MHz

NR Band n41 50 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.39	11.19	11.01	0	0.0
	1	67	11.36	11.16	11.05		0.0
	1	131	11.32	11.14	11.06		0.0
	64	0	11.33	11.12	11.10	0-0.5	0.0
	64	35	11.26	11.10	11.15	0	0.0
	64	69	11.23	11.13	11.13	0-0.5	0.0
	128	0	11.25	11.05	11.12		0.0
DFT-s-OFDM QPSK	1	1	11.13	11.21	11.18	0	0.0
	1	67	11.19	11.23	11.16		0.0
	1	131	11.16	11.22	11.17		0.0
	64	0	11.30	11.20	11.22	0-1	0.0
	64	35	11.27	11.27	11.23	0	0.0
	64	69	11.26	11.25	11.23	0-1	0.0
	128	0	11.29	11.24	11.20		0.0
DFT-s-OFDM 16QAM	1	1	11.55	11.45	11.32	0-1	0.0
CP-OFDM QPSK	1	1	11.32	11.29	11.17	0-1.5	0.0

Table I-238
NR Band n41 PC2 Measured P_{limit} Antenna 4b - 40 MHz

NR Band n41 40 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.46	11.43	11.40	11.39	0	0.0
	1	53	11.45	11.42	11.39	11.37		0.0
	1	104	11.42	11.36	11.31	11.38		0.0
	50	0	11.35	11.35	11.28	11.37	0-0.5	0.0
	50	28	11.36	11.32	11.24	11.34	0	0.0
	50	56	11.33	11.31	11.23	11.36	0-0.5	0.0
	100	0	11.34	11.34	11.24	11.35		0.0
DFT-s-OFDM QPSK	1	1	11.51	11.41	11.35	11.33	0	0.0
	1	53	11.37	11.42	11.33	11.31		0.0
	1	104	11.34	11.40	11.30	11.33		0.0
	50	0	11.36	11.36	11.31	11.32	0-1	0.0
	50	28	11.28	11.33	11.28	11.30	0	0.0
	50	56	11.33	11.28	11.26	11.29	0-1	0.0
	100	0	11.38	11.31	11.27	11.26		0.0
DFT-s-OFDM 16QAM	1	1	11.78	11.66	11.57	11.50	0-1	0.0
CP-OFDM QPSK	1	1	11.42	11.34	11.28	11.21	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 182 of 225

Table I-239
NR Band n41 PC2 Measured P_{limit} Antenna 4b - 30 MHz

NR Band n41 30 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.43	11.40	11.34	11.19	11.09	0	0.0
	1	39	11.45	11.42	11.35	11.20	11.10		0.0
	1	76	11.46	11.44	11.32	11.17	11.07		0.0
	36	0	11.43	11.36	11.26	11.14	11.08	0-0.5	0.0
	36	21	11.34	11.34	11.23	11.09	11.07	0	0.0
	36	42	11.33	11.35	11.20	11.08	11.03	0-0.5	0.0
DFT-s-OFDM QPSK	75	0	11.31	11.37	11.22	11.05	11.05	0-0.5	0.0
	1	1	11.53	11.45	11.40	11.23	11.08	0	0.0
	1	39	11.50	11.42	11.41	11.24	11.06		0.0
	1	76	11.54	11.49	11.47	11.22	11.00		0.0
	36	0	11.51	11.47	11.36	11.14	11.03	0-1	0.0
	36	21	11.44	11.44	11.31	11.16	11.02	0	0.0
36	42	11.42	11.40	11.29	11.15	11.04	0-1	0.0	
DFT-s-OFDM 16QAM	75	0	11.41	11.43	11.25	11.13	11.01	0-1	0.0
CP-OFDM QPSK	1	1	11.72	11.62	11.53	11.46	11.26	0-1	0.0
CP-OFDM QPSK	1	1	11.35	11.30	11.24	11.22	11.03	0-1.5	0.0

Table I-240
NR Band n41 PC2 Measured P_{limit} Antenna 4b - 20 MHz

NR Band n41 20 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.52	11.33	11.38	11.06	11.02	0	0.0
	1	26	11.50	11.34	11.36	11.10	11.00		0.0
	1	49	11.51	11.32	11.35	11.08	11.03		0.0
	25	0	11.44	11.36	11.32	11.09	11.04	0-0.5	0.0
	25	13	11.42	11.37	11.28	11.04	11.06	0	0.0
	25	26	11.46	11.33	11.29	11.01	11.05	0-0.5	0.0
DFT-s-OFDM QPSK	50	0	11.41	11.34	11.30	11.02	11.03	0-0.5	0.0
	1	1	11.43	11.29	11.27	11.12	11.06	0	0.0
	1	26	11.44	11.28	11.28	11.09	11.05		0.0
	1	49	11.41	11.26	11.24	11.10	11.02		0.0
	25	0	11.48	11.29	11.26	11.13	11.10	0-1	0.0
	25	13	11.47	11.27	11.21	11.11	11.04	0	0.0
25	26	11.49	11.24	11.22	11.04	11.00	0-1	0.0	
50	0	11.43	11.21	11.20	11.06	10.96	0-1	0.0	
DFT-s-OFDM 16QAM	1	1	11.72	11.61	11.49	11.23	11.25	0-1	0.0
CP-OFDM QPSK	1	1	11.38	11.23	11.19	11.09	11.00	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 183 of 225

I.2.12

NR Band n77 DoD PC2

Table I-241

NR Band n77 DoD PC2 Measured P_{limit} Antenna 1 - 90 MHz

NR Band n77 DoD 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.27	0	0.0	
	1	123	11.23		0.0	
	1	243	11.15		0.0	
	120	0	11.23	0-0.5	0.0	
	120	63	11.19	0	0.0	
	120	125	11.18	0-0.5	0.0	
	243	0	11.23		0.0	
DFT-s-OFDM QPSK	1	1	11.21	0	0.0	
	1	123	11.31		0.0	
	1	243	11.26		0.0	
	120	0	11.26	0-1	0.0	
	120	63	11.25	0	0.0	
	120	125	11.15	0-1	0.0	
	243	0	11.16		0.0	
DFT-s-OFDM 16QAM	1	1	11.43	0-1	0.0	
CP-OFDM QPSK	1	1	11.18	0-1.5	0.0	

Table I-242

NR Band n77 DoD PC2 Measured P_{limit} Antenna 1 - 80 MHz

NR Band n77 DoD 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.13	0	0.0	
	1	109	11.19		0.0	
	1	215	11.09		0.0	
	108	0	11.22	0-0.5	0.0	
	108	55	11.14	0	0.0	
	108	109	11.16	0-0.5	0.0	
	216	0	11.13		0.0	
DFT-s-OFDM QPSK	1	1	11.11	0	0.0	
	1	109	11.22		0.0	
	1	215	11.13		0.0	
	108	0	11.16	0-1	0.0	
	108	55	11.19	0	0.0	
	108	109	11.09	0-1	0.0	
	216	0	11.17		0.0	
DFT-s-OFDM 16QAM	1	1	11.29	0-1	0.0	
CP-OFDM QPSK	1	1	11.06	0-1.5	0.0	

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 184 of 225

Table I-243
NR Band n77 DoD PC2 Measured P_{limit} Antenna 1 - 70 MHz

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.19	0	0.0
	1	95	11.16		0.0
	1	187	11.07		0.0
	90	0	11.19	0-0.5	0.0
	90	50	11.24	0	0.0
	90	99	11.12	0-0.5	0.0
180	0	11.17	0.0		
DFT-s-OFDM QPSK	1	1	11.24	0	0.0
	1	95	11.25		0.0
	1	187	11.11		0.0
	90	0	11.28	0-1	0.0
	90	50	11.22	0	0.0
	90	99	11.11	0-1	0.0
180	0	11.16	0.0		
DFT-s-OFDM 16QAM	1	1	11.47	0-1	0.0
CP-OFDM QPSK	1	1	11.09	0-1.5	0.0

Table I-244
NR Band n77 DoD PC2 Measured P_{limit} Antenna 1 - 60 MHz

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.22	0	0.0
	1	81	11.30		0.0
	1	160	11.11		0.0
	81	0	11.23	0-0.5	0.0
	81	41	11.18	0	0.0
	81	81	11.13	0-0.5	0.0
162	0	11.21	0.0		
DFT-s-OFDM QPSK	1	1	11.28	0	0.0
	1	81	11.30		0.0
	1	160	11.11		0.0
	81	0	11.22	0-1	0.0
	81	41	11.20	0	0.0
	81	81	11.11	0-1	0.0
162	0	11.19	0.0		
DFT-s-OFDM 16QAM	1	1	11.42	0-1	0.0
CP-OFDM QPSK	1	1	11.00	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 185 of 225

Table I-245
NR Band n77 DoD PC2 Measured P_{limit} Antenna 1 - 50 MHz

NR Band n77 DoD 50 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			631668 (3475.02 MHz)	635000 (3525 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.26	11.31	0	0.0
	1	67	11.15	11.11		0.0
	1	131	11.20	11.02		0.0
	64	0	11.20	11.16	0-0.5	0.0
	64	35	11.14	11.11	0	0.0
	64	69	11.14	11.02	0-0.5	0.0
DFT-s-OFDM QPSK	128	0	11.15	11.06		0.0
	1	1	11.25	11.32	0	0.0
	1	67	11.16	11.10		0.0
	1	131	11.19	10.99		0.0
	64	0	11.14	11.19	0-1	0.0
	64	35	11.15	11.04	0	0.0
64	69	11.15	11.03	0-1	0.0	
128	0	11.19	11.07		0.0	
DFT-s-OFDM 16QAM	1	1	11.47	11.55	0-1	0.0
CP-OFDM QPSK	1	1	11.05	11.12	0-1.5	0.0

Table I-246
NR Band n77 DoD PC2 Measured P_{limit} Antenna 1 - 40 MHz

NR Band n77 DoD 40 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			631334 (3470.01 MHz)	635332 (3529.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.30	11.32	0	0.0
	1	53	11.19	11.17		0.0
	1	104	11.35	11.27		0.0
	50	0	11.21	11.26	0-0.5	0.0
	50	28	11.22	11.14	0	0.0
	50	56	11.23	11.10	0-0.5	0.0
	100	0	11.22	11.22		0.0
DFT-s-OFDM QPSK	1	1	11.34	11.31	0	0.0
	1	53	11.18	11.18		0.0
	1	104	11.35	11.25		0.0
	50	0	11.21	11.19	0-1	0.0
	50	28	11.15	11.13	0	0.0
	50	56	11.25	11.20	0-1	0.0
100	0	11.18	11.14	0.0		
DFT-s-OFDM 16QAM	1	1	11.56	11.64	0-1	0.0
CP-OFDM QPSK	1	1	11.04	11.05	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 186 of 225

Table I-247
NR Band n77 DoD PC2 Measured P_{limit} Antenna 1 - 30 MHz

NR Band n77 DoD 30 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			631000 (3465 MHz)	633334 (3500.01 MHz)	635666 (3534.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.26	11.32	11.26	0	0.0
	1	39	11.20	11.22	11.15		0.0
	1	76	11.30	11.24	11.16		0.0
	36	0	11.27	11.24	11.13	0-0.5	0.0
	36	21	11.14	11.20	11.06	0	0.0
	36	42	11.20	11.20	11.04	0-0.5	0.0
	75	0	11.24	11.22	11.10		0.0
DFT-s-OFDM QPSK	1	1	11.36	11.34	11.24	0	0.0
	1	39	11.21	11.27	11.13		0.0
	1	76	11.31	11.31	11.19		0.0
	36	0	11.25	11.28	11.21	0-1	0.0
	36	21	11.10	11.15	11.08	0	0.0
	36	42	11.24	11.18	11.10	0-1	0.0
	75	0	11.25	11.19	11.14		0.0
DFT-s-OFDM 16QAM	1	1	11.45	11.50	11.35	0-1	0.0
CP-OFDM QPSK	1	1	11.20	11.18	11.19	0-1.5	0.0

Table I-248
NR Band n77 DoD PC2 Measured P_{limit} Antenna 1 - 20 MHz

NR Band n77 DoD 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			630668 (3460.02 MHz)	633334 (3500.01 MHz)	636000 (3540 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.32	11.36	11.26	0	0.0
	1	26	11.26	11.33	11.14		0.0
	1	49	11.32	11.30	11.18		0.0
	25	0	11.26	11.27	11.16	0-0.5	0.0
	25	13	11.21	11.30	11.13	0	0.0
	25	26	11.19	11.23	11.11	0-0.5	0.0
	50	0	11.29	11.24	11.11		0.0
DFT-s-OFDM QPSK	1	1	11.25	11.30	11.23	0	0.0
	1	26	11.27	11.34	11.17		0.0
	1	49	11.39	11.32	11.27		0.0
	25	0	11.30	11.30	11.16	0-1	0.0
	25	13	11.24	11.22	11.06	0	0.0
	25	26	11.27	11.28	11.16	0-1	0.0
	50	0	11.22	11.27	11.15		0.0
DFT-s-OFDM 16QAM	1	1	11.45	11.53	11.46	0-1	0.0
CP-OFDM QPSK	1	1	11.20	11.20	11.15	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 187 of 225

Table I-249
NR Band n77 DoD PC2 Measured P_{limit} Antenna 1 - 15 MHz

NR Band n77 DoD 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			630500 (3457.5 MHz)	633334 (3500.01 MHz)	636166 (3542.49 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.41	11.27	11.36	0	0.0
	1	19	11.32	11.25	11.25		0.0
	1	36	11.34	11.35	11.38		0.0
	18	0	11.30	11.22	11.33	0-0.5	0.0
	18	10	11.27	11.29	11.35	0	0.0
	18	20	11.25	11.27	11.29	0-0.5	0.0
	36	0	11.28	11.24	11.31		0.0
DFT-s-OFDM QPSK	1	1	11.39	11.37	11.42	0	0.0
	1	19	11.37	11.32	11.30		0.0
	1	36	11.32	11.40	11.36		0.0
	18	0	11.31	11.25	11.34	0-1	0.0
	18	10	11.36	11.22	11.26	0	0.0
	18	20	11.28	11.33	11.30	0-1	0.0
	36	0	11.25	11.24	11.34		0.0
DFT-s-OFDM 16QAM	1	1	11.54	11.26	11.55	0-1	0.0
CP-OFDM QPSK	1	1	11.30	11.32	11.28	0-1.5	0.0

Table I-250
NR Band n77 DoD PC2 Measured P_{limit} Antenna 1 - 10 MHz

NR Band n77 DoD 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			630334 (3455.01 MHz)	633334 (3500.01 MHz)	636332 (3544.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.23	11.26	11.21	0	0.0
	1	12	11.18	11.24	11.24		0.0
	1	22	11.26	11.31	11.22		0.0
	12	0	11.24	11.21	11.18	0-0.5	0.0
	12	6	11.20	11.14	11.12	0	0.0
	12	12	11.21	11.23	11.20	0-0.5	0.0
	24	0	11.26	11.17	11.17		0.0
DFT-s-OFDM QPSK	1	1	11.27	11.23	11.30	0	0.0
	1	12	11.25	11.20	11.26		0.0
	1	22	11.31	11.18	11.32		0.0
	12	0	11.29	11.19	11.18	0-1	0.0
	12	6	11.22	11.24	11.20	0	0.0
	12	12	11.23	11.15	11.15	0-1	0.0
	24	0	11.22	11.19	11.17		0.0
DFT-s-OFDM 16QAM	1	1	11.39	11.37	11.33	0-1	0.0
CP-OFDM QPSK	1	1	11.14	11.25	11.21	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 188 of 225

Table I-251
NR Band n77 DoD PC2 Measured P_{limit} Antenna 2a - 90 MHz

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.35	0	0.0
	1	123	10.47		0.0
	1	243	10.66		0.0
	120	0	10.31	0-0.5	0.0
	120	63	10.46	0	0.0
	120	125	10.50	0-0.5	0.0
	243	0	10.42		0.0
DFT-s-OFDM QPSK	1	1	10.33	0	0.0
	1	123	10.47		0.0
	1	243	10.63		0.0
	120	0	10.28	0-1	0.0
	120	63	10.42	0	0.0
	120	125	10.49	0-1	0.0
	243	0	10.42		0.0
DFT-s-OFDM 16QAM	1	1	10.51	0-1	0.0
CP-OFDM QPSK	1	1	10.28	0-1.5	0.0

Table I-252
NR Band n77 DoD PC2 Measured P_{limit} Antenna 2a - 80 MHz

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.36	0	0.0
	1	109	10.49		0.0
	1	215	10.63		0.0
	108	0	10.32	0-0.5	0.0
	108	55	10.43	0	0.0
	108	109	10.53	0-0.5	0.0
	216	0	10.45		0.0
DFT-s-OFDM QPSK	1	1	10.37	0	0.0
	1	109	10.54		0.0
	1	215	10.59		0.0
	108	0	10.32	0-1	0.0
	108	55	10.47	0	0.0
	108	109	10.51	0-1	0.0
	216	0	10.44		0.0
DFT-s-OFDM 16QAM	1	1	10.30	0-1	0.0
CP-OFDM QPSK	1	1	10.25	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 189 of 225

Table I-253
NR Band n77 DoD PC2 Measured P_{limit} Antenna 2a - 70 MHz

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.29	0	0.0
	1	95	10.46		0.0
	1	187	10.61		0.0
	90	0	10.41	0-0.5	0.0
	90	50	10.45	0	0.0
	90	99	10.57	0-0.5	0.0
	180	0	10.45		0.0
DFT-s-OFDM QPSK	1	1	10.38	0	0.0
	1	95	10.52		0.0
	1	187	10.60		0.0
	90	0	10.36	0-1	0.0
	90	50	10.44	0	0.0
	90	99	10.54	0-1	0.0
	180	0	10.43		0.0
DFT-s-OFDM 16QAM	1	1	10.56	0-1	0.0
CP-OFDM QPSK	1	1	10.23	0-1.5	0.0

Table I-254
NR Band n77 DoD PC2 Measured P_{limit} Antenna 2a - 60 MHz

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.41	0	0.0
	1	81	10.61		0.0
	1	160	10.61		0.0
	81	0	10.49	0-0.5	0.0
	81	41	10.51	0	0.0
	81	81	10.52	0-0.5	0.0
	162	0	10.46		0.0
DFT-s-OFDM QPSK	1	1	10.44	0	0.0
	1	81	10.59		0.0
	1	160	10.61		0.0
	81	0	10.48	0-1	0.0
	81	41	10.51	0	0.0
	81	81	10.48	0-1	0.0
	162	0	10.47		0.0
DFT-s-OFDM 16QAM	1	1	10.72	0-1	0.0
CP-OFDM QPSK	1	1	10.31	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 190 of 225

Table I-255
NR Band n77 DoD PC2 Measured P_{limit} Antenna 2a - 50 MHz

NR Band n77 DoD 50 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			631668 (3475.02 MHz)	635000 (3525 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.39	10.61	0	0.0
	1	67	10.36	10.62		0.0
	1	131	10.45	10.57		0.0
	64	0	10.31	10.58	0-0.5	0.0
	64	35	10.33	10.52	0	0.0
	64	69	10.40	10.53	0-0.5	0.0
	128	0	10.37	10.55		0.0
DFT-s-OFDM QPSK	1	1	10.45	10.70	0	0.0
	1	67	10.43	10.58		0.0
	1	131	10.55	10.61		0.0
	64	0	10.35	10.52	0-1	0.0
	64	35	10.37	10.52	0	0.0
	64	69	10.45	10.52	0-1	0.0
	128	0	10.37	10.50		0.0
DFT-s-OFDM 16QAM	1	1	10.65	10.83	0-1	0.0
CP-OFDM QPSK	1	1	10.31	10.54	0-1.5	0.0

Table I-256
NR Band n77 DoD PC2 Measured P_{limit} Antenna 2a - 40 MHz

NR Band n77 DoD 40 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			631334 (3470.01 MHz)	635332 (3529.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.20	10.38	0	0.0
	1	53	10.08	10.28		0.0
	1	104	10.24	10.37		0.0
	50	0	10.05	10.26	0-0.5	0.0
	50	28	10.01	10.23	0	0.0
	50	56	10.10	10.21	0-0.5	0.0
	100	0	10.07	10.21		0.0
DFT-s-OFDM QPSK	1	1	10.15	10.48	0	0.0
	1	53	10.10	10.36		0.0
	1	104	10.27	10.43		0.0
	50	0	10.06	10.33	0-1	0.0
	50	28	10.00	10.21	0	0.0
	50	56	10.14	10.27	0-1	0.0
	100	0	10.06	10.26		0.0
DFT-s-OFDM 16QAM	1	1	10.32	10.34	0-1	0.0
CP-OFDM QPSK	1	1	10.07	10.32	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 191 of 225

Table I-257
NR Band n77 DoD PC2 Measured P_{limit} Antenna 2a - 30 MHz

NR Band n77 DoD 30 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			631000 (3465 MHz)	633334 (3500.01 MHz)	635666 (3534.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.17	10.23	10.34	0	0.0
	1	39	10.04	10.19	10.27		0.0
	1	76	10.14	10.25	10.32		0.0
	36	0	10.02	10.21	10.26	0-0.5	0.0
	36	21	10.00	10.15	10.28	0	0.0
	36	42	10.08	10.26	10.25	0-0.5	0.0
	75	0	10.01	10.23	10.24		0.0
DFT-s-OFDM QPSK	1	1	10.15	10.30	10.41	0	0.0
	1	39	10.11	10.17	10.33		0.0
	1	76	10.17	10.33	10.34		0.0
	36	0	10.07	10.18	10.30	0-1	0.0
	36	21	10.02	10.15	10.25	0	0.0
	36	42	10.11	10.25	10.27	0-1	0.0
	75	0	10.02	10.21	10.25		0.0
DFT-s-OFDM 16QAM	1	1	10.31	10.47	10.60	0-1	0.0
CP-OFDM QPSK	1	1	10.05	10.15	10.20	0-1.5	0.0

Table I-258
NR Band n77 DoD PC2 Measured P_{limit} Antenna 2a - 20 MHz

NR Band n77 DoD 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			630668 (3460.02 MHz)	633334 (3500.01 MHz)	636000 (3540 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.11	10.17	10.35	0	0.0
	1	26	10.08	10.24	10.27		0.0
	1	49	10.17	10.30	10.33		0.0
	25	0	10.05	10.22	10.26	0-0.5	0.0
	25	13	10.03	10.25	10.29	0	0.0
	25	26	10.11	10.24	10.22	0-0.5	0.0
	50	0	10.05	10.23	10.25		0.0
DFT-s-OFDM QPSK	1	1	10.17	10.28	10.37	0	0.0
	1	26	10.08	10.24	10.34		0.0
	1	49	10.22	10.35	10.40		0.0
	25	0	10.05	10.21	10.28	0-1	0.0
	25	13	10.07	10.23	10.24	0	0.0
	25	26	10.04	10.26	10.27	0-1	0.0
	50	0	10.02	10.23	10.25		0.0
DFT-s-OFDM 16QAM	1	1	10.28	10.48	10.53	0-1	0.0
CP-OFDM QPSK	1	1	10.05	10.15	10.18	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 192 of 225

Table I-259
NR Band n77 DoD PC2 Measured P_{limit} Antenna 2a - 15 MHz

NR Band n77 DoD 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			630500 (3457.5 MHz)	633334 (3500.01 MHz)	636166 (3542.49 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.18	10.33	10.30	0	0.0
	1	19	10.13	10.27	10.27		0.0
	1	36	10.15	10.29	10.32		0.0
	18	0	10.04	10.24	10.24	0-0.5	0.0
	18	10	10.07	10.21	10.29	0	0.0
	18	20	10.04	10.25	10.26	0-0.5	0.0
	36	0	10.07	10.22	10.29		0.0
DFT-s-OFDM QPSK	1	1	10.12	10.34	10.36	0	0.0
	1	19	10.13	10.28	10.30		0.0
	1	36	10.17	10.31	10.33		0.0
	18	0	10.08	10.29	10.31	0-1	0.0
	18	10	10.10	10.24	10.26	0	0.0
	18	20	10.06	10.28	10.28	0-1	0.0
	36	0	10.02	10.27	10.23		0.0
DFT-s-OFDM 16QAM	1	1	10.30	10.55	10.48	0-1	0.0
CP-OFDM QPSK	1	1	10.07	10.19	10.22	0-1.5	0.0

Table I-260
NR Band n77 DoD PC2 Measured P_{limit} Antenna 2a - 10 MHz

NR Band n77 DoD 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			630334 (3455.01 MHz)	633334 (3500.01 MHz)	636332 (3544.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.13	10.26	10.24	0	0.0
	1	12	10.10	10.30	10.32		0.0
	1	22	10.15	10.33	10.35		0.0
	12	0	10.06	10.25	10.33	0-0.5	0.0
	12	6	10.00	10.32	10.28	0	0.0
	12	12	10.06	10.37	10.28	0-0.5	0.0
	24	0	10.02	10.24	10.22		0.0
DFT-s-OFDM QPSK	1	1	10.05	10.31	10.36	0	0.0
	1	12	10.03	10.30	10.27		0.0
	1	22	10.09	10.24	10.32		0.0
	12	0	10.02	10.27	10.25	0-1	0.0
	12	6	10.04	10.22	10.29	0	0.0
	12	12	10.06	10.30	10.31	0-1	0.0
	24	0	10.00	10.23	10.23		0.0
DFT-s-OFDM 16QAM	1	1	10.18	10.34	10.35	0-1	0.0
CP-OFDM QPSK	1	1	10.01	10.19	10.14	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 193 of 225

Table I-261
NR Band n77 DoD PC2 Measured P_{limit} Antenna 3 - 90 MHz

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.14	0	0.0
	1	123	11.12		0.0
	1	243	11.13		0.0
	120	0	11.12	0-0.5	0.0
	120	63	11.10	0	0.0
	120	125	11.03	0-0.5	0.0
	243	0	11.06		0.0
DFT-s-OFDM QPSK	1	1	11.15	0	0.0
	1	123	11.08		0.0
	1	243	11.18		0.0
	120	0	11.10	0-1	0.0
	120	63	11.06	0	0.0
	120	125	11.05	0-1	0.0
	243	0	11.10		0.0
DFT-s-OFDM 16QAM	1	1	11.38	0-1	0.0
CP-OFDM QPSK	1	1	11.04	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 194 of 225

Table I-262
NR Band n77 DoD PC2 Measured P_{limit} Antenna 3 - 80 MHz

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.18	0	0.0
	1	109	11.07		0.0
	1	215	11.04		0.0
	108	0	11.11	0-0.5	0.0
	108	55	11.09	0	0.0
	108	109	11.02	0-0.5	0.0
216	0	11.06	0.0		
DFT-s-OFDM QPSK	1	1	11.18	0	0.0
	1	109	11.09		0.0
	1	215	11.07		0.0
	108	0	11.13	0-1	0.0
	108	55	11.10	0	0.0
	108	109	11.02	0-1	0.0
216	0	11.05	0.0		
DFT-s-OFDM 16QAM	1	1	11.42	0-1	0.0
CP-OFDM QPSK	1	1	11.09	0-1.5	0.0

Table I-263
NR Band n77 DoD PC2 Measured P_{limit} Antenna 3 - 70 MHz

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.20	0	0.0
	1	95	11.10		0.0
	1	187	11.07		0.0
	90	0	11.14	0-0.5	0.0
	90	50	11.07	0	0.0
	90	99	11.06	0-0.5	0.0
180	0	11.08	0.0		
DFT-s-OFDM QPSK	1	1	11.21	0	0.0
	1	95	11.11		0.0
	1	187	11.02		0.0
	90	0	11.11	0-1	0.0
	90	50	11.08	0	0.0
	90	99	11.04	0-1	0.0
180	0	11.08	0.0		
DFT-s-OFDM 16QAM	1	1	11.45	0-1	0.0
CP-OFDM QPSK	1	1	11.12	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 195 of 225

Table I-264
NR Band n77 DoD PC2 Measured P_{limit} Antenna 3 - 60 MHz

NR Band n77 DoD 60 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.18		0	0.0
	1	81	11.14			0.0
	1	160	11.08			0.0
	81	0	11.10		0-0.5	0.0
	81	41	11.08		0	0.0
	81	81	11.03		0-0.5	0.0
	162	0	11.05			0.0
DFT-s-OFDM QPSK	1	1	11.20		0	0.0
	1	81	11.19			0.0
	1	160	11.09			0.0
	81	0	11.14		0-1	0.0
	81	41	11.07		0	0.0
	81	81	11.04		0-1	0.0
	162	0	11.11			0.0
DFT-s-OFDM 16QAM	1	1	11.41		0-1	0.0
CP-OFDM QPSK	1	1	11.03		0-1.5	0.0

Table I-265
NR Band n77 DoD PC2 Measured P_{limit} Antenna 3 - 50 MHz

NR Band n77 DoD 50 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			631668 (3475.02 MHz)	635000 (3525 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.17	11.13	0	0.0
	1	67	11.12	11.00		0.0
	1	131	11.04	11.01		0.0
	64	0	11.12	11.07	0-0.5	0.0
	64	35	11.06	11.01	0	0.0
	64	69	11.02	10.97	0-0.5	0.0
	128	0	11.12	10.98		0.0
DFT-s-OFDM QPSK	1	1	11.21	11.19	0	0.0
	1	67	11.06	11.03		0.0
	1	131	11.08	11.00		0.0
	64	0	11.13	11.10	0-1	0.0
	64	35	11.05	11.03	0	0.0
	64	69	11.01	10.97	0-1	0.0
	128	0	11.11	11.04		0.0
DFT-s-OFDM 16QAM	1	1	11.48	11.44	0-1	0.0
CP-OFDM QPSK	1	1	11.07	11.09	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 196 of 225

Table I-266
NR Band n77 DoD PC2 Measured P_{limit} Antenna 3 - 40 MHz

NR Band n77 DoD 40 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			631334 (3470.01 MHz)	635332 (3529.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.24	11.22	0	0.0
	1	53	11.11	11.12		0.0
	1	104	11.27	11.24		0.0
	50	0	11.14	11.12	0-0.5	0.0
	50	28	11.10	11.07	0	0.0
	50	56	11.15	11.13	0-0.5	0.0
	100	0	11.13	11.13		0.0
DFT-s-OFDM QPSK	1	1	11.27	11.27	0	0.0
	1	53	11.18	11.09		0.0
	1	104	11.32	11.28		0.0
	50	0	11.17	11.12	0-1	0.0
	50	28	11.09	11.10	0	0.0
	50	56	11.18	11.07	0-1	0.0
	100	0	11.16	11.09		0.0
DFT-s-OFDM 16QAM	1	1	11.51	11.54	0-1	0.0
CP-OFDM QPSK	1	1	11.18	11.21	0-1.5	0.0

Table I-267
NR Band n77 DoD PC2 Measured P_{limit} Antenna 3 - 30 MHz

NR Band n77 DoD 30 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			631000 (3465 MHz)	633334 (3500.01 MHz)	635666 (3534.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.24	11.27	11.28	0	0.0
	1	39	11.17	11.17	11.16		0.0
	1	76	11.24	11.27	11.23		0.0
	36	0	11.17	11.19	11.17	0-0.5	0.0
	36	21	11.12	11.10	11.10	0	0.0
	36	42	11.18	11.16	11.13	0-0.5	0.0
	75	0	11.16	11.13	11.14		0.0
DFT-s-OFDM QPSK	1	1	11.31	11.34	11.31	0	0.0
	1	39	11.18	11.18	11.17		0.0
	1	76	11.24	11.24	11.24		0.0
	36	0	11.18	11.14	11.17	0-1	0.0
	36	21	11.15	11.12	11.12	0	0.0
	36	42	11.19	11.17	11.12	0-1	0.0
	75	0	11.20	11.18	11.11		0.0
DFT-s-OFDM 16QAM	1	1	11.53	11.53	11.54	0-1	0.0
CP-OFDM QPSK	1	1	11.12	11.18	11.14	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 197 of 225

Table I-268
NR Band n77 DoD PC2 Measured P_{limit} Antenna 3 - 20 MHz

NR Band n77 DoD 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			630668 (3460.02 MHz)	633334 (3500.01 MHz)	636000 (3540 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.24	11.20	11.21	0	0.0
	1	26	11.20	11.18	11.08		0.0
	1	49	11.26	11.22	11.14		0.0
	25	0	11.17	11.13	11.11	0-0.5	0.0
	25	13	11.14	11.13	11.03	0	0.0
	25	26	11.15	11.15	11.06	0-0.5	0.0
	50	0	11.13	11.11	11.05		0.0
DFT-s-OFDM QPSK	1	1	11.23	11.22	11.20	0	0.0
	1	26	11.19	11.20	11.14		0.0
	1	49	11.22	11.26	11.18		0.0
	25	0	11.14	11.16	11.12	0-1	0.0
	25	13	11.09	11.12	11.08	0	0.0
	25	26	11.14	11.14	11.06	0-1	0.0
	50	0	11.13	11.10	11.09		0.0
DFT-s-OFDM 16QAM	1	1	11.43	11.47	11.42	0-1	0.0
CP-OFDM QPSK	1	1	11.15	11.05	11.07	0-1.5	0.0

Table I-269
NR Band n77 DoD PC2 Measured P_{limit} Antenna 3 - 15 MHz

NR Band n77 DoD 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			630500 (3457.5 MHz)	633334 (3500.01 MHz)	636166 (3542.49 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.02	11.10	11.18	0	0.0
	1	19	10.98	11.08	11.07		0.0
	1	36	11.12	11.11	11.09		0.0
	18	0	10.86	11.01	10.99	0-0.5	0.0
	18	10	10.87	10.98	10.95	0	0.0
	18	20	10.92	11.02	10.97	0-0.5	0.0
	36	0	10.85	10.99	11.01		0.0
DFT-s-OFDM QPSK	1	1	11.03	11.08	11.09	0	0.0
	1	19	11.00	11.02	11.02		0.0
	1	36	11.07	11.08	11.14		0.0
	18	0	10.92	11.01	11.01	0-1	0.0
	18	10	10.92	11.00	10.97	0	0.0
	18	20	10.90	11.04	10.98	0-1	0.0
	36	0	10.88	11.01	11.02		0.0
DFT-s-OFDM 16QAM	1	1	11.25	11.25	11.24	0-1	0.0
CP-OFDM QPSK	1	1	10.87	11.05	10.97	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 198 of 225

Table I-270
NR Band n77 DoD PC2 Measured P_{limit} Antenna 3 - 10 MHz

NR Band n77 DoD 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			630334 (3455.01 MHz)	633334 (3500.01 MHz)	636332 (3544.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.82	10.92	10.87	0	0.0
	1	12	10.84	10.90	10.90		0.0
	1	22	10.90	10.84	10.84		0.0
	12	0	10.76	10.90	10.75	0-0.5	0.0
	12	6	10.73	10.85	10.78	0	0.0
	12	12	10.80	10.77	10.79	0-0.5	0.0
	24	0	10.72	10.83	10.75		0.0
DFT-s-OFDM QPSK	1	1	10.81	11.08	10.78	0	0.0
	1	12	10.77	10.97	10.89		0.0
	1	22	10.84	10.93	10.87		0.0
	12	0	10.73	10.88	10.74	0-1	0.0
	12	6	10.79	10.87	10.77	0	0.0
	12	12	10.72	10.89	10.70	0-1	0.0
	24	0	10.72	10.90	10.85		0.0
DFT-s-OFDM 16QAM	1	1	11.01	11.12	11.05	0-1	0.0
CP-OFDM QPSK	1	1	10.74	10.77	10.71	0-1.5	0.0

Table I-271
NR Band n77 DoD PC2 Measured P_{limit} Antenna 4b - 90 MHz

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.01	0	0.0
	1	123	9.02		0.0
	1	243	9.05		0.0
	120	0	8.94	0-0.5	0.0
	120	63	9.01	0-0.5	0.0
	120	125	8.91		0.0
	243	0	8.96		0.0
DFT-s-OFDM QPSK	1	1	9.04	0	0.0
	1	123	9.01		0.0
	1	243	9.06		0.0
	120	0	8.96	0-1	0.0
	120	63	8.95	0-1	0.0
	120	125	8.92		0.0
	243	0	8.99		0.0
DFT-s-OFDM 16QAM	1	1	9.32	0-1	0.0
CP-OFDM QPSK	1	1	8.91	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 199 of 225

Table I-272
NR Band n77 DoD PC2 Measured P_{limit} Antenna 4b - 80 MHz

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.08	0	0.0
	1	109	9.02		0.0
	1	215	9.05		0.0
	108	0	8.98	0-0.5	0.0
	108	55	9.00	0	0.0
	108	109	8.96	0-0.5	0.0
	216	0	9.01		0.0
DFT-s-OFDM QPSK	1	1	9.06	0	0.0
	1	109	9.02		0.0
	1	215	8.97		0.0
	108	0	8.94	0-1	0.0
	108	55	8.98	0	0.0
	108	109	8.92	0-1	0.0
	216	0	9.01		0.0
DFT-s-OFDM 16QAM	1	1	9.31	0-1	0.0
CP-OFDM QPSK	1	1	8.92	0-1.5	0.0

Table I-273
NR Band n77 DoD PC2 Measured P_{limit} Antenna 4b - 70 MHz

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.46	0	0.0
	1	95	9.34		0.0
	1	187	9.31		0.0
	90	0	9.30	0-0.5	0.0
	90	50	9.35	0	0.0
	90	99	9.23	0-0.5	0.0
	180	0	9.32		0.0
DFT-s-OFDM QPSK	1	1	9.42	0	0.0
	1	95	9.34		0.0
	1	187	9.35		0.0
	90	0	9.27	0-1	0.0
	90	50	9.30	0	0.0
	90	99	9.25	0-1	0.0
	180	0	9.32		0.0
DFT-s-OFDM 16QAM	1	1	9.67	0-1	0.0
CP-OFDM QPSK	1	1	9.40	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 200 of 225

Table I-274
NR Band n77 DoD PC2 Measured P_{limit} Antenna 4b - 60 MHz

NR Band n77 DoD 60 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)	Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.42		0	0.0
	1	81	9.41			0.0
	1	160	9.31			0.0
	81	0	9.41		0-0.5	0.0
	81	41	9.30		0	0.0
	81	81	9.34		0-0.5	0.0
	162	0	9.29			0.0
DFT-s-OFDM QPSK	1	1	9.41		0	0.0
	1	81	9.51			0.0
	1	160	9.34			0.0
	81	0	9.37		0-1	0.0
	81	41	9.32		0	0.0
	81	81	9.30		0-1	0.0
	162	0	9.29			0.0
DFT-s-OFDM 16QAM	1	1	9.64		0-1	0.0
CP-OFDM QPSK	1	1	9.32		0-1.5	0.0

Table I-275
NR Band n77 DoD PC2 Measured P_{limit} Antenna 4b - 50 MHz

NR Band n77 DoD 50 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			631668 (3475.02 MHz)	635000 (3525 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.53	<u>9.70</u>	0	0.0
	1	67	9.56	9.50		0.0
	1	131	9.61	9.45		0.0
	64	0	9.45	9.52	0-0.5	0.0
	64	35	9.47	9.51	0	0.0
	64	69	9.51	9.41	0-0.5	0.0
	128	0	9.52	9.50		0.0
DFT-s-OFDM QPSK	1	1	9.52	<u>9.70</u>	0	0.0
	1	67	9.51	9.48		0.0
	1	131	9.61	9.42		0.0
	64	0	9.28	9.56	0-1	0.0
	64	35	9.42	9.48	0	0.0
	64	69	9.43	9.43	0-1	0.0
	128	0	9.40	9.54		0.0
DFT-s-OFDM 16QAM	1	1	9.50	<u>9.92</u>	0-1	0.0
CP-OFDM QPSK	1	1	9.45	<u>9.61</u>	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 201 of 225

Table I-276
NR Band n77 DoD PC2 Measured P_{limit} Antenna 4b - 40 MHz

NR Band n77 DoD 40 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			631334 (3470.01 MHz)	635332 (3529.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.45	9.60	0	0.0
	1	53	9.38	9.33		0.0
	1	104	9.59	9.42		0.0
	50	0	9.36	9.48	0-0.5	0.0
	50	28	9.34	9.44	0	0.0
	50	56	9.37	9.36	0-0.5	0.0
	100	0	9.40	9.34		0.0
DFT-s-OFDM QPSK	1	1	9.53	9.66	0	0.0
	1	53	9.37	9.36		0.0
	1	104	9.60	9.47		0.0
	50	0	9.39	9.53	0-1	0.0
	50	28	9.36	9.43	0	0.0
	50	56	9.45	9.36	0-1	0.0
	100	0	9.37	9.44		0.0
DFT-s-OFDM 16QAM	1	1	9.72	9.83	0-1	0.0
CP-OFDM QPSK	1	1	9.37	9.48	0-1.5	0.0

Table I-277
NR Band n77 DoD PC2 Measured P_{limit} Antenna 4b - 30 MHz

NR Band n77 DoD 30 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			631000 (3465 MHz)	633334 (3500.01 MHz)	635666 (3534.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.35	9.46	9.42	0	0.0
	1	39	9.27	9.42	9.31		0.0
	1	76	9.45	9.48	9.33		0.0
	36	0	9.34	9.41	9.42	0-0.5	0.0
	36	21	9.25	9.38	9.24	0	0.0
	36	42	9.30	9.44	9.30	0-0.5	0.0
	75	0	9.34	9.43	9.30		0.0
DFT-s-OFDM QPSK	1	1	9.41	9.47	9.44	0	0.0
	1	39	9.31	9.48	9.31		0.0
	1	76	9.44	9.53	9.36		0.0
	36	0	9.33	9.40	9.34	0-1	0.0
	36	21	9.30	9.36	9.26	0	0.0
	36	42	9.36	9.45	9.28	0-1	0.0
	75	0	9.34	9.42	9.32		0.0
DFT-s-OFDM 16QAM	1	1	9.65	9.75	9.63	0-1	0.0
CP-OFDM QPSK	1	1	9.25	9.37	9.35	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 202 of 225

Table I-278
NR Band n77 DoD PC2 Measured P_{limit} Antenna 4b - 20 MHz

NR Band n77 DoD 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			630668 (3460.02 MHz)	633334 (3500.01 MHz)	636000 (3540 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.31	9.45	9.38	0	0.0
	1	26	9.33	9.43	9.27		0.0
	1	49	9.30	9.42	9.31		0.0
	25	0	9.27	9.41	9.29	0-0.5	0.0
	25	13	9.26	9.42	9.29	0	0.0
	25	26	9.31	9.43	9.26	0-0.5	0.0
	50	0	9.31	9.42	9.30		0.0
DFT-s-OFDM QPSK	1	1	9.37	9.46	9.36	0	0.0
	1	26	9.32	9.43	9.31		0.0
	1	49	9.37	9.46	9.31		0.0
	25	0	9.26	9.38	9.28	0-1	0.0
	25	13	9.28	9.39	9.24	0	0.0
	25	26	9.32	9.42	9.24	0-1	0.0
	50	0	9.31	9.41	9.26		0.0
DFT-s-OFDM 16QAM	1	1	9.57	9.64	9.67	0-1	0.0
CP-OFDM QPSK	1	1	9.22	9.28	9.27	0-1.5	0.0

Table I-279
NR Band n77 DoD PC2 Measured P_{limit} Antenna 4b - 15 MHz

NR Band n77 DoD 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			630500 (3457.5 MHz)	633334 (3500.01 MHz)	636166 (3542.49 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.70	9.59	9.72	0	0.0
	1	19	9.55	9.61	9.64		0.0
	1	36	9.64	9.70	9.70		0.0
	18	0	9.57	9.65	9.62	0-0.5	0.0
	18	10	9.63	9.68	9.60	0	0.0
	18	20	9.60	9.60	9.64	0-0.5	0.0
	36	0	9.62	9.62	9.57		0.0
DFT-s-OFDM QPSK	1	1	9.71	9.66	9.72	0	0.0
	1	19	9.64	9.57	9.65		0.0
	1	36	9.73	9.61	9.74		0.0
	18	0	9.62	9.58	9.67	0-1	0.0
	18	10	9.61	9.65	9.62	0	0.0
	18	20	9.63	9.57	9.65	0-1	0.0
	36	0	9.57	9.61	9.58		0.0
DFT-s-OFDM 16QAM	1	1	9.89	9.87	9.95	0-1	0.0
CP-OFDM QPSK	1	1	9.68	9.50	9.62	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 203 of 225

Table I-280
NR Band n77 DoD PC2 Measured P_{limit} Antenna 4b - 10 MHz

NR Band n77 DoD 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			630334 (3455.01 MHz)	633334 (3500.01 MHz)	636332 (3544.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.36	9.48	9.32	0	0.0
	1	12	9.33	9.44	9.42		0.0
	1	22	9.44	9.41	9.51		0.0
	12	0	9.38	9.42	9.34	0-0.5	0.0
	12	6	9.30	9.40	9.36	0	0.0
	12	12	9.32	9.51	9.33	0-0.5	0.0
DFT-s-OFDM QPSK	1	1	9.37	9.43	9.39	0	0.0
	1	12	9.35	9.48	9.45		0.0
	1	22	9.44	9.52	9.53		0.0
	12	0	9.38	9.44	9.36	0-1	0.0
	12	6	9.33	9.42	9.42	0	0.0
	12	12	9.36	9.45	9.36	0	0.0
DFT-s-OFDM 16QAM	1	1	9.58	9.48	9.55	0-1	0.0
	1	1	9.27	9.23	9.35		0-1.5

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 204 of 225

I.2.13 NR Band n77 C PC2

Table I-281
NR Band n77 C PC2 Measured P_{limit} Antenna 1 - 90 MHz

NR Band n77 90 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			649668 (3745.02 MHz)	656000 (3840 MHz)	662332 (3934.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.67	10.81	10.84	0	0.0
	1	123	10.82	10.76	10.62		0.0
	1	243	10.72	10.76	10.63		0.0
	120	0	10.67	10.71	10.66	0-0.5	0.0
	120	63	10.69	10.74	10.56	0	0.0
	120	125	10.57	10.65	10.62	0-0.5	0.0
	243	0	10.67	10.72	10.61		0.0
DFT-s-OFDM QPSK	1	1	10.73	10.78	10.90	0	0.0
	1	123	10.94	10.75	10.64		0.0
	1	243	10.85	10.71	10.51		0.0
	120	0	10.70	10.70	10.75	0-1	0.0
	120	63	10.73	10.66	10.57	0	0.0
	120	125	10.65	10.64	10.65	0-1	0.0
	243	0	10.72	10.63	10.63		0.0
DFT-s-OFDM 16QAM	1	1	10.51	10.97	11.06	0-1	0.0
CP-OFDM QPSK	1	1	10.58	10.67	10.73	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 205 of 225

Table I-282
NR Band n77 C PC2 Measured P_{limit} Antenna 1 - 80 MHz

NR Band n77 80 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			649334 (3740.01 MHz)	656000 (3840 MHz)	662666 (3939.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.86	11.02	11.00	0	0.0
	1	109	11.01	10.93	10.84		0.0
	1	215	10.97	10.94	10.77		0.0
	108	0	10.95	11.02	10.98	0-0.5	0.0
	108	55	11.00	10.96	10.80	0	0.0
	108	109	10.93	10.88	10.77	0-0.5	0.0
216	0	11.03	10.99	10.89	0.0		
DFT-s-OFDM QPSK	1	1	10.91	11.11	11.15	0	0.0
	1	109	11.02	11.03	10.79		0.0
	1	215	11.03	11.00	10.80		0.0
	108	0	10.90	11.05	10.95	0-1	0.0
	108	55	11.03	11.01	10.82	0	0.0
	108	109	11.01	10.94	10.76	0-1	0.0
216	0	10.94	10.94	10.85	0.0		
DFT-s-OFDM 16QAM	1	1	11.00	11.12	11.16	0-1	0.0
CP-OFDM QPSK	1	1	10.63	10.88	10.95	0-1.5	0.0

Table I-283
NR Band n77 C PC2 Measured P_{limit} Antenna 1 - 70 MHz

NR Band n77 70 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			649000 (3735 MHz)	653666 (3804.99 MHz)	658334 (3875.01 MHz)	663000 (3945 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.97	11.05	11.19	10.87	0	0.0
	1	95	11.00	11.01	11.16	10.63		0.0
	1	187	11.01	10.99	10.97	10.65		0.0
	90	0	10.84	11.04	11.15	10.68	0-0.5	0.0
	90	50	10.91	11.03	11.16	10.59	0	0.0
	90	99	10.90	10.94	11.08	10.51	0-0.5	0.0
180	0	10.98	10.96	11.08	10.68	0.0		
DFT-s-OFDM QPSK	1	1	10.98	11.14	11.31	10.93	0	0.0
	1	95	11.02	10.99	11.23	10.61		0.0
	1	187	11.00	10.91	10.97	10.52		0.0
	90	0	10.84	10.99	11.16	10.69	0-1	0.0
	90	50	10.97	11.02	11.14	10.58	0	0.0
	90	99	10.91	10.94	11.08	10.51	0-1	0.0
180	0	10.97	10.96	11.15	10.65	0.0		
DFT-s-OFDM 16QAM	1	1	11.00	11.32	11.25	11.14	0-1	0.0
CP-OFDM QPSK	1	1	10.83	10.87	11.07	10.92	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 206 of 225

Table I-284
NR Band n77 C PC2 Measured P_{limit} Antenna 1 - 60 MHz

NR Band n77 60 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			648668 (3730.02 MHz)	653556 (3803.34 MHz)	658444 (3876.66 MHz)	663332 (3949.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.98	11.13	11.10	10.65	0	0.0
	1	81	10.86	10.96	11.18	10.66		0.0
	1	160	10.85	10.90	10.96	10.65		0.0
	81	0	10.87	11.01	11.07	10.53	0-0.5	0.0
	81	41	10.91	10.93	11.05	10.61	0	0.0
	81	81	10.89	10.81	10.96	10.66	0-0.5	0.0
	162	0	10.87	10.96	10.99	10.54		0.0
DFT-s-OFDM QPSK	1	1	10.95	11.04	11.14	10.75	0	0.0
	1	81	10.95	11.03	11.13	10.52		0.0
	1	160	10.90	10.89	11.06	10.57		0.0
	81	0	10.90	11.01	11.22	10.62	0-1	0.0
	81	41	10.85	10.97	10.99	10.51	0	0.0
	81	81	10.82	10.89	11.01	10.68	0-1	0.0
	162	0	10.94	11.02	10.98	10.55		0.0
DFT-s-OFDM 16QAM	1	1	11.02	11.13	11.14	11.01	0-1	0.0
CP-OFDM QPSK	1	1	10.87	11.00	11.01	10.96	0-1.5	0.0

Table I-285
NR Band n77 C PC2 Measured P_{limit} Antenna 1 - 50 MHz

NR Band n77 50 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			648334 (3725.01 MHz)	652166 (3782.49 MHz)	656000 (3840 MHz)	659834 (3897.51 MHz)	663666 (3954.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.00	11.11	11.06	10.97	11.05	0	0.0
	1	67	10.96	11.15	11.13	10.70	10.83		0.0
	1	131	10.86	11.07	11.19	10.93	10.90		0.0
	64	0	10.96	11.06	11.10	10.92	10.80	0-0.5	0.0
	64	35	10.84	11.07	11.08	10.67	10.78	0	0.0
	64	69	10.83	11.01	11.06	10.58	10.77	0-0.5	0.0
	128	0	10.81	11.02	11.18	10.66	10.84		0.0
DFT-s-OFDM QPSK	1	1	11.01	11.11	11.21	10.93	10.97	0	0.0
	1	67	10.93	11.08	11.14	10.75	10.81		0.0
	1	131	10.85	11.09	11.12	10.75	10.88		0.0
	64	0	10.88	11.14	10.97	10.82	10.78	0-1	0.0
	64	35	10.92	11.00	11.15	11.08	10.72	0	0.0
	64	69	10.87	11.03	11.10	10.93	10.84	0-1	0.0
	128	0	10.85	11.02	11.07	11.03	10.86		0.0
DFT-s-OFDM 16QAM	1	1	10.98	11.18	11.15	11.24	11.16	0-1	0.0
CP-OFDM QPSK	1	1	10.98	10.98	11.13	11.09	10.89	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 207 of 225

Table I-286
NR Band n77 C PC2 Measured P_{limit} Antenna 1 - 40 MHz

NR Band n77 40 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			648000 (3720 MHz)	651200 (3768 MHz)	654400 (3816 MHz)	657600 (3864 MHz)	660800 (3912 MHz)	664000 (3960 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.24	11.08	11.30	11.30	11.34	10.76	0	0.0
	1	53	11.05	10.96	11.14	11.11	11.05	10.65		0.0
	1	104	11.05	11.01	11.12	11.24	11.01	10.86		0.0
	50	0	11.08	11.05	11.21	11.15	11.16	10.62	0-0.5	0.0
	50	28	10.98	11.02	11.11	11.02	11.00	10.57	0	0.0
	50	56	10.89	10.98	11.10	11.04	10.93	10.65	0-0.5	0.0
DFT-s-OFDM QPSK	100	0	10.98	11.05	11.08	11.03	11.07	10.63	0	0.0
	1	1	11.28	11.22	11.33	11.32	11.33	10.74	0	0.0
	1	53	11.05	11.01	11.18	11.11	11.07	10.66		0.0
	1	104	11.10	11.03	11.25	11.22	10.99	10.88		0.0
	50	0	11.00	11.07	11.23	11.25	11.12	10.58	0-1	0.0
	50	28	11.03	10.98	11.10	11.13	10.96	10.68	0	0.0
DFT-s-OFDM 16QAM	50	56	11.00	10.96	11.09	11.11	10.94	10.73	0-1	0.0
	100	0	10.93	11.06	11.10	11.16	11.00	10.70	0	0.0
CP-OFDM QPSK	1	1	11.42	11.37	11.57	11.59	11.48	10.91	0-1	0.0
CP-OFDM QPSK	1	1	11.07	11.03	11.23	11.13	11.19	10.60	0-1.5	0.0

Table I-287
NR Band n77 C PC2 Measured P_{limit} Antenna 1 - 30 MHz

NR Band n77 30 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647668 (3715.02 MHz)	651000 (3765 MHz)	654334 (3815.01 MHz)	657666 (3864.99 MHz)	661000 (3915 MHz)	664332 (3964.98 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.99	10.99	11.21	11.04	10.96	10.57	0	0.0
	1	39	10.85	10.97	10.99	10.99	10.80	10.57		0.0
	1	76	10.84	10.99	10.96	11.08	10.78	10.53		0.0
	36	0	10.95	10.95	11.05	11.00	10.88	10.51	0-0.5	0.0
	36	21	10.84	10.97	11.05	10.96	10.82	10.61	0	0.0
	36	42	10.73	10.96	10.93	11.03	10.80	10.65	0-0.5	0.0
DFT-s-OFDM QPSK	75	0	10.89	10.98	11.13	11.05	10.86	10.63	0	0.0
	1	1	11.08	11.04	11.15	11.01	10.98	10.61	0	0.0
	1	39	10.98	10.94	11.10	11.06	10.88	10.64		0.0
	1	76	10.83	11.09	11.08	11.04	10.79	10.52		0.0
	36	0	10.93	11.08	11.23	11.12	10.91	10.58	0-1	0.0
	36	21	10.84	10.90	11.00	11.00	10.75	10.64	0	0.0
DFT-s-OFDM 16QAM	36	42	10.83	10.94	11.05	10.99	10.76	10.69	0-1	0.0
	75	0	10.83	10.91	11.06	10.91	10.83	10.57	0	0.0
CP-OFDM QPSK	1	1	11.02	10.96	11.06	11.00	10.81	10.69	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 208 of 225

Table I-288
NR Band n77 C PC2 Measured P_{limit} Antenna 1 - 20 MHz

NR Band n77 20 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647334 (3710.01 MHz)	650800 (3762 MHz)	654266 (3813.99 MHz)	657734 (3866.01 MHz)	661200 (3918 MHz)	664666 (3969.99 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.00	10.74	11.03	10.90	10.83	10.58	0	0.0
	1	26	10.76	10.81	11.03	10.93	10.76	10.56		0.0
	1	49	10.79	10.87	10.87	10.91	10.83	10.72		0.0
	25	0	10.86	10.83	11.05	10.84	10.74	10.56	0-0.5	0.0
	25	13	10.82	10.73	10.96	10.80	10.68	10.52	0	0.0
	25	26	10.77	10.84	10.96	10.84	10.65	10.54	0-0.5	0.0
	50	0	10.79	10.81	10.92	10.83	10.63	10.55		0.0
DFT-s-OFDM QPSK	1	1	10.99	10.80	10.99	10.92	10.89	10.69	0	0.0
	1	26	10.91	10.95	10.96	10.93	10.80	10.69		0.0
	1	49	10.83	10.85	10.94	10.88	10.80	10.65		0.0
	25	0	10.91	10.79	10.97	10.88	10.70	10.62	0-1	0.0
	25	13	10.78	10.77	10.96	10.87	10.65	10.53	0	0.0
	25	26	10.86	10.78	10.95	10.92	10.64	10.51	0-1	0.0
	50	0	10.90	10.79	10.94	10.85	10.82	10.53		0.0
DFT-s-OFDM 16QAM	1	1	11.00	11.18	11.26	11.23	11.28	10.97	0-1	0.0
CP-OFDM QPSK	1	1	11.04	10.86	11.13	11.00	10.77	10.60	0-1.5	0.0

Table I-289
NR Band n77 C PC2 Measured P_{limit} Antenna 1 - 15 MHz

NR Band n77 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647168 (3707.52 MHz)	650700 (3760.5 MHz)	654234 (3813.51 MHz)	657766 (3866.49 MHz)	661300 (3919.5 MHz)	664832 (3972.48 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.54	11.31	11.14	10.80	11.34	11.09	0	0.0
	1	19	10.51	11.24	11.03	10.65	11.31	11.16		0.0
	1	36	10.57	11.28	10.98	10.91	11.28	11.06		0.0
	18	0	10.52	11.28	11.01	10.67	11.26	11.08	0-0.5	0.0
	18	10	10.51	11.31	10.96	10.63	11.22	11.12	0	0.0
	18	20	10.58	11.32	11.02	10.71	11.21	11.07	0-0.5	0.0
	36	0	10.54	11.27	11.00	10.65	11.14	11.01		0.0
DFT-s-OFDM QPSK	1	1	10.75	11.34	10.98	10.82	11.14	11.15	0	0.0
	1	19	10.56	11.28	10.91	10.77	11.09	11.14		0.0
	1	36	10.81	11.37	10.77	10.84	11.03	10.97		0.0
	18	0	10.58	11.21	10.84	10.81	11.13	11.10	0-1	0.0
	18	10	10.59	11.23	10.81	10.84	11.08	11.13	0	0.0
	18	20	10.58	11.18	10.71	10.78	11.11	11.08	0-1	0.0
	36	0	10.64	11.24	11.01	10.91	11.16	11.01		0.0
DFT-s-OFDM 16QAM	1	1	10.54	11.33	11.07	11.10	11.05	11.34	0-1	0.0
CP-OFDM QPSK	1	1	10.51	11.13	10.84	11.01	10.98	11.07	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 209 of 225

Table I-290
NR Band n77 C PC2 Measured P_{limit} Antenna 1 - 10 MHz

NR Band n77 10 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647000 (3705 MHz)	650600 (3759 MHz)	654200 (3813 MHz)	657800 (3867 MHz)	661400 (3921 MHz)	665000 (3975 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.54	11.13	10.81	10.80	11.24	11.09	0	0.0
	1	12	10.56	11.18	11.12	10.62	11.21	11.16		0.0
	1	22	10.51	11.18	11.01	10.75	11.12	11.05		0.0
	12	0	10.57	11.21	11.11	10.65	11.07	11.07	0-0.5	0.0
	12	6	10.61	11.23	10.98	10.53	11.14	11.10	0	0.0
	12	12	10.51	11.14	11.02	10.61	11.18	11.01	0-0.5	0.0
DFT-s-OFDM QPSK	24	0	10.66	11.18	10.99	10.54	11.21	10.99	0	0.0
	1	1	10.55	11.12	10.83	10.82	11.15	11.03	0	0.0
	1	12	10.50	11.21	10.89	10.69	11.26	11.12		0.0
	1	22	10.61	11.17	10.76	10.74	11.10	11.08		0.0
	12	0	10.55	11.24	10.84	10.75	11.19	11.10	0-1	0.0
	12	6	10.67	11.13	10.81	10.84	11.14	11.13	0	0.0
	12	12	10.57	11.18	10.80	10.73	11.00	11.08	0	0.0
24	0	10.63	11.23	10.78	10.76	11.09	11.03	0-1	0.0	
DFT-s-OFDM 16QAM	1	1	10.81	11.37	11.07	11.09	11.29	11.24	0-1	0.0
CP-OFDM QPSK	1	1	10.71	11.21	10.93	10.74	11.12	11.07	0-1.5	0.0

Table I-291
NR Band n77 C PC2 Measured P_{limit} Antenna 2a - 90 MHz

NR Band n77 90 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			649668 (3745.02 MHz)	656000 (3840 MHz)	662332 (3934.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.44	10.30	10.08	0	0.0
	1	123	10.57	10.17	10.14		0.0
	1	243	10.70	10.06	9.90		0.0
	120	0	10.49	10.17	10.20	0-0.5	0.0
	120	63	10.54	10.15	10.13	0	0.0
	120	125	10.59	10.14	9.88	0-0.5	0.0
DFT-s-OFDM QPSK	243	0	10.64	10.18	10.07	0	0.0
	1	1	10.36	10.29	10.15	0	0.0
	1	123	10.50	10.01	10.05		0.0
	1	243	10.67	10.04	9.89		0.0
	120	0	10.44	10.28	10.25	0-1	0.0
	120	63	10.55	10.14	10.10	0	0.0
	120	125	10.60	10.14	9.90	0-1	0.0
243	0	10.59	10.16	10.09	0.0		
DFT-s-OFDM 16QAM	1	1	10.23	9.98	10.34	0-1	0.0
CP-OFDM QPSK	1	1	10.21	10.09	10.23	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 210 of 225

Table I-292
NR Band n77 C PC2 Measured P_{limit} Antenna 2a - 80 MHz

NR Band n77 80 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			649334 (3740.01 MHz)	656000 (3840 MHz)	662666 (3939.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.47	10.34	10.20	0	0.0
	1	109	10.61	10.14	10.07		0.0
	1	215	10.53	10.08	9.89		0.0
	108	0	10.58	10.22	10.17	0-0.5	0.0
	108	55	10.65	10.17	10.09	0	0.0
	108	109	10.60	10.07	10.04	0-0.5	0.0
216	0	10.62	10.16	10.12	0.0		
DFT-s-OFDM QPSK	1	1	10.52	10.27	10.15	0	0.0
	1	109	10.55	10.07	10.09		0.0
	1	215	10.47	9.96	9.90		0.0
	108	0	10.54	10.22	10.22	0-1	0.0
	108	55	10.65	10.14	10.07	0	0.0
	108	109	10.57	10.15	10.09	0-1	0.0
216	0	10.63	10.13	10.01	0.0		
DFT-s-OFDM 16QAM	1	1	10.54	10.42	10.35	0-1	0.0
CP-OFDM QPSK	1	1	10.47	10.36	10.22	0-1.5	0.0

Table I-293
NR Band n77 C PC2 Measured P_{limit} Antenna 2a - 70 MHz

NR Band n77 70 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			649000 (3735 MHz)	653666 (3804.99 MHz)	658334 (3875.01 MHz)	663000 (3945 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.49	10.44	10.06	10.10	0	0.0
	1	95	10.56	10.36	10.02	10.05		0.0
	1	187	10.56	9.99	10.14	10.00		0.0
	90	0	10.53	10.43	10.07	10.07	0-0.5	0.0
	90	50	10.58	10.27	10.09	10.01	0	0.0
	90	99	10.62	10.11	10.03	10.04	0-0.5	0.0
180	0	10.58	10.23	10.07	9.99	0.0		
DFT-s-OFDM QPSK	1	1	10.41	10.40	9.98	10.15	0	0.0
	1	95	10.50	10.33	9.98	10.04		0.0
	1	187	10.46	9.89	10.06	9.91		0.0
	90	0	10.49	10.46	10.08	10.06	0-1	0.0
	90	50	10.60	10.26	10.11	10.02	0	0.0
	90	99	10.64	10.15	10.07	10.02	0-1	0.0
180	0	10.60	10.26	10.11	10.05	0.0		
DFT-s-OFDM 16QAM	1	1	10.44	10.41	10.19	10.38	0-1	0.0
CP-OFDM QPSK	1	1	10.47	10.37	10.05	10.05	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 211 of 225

Table I-294
NR Band n77 C PC2 Measured P_{limit} Antenna 2a - 60 MHz

NR Band n77 60 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			648668 (3730.02 MHz)	653556 (3803.34 MHz)	658444 (3876.66 MHz)	663332 (3949.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.42	10.33	10.07	10.08	0	0.0
	1	81	10.45	10.18	10.00	10.13		0.0
	1	160	10.52	10.07	10.02	9.95		0.0
	81	0	10.54	10.22	10.01	10.09	0-0.5	0.0
	81	41	10.50	10.20	10.08	10.03	0	0.0
	81	81	10.55	10.20	10.09	9.95	0-0.5	0.0
	162	0	10.56	10.17	10.03	10.02		0.0
DFT-s-OFDM QPSK	1	1	10.36	10.26	9.98	10.17	0	0.0
	1	81	10.39	10.09	9.98	10.08		0.0
	1	160	10.48	9.97	9.97	9.91		0.0
	81	0	10.56	10.32	10.09	10.10	0-1	0.0
	81	41	10.46	10.26	10.00	10.05	0	0.0
	81	81	10.58	10.11	10.05	9.95	0-1	0.0
	162	0	10.52	10.17	10.03	10.02		0.0
DFT-s-OFDM 16QAM	1	1	10.38	10.42	9.93	10.34	0-1	0.0
CP-OFDM QPSK	1	1	10.39	10.39	10.04	10.03	0-1.5	0.0

Table I-295
NR Band n77 C PC2 Measured P_{limit} Antenna 2a - 50 MHz

NR Band n77 50 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			648334 (3725.01 MHz)	652166 (3782.49 MHz)	656000 (3840 MHz)	659834 (3897.51 MHz)	663666 (3954.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.37	10.35	10.20	10.03	10.30	0	0.0
	1	67	10.48	10.22	10.12	10.00	10.24		0.0
	1	131	10.57	10.15	10.15	10.13	10.10		0.0
	64	0	10.45	10.38	10.12	10.11	10.42	0-0.5	0.0
	64	35	10.47	10.27	10.14	10.06	10.37	0	0.0
	64	69	10.50	10.23	10.08	10.01	10.20	0-0.5	0.0
	128	0	10.48	10.19	10.13	10.03	10.33		0.0
DFT-s-OFDM QPSK	1	1	10.27	10.29	10.08	9.97	10.40	0	0.0
	1	67	10.41	10.15	10.05	9.97	10.19		0.0
	1	131	10.45	10.10	10.03	10.05	10.03		0.0
	64	0	10.44	10.42	10.18	10.11	10.41	0-1	0.0
	64	35	10.48	10.21	10.15	10.07	10.33	0	0.0
	64	69	10.50	10.21	10.11	10.09	10.21	0-1	0.0
	128	0	10.40	10.32	10.19	10.04	10.31		0.0
DFT-s-OFDM 16QAM	1	1	10.36	10.13	10.30	10.10	10.45	0-1	0.0
CP-OFDM QPSK	1	1	10.36	10.37	10.13	10.07	10.45	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 212 of 225

Table I-296
NR Band n77 C PC2 Measured P_{limit} Antenna 2a - 40 MHz

NR Band n77 40 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			648000 (3720 MHz)	651200 (3768 MHz)	654400 (3816 MHz)	657600 (3864 MHz)	660800 (3912 MHz)	664000 (3960 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.46	10.63	10.61	10.60	10.63	10.63	0	0.0
	1	53	10.68	10.51	10.41	10.35	10.41	10.41		0.0
	1	104	10.70	10.63	10.42	10.45	10.43	10.51		0.0
	50	0	10.69	10.68	10.54	10.53	10.56	10.50	0-0.5	0.0
	50	28	10.62	10.60	10.41	10.47	10.40	10.55	0	0.0
	50	56	10.64	10.66	10.38	10.33	10.47	10.55	0-0.5	0.0
	100	0	10.60	10.60	10.52	10.44	10.45	10.44		0.0
DFT-s-OFDM QPSK	1	1	10.68	10.70	10.53	10.56	10.55	10.57	0	0.0
	1	53	10.62	10.47	10.33	10.29	10.31	10.32		0.0
	1	104	10.63	10.56	10.29	10.26	10.32	10.38		0.0
	50	0	10.67	10.64	10.54	10.47	10.52	10.55	0-1	0.0
	50	28	10.57	10.59	10.51	10.40	10.38	10.45	0	0.0
	50	56	10.69	10.57	10.41	10.36	10.43	10.55	0-1	0.0
	100	0	10.63	10.64	10.51	10.41	10.44	10.49		0.0
DFT-s-OFDM 16QAM	1	1	10.69	10.65	10.68	10.61	10.62	10.56	0-1	0.0
CP-OFDM QPSK	1	1	10.36	10.69	10.54	10.63	10.53	10.65	0-1.5	0.0

Table I-297
NR Band n77 C PC2 Measured P_{limit} Antenna 2a - 30 MHz

NR Band n77 30 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647668 (3715.02 MHz)	651000 (3765 MHz)	654334 (3815.01 MHz)	657666 (3864.99 MHz)	661000 (3915 MHz)	664332 (3964.98 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.66	10.62	10.49	10.46	10.33	10.56	0	0.0
	1	39	10.63	10.58	10.49	10.37	10.29	10.40		0.0
	1	76	10.66	10.46	10.35	10.32	10.34	10.42		0.0
	36	0	10.67	10.64	10.51	10.48	10.37	10.48	0-0.5	0.0
	36	21	10.70	10.59	10.44	10.40	10.33	10.43	0	0.0
	36	42	10.69	10.58	10.33	10.37	10.30	10.47	0-0.5	0.0
	75	0	10.65	10.58	10.50	10.42	10.40	10.48		0.0
DFT-s-OFDM QPSK	1	1	10.62	10.53	10.45	10.34	10.28	10.52	0	0.0
	1	39	10.58	10.56	10.33	10.29	10.23	10.32		0.0
	1	76	10.63	10.30	10.33	10.25	10.26	10.28		0.0
	36	0	10.68	10.67	10.55	10.43	10.36	10.49	0-1	0.0
	36	21	10.67	10.56	10.49	10.44	10.32	10.48	0	0.0
	36	42	10.64	10.58	10.39	10.40	10.39	10.45	0-1	0.0
	75	0	10.67	10.58	10.49	10.45	10.32	10.52		0.0
DFT-s-OFDM 16QAM	1	1	10.64	10.54	10.47	10.44	10.34	10.53	0-1	0.0
CP-OFDM QPSK	1	1	10.65	10.67	10.48	10.48	10.36	10.60	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 213 of 225

Table I-298
NR Band n77 C PC2 Measured P_{limit} Antenna 2a - 20 MHz

NR Band n77 20 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647334 (3710.01 MHz)	650800 (3762 MHz)	654266 (3813.99 MHz)	657734 (3866.01 MHz)	661200 (3918 MHz)	664666 (3969.99 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.64	10.56	10.40	10.15	10.24	10.39	0	0.0
	1	26	10.57	10.57	10.40	10.11	10.24	10.35		0.0
	1	49	10.67	10.56	10.34	10.23	10.33	10.38		0.0
	25	0	10.67	10.58	10.42	10.18	10.30	10.46	0-0.5	0.0
	25	13	10.66	10.60	10.45	10.16	10.23	10.42	0	0.0
	25	26	10.69	10.58	10.40	10.22	10.29	10.40	0-0.5	0.0
DFT-s-OFDM QPSK	1	1	10.57	10.53	10.39	10.08	10.12	10.34	0	0.0
	1	26	10.51	10.56	10.34	10.10	10.22	10.30		0.0
	1	49	10.70	10.52	10.29	10.15	10.18	10.27		0.0
	25	0	10.65	10.61	10.49	10.17	10.25	10.51	0-1	0.0
	25	13	10.68	10.58	10.42	10.14	10.20	10.41	0	0.0
	25	26	10.65	10.60	10.41	10.25	10.31	10.40	0-1	0.0
DFT-s-OFDM 16QAM	1	1	10.67	10.54	10.50	10.02	10.24	10.41	0-1	0.0
CP-OFDM QPSK	1	1	10.60	10.54	10.52	10.06	10.23	10.34	0-1.5	0.0

Table I-299
NR Band n77 C PC2 Measured P_{limit} Antenna 2a - 15 MHz

NR Band n77 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647168 (3707.52 MHz)	650700 (3760.5 MHz)	654234 (3813.51 MHz)	657766 (3866.49 MHz)	661300 (3919.5 MHz)	664832 (3972.48 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.38	10.53	10.58	10.25	10.21	10.42	0	0.0
	1	19	10.21	10.58	10.54	10.06	10.24	10.39		0.0
	1	36	10.27	10.48	10.62	10.23	10.30	10.41		0.0
	18	0	10.24	10.57	10.58	10.18	10.28	10.52	0-0.5	0.0
	18	10	10.26	10.62	10.59	10.12	10.23	10.47	0	0.0
	18	20	10.31	10.58	10.45	10.24	10.27	10.56	0-0.5	0.0
DFT-s-OFDM QPSK	36	0	10.34	10.51	10.56	10.18	10.37	10.51	0-0.5	0.0
	1	1	10.28	10.41	10.57	10.21	10.21	10.48	0	0.0
	1	19	10.17	10.34	10.61	10.15	10.27	10.55		0.0
	1	36	10.56	10.39	10.57	10.29	10.18	10.42		0.0
	18	0	10.32	10.58	10.56	10.18	10.21	10.54	0-1	0.0
	18	10	10.25	10.66	10.61	10.19	10.19	10.43	0	0.0
DFT-s-OFDM 16QAM	18	20	10.28	10.59	10.58	10.24	10.31	10.41	0-1	0.0
	36	0	10.22	10.54	10.60	10.18	10.35	10.42		0.0
DFT-s-OFDM 16QAM	1	1	10.44	10.61	10.58	10.19	10.41	10.49	0-1	0.0
CP-OFDM QPSK	1	1	10.31	10.55	10.49	10.14	10.38	10.37	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 214 of 225

Table I-300
NR Band n77 C PC2 Measured P_{limit} Antenna 2a - 10 MHz

NR Band n77 10 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647000 (3705 MHz)	650600 (3759 MHz)	654200 (3813 MHz)	657800 (3867 MHz)	661400 (3921 MHz)	665000 (3975 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.28	10.74	10.48	10.10	10.56	10.56	0	0.0
	1	12	10.04	10.65	10.54	10.04	10.48	10.48		0.0
	1	22	10.09	10.49	10.48	10.18	10.32	10.55		0.0
	12	0	10.08	10.67	10.38	10.03	10.29	10.48	0-0.5	0.0
	12	6	10.05	10.69	10.46	9.99	10.27	10.38	0	0.0
	12	12	10.02	10.61	10.39	10.09	10.20	10.41	0-0.5	0.0
DFT-s-OFDM QPSK	24	0	10.10	10.59	10.43	10.06	10.38	10.33	0	0.0
	1	1	10.28	10.60	10.48	10.08	10.44	10.43		0.0
	1	12	10.31	10.75	10.52	10.11	10.39	10.37		0.0
	1	22	10.21	10.39	10.40	10.25	10.33	10.31	0-1	0.0
	12	0	10.11	10.61	10.33	9.99	10.31	10.44	0	0.0
	12	6	10.16	10.64	10.35	10.07	10.33	10.29	0	0.0
DFT-s-OFDM 16QAM	12	12	10.07	10.65	10.53	10.11	10.43	10.34	0-1	0.0
	24	0	10.15	10.72	10.61	10.00	10.41	10.35		0.0
	1	1	10.28	10.63	10.44	10.16	10.35	10.57		0-1
CP-OFDM QPSK	1	1	10.21	10.58	10.38	10.13	10.28	10.44	0-1.5	0.0

Table I-301
NR Band n77 C PC2 Measured P_{limit} Antenna 3 - 90 MHz

NR Band n77 90 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			649668 (3745.02 MHz)	656000 (3840 MHz)	662332 (3934.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.89	10.71	10.77	0	0.0
	1	123	10.93	10.51	10.82		0.0
	1	243	11.13	10.61	10.56		0.0
	120	0	10.87	10.67	10.80	0-0.5	0.0
	120	63	10.88	10.59	10.81	0	0.0
	120	125	11.00	10.50	10.65	0-0.5	0.0
DFT-s-OFDM QPSK	243	0	10.90	10.58	10.83	0-0.5	0.0
	1	1	10.81	10.64	10.62		0.0
	1	123	10.83	10.46	10.73		0
	1	243	11.07	10.50	10.45	0-1	0.0
	120	0	10.84	10.65	10.81	0	0.0
	120	63	10.87	10.57	10.84	0-1	0.0
DFT-s-OFDM 16QAM	120	125	11.05	10.49	10.67	0-1	0.0
	243	0	10.88	10.54	10.82		0.0
	1	1	10.92	10.53	10.71		0-1
CP-OFDM QPSK	1	1	10.84	10.62	10.62	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 215 of 225

Table I-302
NR Band n77 C PC2 Measured P_{limit} Antenna 3 - 80 MHz

NR Band n77 80 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			649334 (3740.01 MHz)	656000 (3840 MHz)	662666 (3939.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.93	10.70	10.78	0	0.0
	1	109	10.97	10.53	10.77		0.0
	1	215	10.93	10.52	10.55		0.0
	108	0	10.98	10.67	10.83	0-0.5	0.0
	108	55	11.01	10.58	10.74	0	0.0
	108	109	11.02	10.52	10.69	0-0.5	0.0
	216	0	11.01	10.56	10.75		0.0
DFT-s-OFDM QPSK	1	1	10.88	10.64	10.67	0	0.0
	1	109	10.91	10.47	10.68		0.0
	1	215	10.88	10.52	10.51		0.0
	108	0	10.99	10.66	10.86	0-1	0.0
	108	55	10.97	10.59	10.77	0	0.0
	108	109	11.06	10.52	10.64	0-1	0.0
	216	0	11.03	10.54	10.74		0.0
DFT-s-OFDM 16QAM	1	1	10.92	10.67	10.67	0-1	0.0
CP-OFDM QPSK	1	1	10.96	10.68	10.64	0-1.5	0.0

Table I-303
NR Band n77 C PC2 Measured P_{limit} Antenna 3 - 70 MHz

NR Band n77 70 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			649000 (3735 MHz)	653666 (3804.99 MHz)	658334 (3875.01 MHz)	663000 (3945 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.88	10.86	10.49	10.67	0	0.0
	1	95	10.92	10.69	10.59	10.67		0.0
	1	187	10.99	10.35	10.75	10.62		0.0
	90	0	10.91	10.82	10.48	10.78	0-0.5	0.0
	90	50	10.90	10.73	10.60	10.72	0	0.0
	90	99	10.99	10.59	10.75	10.68	0-0.5	0.0
	180	0	10.89	10.70	10.61	10.76		0.0
DFT-s-OFDM QPSK	1	1	10.86	10.70	10.42	10.61	0	0.0
	1	95	10.86	10.68	10.52	10.56		0.0
	1	187	10.91	10.27	10.63	10.53		0.0
	90	0	10.84	10.79	10.43	10.77	0-1	0.0
	90	50	10.90	10.77	10.62	10.70	0	0.0
	90	99	11.02	10.58	10.72	10.73	0-1	0.0
	180	0	10.88	10.73	10.65	10.72		0.0
DFT-s-OFDM 16QAM	1	1	10.93	10.87	10.45	10.60	0-1	0.0
CP-OFDM QPSK	1	1	10.86	10.74	10.44	10.69	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 216 of 225

Table I-304
NR Band n77 C PC2 Measured P_{limit} Antenna 3 - 60 MHz

NR Band n77 60 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			648668 (3730.02 MHz)	653556 (3803.34 MHz)	658444 (3876.66 MHz)	663332 (3949.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.97	10.67	10.36	10.70	0	0.0
	1	81	10.82	10.57	10.54	10.63		0.0
	1	160	10.82	10.43	10.72	10.54		0.0
	81	0	10.94	10.75	10.44	10.74	0-0.5	0.0
	81	41	10.86	10.65	10.53	10.66	0	0.0
	81	81	10.84	10.57	10.64	10.60	0-0.5	0.0
DFT-s-OFDM QPSK	162	0	10.91	10.66	10.63	10.71	0	0.0
	1	1	10.86	10.63	10.35	10.57	0	0.0
	1	81	10.72	10.55	10.42	10.55		0.0
	1	160	10.74	10.36	10.60	10.51		0.0
	81	0	10.94	10.74	10.45	10.73	0-1	0.0
	81	41	10.88	10.69	10.54	10.68	0	0.0
81	81	10.90	10.56	10.64	10.62	0-1	0.0	
DFT-s-OFDM 16QAM	162	0	10.92	10.65	10.58	10.70	0-1	0.0
CP-OFDM QPSK	1	1	10.93	10.65	10.40	10.63	0-1.5	0.0

Table I-305
NR Band n77 C PC2 Measured P_{limit} Antenna 3 - 50 MHz

NR Band n77 50 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			648334 (3725.01 MHz)	652166 (3782.49 MHz)	656000 (3840 MHz)	659834 (3897.51 MHz)	663666 (3954.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.85	10.68	10.59	10.59	11.09	0	0.0
	1	67	10.86	10.66	10.49	10.69	10.89		0.0
	1	131	10.81	10.67	10.50	10.73	10.82		0.0
	64	0	10.89	10.75	10.57	10.62	11.03	0-0.5	0.0
	64	35	10.87	10.75	10.55	10.60	10.95	0	0.0
	64	69	10.87	10.66	10.46	10.68	10.83	0-0.5	0.0
DFT-s-OFDM QPSK	128	0	10.89	10.72	10.48	10.59	10.94	0	0.0
	1	1	10.85	10.60	10.52	10.39	11.03	0	0.0
	1	67	10.80	10.63	10.40	10.59	10.88		0.0
	1	131	10.75	10.50	10.46	10.63	10.75		0.0
	64	0	10.88	10.76	10.56	10.62	11.02	0-1	0.0
	64	35	10.89	10.75	10.50	10.63	10.92	0	0.0
DFT-s-OFDM 16QAM	64	69	10.83	10.67	10.49	10.70	10.87	0-1	0.0
	128	0	10.88	10.72	10.53	10.59	10.94		0.0
DFT-s-OFDM 16QAM	1	1	10.97	10.58	10.66	10.51	11.11	0-1	0.0
CP-OFDM QPSK	1	1	10.89	10.67	10.65	10.48	11.01	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 217 of 225

Table I-306
NR Band n77 C PC2 Measured P_{limit} Antenna 3 - 40 MHz

NR Band n77 40 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			648000 (3720 MHz)	651200 (3768 MHz)	654400 (3816 MHz)	657600 (3864 MHz)	660800 (3912 MHz)	664000 (3960 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.39	11.11	11.14	11.02	11.16	11.29	0	0.0
	1	53	11.22	10.95	10.78	10.82	11.04	10.96		0.0
	1	104	11.29	10.99	10.77	11.00	11.01	10.97		0.0
	50	0	11.33	11.01	10.91	10.88	11.12	11.07	0-0.5	0.0
	50	28	11.32	10.98	10.84	10.87	11.07	10.94	0	0.0
	50	56	11.31	10.97	10.88	10.83	11.04	10.86	0-0.5	0.0
DFT-s-OFDM QPSK	100	0	11.18	11.06	10.90	10.93	11.19	11.02	0	0.0
	1	1	11.34	11.00	11.06	10.91	11.14	11.31		0.0
	1	53	11.19	10.88	10.70	10.79	11.05	11.02		0.0
	1	104	11.28	10.97	10.74	10.89	10.94	10.96	0.0	
	50	0	11.31	11.03	10.95	10.90	11.15	11.08	0-1	0.0
	50	28	11.22	11.04	10.83	10.88	11.12	10.98	0	0.0
DFT-s-OFDM 16QAM	50	56	11.30	10.96	10.84	10.88	11.05	10.87	0-1	0.0
	100	0	11.25	11.03	10.84	10.90	11.12	11.03		0.0
CP-OFDM QPSK	1	1	11.48	11.04	11.04	11.09	11.14	11.47	0-1	0.0
CP-OFDM QPSK	1	1	11.46	11.08	11.11	10.98	11.14	11.24	0-1.5	0.0

Table I-307
NR Band n77 C PC2 Measured P_{limit} Antenna 3 - 30 MHz

NR Band n77 30 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647668 (3715.02 MHz)	651000 (3765 MHz)	654334 (3815.01 MHz)	657666 (3864.99 MHz)	661000 (3915 MHz)	664332 (3964.98 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.11	10.91	10.93	10.85	10.79	11.14	0	0.0
	1	39	11.18	10.93	10.73	10.82	10.98	10.94		0.0
	1	76	11.23	10.82	10.80	10.82	11.04	10.86		0.0
	36	0	11.25	10.96	10.81	10.83	10.97	10.98	0-0.5	0.0
	36	21	11.21	10.96	10.80	10.86	11.02	10.92	0	0.0
	36	42	11.25	11.07	10.84	10.91	11.06	10.84	0-0.5	0.0
DFT-s-OFDM QPSK	75	0	11.27	10.99	10.84	10.92	11.07	10.92	0	0.0
	1	1	11.15	10.84	10.84	10.73	10.84	11.15		0.0
	1	39	11.07	10.85	10.70	10.77	10.85	10.92		0.0
	1	76	11.17	10.73	10.73	10.78	10.94	10.83	0.0	
	36	0	11.22	10.98	10.96	10.87	10.92	11.00	0-1	0.0
	36	21	11.24	10.99	10.83	10.88	11.04	10.88	0	0.0
DFT-s-OFDM 16QAM	36	42	11.05	10.99	10.83	10.88	11.04	10.84	0-1	0.0
	75	0	11.03	10.98	10.82	10.89	11.04	10.85		0.0
CP-OFDM QPSK	1	1	11.08	10.94	11.02	10.86	10.74	11.24	0-1	0.0
CP-OFDM QPSK	1	1	11.11	10.91	10.78	10.79	10.89	10.97	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 218 of 225

Table I-308
NR Band n77 C PC2 Measured P_{limit} Antenna 3 - 20 MHz

NR Band n77 20 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647334 (3710.01 MHz)	650800 (3762 MHz)	654266 (3813.99 MHz)	657734 (3866.01 MHz)	661200 (3918 MHz)	664666 (3969.99 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.19	10.88	10.93	10.66	10.89	10.87	0	0.0
	1	26	11.14	10.94	10.88	10.68	10.99	10.65		0.0
	1	49	11.19	10.81	10.79	10.69	10.90	10.68		0.0
	25	0	11.21	10.89	10.90	10.69	10.98	10.78	0-0.5	0.0
	25	13	11.16	10.92	10.90	10.67	10.93	10.65	0	0.0
	25	26	11.21	10.95	10.90	10.73	10.94	10.69	0-0.5	0.0
DFT-s-OFDM QPSK	1	1	11.09	10.81	10.86	10.56	10.86	10.86	0	0.0
	1	26	11.04	10.81	10.79	10.64	10.83	10.92		0.0
	1	49	11.11	10.72	10.61	10.61	10.80	10.82		0.0
	25	0	11.20	10.93	10.95	10.70	10.84	10.75	0-1	0.0
	25	13	11.21	10.93	10.88	10.71	10.93	10.71	0	0.0
	25	26	11.10	10.92	10.83	10.68	10.92	10.69	0-1	0.0
DFT-s-OFDM 16QAM	1	1	11.13	10.94	10.92	10.76	10.92	11.02	0-1	0.0
CP-OFDM QPSK	1	1	11.12	10.80	10.84	10.53	10.80	10.70	0-1.5	0.0

Table I-309
NR Band n77 C PC2 Measured P_{limit} Antenna 3 - 15 MHz

NR Band n77 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647168 (3707.52 MHz)	650700 (3760.5 MHz)	654234 (3813.51 MHz)	657766 (3866.49 MHz)	661300 (3919.5 MHz)	664832 (3972.48 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.88	11.26	10.78	10.54	10.77	10.76	0	0.0
	1	19	11.06	11.18	10.51	10.41	10.84	10.88		0.0
	1	36	10.90	10.85	10.77	10.53	10.93	10.94		0.0
	18	0	10.98	11.21	10.81	10.51	10.67	10.65	0-0.5	0.0
	18	10	11.16	11.19	10.57	10.38	10.78	10.75	0	0.0
	18	20	10.87	11.09	10.63	10.42	10.75	10.70	0-0.5	0.0
DFT-s-OFDM QPSK	36	0	10.97	11.12	10.72	10.44	10.81	10.77	0-0.5	0.0
	1	1	11.03	11.10	10.71	10.45	10.89	10.87	0	0.0
	1	19	10.88	11.09	10.64	10.34	10.88	10.92		0.0
	1	36	10.76	10.77	10.59	10.43	10.78	10.76		0.0
	18	0	10.65	11.13	10.74	10.47	10.72	10.71	0-1	0.0
	18	10	11.01	11.25	10.76	10.39	10.81	10.82	0	0.0
DFT-s-OFDM 16QAM	18	20	11.14	11.08	10.68	10.48	10.91	10.90	0-1	0.0
	36	0	11.12	11.03	10.78	10.51	10.77	10.79	0-1	0.0
DFT-s-OFDM 16QAM	1	1	11.04	11.08	10.81	10.59	10.94	10.94	0-1	0.0
	1	1	11.01	10.98	10.77	10.48	10.87	10.81	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 219 of 225

Table I-310
NR Band n77 C PC2 Measured P_{limit} Antenna 3 - 10 MHz

NR Band n77 10 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647000 (3705 MHz)	650600 (3759 MHz)	654200 (3813 MHz)	657800 (3867 MHz)	661400 (3921 MHz)	665000 (3975 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.54	11.03	10.91	10.88	10.74	10.81	0	0.0
	1	12	10.51	11.10	10.78	10.81	10.80	10.91		0.0
	1	22	10.71	10.84	10.62	10.62	10.66	10.92		0.0
	12	0	10.49	10.97	10.69	10.64	10.67	10.61	0-0.5	0.0
	12	6	10.56	10.91	10.65	10.69	10.66	10.70	0	0.0
	12	12	10.57	11.02	10.74	10.78	10.71	10.75	0-0.5	0.0
DFT-s-OFDM QPSK	24	0	10.53	11.07	10.76	10.81	10.85	10.73	0	0.0
	1	1	10.68	11.11	10.95	10.90	10.88	10.89		0.0
	1	12	10.66	11.02	10.63	10.68	10.70	10.89		0.0
	1	22	10.68	10.77	10.71	10.73	10.71	10.79	0.0	
	12	0	10.47	10.98	10.66	10.69	10.74	10.70	0-1	0.0
	12	6	10.51	11.06	10.79	10.79	10.82	10.77	0	0.0
DFT-s-OFDM 16QAM	12	12	10.61	10.98	10.81	10.77	10.72	10.89	0-1	0.0
	24	0	10.56	11.07	10.84	10.86	10.64	10.75		0.0
DFT-s-OFDM 16QAM	1	1	10.92	10.98	10.68	10.66	10.62	10.97	0-1	0.0
	1	1	10.70	11.09	10.76	10.61	10.55	10.90		0-1.5

Table I-311
NR Band n77 C PC2 Measured P_{limit} Antenna 4b - 90 MHz

NR Band n77 90 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			649668 (3745.02 MHz)	656000 (3840 MHz)	662332 (3934.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.98	9.91	10.00	0	0.0
	1	123	10.11	9.93	10.01		0.0
	1	243	10.33	9.98	9.81		0.0
	120	0	9.99	9.99	10.16	0-0.5	0.0
	120	63	10.13	9.98	10.06	0	0.0
	120	125	10.23	9.90	9.90	0-0.5	0.0
243	0	10.11	9.95	10.03	0.0		
DFT-s-OFDM QPSK	1	1	9.96	9.87	9.96	0	0.0
	1	123	10.08	9.85	10.01		0.0
	1	243	10.29	9.86	9.77		0.0
	120	0	10.05	9.97	10.17	0-1	0.0
	120	63	10.16	9.90	10.05	0	0.0
	120	125	10.26	9.92	9.89	0-1	0.0
243	0	10.17	9.95	10.04	0.0		
DFT-s-OFDM 16QAM	1	1	9.98	10.05	10.06	0-1	0.0
CP-OFDM QPSK	1	1	9.94	9.89	10.02	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 220 of 225

Table I-312
NR Band n77 C PC2 Measured P_{limit} Antenna 4b - 80 MHz

NR Band n77 80 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			649334 (3740.01 MHz)	656000 (3840 MHz)	662666 (3939.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.13	9.99	9.99	0	0.0
	1	109	10.14	9.87	10.02		0.0
	1	215	10.14	9.87	9.85		0.0
	108	0	10.18	9.99	10.07	0-0.5	0.0
	108	55	10.18	9.91	10.00	0	0.0
	108	109	10.16	9.89	9.97	0-0.5	0.0
	216	0	10.19	9.94	10.00		0.0
DFT-s-OFDM QPSK	1	1	9.95	9.94	9.88	0	0.0
	1	109	10.08	9.81	9.92		0.0
	1	215	10.11	9.80	9.81		0.0
	108	0	10.20	9.97	10.04	0-1	0.0
	108	55	10.16	9.95	10.02	0	0.0
	108	109	10.21	9.89	9.94	0-1	0.0
	216	0	10.19	9.91	10.03		0.0
DFT-s-OFDM 16QAM	1	1	10.11	10.08	10.06	0-1	0.0
CP-OFDM QPSK	1	1	9.98	9.99	10.09	0-1.5	0.0

Table I-313
NR Band n77 C PC2 Measured P_{limit} Antenna 4b - 70 MHz

NR Band n77 70 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			649000 (3735 MHz)	653666 (3804.99 MHz)	658334 (3875.01 MHz)	663000 (3945 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.13	10.01	9.86	9.97	0	0.0
	1	95	10.07	9.98	9.88	9.89		0.0
	1	187	10.19	9.70	10.00	9.98		0.0
	90	0	10.02	9.97	9.83	9.98	0-0.5	0.0
	90	50	10.12	10.03	9.92	9.96	0	0.0
	90	99	10.19	9.90	10.01	9.98	0-0.5	0.0
	180	0	10.09	9.99	9.90	9.97		0.0
DFT-s-OFDM QPSK	1	1	9.91	9.88	9.73	9.94	0	0.0
	1	95	10.01	9.91	9.83	9.83		0.0
	1	187	10.11	9.65	9.90	9.85		0.0
	90	0	10.02	10.01	9.80	9.98	0-1	0.0
	90	50	10.12	9.94	9.89	9.94	0	0.0
	90	99	10.23	9.90	10.02	9.95	0-1	0.0
	180	0	10.16	10.04	9.87	9.96		0.0
DFT-s-OFDM 16QAM	1	1	10.01	10.03	9.75	9.92	0-1	0.0
CP-OFDM QPSK	1	1	9.94	9.99	9.84	9.95	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 221 of 225

Table I-314
NR Band n77 C PC2 Measured P_{limit} Antenna 4b - 60 MHz

NR Band n77 60 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			648668 (3730.02 MHz)	653556 (3803.34 MHz)	658444 (3876.66 MHz)	663332 (3949.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.10	10.00	9.78	9.84	0	0.0
	1	81	9.93	9.96	9.86	9.88		0.0
	1	160	10.04	9.77	9.90	9.87		0.0
	81	0	10.08	10.02	9.86	9.93	0-0.5	0.0
	81	41	10.01	9.99	9.88	9.92	0	0.0
	81	81	10.03	9.94	9.93	9.90	0-0.5	0.0
	162	0	10.09	9.96	9.90	9.89		0.0
DFT-s-OFDM QPSK	1	1	9.94	9.89	9.73	9.73	0	0.0
	1	81	9.90	9.86	9.80	9.80		0.0
	1	160	9.97	9.76	9.85	9.81		0.0
	81	0	10.06	10.05	9.82	9.92	0-1	0.0
	81	41	10.02	9.96	9.89	9.81	0	0.0
	81	81	10.04	9.94	9.97	9.92	0-1	0.0
	162	0	10.09	9.98	9.88	9.85		0.0
DFT-s-OFDM 16QAM	1	1	10.06	9.98	9.74	9.74	0-1	0.0
CP-OFDM QPSK	1	1	9.97	10.01	9.75	9.80	0-1.5	0.0

Table I-315
NR Band n77 C PC2 Measured P_{limit} Antenna 4b - 50 MHz

NR Band n77 50 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			648334 (3725.01 MHz)	652166 (3782.49 MHz)	656000 (3840 MHz)	659834 (3897.51 MHz)	663666 (3954.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.00	9.96	9.91	9.85	10.22	0	0.0
	1	67	10.00	10.01	9.81	9.93	10.12		0.0
	1	131	9.99	9.94	9.90	9.89	9.95		0.0
	64	0	10.00	10.08	9.90	9.92	10.18	0-0.5	0.0
	64	35	10.00	10.03	9.89	9.93	10.14	0	0.0
	64	69	9.99	9.99	9.87	9.90	10.09	0-0.5	0.0
	128	0	10.03	10.01	9.88	9.91	10.12		0.0
DFT-s-OFDM QPSK	1	1	9.93	9.95	9.85	9.81	10.19	0	0.0
	1	67	9.93	9.96	9.83	9.83	10.03		0.0
	1	131	9.92	9.89	9.83	9.91	9.92		0.0
	64	0	10.00	10.05	9.95	9.92	10.20	0-1	0.0
	64	35	10.01	10.05	9.93	9.89	10.11	0	0.0
	64	69	10.00	9.95	9.88	9.89	10.06	0-1	0.0
	128	0	10.00	10.01	9.91	9.94	10.12		0.0
DFT-s-OFDM 16QAM	1	1	9.92	9.97	9.83	9.81	10.20	0-1	0.0
CP-OFDM QPSK	1	1	10.07	10.02	9.85	9.96	10.21	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 222 of 225

Table I-316
NR Band n77 C PC2 Measured P_{limit} Antenna 4b - 40 MHz

NR Band n77 40 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			648000 (3720 MHz)	651200 (3768 MHz)	654400 (3816 MHz)	657600 (3864 MHz)	660800 (3912 MHz)	664000 (3960 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.55	10.23	10.32	10.39	10.48	10.50	0	0.0
	1	53	10.33	10.07	10.11	10.21	10.25	10.35		0.0
	1	104	10.45	10.34	10.16	10.34	10.24	10.48		0.0
	50	0	10.42	10.21	10.21	10.28	10.41	10.43	0-0.5	0.0
	50	28	10.40	10.20	10.15	10.25	10.35	10.38	0	0.0
	50	56	10.43	10.32	10.16	10.22	10.27	10.41	0-0.5	0.0
	100	0	10.40	10.27	10.15	10.28	10.37	10.38	0-0.5	0.0
DFT-s-OFDM QPSK	1	1	10.55	10.11	10.29	10.30	10.43	10.44	0	0.0
	1	53	10.29	10.13	10.06	10.13	10.18	10.32		0.0
	1	104	10.39	10.27	10.12	10.22	10.15	10.39		0.0
	50	0	10.46	10.28	10.23	10.26	10.46	10.46	0-1	0.0
	50	28	10.42	10.23	10.17	10.21	10.29	10.39	0	0.0
	50	56	10.45	10.29	10.13	10.18	10.25	10.46	0-1	0.0
	100	0	10.44	10.22	10.19	10.28	10.33	10.51	0-1	0.0
DFT-s-OFDM 16QAM	1	1	10.58	10.07	10.40	10.37	10.37	10.45	0-1	0.0
CP-OFDM QPSK	1	1	10.56	10.33	10.31	10.39	10.45	10.46	0-1.5	0.0

Table I-317
NR Band n77 C PC2 Measured P_{limit} Antenna 4b - 30 MHz

NR Band n77 30 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647668 (3715.02 MHz)	651000 (3765 MHz)	654334 (3815.01 MHz)	657666 (3864.99 MHz)	661000 (3915 MHz)	664332 (3964.98 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.31	10.01	10.12	10.22	10.22	10.29	0	0.0
	1	39	10.29	10.01	10.06	10.21	10.15	10.35		0.0
	1	76	10.40	10.17	10.09	10.26	10.25	10.32		0.0
	36	0	10.32	10.07	10.20	10.25	10.23	10.45	0-0.5	0.0
	36	21	10.34	10.20	10.14	10.22	10.24	10.40	0	0.0
	36	42	10.36	10.27	10.16	10.20	10.24	10.40	0-0.5	0.0
	75	0	10.37	10.22	10.15	10.23	10.29	10.47	0-0.5	0.0
DFT-s-OFDM QPSK	1	1	10.23	9.99	10.07	10.15	10.21	10.26	0	0.0
	1	39	10.20	9.94	9.99	10.04	10.17	10.34		0.0
	1	76	10.34	10.15	10.06	10.18	10.22	10.29		0.0
	36	0	10.37	10.05	10.18	10.27	10.27	10.45	0-1	0.0
	36	21	10.32	10.19	10.11	10.20	10.25	10.43	0	0.0
	36	42	10.41	10.24	10.11	10.22	10.26	10.41	0-1	0.0
75	0	10.35	10.22	10.14	10.25	10.27	10.46	0-1	0.0	
DFT-s-OFDM 16QAM	1	1	10.35	9.95	10.18	10.33	10.25	10.17	0-1	0.0
CP-OFDM QPSK	1	1	10.41	10.09	10.14	10.22	10.22	10.26	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 223 of 225

Table I-318
NR Band n77 C PC2 Measured P_{limit} Antenna 4b - 20 MHz

NR Band n77 20 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647334 (3710.01 MHz)	650800 (3762 MHz)	654266 (3813.99 MHz)	657734 (3866.01 MHz)	661200 (3918 MHz)	664666 (3969.99 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.12	10.13	9.98	10.06	10.12	10.09	0	0.0
	1	26	10.03	10.02	10.00	10.08	10.31	9.96		0.0
	1	49	10.13	10.14	9.93	10.18	10.15	9.79		0.0
	25	0	10.06	9.99	9.95	10.03	10.08	10.01	0-0.5	0.0
	25	13	10.07	9.98	9.98	10.05	10.18	9.91	0	0.0
	25	26	10.11	10.00	9.98	10.02	10.11	9.92	0-0.5	0.0
DFT-s-OFDM QPSK	50	0	10.07	9.99	9.94	10.05	10.11	9.93	0-0.5	0.0
	1	1	10.14	10.06	10.02	10.04	10.06	10.08	0	0.0
	1	26	10.01	10.03	10.01	10.04	10.20	10.01		0.0
	1	49	10.10	10.02	9.98	10.23	10.16	9.98		0.0
	25	0	10.03	9.97	9.96	10.06	10.04	9.96	0-1	0.0
	25	13	10.03	9.95	9.91	10.04	10.15	9.92	0	0.0
25	26	10.09	10.02	9.96	10.03	10.11	9.89	0-1	0.0	
DFT-s-OFDM 16QAM	1	1	10.19	10.14	10.06	9.90	10.14	10.17	0-1	0.0
CP-OFDM QPSK	1	1	10.11	9.93	10.13	10.11	10.00	10.08	0-1.5	0.0

Table I-319
NR Band n77 C PC2 Measured P_{limit} Antenna 4b - 15 MHz

NR Band n77 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647168 (3707.52 MHz)	650700 (3760.5 MHz)	654234 (3813.51 MHz)	657766 (3866.49 MHz)	661300 (3919.5 MHz)	664832 (3972.48 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.75	10.32	10.12	9.89	10.23	10.21	0	0.0
	1	19	9.68	10.29	10.28	9.71	10.11	10.39		0.0
	1	36	9.78	10.13	10.04	9.84	10.18	10.41		0.0
	18	0	9.73	10.23	10.09	9.81	10.21	10.21	0-0.5	0.0
	18	10	9.81	10.39	9.95	9.83	10.13	10.31	0	0.0
	18	20	9.76	10.21	9.89	9.73	10.28	10.23	0-0.5	0.0
DFT-s-OFDM QPSK	36	0	9.67	10.41	10.01	9.88	10.23	10.18	0-0.5	0.0
	1	1	9.66	10.31	10.18	9.83	10.11	10.34	0	0.0
	1	19	9.62	10.28	10.13	9.88	10.31	10.27		0.0
	1	36	9.72	10.11	10.25	9.91	10.16	10.12		0.0
	18	0	9.81	10.27	10.06	9.87	10.26	10.13	0-1	0.0
	18	10	9.75	10.36	10.08	9.99	10.23	10.18	0	0.0
DFT-s-OFDM 16QAM	18	20	9.62	10.39	10.01	9.71	10.31	10.11	0-1	0.0
	36	0	9.61	10.43	10.11	9.79	10.18	10.13	0-1	0.0
DFT-s-OFDM 16QAM	1	1	9.74	10.28	10.14	9.88	10.11	10.03	0-1	0.0
CP-OFDM QPSK	1	1	9.87	10.22	10.07	9.91	10.15	10.11	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 224 of 225

Table I-320
NR Band n77 C PC2 Measured P_{limit} Antenna 4b - 10 MHz

NR Band n77 10 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
			647000 (3705 MHz)	650600 (3759 MHz)	654200 (3813 MHz)	657800 (3867 MHz)	661400 (3921 MHz)	665000 (3975 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	9.65	10.23	10.08	9.91	10.10	10.19	0	0.0
	1	12	9.66	10.31	9.88	9.75	10.15	10.18		0.0
	1	22	9.69	10.20	9.93	9.89	9.98	10.11		0.0
	12	0	9.67	10.34	9.87	9.79	10.02	10.17	0-0.5	0.0
	12	6	9.71	10.24	9.97	9.84	10.08	10.23	0	0.0
	12	12	9.65	10.18	9.90	9.78	10.03	10.31	0-0.5	0.0
	24	0	9.79	10.26	9.91	9.84	10.02	10.27	0	0.0
DFT-s-OFDM QPSK	1	1	9.81	10.14	9.84	9.88	9.89	10.21	0	0.0
	1	12	9.83	10.18	9.89	9.91	9.98	10.24		0.0
	1	22	9.74	10.11	9.75	9.88	10.01	10.14		0.0
	12	0	9.91	10.09	9.91	9.82	9.94	10.11	0-1	0.0
	12	6	9.74	10.21	10.01	9.78	10.01	10.24	0	0.0
	12	12	9.91	10.31	10.09	9.69	9.97	10.19	0-1	0.0
	24	0	9.94	10.48	10.03	9.78	10.05	10.17	0	0.0
DFT-s-OFDM 16QAM	1	1	9.88	10.43	10.10	9.92	9.99	10.14	0-1	0.0
CP-OFDM QPSK	1	1	9.93	10.24	10.04	9.91	10.06	10.13	0-1.5	0.0

FCC ID: BCGA2435	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 225 of 225