



Plot 7-621. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185, MCS2)



Plot 7-622. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 185, Pol. H, MCS2)



Plot 7-623. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 185, Pol. V, MCS2)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 214 of 280 |

Mode: 802.11ax
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13750.00 | Average | H | - | - | -82.18 | 14.45 | 39.27 | 68.20 | -28.93 |

Table 7-89. Radiated Spurious Emission Measurements SDM


| | | | |
|--|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 215 of 280 |



Plot 7-624. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 189, MCS2)



Plot 7-625. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 189, Pol. H, MCS2)



Plot 7-626. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 189, Pol. V, MCS2)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 216 of 280 |

Mode: 802.11ax
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13790.00 | Average | H | - | - | -82.16 | 14.66 | 39.50 | 68.20 | -28.70 |

Table 7-90. Radiated Spurious Emission Measurements SDM

| | | | |
|---|---|---|--|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 217 of 280 |




Plot 7-627. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 209, MCS2)

Mode: 802.11ax
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13990.00 | Average | H | - | - | -83.04 | 14.85 | 38.81 | 68.20 | -29.39 |

Table 7-91. Radiated Spurious Emission Measurements SDM

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | | Page 218 of 280 |



Plot 7-628. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 233, MCS2)

Mode: 802.11ax
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 7115MHz
 Channel: 233


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 14230.00 | Average | H | - | - | -83.17 | 14.96 | 38.79 | 68.20 | -29.41 |

Table 7-92. Radiated Spurious Emission Measurements SDM

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | | Page 219 of 280 |


7.7.4 Antenna WF5t Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 12Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-629. Antenna WF5t Radiated Lower Band Edge (Peak/Average – UNII Band 5)


Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 24Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-630. Antenna WF5t Radiated Lower Band Edge (Peak/Average – UNII Band 5)


| | | | |
|--|---|---|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 220 of 280 |

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 54Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-631. Antenna WF5t Radiated Lower Band Edge (Peak/Average – UNII Band 5)


Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 12Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-632. Antenna WF5t Radiated Upper Band Edge (Peak/Average – UNII Band 8)


| | | | |
|--|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 221 of 280 |

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 24Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-633. Antenna WF5t Radiated Upper Band Edge (Peak/Average – UNII Band 8)


Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 54Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229




Plot 7-634. Antenna WF5t Radiated Upper Band Edge (Peak/Average – UNII Band 8)

| | | | |
|--|---|---|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 222 of 280 |

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 12Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 7115MHz
 Channel: 233




Plot 7-635. Antenna WF5t Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-636. Antenna WF5t Radiated Upper Band Edge (Average – UNII Band 8)

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 24Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 7115MHz
 Channel: 233




Plot 7-637. Antenna WF5t Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-638. Antenna WF5t Radiated Upper Band Edge (Average – UNII Band 8)

| | | | |
|---|---|---|--|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 223 of 280 |

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 54Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 7115MHz
 Channel: 233




Plot 7-639. Antenna WF5t Radiated Upper Band Edge (Peak – UNII Band 8)



Plot 7-640. Antenna WF5t Radiated Upper Band Edge (Average – UNII Band 8)


| | | | |
|---|---|---|--|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 224 of 280 |

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-641. Antenna WF5t Radiated Lower Band Edge (Peak/Average – UNII Band 5)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-642. Antenna WF5t Radiated Lower Band Edge (Peak/Average – UNII Band 5)


| | | | |
|--|--------------------------------------|---|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 225 of 280 |

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-643. Antenna WF5t Radiated Lower Band Edge (Peak/Average – UNII Band 5)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-644. Antenna WF5t Radiated Upper Band Edge (Peak/Average – UNII Band 8)


| | | | |
|--|---|--|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 226 of 280 |

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-645. Antenna WF5t Radiated Upper Band Edge (Peak/Average – UNII Band 8)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229




Plot 7-646. Antenna WF5t Radiated Upper Band Edge (Peak/Average – UNII Band 8)

| | | | |
|--|---|---|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 227 of 280 |

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 7115MHz
 Channel: 233




Plot 7-647. Antenna WF5t Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-648. Antenna WF5t Radiated Upper Band Edge (Average – UNII Band 8)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 7115MHz
 Channel: 233




Plot 7-649. Antenna WF5t Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-650. Antenna WF5t Radiated Upper Band Edge (Average – UNII Band 8)

| | | | |
|--|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 228 of 280 |

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7115MHz
 Channel: 233



Plot 7-651. Antenna WF5t Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-652. Antenna WF5t Radiated Upper Band Edge (Average – UNII Band 8)

| | | | |
|---|---|---|--|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 229 of 280 |


7.7.5 Antenna WF5t Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-653. Antenna WF5t Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-654. Antenna WF5t Radiated Lower Band Edge (Peak & Average – UNII Band 5)


| | | | |
|--|--------------------------------------|---|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 230 of 280 |

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-655. Antenna WF5t Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227



Plot 7-656. Antenna WF5t Radiated Upper Band Edge (Peak & Average – UNII Band 8)


| | | | |
|--|---|--|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 231 of 280 |

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227



Plot 7-657. Antenna WF5t Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227




Plot 7-658. Antenna WF5t Radiated Upper Band Edge (Peak & Average – UNII Band 8)

| | | | |
|--|--------------------------------------|---|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 232 of 280 |


7.7.6 Antenna WF5t Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-659. Antenna WF5t Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-660. Antenna WF5t Radiated Lower Band Edge (Peak & Average – UNII Band 5)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 233 of 280 |

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-661. Antenna WF5t Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215



Plot 7-662. Antenna WF5t Radiated Upper Band Edge (Peak & Average – UNII Band 8)


| | | | |
|--|--------------------------------------|--|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 234 of 280 |

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215



Plot 7-663. Antenna WF5t Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215




Plot 7-664. Antenna WF5t Radiated Upper Band Edge (Peak & Average – UNII Band 8)

| | | | |
|--|--------------------------------------|---|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 235 of 280 |


7.7.7 Antenna WF5t Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 6025MHz
 Channel: 15



Plot 7-665. Antenna WF5t Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 6025MHz
 Channel: 15



Plot 7-666. Antenna WF5t Radiated Lower Band Edge (Peak & Average – UNII Band 5)


| | | | |
|--|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 236 of 280 |

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6025MHz
 Channel: 15



Plot 7-667. Antenna WF5t Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207



Plot 7-668. Antenna WF5t Radiated Upper Band Edge (Peak & Average – UNII Band 8)


| | | | |
|--|---|--|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 237 of 280 |

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207



Plot 7-669. Antenna WF5t Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207




Plot 7-670. Antenna WF5t Radiated Upper Band Edge (Peak & Average – UNII Band 8)

| | | | |
|--|--------------------------------------|---|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 238 of 280 |


7.7.8 Antenna WF5b Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 12Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-671. Antenna WF5b Radiated Lower Band Edge (Peak/Average – UNII Band 5)


Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 24Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-672. Antenna WF5b Radiated Lower Band Edge (Peak/Average – UNII Band 5)


| | | | |
|--|---|---|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 239 of 280 |

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 54Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-673. Antenna WF5b Radiated Lower Band Edge (Peak/Average – UNII Band 5)


Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 12Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-674. Antenna WF5b Radiated Upper Band Edge (Peak/Average – UNII Band 8)


| | | | |
|--|---|---|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 240 of 280 |

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 24Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-675. Antenna WF5b Radiated Upper Band Edge (Peak/Average – UNII Band 8)

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 54Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-676. Antenna WF5b Radiated Upper Band Edge (Peak/Average – UNII Band 8)

| | | | |
|--|---|---|-----------------------------------|
| FCC ID: BCGA2436 IC: 579C-A2436 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090027-11-R1.BCG | Test Dates: 5/30/2022 - 9/16/2022 | EUT Type: Tablet Device | Page 241 of 280 |