


 Mode:
 802.11ax - SU

 Data Rate:
 MCS2

 Distance of Measurements:
 3 Meters


 Operating Frequency:
 2452MHz

 Channel:
 9



Plot 7-617. Radiated Restricted Upper Band Edge Measurement Antenna 2a

Mode:802.11ax - SUData Rate:MCS3Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9




Plot 7-618. Radiated Restricted Upper Band Edge Measurement Antenna 2a

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 374 of 429
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 374 01 429



Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9



Plot 7-619. Radiated Restricted Upper Band Edge Measurement Antenna 2a


 Mode:
 802.11ax - SU

 Data Rate:
 MCS2

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2457MHz

 Channel:
 10



Plot 7-620. Radiated Restricted Upper Band Edge Measurement Antenna 2a

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 275 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 375 of 429




 Mode:
 802.11ax - SU

 Data Rate:
 MCS3

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2457MHz

 Channel:
 10



Plot 7-621. Radiated Restricted Upper Band Edge Measurement Antenna 2a


 Mode:
 802.11ax - SU

 Data Rate:
 MCS5

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2457MHz

 Channel:
 10



Plot 7-622. Radiated Restricted Upper Band Edge Measurement Antenna 2a

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 376 of 429
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 376 01 429




 Mode:
 802.11ax - SU

 Data Rate:
 MCS2

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2462MHz

 Channel:
 11



Plot 7-623. Radiated Restricted Upper Band Edge Measurement Antenna 2a


 Mode:
 802.11ax - SU

 Data Rate:
 MCS3

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2462MHz

 Channel:
 11




Plot 7-624. Radiated Restricted Upper Band Edge Measurement Antenna 2a

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 277 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 377 of 429



Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2462MHzChannel:11



Plot 7-625. Radiated Restricted Upper Band Edge Measurement Antenna 2a


 Mode:
 802.11ax - SU

 Data Rate:
 MCS2

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2467MHz

 Channel:
 12




Plot 7-626. Radiated Restricted Upper Band Edge Measurement Antenna 2a

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 279 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 378 of 429




Mode:802.11ax - SUData Rate:MCS3Distance of Measurements:3 MetersOperating Frequency:2467MHzChannel:12



Plot 7-627. Radiated Restricted Upper Band Edge Measurement Antenna 2a

Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2467MHzChannel:12



Plot 7-628. Radiated Restricted Upper Band Edge Measurement Antenna 2a

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 379 of 429
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	raye 319 01 429



7.7.6 CDD Radiated Restricted Band Edge Measurements §15.205 §15.209; RSS-Gen [8.9]


 Mode:
 802.11n

 Data Rate:
 MCS10

 Distance of Measurements:
 3 Meters


 Operating Frequency:
 2412MHz

 Channel:
 1



Plot 7-629. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11nData Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:2412MHzChannel:1



Plot 7-630. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 380 of 429
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Fage 300 01 429




 Mode:
 802.11n

 Data Rate:
 MCS13

 Distance of Measurements:
 3 Meters


 Operating Frequency:
 2412MHz

 Channel:
 1



Plot 7-631. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11nData Rate:MCS10Distance of Measurements:3 MetersOperating Frequency:2417MHzChannel:2




Plot 7-632. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 201 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 381 of 429




Mode:802.11nData Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:2417MHzChannel:2



Plot 7-633. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11nData Rate:MCS13Distance of Measurements:3 MetersOperating Frequency:2417MHzChannel:2



Plot 7-634. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 202 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 382 of 429




 Mode:
 802.11n

 Data Rate:
 MCS10

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2422MHz

 Channel:
 3



Plot 7-635. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n

Data Rate: MCS11

Distance of Measurements: 3 Meters

Operating Frequency: 2422MHz

Channel: 3



Plot 7-636. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 202 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 383 of 429




 Mode:
 802.11n

 Data Rate:
 MCS13

 Distance of Measurements:
 3 Meters


 Operating Frequency:
 2422MHz

 Channel:
 3



Plot 7-637. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11nData Rate:MCS10Distance of Measurements:3 MetersOperating Frequency:2427MHzChannel:4



Plot 7-638. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 204 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 384 of 429




 Mode:
 802.11n

 Data Rate:
 MCS11

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2427MHz

 Channel:
 4



Plot 7-639. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n

Data Rate: MCS13

Distance of Measurements: 3 Meters

Operating Frequency: 2427MHz

Channel: 4



Plot 7-640. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 295 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 385 of 429




 Mode:
 802.11n

 Data Rate:
 MCS10

 Distance of Measurements:
 3 Meters


 Operating Frequency:
 2432MHz

 Channel:
 5



Plot 7-641. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11nData Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:2432MHzChannel:5




Plot 7-642. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 296 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 386 of 429




Mode:802.11nData Rate:MCS13Distance of Measurements:3 MetersOperating Frequency:2432MHzChannel:5



Plot 7-643. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11nData Rate:MCS10Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6 (low)



Plot 7-644. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 297 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 387 of 429




 Mode:
 802.11n

 Data Rate:
 MCS11

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2437MHz

 Channel:
 6 (low)



Plot 7-645. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n

Data Rate: MCS13

Distance of Measurements: 3 Meters

Operating Frequency: 2437MHz

Channel: 6 (low)



Plot 7-646. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 388 of 429
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	raye 300 01 429




 Mode:
 802.11n

 Data Rate:
 MCS13

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2437MHz

 Channel:
 6 (high)



Plot 7-647. Radiated Restricted Upper Band Edge Measurement CDD


 Mode:
 802.11n

 Data Rate:
 MCS10

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2442MHz

 Channel:
 7




Plot 7-648. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 389 of 429
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Fage 309 01 429




Mode:802.11nData Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:2442MHzChannel:7



Plot 7-649. Radiated Restricted Upper Band Edge Measurement CDD

Mode:802.11nData Rate:MCS13Distance of Measurements:3 MetersOperating Frequency:2442MHzChannel:7



Plot 7-650. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 200 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 390 of 429




Mode: 802.11n

Data Rate: MCS10

Distance of Measurements: 3 Meters


Operating Frequency: 2447MHz

Channel: 8



Plot 7-651. Radiated Restricted Upper Band Edge Measurement CDD

Mode:802.11nData Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8




Plot 7-652. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 201 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 391 of 429




Mode:802.11nData Rate:MCS13Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8



Plot 7-653. Radiated Restricted Upper Band Edge Measurement CDD

Mode:802.11nData Rate:MCS10Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9




Plot 7-654. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 202 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 392 of 429




Mode:802.11nData Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9



Plot 7-655. Radiated Restricted Upper Band Edge Measurement CDD

Mode:802.11nData Rate:MCS13Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9



Plot 7-656. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 202 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 393 of 429




 Mode:
 802.11n

 Data Rate:
 MCS10

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2457MHz

 Channel:
 10



Plot 7-657. Radiated Restricted Upper Band Edge Measurement CDD


 Mode:
 802.11n

 Data Rate:
 MCS11

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2457MHz

 Channel:
 10



Plot 7-658. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 394 of 429
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	raye 394 01 429




 Mode:
 802.11n

 Data Rate:
 MCS13

 Distance of Measurements:
 3 Meters


 Operating Frequency:
 2457MHz

 Channel:
 10



Plot 7-659. Radiated Restricted Upper Band Edge Measurement CDD

Mode:802.11nData Rate:MCS10Distance of Measurements:3 MetersOperating Frequency:2462MHzChannel:11



Plot 7-660. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCG2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 205 of 420
1C2205090028-11.BCG	07/21/2022-9/12/2022	Tablet Device	Page 395 of 429