


Plot 7-748. Radiated Spurious Emissions above 1GHz SDM (802.11ax - Ch. 113 - RU242)



Plot 7-749. Radiated Spurious Emissions 18-40GHz SDM (802.11ax - Ch. 1 - RU242, Pol. H)

FCC ID: BCGA2764 IC: 579C-A2764	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dage 254 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 254 of 324
			\/ 10 5 12/15/2021



MultiView 📰 Spe	ectrum X Sp	ectrum 2 ×							•
Ref Level 107.00 dBp		BW 1 MHz							
TDF "CA_ATM_Hom_Ant	0 dB SWT 88 ms = VI _40GHz_T058601-03","0			CORRECTION DISTANCE	,"FIELD STRENGTH DIME	NSION"		Count 100/	
1 Frequency Sweep Limit Check				ASS					o 1Pk Max
Line FCC PK L	IMIT		P	ASS					M1[1] 43.15 dBµV/m 39.920 752 GH
100 dBµV/m									
0 dBµV/m	ander all and a state of the st	A grant of the part of the par	والمشارك وبالما والمعرب والكتبري أتروه ويري		fastering and second and	And the second	and the second second second second second	Mainten and Mainten and States and	
and the second	المرياد المتحصين والمتكاف والمسادر والمتعالم	and a second	a na an		and a second		and a second		A CONTRACTOR OF
18.0 GHz			44001 pts			2.2 GHz/			40.0 GH
								Measuring	28.08.2022

21:02:49 28.08.2022

Plot 7-750. Radiated Spurious Emissions 18-40GHz SDM (802.11ax - Ch. 1 - RU242, Pol. V)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6515MHz
Channel:	113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Azimuth	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13030.00	Average	Н	-	-	-84.03	18.52	41.49	68.20	-26.71


Table 7-117. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 255 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 255 of 324
			V 40 E 40/4E/0004





Plot 7-751. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 117 – RU242)




Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13070.00	Average	Н	-	-	-83.69	18.31	41.62	68.20	-26.58
	Tak	Jo 7-118	Padiated Spi	urique Emis	sion Mose	uromonte		12	

Table 7-118. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dage 256 of 224	
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 256 of 324	
			V 40 E 40/4E/2024	








Mode:	802.11ax		
Data Rate:	MCS0		
Distance of Measurements:	3 Meters		
Operating Frequency:	6695MHz		
Channel:	149		

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	13390.00	Peak	Н	-	-	-72.62	18.01	52.39	73.98	-21.59
*	13390.00	Average	Н	-	-	-84.03	18.01	40.98	53.98	-13.00

Table 7-119. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 257 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 257 of 324
			V 10 5 12/15/2021





Plot 7-753. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185 – RU242)




21:11:02 28.08.2022


Plot 7-754. Radiated Spurious Emissions 18-40GHz SDM (802.11ax - Ch. 1 - RU242, Pol. H)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 259 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 258 of 324
			\/ 10 5 12/15/2021





21:13:13 28.08.2022



FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 250 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 259 of 324
			V/ 10 E 10/1E/2021




Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6875MHz
Channel:	185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13750.00	Average	Н	-	-	-83.40	17.82	41.42	68.20	-26.78


Table 7-120. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 260 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 260 of 324
			V/ 10 E 10/1E/2021











Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13790.00	Average	Н	-	-	-82.64	17.46	41.82	68.20	-26.38


Table 7-121. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 201 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 261 of 324
			V/ 10 5 12/15/2021










Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13990.00	Average	Н	-	-	-84.34	17.85	40.51	68.20	-27.69

Table 7-122. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 202 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 262 of 324
			V/ 10 5 12/15/2021





Plot 7-758. Radiated Spurious Emissions above 1GHz SDM (802.11ax - Ch. 229 - RU242)

MultiView 📰 Spectrum	× Spectrum 2 ×							
IDF "CA_ATM_Hom_Ant_40GHz_T058	 RBW 1 MHz 8 ms < VBW 3 MHz Mode Sw 601-03", "CA_TS-PR18-40_C0056 		CORRECTION DISTANCE	',"FIELD STRENGTH DIME	NSION"		Count 100/	
l Frequency Sweep								◦1Pk Max
Limit Check Line FCC PK LIMIT			ASS ASS					M1[1] 41.62 dBµV/r 39.738 756 GF
0 dBµV/m								
								M
40 dBpV/m photost (helphotostanopy) balleneost (helph	an antis stores him	ومقتصا ومقالكم وواقله والمعاومة	and a planate and the strend of the species	New York Constraints of the Party of the Article of	Maria das con		المتحدة أتخلط فجرمل وأدر ومطاقته	الماجانة ويقترب يباطره
	and the second	te y a dit the addition of the second distribution	an a	and the second building of		A CONTRACTOR OF A CONTRACT	and the second statement of th	
18.0 GHz		44001 pts			2.2 GHz/			40.0 GH
							Measuring	

21:21:09 28.08.2022

Plot 7-759. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 1 – RU242, Pol. H)

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 262 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 263 of 324
			V 10.5 12/15/2021





21:18:32 28.08.2022

Plot 7-760. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 1 – RU242, Pol. V)

Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
14230.00	Average	Н	-	-	-84.01	18.14	41.13	68.20	-27.07

Table 7-123. Radiated Spurious Emission Measurements SDM – RU242


FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 264 of 324
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 204 01 324
			V 40 E 40/4E/2024



Antenna 5b Radiated Band Edge Measurements (20MHz BW) 7.7.4 §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]

RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1




Plot 7-761. Antenna 5b Radiated Lower Band Edge (Peak/Average - UNII Band 5 - RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 265 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 265 of 324
			\/ 10 5 12/15/2021



Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229




Plot 7-762. Antenna 5b Radiated Lower Band Edge (Peak/Average - UNII Band 8 - RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 266 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 266 of 324
			\/ 10 5 12/15/2021



RU242

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1




Plot 7-763. Antenna 5b Radiated Lower Band Edge (Peak/Average - UNII Band 5 - RU242)

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 267 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 267 of 324
			V 10.5 12/15/2021



Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229



Plot 7-764. Antenna 5b Radiated Lower Band Edge (Peak/Average - UNII Band 8 - RU242)


FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 269 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 268 of 324



7.7.5 Antenna 5b Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3




Plot 7-765. Antenna 5b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 260 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 269 of 324
			V 10 5 12/15/2021



Worst Case Mode:802.11axWorst Case Transfer Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:7085MHzChannel:227




Plot 7-766. Antenna 5b Radiated Lower Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 270 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 270 of 324
			V 10.5 12/15/2021



RU484

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3




Plot 7-767. Antenna 5b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU484)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 274 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 271 of 324
			V 10 5 12/15/2021



Worst Case Mode:802.11axWorst Case Transfer Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:7085MHzChannel:227



Plot 7-768. Antenna 5b Radiated Lower Band Edge (Peak & Average – UNII Band 8 – RU484)


FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 070 of 004
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 272 of 324
			V 10.5 12/15/2021



7.7.6 Antenna 5b Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7




Plot 7-769. Antenna 5b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 070 of 004
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 273 of 324
			V 10 5 12/15/2021



Worst Case Mode:802.11axWorst Case Transfer Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:7025MHzChannel:215




Plot 7-770. Antenna 5b Radiated Lower Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 074 of 204
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 274 of 324
			V 10.5 12/15/2021



RU996

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7




Plot 7-771. Antenna 5b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 075 of 004
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 275 of 324
			V 10 5 12/15/2021



Worst Case Mode:802.11axWorst Case Transfer Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:7025MHzChannel:215



Plot 7-772. Antenna 5b Radiated Lower Band Edge (Peak & Average - UNII Band 8 - RU996)


FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 276 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 276 of 324
			V 10.5 12/15/2021



7.7.7 Antenna 5b Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15




Plot 7-773. Antenna 5b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 077 of 004
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 277 of 324
			V 10 5 12/15/2021



Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6985MHz
Channel:	207




Plot 7-774. Antenna 5b Radiated Lower Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 279 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 278 of 324
			V 10 5 12/15/2021



RU996x2

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15




Plot 7-775. Antenna 5b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 270 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 279 of 324
			V 10.5 12/15/2021



Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6985MHz
Channel:	207



Plot 7-776. Antenna 5b Radiated Lower Band Edge (Peak & Average – UNII Band 8 – RU996x2)


FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 200 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 280 of 324
			V 10 5 12/15/2021



Antenna 4a Radiated Band Edge Measurements (20MHz BW) 7.7.8 §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]

RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1




Plot 7-777. Antenna 4a Radiated Lower Band Edge (Peak/Average - UNII Band 5 - RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 201 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 281 of 324
			\/ 10 5 12/15/2021



Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229




Plot 7-778. Antenna 4a Radiated Lower Band Edge (Peak/Average - UNII Band 8 - RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga 202 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 282 of 324
			V/ 10 5 12/15/2021



RU242

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1




Plot 7-779. Antenna 4a Radiated Lower Band Edge (Peak/Average - UNII Band 5 - RU242)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 202 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 283 of 324
			V 10.5 12/15/2021



Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229



Plot 7-780. Antenna 4a Radiated Lower Band Edge (Peak/Average - UNII Band 8 - RU242)


FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 204 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 284 of 324
			V/ 10 5 12/15/2021



Antenna 4a Radiated Band Edge Measurements (40MHz BW) 7.7.9 §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3




Plot 7-781. Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 205 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 285 of 324
			V 10 5 12/15/2021



Worst Case Mode:802.11axWorst Case Transfer Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:7085MHzChannel:227




Plot 7-782. Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 200 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 286 of 324
			V 10 5 12/15/2021



RU484

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS5
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3




Plot 7-783. Antenna 4a Radiated Lower Band Edge (Peak & Average - UNII Band 5 - RU484)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 207 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 287 of 324
			V 10.5 12/15/2021



Worst Case Mode:802.11axWorst Case Transfer Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:7085MHzChannel:227



Plot 7-784. Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 8 – RU484)


FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 200 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 288 of 324
			V 10 5 12/15/2021



7.7.10 Antenna 4a Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7




Plot 7-785. Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 200 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 289 of 324
			\/ 10 5 12/15/2021



Worst Case Mode:802.11axWorst Case Transfer Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:7025MHzChannel:215




Plot 7-786. Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 200 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 290 of 324
			V 10.5 12/15/2021



RU996

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7




Plot 7-787. Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 201 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 291 of 324
			V 10.5 12/15/2021



Worst Case Mode:802.11axWorst Case Transfer Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:7025MHzChannel:215



Plot 7-788. Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 8 – RU996)


FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 202 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 292 of 324
			V 10 5 12/15/2021



7.7.11 Antenna 4a Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15




Plot 7-789. Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 202 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 293 of 324
			V 10 5 12/15/2021



Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6985MHz
Channel:	207




Plot 7-790. Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 204 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 294 of 324
			V 10.5 12/15/2021



RU996x2

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15




Plot 7-791. Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 205 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 295 of 324
			V 10.5 12/15/2021



Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6985MHz
Channel:	207



Plot 7-792. Antenna 4a Radiated Lower Band Edge (Peak & Average - UNII Band 8 - RU996x2)


FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 200 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 296 of 324
			V 10 5 12/15/2021



7.7.12 SDM Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]

RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1




Plot 7-793. SDM Radiated Lower Band Edge (Peak/Average - UNII Band 5 - RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 207 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 297 of 324
			\/ 10 5 12/15/2021



Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229




Plot 7-794. SDM Radiated Lower Band Edge (Peak/Average – UNII Band 8 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 200 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 298 of 324
			V/ 10 5 12/15/2021



RU242

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1




Plot 7-795. SDM Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU242)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 200 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 299 of 324
			V 10 5 12/15/2021



Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229



Plot 7-796. SDM Radiated Lower Band Edge (Peak/Average – UNII Band 8 – RU242)


FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga 200 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 300 of 324
			V/ 10 E 10/1E/2021



7.7.13 SDM Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3




Plot 7-797. SDM Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 201 of 201
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 301 of 324
			V 10 5 12/15/2021



Worst Case Mode:802.11axWorst Case Transfer Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:7085MHzChannel:227




Plot 7-798. SDM Radiated Lower Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 202 of 224
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	Page 302 of 324
			V 10 5 12/15/2021



RU484

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3




Plot 7-799. SDM Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU484)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 303 of 324
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	
			V 10 5 12/15/2021



Worst Case Mode:802.11axWorst Case Transfer Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:7085MHzChannel:227



Plot 7-800. SDM Radiated Lower Band Edge (Peak & Average - UNII Band 8 - RU484)

FCC ID: BCGA2764 IC: 579C-A2764	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 304 of 324
1C2205090028-22-R4.BCG	5/30/2022 - 9/16/2022	Tablet Device	
			V 10 5 12/15/2021