



Channel	Middle
Frequency (MHz)	5290
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	76.710

Table 562 - 802.11ac / VHT80 MCS7x1 / MIMO TxBF / Cores 0+1




Figure 423 - 5290 MHz - 26 dB Emission Bandwidth



Figure 424 - 5290 MHz - 99% Occupied Bandwidth




Channel	Middle
Frequency (MHz)	5290
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	77.323

**Table 563 - 802.11ax / HE80 MCS7x1 / SU / SISO / Core 0**



**Figure 425 - 5290 MHz - 26 dB Emission Bandwidth**



**Figure 426 - 5290 MHz - 99% Occupied Bandwidth**




Channel	Middle
Frequency (MHz)	5290
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	77.254

**Table 564 - 802.11ax / HE80 MCS7x1 / SU / MIMO CDD / Cores 0+1**



**Figure 427 - 5290 MHz - 26 dB Emission Bandwidth**



**Figure 428 - 5290 MHz - 99% Occupied Bandwidth**



Channel	Middle
Frequency (MHz)	5290
26 dB Bandwidth (MHz)	82.320
99% Bandwidth (MHz)	77.209

Table 565 - 802.11ax / HE80 MCS7x2 / SU / MIMO SDM / Cores 0+1



Figure 429 - 5290 MHz - 26 dB Emission Bandwidth




Figure 430 - 5290 MHz - 99% Occupied Bandwidth



U-NII-2C

Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5500	5600	5700	5720
26 dB Bandwidth (MHz)	21.420	21.360	21.240	15.620
99% Bandwidth (MHz)	16.578	16.608	16.567	16.549

**Table 566 - 802.11a / 6 Mbps / SISO / Core 0**



**Figure 431 - 5500 MHz - 26 dB Emission Bandwidth**



**Figure 432 - 5500 MHz - 99% Occupied Bandwidth**



Figure 433 - 5600 MHz - 26 dB Emission Bandwidth




Figure 434 - 5600 MHz - 99% Occupied Bandwidth



Figure 435 - 5700 MHz - 26 dB Emission Bandwidth



Figure 436 - 5700 MHz - 99% Occupied Bandwidth



Figure 437 - 5720 MHz - 26 dB Emission Bandwidth




Figure 438 - 5720 MHz - 99% Occupied Bandwidth





Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5500	5600	5700	5720
26 dB Bandwidth (MHz)	21.480	22.980	21.420	15.740
99% Bandwidth (MHz)	17.775	17.812	17.770	17.797

Table 567 - 802.11n / HT20 MCS7 / SISO / Core 0



Figure 439 - 5500 MHz - 26 dB Emission Bandwidth



Figure 440 - 5500 MHz - 99% Occupied Bandwidth




Figure 441 - 5600 MHz - 26 dB Emission Bandwidth




Figure 442 - 5600 MHz - 99% Occupied Bandwidth




Figure 443 - 5700 MHz - 26 dB Emission Bandwidth



Figure 444 - 5700 MHz - 99% Occupied Bandwidth




Figure 445 - 5720 MHz - 26 dB Emission Bandwidth




Figure 446 - 5720 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5500	5600	5700	5720
26 dB Bandwidth (MHz)	21.360	21.540	21.480	15.680
99% Bandwidth (MHz)	17.762	17.781	17.764	17.757

Table 568 - 802.11n / HT20 MCS7 / MIMO CDD / Cores 0+1




Figure 447 - 5500 MHz - 26 dB Emission Bandwidth




Figure 448 - 5500 MHz - 99% Occupied Bandwidth



Figure 449 - 5600 MHz - 26 dB Emission Bandwidth




Figure 450 - 5600 MHz - 99% Occupied Bandwidth



Figure 451 - 5700 MHz - 26 dB Emission Bandwidth




Figure 452 - 5700 MHz - 99% Occupied Bandwidth




Figure 453 - 5720 MHz - 26 dB Emission Bandwidth




Figure 454 - 5720 MHz - 99% Occupied Bandwidth





Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5500	5600	5700	5720
26 dB Bandwidth (MHz)	21.480	21.480	21.420	15.680
99% Bandwidth (MHz)	17.786	17.785	17.754	17.791

Table 569 - 802.11n / HT20 MCS15 / MIMO SDM / Cores 0+1



Figure 455 - 5500 MHz - 26 dB Emission Bandwidth



Figure 456 - 5500 MHz - 99% Occupied Bandwidth



Figure 457 - 5600 MHz - 26 dB Emission Bandwidth



Figure 458 - 5600 MHz - 99% Occupied Bandwidth




Figure 459 - 5700 MHz - 26 dB Emission Bandwidth




Figure 460 - 5700 MHz - 99% Occupied Bandwidth




Figure 461 - 5720 MHz - 26 dB Emission Bandwidth




Figure 462 - 5720 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5500	5600	5700	5720
26 dB Bandwidth (MHz)	21.420	21.540	21.480	15.680
99% Bandwidth (MHz)	17.753	17.768	17.762	17.778

Table 570 - 802.11ac / VHT20 MCS7x1 / MIMO TxBF / Cores 0+1



Figure 463 - 5500 MHz - 26 dB Emission Bandwidth



Figure 464 - 5500 MHz - 99% Occupied Bandwidth



Figure 465 - 5600 MHz - 26 dB Emission Bandwidth




Figure 466 - 5600 MHz - 99% Occupied Bandwidth



Figure 467 - 5700 MHz - 26 dB Emission Bandwidth




Figure 468 - 5700 MHz - 99% Occupied Bandwidth




Figure 469 - 5720 MHz - 26 dB Emission Bandwidth




Figure 470 - 5720 MHz - 99% Occupied Bandwidth





Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5500	5600	5700	5720
26 dB Bandwidth (MHz)	21.600	23.580	21.600	16.400
99% Bandwidth (MHz)	19.013	19.048	18.989	19.036

**Table 571 - 802.11ax / HE20 MCS7x1 / SU / SISO / Core 0**



**Figure 471 - 5500 MHz - 26 dB Emission Bandwidth**



**Figure 472 - 5500 MHz - 99% Occupied Bandwidth**



Figure 473 - 5600 MHz - 26 dB Emission Bandwidth



Figure 474 - 5600 MHz - 99% Occupied Bandwidth



Figure 475 - 5700 MHz - 26 dB Emission Bandwidth



Figure 476 - 5700 MHz - 99% Occupied Bandwidth




Figure 477 - 5720 MHz - 26 dB Emission Bandwidth




Figure 478 - 5720 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5500	5600	5700	5720
26 dB Bandwidth (MHz)	21.660	21.600	21.660	15.800
99% Bandwidth (MHz)	19.005	19.005	19.004	19.007

Table 572 - 802.11ax / HE20 MCS7x1 / SU / MIMO CDD / Cores 0+1




Figure 479 - 5500 MHz - 26 dB Emission Bandwidth



Figure 480 - 5500 MHz - 99% Occupied Bandwidth



Figure 481 - 5600 MHz - 26 dB Emission Bandwidth




Figure 482 - 5600 MHz - 99% Occupied Bandwidth



Figure 483 - 5700 MHz - 26 dB Emission Bandwidth




Figure 484 - 5700 MHz - 99% Occupied Bandwidth




Figure 485 - 5720 MHz - 26 dB Emission Bandwidth




Figure 486 - 5720 MHz - 99% Occupied Bandwidth





Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5500	5600	5700	5720
26 dB Bandwidth (MHz)	21.480	21.480	21.480	15.800
99% Bandwidth (MHz)	19.006	19.002	18.988	19.003

Table 573 - 802.11ax / HE20 MCS7x2 / SU / MIMO SDM / Cores 0+1




Figure 487 - 5500 MHz - 26 dB Emission Bandwidth



Figure 488 - 5500 MHz - 99% Occupied Bandwidth



Figure 489 - 5600 MHz - 26 dB Emission Bandwidth



Figure 490 - 5600 MHz - 99% Occupied Bandwidth




Figure 491 - 5700 MHz - 26 dB Emission Bandwidth




Figure 492 - 5700 MHz - 99% Occupied Bandwidth




Figure 493 - 5720 MHz - 26 dB Emission Bandwidth



Figure 494 - 5720 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5510	5590	5670	5710
26 dB Bandwidth (MHz)	40.800	52.680	40.920	41.880
99% Bandwidth (MHz)	36.373	36.521	36.347	36.475

Table 574 - 802.11n / HT40 MCS7 / SISO / Core 0



Figure 495 - 5510 MHz - 26 dB Emission Bandwidth



Figure 496 - 5510 MHz - 99% Occupied Bandwidth



Figure 497 - 5590 MHz - 26 dB Emission Bandwidth



Figure 498 - 5590 MHz - 99% Occupied Bandwidth



Figure 499 - 5670 MHz - 26 dB Emission Bandwidth



Figure 500 - 5670 MHz - 99% Occupied Bandwidth



Figure 501 - 5710 MHz - 26 dB Emission Bandwidth



Figure 502 - 5710 MHz - 99% Occupied Bandwidth





Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5510	5590	5670	5710
26 dB Bandwidth (MHz)	41.280	41.160	40.920	35.640
99% Bandwidth (MHz)	36.350	36.452	36.428	36.447

Table 575 - 802.11n / HT40 MCS7 / MIMO CDD / Cores 0+1




Figure 503 - 5510 MHz - 26 dB Emission Bandwidth




Figure 504 - 5510 MHz - 99% Occupied Bandwidth



Figure 505 - 5590 MHz - 26 dB Emission Bandwidth



Figure 506 - 5590 MHz - 99% Occupied Bandwidth



Figure 507 - 5670 MHz - 26 dB Emission Bandwidth



Figure 508 - 5670 MHz - 99% Occupied Bandwidth



Figure 509 - 5710 MHz - 26 dB Emission Bandwidth




Figure 510 - 5710 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5510	5590	5670	5710
26 dB Bandwidth (MHz)	41.160	57.720	41.160	39.480
99% Bandwidth (MHz)	36.450	36.573	36.456	36.509

Table 576 - 802.11n / HT40 MCS15 / MIMO SDM / Cores 0+1



Figure 511 - 5510 MHz - 26 dB Emission Bandwidth




Figure 512 - 5510 MHz - 99% Occupied Bandwidth



Figure 513 - 5590 MHz - 26 dB Emission Bandwidth




Figure 514 - 5590 MHz - 99% Occupied Bandwidth



Figure 515 - 5670 MHz - 26 dB Emission Bandwidth




Figure 516 - 5670 MHz - 99% Occupied Bandwidth



Figure 517 - 5710 MHz - 26 dB Emission Bandwidth



Figure 518 - 5710 MHz - 99% Occupied Bandwidth





Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5510	5590	5670	5710
26 dB Bandwidth (MHz)	41.040	66.120	41.160	45.720
99% Bandwidth (MHz)	36.348	36.398	36.378	36.423

Table 577 - 802.11ac / VHT40 MCS7x1 / MIMO TxBF / Cores 0+1



Figure 519 - 5510 MHz - 26 dB Emission Bandwidth




Figure 520 - 5510 MHz - 99% Occupied Bandwidth



Figure 521 - 5590 MHz - 26 dB Emission Bandwidth



Figure 522 - 5590 MHz - 99% Occupied Bandwidth



Figure 523 - 5670 MHz - 26 dB Emission Bandwidth




Figure 524 - 5670 MHz - 99% Occupied Bandwidth



Figure 525 - 5710 MHz - 26 dB Emission Bandwidth





Figure 526 - 5710 MHz - 99% Occupied Bandwidth




Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5510	5590	5670	5710
26 dB Bandwidth (MHz)	41.400	54.000	41.160	35.520
99% Bandwidth (MHz)	37.702	37.781	37.726	37.822

**Table 578 - 802.11ax / HE40 MCS7x1 / SU / SISO / Core 0**



**Figure 527 - 5510 MHz - 26 dB Emission Bandwidth**



**Figure 528 - 5510 MHz - 99% Occupied Bandwidth**




Figure 529 - 5590 MHz - 26 dB Emission Bandwidth



Figure 530 - 5590 MHz - 99% Occupied Bandwidth



Figure 531 - 5670 MHz - 26 dB Emission Bandwidth



Figure 532 - 5670 MHz - 99% Occupied Bandwidth



Figure 533 - 5710 MHz - 26 dB Emission Bandwidth



Figure 534 - 5710 MHz - 99% Occupied Bandwidth





Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5510	5590	5670	5710
26 dB Bandwidth (MHz)	41.160	41.400	41.160	35.400
99% Bandwidth (MHz)	37.732	37.869	37.751	37.733

Table 579 - 802.11ax / HE40 MCS7x1 / SU / MIMO CDD / Cores 0+1



Figure 535 - 5510 MHz - 26 dB Emission Bandwidth



Figure 536 - 5510 MHz - 99% Occupied Bandwidth




Figure 537 - 5590 MHz - 26 dB Emission Bandwidth



Figure 538 - 5590 MHz - 99% Occupied Bandwidth



Figure 539 - 5670 MHz - 26 dB Emission Bandwidth



Figure 540 - 5670 MHz - 99% Occupied Bandwidth



Figure 541 - 5710 MHz - 26 dB Emission Bandwidth




Figure 542 - 5710 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top	Straddle
Frequency (MHz)	5510	5590	5670	5710
26 dB Bandwidth (MHz)	41.400	46.440	41.160	36.600
99% Bandwidth (MHz)	37.807	37.934	37.814	37.910

Table 580 - 802.11ax / HE40 MCS7x2 / SU / MIMO SDM / Cores 0+1



Figure 543 - 5510 MHz - 26 dB Emission Bandwidth



Figure 544 - 5510 MHz - 99% Occupied Bandwidth



Figure 545 - 5590 MHz - 26 dB Emission Bandwidth




Figure 546 - 5590 MHz - 99% Occupied Bandwidth




Figure 547 - 5670 MHz - 26 dB Emission Bandwidth




Figure 548 - 5670 MHz - 99% Occupied Bandwidth



Figure 549 - 5710 MHz - 26 dB Emission Bandwidth



Figure 550 - 5710 MHz - 99% Occupied Bandwidth





Channel	Bottom	Top	Straddle
Frequency (MHz)	5530	5610	5690
26 dB Bandwidth (MHz)	83.040	83.520	79.880
99% Bandwidth (MHz)	76.075	76.109	76.310

Table 581 - 802.11ac / VHT80 MCS7x1 / SISO / Core 0



Figure 551 - 5530 MHz - 26 dB Emission Bandwidth




Figure 552 - 5530 MHz - 99% Occupied Bandwidth



Figure 553 - 5610 MHz - 26 dB Emission Bandwidth



Figure 554 - 5610 MHz - 99% Occupied Bandwidth



Figure 555 - 5690 MHz - 26 dB Emission Bandwidth




Figure 556 - 5690 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	5530	5610	5690
26 dB Bandwidth (MHz)	83.280	83.040	76.280
99% Bandwidth (MHz)	76.160	76.182	76.254

Table 582 - 802.11ac / VHT80 MCS7x1 / MIMO CDD / Cores 0+1




Figure 557 - 5530 MHz - 26 dB Emission Bandwidth



Figure 558 - 5530 MHz - 99% Occupied Bandwidth



Figure 559 - 5610 MHz - 26 dB Emission Bandwidth



Figure 560 - 5610 MHz - 99% Occupied Bandwidth



Figure 561 - 5690 MHz - 26 dB Emission Bandwidth




Figure 562 - 5690 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	5530	5610	5690
26 dB Bandwidth (MHz)	82.320	81.840	75.800
99% Bandwidth (MHz)	75.979	76.071	76.228

Table 583 - 802.11ac / VHT80 MCS7x2 / MIMO SDM / Cores 0+1



Figure 563 - 5530 MHz - 26 dB Emission Bandwidth




Figure 564 - 5530 MHz - 99% Occupied Bandwidth



Figure 565 - 5610 MHz - 26 dB Emission Bandwidth



Figure 566 - 5610 MHz - 99% Occupied Bandwidth





Figure 567 - 5690 MHz - 26 dB Emission Bandwidth



Figure 568 - 5690 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	5530	5610	5690
26 dB Bandwidth (MHz)	82.800	83.280	76.040
99% Bandwidth (MHz)	75.981	76.101	76.063

**Table 584 - 802.11ac / VHT80 MCS7x1 / MIMO TxBF / Cores 0+1**



**Figure 569 - 5530 MHz - 26 dB Emission Bandwidth**



**Figure 570 - 5530 MHz - 99% Occupied Bandwidth**



Figure 571 - 5610 MHz - 26 dB Emission Bandwidth



Figure 572 - 5610 MHz - 99% Occupied Bandwidth



Figure 573 - 5690 MHz - 26 dB Emission Bandwidth



Figure 574 - 5690 MHz - 99% Occupied Bandwidth




Channel	Bottom	Top	Straddle
Frequency (MHz)	5530	5610	5690
26 dB Bandwidth (MHz)	82.320	82.800	75.800
99% Bandwidth (MHz)	77.372	77.336	77.642

**Table 585 - 802.11ax / HE80 MCS7x1 / SU / SISO / Core 0**



**Figure 575 - 5530 MHz - 26 dB Emission Bandwidth**



**Figure 576 - 5530 MHz - 99% Occupied Bandwidth**



Figure 577 - 5610 MHz - 26 dB Emission Bandwidth



Figure 578 - 5610 MHz - 99% Occupied Bandwidth



Figure 579 - 5690 MHz - 26 dB Emission Bandwidth





Figure 580 - 5690 MHz - 99% Occupied Bandwidth




Channel	Bottom	Top	Straddle
Frequency (MHz)	5530	5610	5690
26 dB Bandwidth (MHz)	82.560	82.320	76.040
99% Bandwidth (MHz)	77.331	77.314	77.427

**Table 586 - 802.11ax / HE80 MCS7x1 / SU / MIMO CDD / Cores 0+1**



**Figure 581 - 5530 MHz - 26 dB Emission Bandwidth**



**Figure 582 - 5530 MHz - 99% Occupied Bandwidth**





Figure 583 - 5610 MHz - 26 dB Emission Bandwidth




Figure 584 - 5610 MHz - 99% Occupied Bandwidth



Figure 585 - 5690 MHz - 26 dB Emission Bandwidth



Figure 586 - 5690 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top	Straddle
Frequency (MHz)	5530	5610	5690
26 dB Bandwidth (MHz)	82.560	82.080	76.040
99% Bandwidth (MHz)	77.272	77.372	77.582

Table 587 - 802.11ax / HE80 MCS7x2 / SU / MIMO SDM / Cores 0+1



Figure 587 - 5530 MHz - 26 dB Emission Bandwidth




Figure 588 - 5530 MHz - 99% Occupied Bandwidth




Figure 589 - 5610 MHz - 26 dB Emission Bandwidth




Figure 590 - 5610 MHz - 99% Occupied Bandwidth



Figure 591 - 5690 MHz - 26 dB Emission Bandwidth




Figure 592 - 5690 MHz - 99% Occupied Bandwidth



U-NII-3

Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.940	17.820	17.820	17.820
26 dB Bandwidth (MHz)	6.460	27.840	26.460	26.580
99% Bandwidth (MHz)	17.852	17.836	17.834	17.896

**Table 588 - 802.11n / HT20 MCS7 / SISO / Core 0**



**Figure 593 - 5720 MHz - 6 dB DTS Bandwidth**



Figure 594 - 5720 MHz - 26 dB Emission Bandwidth




Figure 595 - 5720 MHz - 99% Occupied Bandwidth



Figure 596 - 5745 MHz - 6 dB DTS Bandwidth



Figure 597 - 5745 MHz - 26 dB Emission Bandwidth





Figure 598 - 5745 MHz - 99% Occupied Bandwidth




Figure 599 - 5785 MHz - 6 dB DTS Bandwidth



Figure 600 - 5785 MHz - 26 dB Emission Bandwidth




Figure 601 - 5785 MHz - 99% Occupied Bandwidth



Figure 602 - 5825 MHz - 6 dB DTS Bandwidth



Figure 603 - 5825 MHz - 26 dB Emission Bandwidth



Figure 604 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.880	17.820	17.820	17.820
26 dB Bandwidth (MHz)	5.740	25.500	30.240	29.400
99% Bandwidth (MHz)	17.750	17.827	17.833	17.858

Table 589 - 802.11n / HT20 MCS7 / MIMO CDD / Cores 0+1




Figure 605 - 5720 MHz - 6 dB DTS Bandwidth



Figure 606 - 5720 MHz - 26 dB Emission Bandwidth



Figure 607 - 5720 MHz - 99% Occupied Bandwidth




Figure 608 - 5745 MHz - 6 dB DTS Bandwidth



Figure 609 - 5745 MHz - 26 dB Emission Bandwidth



Figure 610 - 5745 MHz - 99% Occupied Bandwidth




Figure 611 - 5785 MHz - 6 dB DTS Bandwidth



Figure 612 - 5785 MHz - 26 dB Emission Bandwidth





Figure 613 - 5785 MHz - 99% Occupied Bandwidth




Figure 614 - 5825 MHz - 6 dB DTS Bandwidth



Figure 615 - 5825 MHz - 26 dB Emission Bandwidth



Figure 616 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.880	17.820	17.760	17.820
26 dB Bandwidth (MHz)	5.740	28.560	27.180	27.360
99% Bandwidth (MHz)	17.789	17.833	17.860	17.877

Table 590 - 802.11n / HT20 MCS15 / MIMO SDM / Cores 0+1



Figure 617 - 5720 MHz - 6 dB DTS Bandwidth




Figure 618 - 5720 MHz - 26 dB Emission Bandwidth




Figure 619 - 5720 MHz - 99% Occupied Bandwidth



Figure 620 - 5745 MHz - 6 dB DTS Bandwidth



Figure 621 - 5745 MHz - 26 dB Emission Bandwidth



Figure 622 - 5745 MHz - 99% Occupied Bandwidth




Figure 623 - 5785 MHz - 6 dB DTS Bandwidth



Figure 624 - 5785 MHz - 26 dB Emission Bandwidth




Figure 625 - 5785 MHz - 99% Occupied Bandwidth




Figure 626 - 5825 MHz - 6 dB DTS Bandwidth



Figure 627 - 5825 MHz - 26 dB Emission Bandwidth



Figure 628 - 5825 MHz - 99% Occupied Bandwidth





Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	3.940	17.760	17.760	17.820
26 dB Bandwidth (MHz)	5.680	21.900	21.720	21.960
99% Bandwidth (MHz)	17.771	17.793	17.788	17.819

Table 591 - 802.11ac / VHT20 MCS7x1 / MIMO TxBF / Cores 0+1




Figure 629 - 5720 MHz - 6 dB DTS Bandwidth




Figure 630 - 5720 MHz - 26 dB Emission Bandwidth




Figure 631 - 5720 MHz - 99% Occupied Bandwidth




Figure 632 - 5745 MHz - 6 dB DTS Bandwidth



Figure 633 - 5745 MHz - 26 dB Emission Bandwidth



Figure 634 - 5745 MHz - 99% Occupied Bandwidth




Figure 635 - 5785 MHz - 6 dB DTS Bandwidth



Figure 636 - 5785 MHz - 26 dB Emission Bandwidth



Figure 637 - 5785 MHz - 99% Occupied Bandwidth



Figure 638 - 5825 MHz - 6 dB DTS Bandwidth



Figure 639 - 5825 MHz - 26 dB Emission Bandwidth




Figure 640 - 5825 MHz - 99% Occupied Bandwidth



Channel	Straddle	Bottom	Middle	Top
Frequency (MHz)	5720	5745	5785	5825
6 dB Bandwidth (MHz)	4.600	19.200	19.200	19.200
26 dB Bandwidth (MHz)	6.280	24.300	25.500	31.500
99% Bandwidth (MHz)	19.025	19.052	19.051	19.061

Table 592 - 802.11ax / HE20 MCS7x1 / SU / SISO / Core 0



Figure 641 - 5720 MHz - 6 dB DTS Bandwidth



Figure 642 - 5720 MHz - 26 dB Emission Bandwidth



Figure 643 - 5720 MHz - 99% Occupied Bandwidth




Figure 644 - 5745 MHz - 6 dB DTS Bandwidth





Figure 645 - 5745 MHz - 26 dB Emission Bandwidth



Figure 646 - 5745 MHz - 99% Occupied Bandwidth



Figure 647 - 5785 MHz - 6 dB DTS Bandwidth



Figure 648 - 5785 MHz - 26 dB Emission Bandwidth



Figure 649 - 5785 MHz - 99% Occupied Bandwidth




Figure 650 - 5825 MHz - 6 dB DTS Bandwidth



Figure 651 - 5825 MHz - 26 dB Emission Bandwidth



Figure 652 - 5825 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.160	2.160	2.160
26 dB Bandwidth (MHz)	20.280	20.640	20.280
99% Bandwidth (MHz)	18.277	18.292	18.306

Table 593 - 802.11ax / HE20 MCS7x1 / RU 26-0 / SISO / Core 0




Figure 653 - 5745 MHz - 6 dB DTS Bandwidth




Figure 654 - 5745 MHz - 26 dB Emission Bandwidth




Figure 655 - 5745 MHz - 99% Occupied Bandwidth




Figure 656 - 5785 MHz - 6 dB DTS Bandwidth




Figure 657 - 5785 MHz - 26 dB Emission Bandwidth




Figure 658 - 5785 MHz - 99% Occupied Bandwidth



Figure 659 - 5825 MHz - 6 dB DTS Bandwidth



Figure 660 - 5825 MHz - 26 dB Emission Bandwidth





Figure 661 - 5825 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5745	5785	5825
6 dB Bandwidth (MHz)	2.220	2.160	2.220
26 dB Bandwidth (MHz)	20.760	20.820	20.820
99% Bandwidth (MHz)	18.488	18.492	18.483

Table 594 - 802.11ax / HE20 MCS7x1 / RU 26-8 / SISO / Core 0



Figure 662 - 5745 MHz - 6 dB DTS Bandwidth




Figure 663 - 5745 MHz - 26 dB Emission Bandwidth



Figure 664 - 5745 MHz - 99% Occupied Bandwidth




Figure 665 - 5785 MHz - 6 dB DTS Bandwidth



Figure 666 - 5785 MHz - 26 dB Emission Bandwidth




Figure 667 - 5785 MHz - 99% Occupied Bandwidth



Figure 668 - 5825 MHz - 6 dB DTS Bandwidth



Figure 669 - 5825 MHz - 26 dB Emission Bandwidth




Figure 670 - 5825 MHz - 99% Occupied Bandwidth