



Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2417MHzChannel:2



Plot 7-529. Radiated Restricted Lower Band Edge Measurement Antenna WF8

Mode:802.11ax - SUData Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:2422MHzChannel:3




Plot 7-530. Radiated Restricted Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 329 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 329 01 443




Mode:802.11ax - SUData Rate:MCS3Distance of Measurements:3 MetersOperating Frequency:2422MHzChannel:3



Plot 7-531. Radiated Restricted Lower Band Edge Measurement Antenna WF8

Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2422MHzChannel:3




Plot 7-532. Radiated Restricted Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 330 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 330 01 443



Mode:802.11ax - SUData Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:2427MHzChannel:4



Plot 7-533. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU

Data Rate: MCS3

Distance of Measurements: 3 Meters

Operating Frequency: 2427MHz

Channel: 4




Plot 7-534. Radiated Restricted Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 331 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 331 01 443




Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2427MHzChannel:4



Plot 7-535. Radiated Restricted Lower Band Edge Measurement Antenna WF8

Mode:802.11ax - SUData Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:2432MHzChannel:5



Plot 7-536. Radiated Restricted Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 222 of 442
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 332 of 443
© 2022 PCTEST			V 10.5 12/15/2021




 Mode:
 802.11ax - SU

 Data Rate:
 MCS3

 Distance of Measurements:
 3 Meters


 Operating Frequency:
 2432MHz

 Channel:
 5



Plot 7-537. Radiated Restricted Lower Band Edge Measurement Antenna WF8

Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2432MHzChannel:5




Plot 7-538. Radiated Restricted Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 222 of 442
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 333 of 443
© 2022 PCTEST			V 10.5 12/15/2021




Mode: 802.11ax - SU Data Rate: MCS0 Distance of Measurements: 3 Meters Operating Frequency: 2437MHz Channel: 6 (low)



Plot 7-539. Radiated Restricted Lower Band Edge Measurement Antenna WF8

Mode: 802.11ax - SU Data Rate: MCS3 Distance of Measurements: 3 Meters Operating Frequency: 2437MHz Channel: 6 (low)




Plot 7-540. Radiated Restricted Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 334 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 334 01 443

© 2022 PCTEST




Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6 (low)



Plot 7-541. Radiated Restricted Lower Band Edge Measurement Antenna WF8

Mode:802.11ax - SUData Rate:MCSODistance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6 (high)



Plot 7-542. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 335 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Fage 333 01 443




Mode: 802.11ax - SU

Data Rate: MCS3

Distance of Measurements: 3 Meters


Operating Frequency: 2437MHz

Channel: 6 (high)



Plot 7-543. Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6 (High)




Plot 7-544. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 336 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 330 01 443




Mode: 802.11ax - SU Data Rate: MCS0 Distance of Measurements: 3 Meters Operating Frequency: 2442MHz Channel:



Plot 7-545. Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode: 802.11ax - SU Data Rate: MCS3 Distance of Measurements: 3 Meters Operating Frequency: 2442MHz Channel:




Plot 7-546. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 337 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 337 01 443

© 2022 PCTEST




Mode: 802.11ax - SU Data Rate: MCS5 Distance of Measurements: 3 Meters Operating Frequency: 2442MHz Channel:



Plot 7-547. Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode: 802.11ax - SU Data Rate: MCS0 Distance of Measurements: 3 Meters Operating Frequency: 2447MHz Channel: 8




Plot 7-548. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 338 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Fage 556 01 445




Mode:802.11ax - SUData Rate:MCS3Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8



Plot 7-549. Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8




Plot 7-550. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 339 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 339 01 443




Mode:802.11ax - SUData Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9



Plot 7-551. Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode:802.11ax - SUData Rate:MCS3Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9




Plot 7-552. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 240 of 442
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 340 of 443
© 2022 PCTEST			V 10.5 12/15/2021



Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9



Plot 7-553. Radiated Restricted Upper Band Edge Measurement Antenna WF8


 Mode:
 802.11ax - SU

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2457MHz

 Channel:
 10



Plot 7-554. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 241 of 442
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 341 of 443




 Mode:
 802.11ax - SU

 Data Rate:
 MCS3

 Distance of Measurements:
 3 Meters


 Operating Frequency:
 2457MHz

 Channel:
 10



Plot 7-555. Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2457MHzChannel:10




Plot 7-556. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 342 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Fage 342 01 443




Mode:802.11ax - SUData Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:2462MHzChannel:11



Plot 7-557. Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode:802.11ax - SUData Rate:MCS3Distance of Measurements:3 MetersOperating Frequency:2462MHzChannel:11




Plot 7-558. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 343 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 343 01 443




Mode:802.11ax - SUData Rate:MCS5Distance of Measurements:3 MetersOperating Frequency:2462MHzChannel:11



Plot 7-559. Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode:802.11ax - SUData Rate:MCSODistance of Measurements:3 MetersOperating Frequency:2467MHzChannel:12




Plot 7-560. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 244 of 442
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 344 of 443




Mode: 802.11ax - SU Data Rate: MCS3 Distance of Measurements: 3 Meters Operating Frequency: 2467MHz Channel: 12



Plot 7-561. Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode: 802.11ax - SU Data Rate: MCS5 Distance of Measurements: 3 Meters Operating Frequency: 2467MHz Channel: 12




Plot 7-562. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 345 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	raye 345 01 443




7.7.5 Antenna WF7b Radiated Restricted Band Edge Measurements §15.205 §15.209; RSS-Gen [8.9]

Mode:802.11bData Rate:11MbpsDistance of Measurements:3 MetersOperating Frequency:2412MHzChannel:1



Plot 7-563. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11bData Rate:11MbpsDistance of Measurements:3 MetersOperating Frequency:2417MHzChannel:2




Plot 7-564. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 346 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 346 01 443




Mode:802.11bData Rate:11MbpsDistance of Measurements:3 MetersOperating Frequency:2422MHzChannel:3



Plot 7-565. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11bData Rate:11MbpsDistance of Measurements:3 MetersOperating Frequency:2427MHzChannel:4




Plot 7-566. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 347 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 347 01 443




Mode: 802.11b Data Rate: 11Mbps Distance of Measurements: 3 Meters Operating Frequency: 2452MHz Channel: 9



Plot 7-567. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode: 802.11b Data Rate: 11Mbps Distance of Measurements: 3 Meters Operating Frequency: 2457MHz Channel: 10



Plot 7-568. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 249 of 442
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 348 of 443




 Mode:
 802.11b

 Data Rate:
 11Mbps

 Distance of Measurements:
 3 Meters


 Operating Frequency:
 2462MHz

 Channel:
 11



Plot 7-569. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11bData Rate:11MbpsDistance of Measurements:3 MetersOperating Frequency:2467MHzChannel:12




Plot 7-570. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 349 of 443
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 349 01 443




Mode: 802.11b Data Rate: 11Mbps Distance of Measurements: 3 Meters Operating Frequency: 2472MHz Channel: 13



Plot 7-571. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode: 802.11n MCS0 Data Rate: Distance of Measurements: 3 Meters 2412MHz Operating Frequency: Channel: 1




Plot 7-572. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 250 of 442
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 350 of 443

© 2022 PCTEST




Mode: 802.11n Data Rate: MCS3 Distance of Measurements: 3 Meters Operating Frequency: 2412MHz Channel:



Plot 7-573. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode: 802.11n Data Rate: MCS5 Distance of Measurements: 3 Meters Operating Frequency: 2412MHz Channel:




Plot 7-574. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 251 of 442
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 351 of 443

© 2022 PCTEST




Mode: 802.11n Data Rate: MCS0 Distance of Measurements: 3 Meters Operating Frequency: 2417MHz Channel:



Plot 7-575. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode: 802.11n Data Rate: MCS3 Distance of Measurements: 3 Meters Operating Frequency: 2417MHz Channel:



Plot 7-576. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2588 IC: 579C-A2588	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 252 of 442
1C2111150078-01.BCG	12/02/2021 - 02/04/2022	Tablet Device	Page 352 of 443