



Plot 7-223. PSD Antenna 1b (40MHz BW 11ax Index 17 – RU26 – Ch.54)




Plot 7-226. PSD Antenna 1b (80MHz BW 11ax Index 18 – RU26 – Ch.58)




Plot 7-224. PSD Antenna 1b (40MHz BW 11ax – RU484 – Ch.54)



Plot 7-227. PSD Antenna 1b (80MHz BW 11ax Index 36 – RU26 – Ch.58)




Plot 7-225. PSD Antenna 1b (80MHz BW 11ax Index 0 – RU26 – Ch.58)




Plot 7-228. PSD Antenna 1b (80MHz BW 11ax – RU996 – Ch.58)

FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 124 of 397




Plot 7-229. PSD Antenna 1b (20MHz BW 11ax Index 0 – RU26 – Ch.116)




Plot 7-232. PSD Antenna 1b (20MHz BW 11ax- RU242 – Ch.116)




Plot 7-230. PSD Antenna 1b (20MHz BW 11ax Index 4 – RU26 – Ch.116)



Plot 7-233. PSD Antenna 1b (40MHz BW 11ax Index 0 – RU26 – Ch.110)




Plot 7-231. PSD Antenna 1b (20MHz BW 11ax Index 8 – RU26 – Ch.116)




Plot 7-234. PSD Antenna 1b (40MHz BW 11ax Index 8 – RU26 – Ch.110)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 125 of 397




Plot 7-235. PSD Antenna 1b (40MHz BW 11ax Index 17 – RU26 – Ch.110)




Plot 7-238. PSD Antenna 1b (80MHz BW 11ax Index 18 – RU26 – Ch.122)




Plot 7-236. PSD Antenna 1b (40MHz BW 11ax – RU484 – Ch.110)



Plot 7-239. PSD Antenna 1b (80MHz BW 11ax Index 36 – RU26 – Ch.122)



Plot 7-237. PSD Antenna 1b (80MHz BW 11ax Index 0 – RU26 – Ch.122)



Plot 7-240. PSD Antenna 1b (80MHz BW 11ax – RU996 – Ch.122)


<p>FCC ID: BCGA2589 IC: 579C-A2589</p>		<p>MEASUREMENT REPORT (CERTIFICATION)</p>	<p>Approved by: Technical Manager</p>
<p>Test Report S/N: 1C2111150079-15.BCG</p>	<p>Test Dates: 12/02/2021 - 02/16/2022</p>	<p>EUT Type: Tablet Device</p>	<p>Page 126 of 397</p>


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	135/143.4 (MCS11)	4.08	30.00	-25.92
				26	4	135/143.4 (MCS11)	4.89	30.00	-25.11
				26	8	135/143.4 (MCS11)	4.99	30.00	-25.01
	5785	157	ax (20MHz)	26	0	135/143.4 (MCS11)	4.18	30.00	-25.83
				26	4	135/143.4 (MCS11)	4.46	30.00	-25.54
				26	8	135/143.4 (MCS11)	4.29	30.00	-25.71
	5825	165	ax (20MHz)	26	0	135/143.4 (MCS11)	4.56	30.00	-25.44
				26	4	135/143.4 (MCS11)	4.23	30.00	-25.77
				26	8	135/143.4 (MCS11)	3.29	30.00	-26.71
	5755	151	ax (40MHz)	26	0	271/286.8 (MCS11)	4.04	30.00	-25.96
				26	8	271/286.8 (MCS11)	5.43	30.00	-24.57
				26	17	271/286.8 (MCS11)	4.10	30.00	-25.91
	5795	159	ax (40MHz)	26	0	271/286.8 (MCS11)	3.70	30.00	-26.30
				26	8	271/286.8 (MCS11)	4.23	30.00	-25.77
				26	17	271/286.8 (MCS11)	3.27	30.00	-26.74
	5775	155	ax (80MHz)	26	0	567/600.5 (MCS11)	5.27	30.00	-24.74
				26	18	567/600.5 (MCS11)	5.49	30.00	-24.51
				26	36	567/600.5 (MCS11)	5.37	30.00	-24.63

Table 7-112. Band 3 Power Spectral Density Measurements Antenna 1b (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	135/143.4 (MCS11)	4.57	30.00	-25.43
	5785	157	ax (20MHz)	242	61	135/143.4 (MCS11)	4.92	30.00	-25.08
	5825	165	ax (20MHz)	242	61	135/143.4 (MCS11)	5.18	30.00	-24.83
	5755	151	ax (40MHz)	484	65	271/286.8 (MCS11)	1.23	30.00	-28.77
	5795	159	ax (40MHz)	484	65	271/286.8 (MCS11)	0.92	30.00	-29.08
	5775	155	ax (80MHz)	996	67	567/600.5 (MCS11)	-1.80	30.00	-31.80

Table 7-113. Band 3 Power Spectral Density Measurements Antenna 1b (Fully-loaded RU)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 127 of 397




Plot 7-241. PSD Antenna 1b (20MHz BW 11ax Index 0 – RU26 – Ch.157)




Plot 7-244. PSD Antenna 1b (20MHz BW 11ax- RU242 – Ch.157)




Plot 7-242. PSD Antenna 1b (20MHz BW 11ax Index 4 – RU26 – Ch.157)



Plot 7-245. PSD Antenna 1b (40MHz BW 11ax Index 0 – RU26 – Ch.151)




Plot 7-243. PSD Antenna 1b (20MHz BW 11ax Index 8 – RU26 – Ch.157)




Plot 7-246. PSD Antenna 1b (40MHz BW 11ax Index 8 – RU26 – Ch.151)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 128 of 397




Plot 7-247. PSD Antenna 1b (40MHz BW 11ax Index 17 – RU26 – Ch.151)




Plot 7-250. PSD Antenna 1b (80MHz BW 11ax Index 18 – RU26 – Ch.155)




Plot 7-248. PSD Antenna 1b (40MHz BW 11ax – RU484 – Ch.151)



Plot 7-251. PSD Antenna 1b (80MHz BW 11ax Index 36 – RU26 – Ch.155)



Plot 7-249. PSD Antenna 1b (80MHz BW 11ax Index 0 – RU26 – Ch.155)



Plot 7-252. PSD Antenna 1b (80MHz BW 11ax – RU996 – Ch.155)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 129 of 397


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	4.48	-0.10	4.38	10.0	-5.62
				26	4	135/143.4 (MCS11)	4.05	-0.10	3.95	10.0	-6.05
				26	8	135/143.4 (MCS11)	4.83	-0.10	4.73	10.0	-5.27
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	4.44	-0.10	4.34	10.0	-5.66
				26	4	135/143.4 (MCS11)	4.05	-0.10	3.95	10.0	-6.05
				26	8	135/143.4 (MCS11)	4.69	-0.10	4.59	10.0	-5.41
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	5.19	-0.10	5.09	10.0	-4.91
				26	4	135/143.4 (MCS11)	4.45	-0.10	4.35	10.0	-5.65
				26	8	135/143.4 (MCS11)	5.28	-0.10	5.18	10.0	-4.82
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	4.10	-0.10	4.00	10.0	-6.00
				26	8	271/286.8 (MCS11)	5.15	-0.10	5.05	10.0	-4.95
				26	17	271/286.8 (MCS11)	4.52	-0.10	4.42	10.0	-5.58
	5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	4.53	-0.10	4.43	10.0	-5.57
				26	8	271/286.8 (MCS11)	5.54	-0.10	5.44	10.0	-4.56
				26	17	271/286.8 (MCS11)	5.09	-0.10	4.99	10.0	-5.01
	5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	4.00	-0.10	3.90	10.0	-6.10
				26	18	567/600.5 (MCS11)	3.76	-0.10	3.66	10.0	-6.34
				26	36	567/600.5 (MCS11)	4.65	-0.10	4.55	10.0	-5.45

Table 7-114. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 1b (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	5.63	-0.10	5.53	10.0	-4.47
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	5.58	-0.10	5.48	10.0	-4.52
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	5.57	-0.10	5.47	10.0	-4.53
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-0.52	-0.10	-0.62	10.0	-10.62
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	5.26	-0.10	5.16	10.0	-4.84
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-2.91	-0.10	-3.01	10.0	-13.01

Table 7-115. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 1b (Fully-loaded RU)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 130 of 397




Plot 7-253. ISED PSD Antenna 1b (20MHz BW 11ax Index 0 - RU26 - Ch.40)




Plot 7-256. ISED PSD Antenna 1b (20MHz BW 11ax- RU242 - Ch.40)




Plot 7-254. ISED PSD Antenna 1b (20MHz BW 11ax Index 4 - RU26 - Ch.40)




Plot 7-257. ISED PSD Antenna 1b (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-255. ISED PSD Antenna 1b (20MHz BW 11ax Index 8- RU26 - Ch.40)




Plot 7-258. ISED PSD Antenna 1b (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 131 of 397




Plot 7-259. ISED PSD Antenna 1b (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-262. ISED PSD Antenna 1b (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-260. ISED PSD Antenna 1b (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-263. ISED PSD Antenna 1b (80MHz BW 11ax Index 36 – RU26 – Ch.42)



Plot 7-261. ISED PSD Antenna 1b (80MHz BW 11ax Index 0 – RU26 – Ch.42)



Plot 7-264. ISED PSD Antenna 1b (80MHz BW 11ax – RU996 – Ch.42)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 132 of 397

Antenna 3a Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	4.72	11.0	-6.28
				26	4	135/143.4 (MCS11)	4.48	11.0	-6.52
				26	8	135/143.4 (MCS11)	5.17	11.0	-5.83
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	4.92	11.0	-6.08
				26	4	135/143.4 (MCS11)	5.96	11.0	-5.04
				26	8	135/143.4 (MCS11)	5.45	11.0	-5.55
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	5.49	11.0	-5.51
				26	4	135/143.4 (MCS11)	4.91	11.0	-6.09
				26	8	135/143.4 (MCS11)	5.63	11.0	-5.37
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	4.40	11.0	-6.60
				26	8	271/286.8 (MCS11)	5.74	11.0	-5.26
				26	17	271/286.8 (MCS11)	5.13	11.0	-5.87
5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	4.73	11.0	-6.27	
			26	8	271/286.8 (MCS11)	6.05	11.0	-4.95	
			26	17	271/286.8 (MCS11)	5.74	11.0	-5.26	
5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	4.70	11.0	-6.30	
			26	18	567/600.5 (MCS11)	4.62	11.0	-6.38	
			26	36	567/600.5 (MCS11)	4.94	11.0	-6.06	
Band 2A	5260	52	ax (20MHz)	26	0	135/143.4 (MCS11)	6.08	11.0	-4.92
				26	4	135/143.4 (MCS11)	5.31	11.0	-5.69
				26	8	135/143.4 (MCS11)	5.74	11.0	-5.26
	5280	56	ax (20MHz)	26	0	135/143.4 (MCS11)	5.99	11.0	-5.01
				26	4	135/143.4 (MCS11)	5.54	11.0	-5.46
				26	8	135/143.4 (MCS11)	6.04	11.0	-4.96
	5320	64	ax (20MHz)	26	0	135/143.4 (MCS11)	6.19	11.0	-4.81
				26	4	135/143.4 (MCS11)	5.39	11.0	-5.61
				26	8	135/143.4 (MCS11)	6.98	11.0	-4.02
	5270	54	ax (40MHz)	26	0	271/286.8 (MCS11)	5.57	11.0	-5.43
				26	8	271/286.8 (MCS11)	6.01	11.0	-4.99
				26	17	271/286.8 (MCS11)	5.64	11.0	-5.36
5310	62	ax (40MHz)	26	0	271/286.8 (MCS11)	5.73	11.0	-5.27	
			26	8	271/286.8 (MCS11)	6.45	11.0	-4.55	
			26	17	271/286.8 (MCS11)	5.92	11.0	-5.08	
5290	58	ax (80MHz)	26	0	567/600.5 (MCS11)	5.49	11.0	-5.51	
			26	18	567/600.5 (MCS11)	4.91	11.0	-6.09	
			26	36	567/600.5 (MCS11)	6.29	11.0	-4.71	
Band 2C	5500	100	ax (20MHz)	26	0	135/143.4 (MCS11)	6.40	11.0	-4.60
				26	4	135/143.4 (MCS11)	5.69	11.0	-5.31
				26	8	135/143.4 (MCS11)	6.27	11.0	-4.73
	5580	116	ax (20MHz)	26	0	135/143.4 (MCS11)	5.43	11.0	-5.57
				26	4	135/143.4 (MCS11)	5.13	11.0	-5.87
				26	8	135/143.4 (MCS11)	5.41	11.0	-5.59
	5720	144	ax (20MHz)	26	0	135/143.4 (MCS11)	5.83	11.0	-5.17
				26	4	135/143.4 (MCS11)	5.80	11.0	-5.20
				26	8	135/143.4 (MCS11)	6.17	11.0	-4.83
	5510	102	ax (40MHz)	26	0	271/286.8 (MCS11)	6.15	11.0	-4.85
				26	8	271/286.8 (MCS11)	6.88	11.0	-4.12
				26	17	271/286.8 (MCS11)	5.50	11.0	-5.50
5550	110	ax (40MHz)	26	0	271/286.8 (MCS11)	5.07	11.0	-5.93	
			26	8	271/286.8 (MCS11)	5.69	11.0	-5.31	
			26	17	271/286.8 (MCS11)	5.63	11.0	-5.37	
5710	142	ax (40MHz)	26	0	271/286.8 (MCS11)	5.91	11.0	-5.09	
			26	8	271/286.8 (MCS11)	7.17	11.0	-3.83	
			26	17	271/286.8 (MCS11)	6.65	11.0	-4.35	
5530	106	ax (80MHz)	26	0	567/600.5 (MCS11)	6.52	11.0	-4.48	
			26	18	567/600.5 (MCS11)	5.11	11.0	-5.89	
			26	36	567/600.5 (MCS11)	5.62	11.0	-5.38	
*5610	122	ax (80MHz)	26	0	567/600.5 (MCS11)	5.10	11.0	-5.90	
			26	18	567/600.5 (MCS11)	3.95	11.0	-7.05	
			26	36	567/600.5 (MCS11)	5.22	11.0	-5.78	
5690	138	ax (80MHz)	26	0	567/600.5 (MCS11)	5.04	11.0	-5.97	
			26	18	567/600.5 (MCS11)	5.02	11.0	-5.98	
			26	36	567/600.5 (MCS11)	5.61	11.0	-5.39	

Table 7-116. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 3a (RU26)


*TDWR channel is not supported for ISED (denoted by a * next to the frequency)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C211150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 133 of 397

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	4.56	11.0	-6.44
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	4.94	11.0	-6.06
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	4.82	11.0	-6.18
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-1.41	11.0	-12.41
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	4.27	11.0	-6.73
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-4.49	11.0	-15.49
Band 2A	5260	52	ax (20MHz)	242	61	135/143.4 (MCS11)	7.75	11.0	-3.25
	5280	56	ax (20MHz)	242	61	135/143.4 (MCS11)	7.91	11.0	-3.09
	5320	64	ax (20MHz)	242	61	135/143.4 (MCS11)	6.19	11.0	-4.81
	5270	54	ax (40MHz)	484	65	271/286.8 (MCS11)	4.62	11.0	-6.38
	5310	62	ax (40MHz)	484	65	271/286.8 (MCS11)	-0.96	11.0	-11.96
	5290	58	ax (80MHz)	996	67	567/600.5 (MCS11)	-5.24	11.0	-16.24
Band 2C	5500	100	ax (20MHz)	242	61	135/143.4 (MCS11)	4.37	11.0	-6.63
	5580	116	ax (20MHz)	242	61	135/143.4 (MCS11)	6.88	11.0	-4.12
	5720	144	ax (20MHz)	242	61	135/143.4 (MCS11)	7.37	11.0	-3.63
	5510	102	ax (40MHz)	484	65	271/286.8 (MCS11)	-2.57	11.0	-13.57
	5550	110	ax (40MHz)	484	65	271/286.8 (MCS11)	3.95	11.0	-7.05
	5710	142	ax (40MHz)	484	65	271/286.8 (MCS11)	3.92	11.0	-7.08
	5530	106	ax (80MHz)	996	67	567/600.5 (MCS11)	-5.16	11.0	-16.16
	*5610	122	ax (80MHz)	996	67	567/600.5 (MCS11)	-1.07	11.0	-12.07
	5690	138	ax (80MHz)	996	67	567/600.5 (MCS11)	3.13	11.0	-7.87


Table 7-117. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 3a (Fully-loaded RU)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 134 of 397




Plot 7-265. PSD Antenna 3a (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-268. PSD Antenna 3a (20MHz BW 11ax–RU242 – Ch.40)




Plot 7-266. PSD Antenna 3a (20MHz BW 11ax Index 4 – RU26 – Ch.40)



Plot 7-269. PSD Antenna 3a (40MHz BW 11ax Index 0 – RU26 – Ch.46)




Plot 7-267. PSD Antenna 3a (20MHz BW 11ax Index 8–RU26 – Ch.40)




Plot 7-270. PSD Antenna 3a (40MHz BW 11ax Index 8 – RU26 – Ch.46)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 135 of 397




Plot 7-271. PSD Antenna 3a (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-274. PSD Antenna 3a (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-272. PSD Antenna 3a (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-275. PSD Antenna 3a (80MHz BW 11ax Index 36 – RU26 – Ch.42)




Plot 7-273. PSD Antenna 3a (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-276. PSD Antenna 3a (80MHz BW 11ax – RU996 – Ch.42)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C211150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 136 of 397




Plot 7-277. PSD Antenna 3a (20MHz BW 11ax Index 0 – RU26 – Ch.56)




Plot 7-280. PSD Antenna 3a (20MHz BW 11ax– RU242 – Ch.56)




Plot 7-278. PSD Antenna 3a (20MHz BW 11ax Index 4 – RU26 – Ch.56)



Plot 7-281. PSD Antenna 3a (40MHz BW 11ax Index 0 – RU26 – Ch.54)




Plot 7-279. PSD Antenna 3a (20MHz BW 11ax Index 8– RU26 – Ch.56)




Plot 7-282. PSD Antenna 3a (40MHz BW 11ax Index 8 – RU26 – Ch.54)


FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 137 of 397




Plot 7-283. PSD Antenna 3a (40MHz BW 11ax Index 17 – RU26 – Ch.54)




Plot 7-286. PSD Antenna 3a (80MHz BW 11ax Index 18 – RU26 – Ch.58)




Plot 7-284. PSD Antenna 3a (40MHz BW 11ax – RU484 – Ch.54)



Plot 7-287. PSD Antenna 3a (80MHz BW 11ax Index 36 – RU26 – Ch.58)



Plot 7-285. PSD Antenna 3a (80MHz BW 11ax Index 0 – RU26 – Ch.58)



Plot 7-288. PSD Antenna 3a (80MHz BW 11ax – RU996 – Ch.58)

FCC ID: BCGA2589 IC: 579C-A2589		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150079-15.BCG	Test Dates: 12/02/2021 - 02/16/2022	EUT Type: Tablet Device	Page 138 of 397