


Plot 7-924. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 52)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10520.00 | Peak | H | - | - | -72.61 | 14.85 | 49.24 | 68.20 | -18.96 |
| * 15780.00 | Average | H | - | - | -84.71 | 20.56 | 42.85 | 53.98 | -11.13 |
| * 15780.00 | Peak | H | - | - | -73.63 | 20.56 | 53.93 | 73.98 | -20.05 |

Table 7-279. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 337 of 534 |



Plot 7-925. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 56)




09:27:49 01.08.2022

Plot 7-926. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n – Ch.56, Pol. H)

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 338 of 534 |

V 10.5 12/15/2021



09:30:28 01.08.2022

Plot 7-927. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n – Ch.56, Pol. V)


Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10560.00 | Peak | H | - | - | -72.38 | 15.23 | 49.85 | 68.20 | -18.35 |
| * 15840.00 | Average | H | - | - | -84.56 | 20.87 | 43.31 | 53.98 | -10.67 |
| * 15840.00 | Peak | H | - | - | -73.34 | 20.87 | 54.53 | 73.98 | -19.45 |

Table 7-280. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 339 of 534 |

V 10.5 12/15/2021




Plot 7-928. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 64)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 10640.00 | Average | H | - | - | -83.65 | 15.77 | 39.12 | 53.98 | -14.86 |
| * 10640.00 | Peak | H | - | - | -72.24 | 15.77 | 50.53 | 73.98 | -23.45 |
| * 15960.00 | Average | H | - | - | -84.66 | 21.66 | 44.00 | 53.98 | -9.98 |
| * 15960.00 | Peak | H | - | - | -73.01 | 21.66 | 55.65 | 73.98 | -18.33 |

Table 7-281. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|--|---|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 340 of 534 |




Plot 7-929. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 100)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| * 11000.00 | Average | H | - | - | -84.13 | 15.99 | 38.86 | 53.98 | -15.12 |
| * 11000.00 | Peak | H | - | - | -72.94 | 15.99 | 50.05 | 73.98 | -23.93 |
| 16500.00 | Peak | H | - | - | -73.36 | 21.14 | 54.78 | 68.20 | -13.42 |

Table 7-282. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 341 of 534 |



Plot 7-930. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 116)




09:33:21 01.08.2022

Plot 7-931. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n – Ch.116, Pol. H)

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 342 of 534 |

V 10.5 12/15/2021



09:34:55 01.08.2022


Plot 7-932. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n – Ch.116, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11160.00 | Average | H | - | - | -83.42 | 15.72 | 39.30 | 53.98 | -14.68 |
| * 11160.00 | Peak | H | - | - | -72.46 | 15.72 | 50.26 | 73.98 | -23.72 |
| 16740.00 | Peak | H | - | - | -72.90 | 21.49 | 55.59 | 68.20 | -12.61 |

Table 7-283. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 343 of 534 |




Plot 7-933. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 144)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| * 11440.00 | Average | H | - | - | -83.80 | 16.52 | 39.72 | 53.98 | -14.26 |
| * 11440.00 | Peak | H | - | - | -72.52 | 16.52 | 51.00 | 73.98 | -22.98 |
| 17160.00 | Peak | H | - | - | -72.74 | 21.74 | 56.00 | 68.20 | -12.20 |

Table 7-284. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 344 of 534 |




Plot 7-934. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 149)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| * 11490.00 | Average | H | - | - | -83.13 | 16.20 | 40.07 | 53.98 | -13.91 |
| * 11490.00 | Peak | H | - | - | -71.63 | 16.20 | 51.57 | 73.98 | -22.41 |
| 17235.00 | Peak | H | - | - | -72.88 | 21.28 | 55.40 | 68.20 | -12.80 |

Table 7-285. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 345 of 534 |



Plot 7-935. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 157)




09:38:31 01.08.2022

Plot 7-936. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n – Ch.157, Pol. H)

| | | | |
|--|---|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 346 of 534 |

V 10.5 12/15/2021



09:39:34 01.08.2022

Plot 7-937. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n – Ch.157, Pol. V)


Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBµV/m] | Limit [dBµV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11570.00 | Average | H | - | - | -83.08 | 16.28 | 40.20 | 53.98 | -13.78 |
| * 11570.00 | Peak | H | - | - | -70.43 | 16.28 | 52.85 | 73.98 | -21.13 |
| 17355.00 | Peak | H | - | - | -71.98 | 21.33 | 56.35 | 68.20 | -11.85 |

Table 7-286. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 347 of 534 |

V 10.5 12/15/2021




Plot 7-938. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 165)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11650.00 | Average | H | - | - | -83.29 | 16.90 | 40.61 | 53.98 | -13.37 |
| * 11650.00 | Peak | H | - | - | -71.65 | 16.90 | 52.25 | 73.98 | -21.73 |
| 17475.00 | Peak | H | - | - | -72.99 | 20.80 | 54.81 | 68.20 | -13.39 |

Table 7-287. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 348 of 534 |




Plot 7-939. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 10360.00 | Peak | H | - | - | -72.68 | 15.48 | 49.80 | 68.20 | -18.40 |
| * 15540.00 | Average | H | - | - | -84.04 | 19.97 | 42.93 | 53.98 | -11.05 |
| * 15540.00 | Peak | H | - | - | -73.14 | 19.97 | 53.83 | 73.98 | -20.15 |

Table 7-288. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 349 of 534 |



Plot 7-940. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 40)




11:47:11 01.08.2022

Plot 7-941. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) – Ch.40, Pol. H)

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 350 of 534 |

V 10.5 12/15/2021



11:50:21 01.08.2022

Plot 7-942. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) – Ch.40, Pol. V)


Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBµV/m] | Limit [dBµV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10400.00 | Peak | H | - | - | -72.68 | 12.51 | 46.83 | 68.20 | -21.37 |
| * 15600.00 | Average | H | - | - | -85.54 | 18.21 | 39.67 | 53.98 | -14.31 |
| * 15600.00 | Peak | H | - | - | -74.83 | 18.21 | 50.38 | 73.98 | -23.60 |

Table 7-289. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 351 of 534 |

V 10.5 12/15/2021




Plot 7-943. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10480.00 | Peak | H | - | - | -72.40 | 12.64 | 47.24 | 68.20 | -20.96 |
| * 15720.00 | Average | H | - | - | -85.44 | 18.75 | 40.31 | 53.98 | -13.67 |
| * 15720.00 | Peak | H | - | - | -74.35 | 18.75 | 51.40 | 73.98 | -22.58 |

Table 7-290. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 352 of 534 |




Plot 7-944. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10520.00 | Peak | H | - | - | -72.65 | 12.63 | 46.98 | 68.20 | -21.22 |
| * 15780.00 | Average | H | - | - | -85.76 | 19.20 | 40.44 | 53.98 | -13.54 |
| * 15780.00 | Peak | H | - | - | -75.05 | 19.20 | 51.15 | 73.98 | -22.83 |

Table 7-291. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 353 of 534 |



Plot 7-945. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 56)




11:53:34 01.08.2022

Plot 7-946. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) – Ch.56, Pol. H)

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 354 of 534 |

V 10.5 12/15/2021



11:55:42 01.08.2022

Plot 7-947. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) – Ch.56, Pol. V)


Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10560.00 | Peak | H | - | - | -72.37 | 12.95 | 47.58 | 68.20 | -20.62 |
| * 15840.00 | Average | H | - | - | -85.68 | 19.24 | 40.56 | 53.98 | -13.42 |
| * 15840.00 | Peak | H | - | - | -74.09 | 19.24 | 52.15 | 73.98 | -21.83 |

Table 7-292. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 355 of 534 |

V 10.5 12/15/2021




Plot 7-948. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 10640.00 | Average | H | - | - | -83.63 | 12.36 | 35.73 | 53.98 | -18.25 |
| * 10640.00 | Peak | H | - | - | -73.06 | 12.36 | 46.30 | 73.98 | -27.68 |
| * 15960.00 | Average | H | - | - | -85.33 | 18.82 | 40.49 | 53.98 | -13.48 |
| * 15960.00 | Peak | H | - | - | -74.64 | 18.82 | 51.18 | 73.98 | -22.79 |

Table 7-293. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 356 of 534 |




Plot 7-949. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11000.00 | Average | H | - | - | -83.86 | 13.08 | 36.22 | 53.98 | -17.76 |
| * 11000.00 | Peak | H | - | - | -72.71 | 13.08 | 47.37 | 73.98 | -26.61 |
| 16500.00 | Peak | H | - | - | -73.86 | 20.23 | 53.37 | 68.20 | -14.83 |

Table 7-294. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 357 of 534 |



Plot 7-950. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 116)




11:58:27 01.08.2022

Plot 7-951. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) – Ch.116, Pol. H)

| | | | |
|--|---|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 358 of 534 |

V 10.5 12/15/2021



11:59:36 01.08.2022

Plot 7-952. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) – Ch.116, Pol. V)


Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBµV/m] | Limit [dBµV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11160.00 | Average | H | - | - | -83.53 | 12.65 | 36.12 | 53.98 | -17.86 |
| * 11160.00 | Peak | H | - | - | -72.22 | 12.65 | 47.43 | 73.98 | -26.55 |
| 16740.00 | Peak | H | - | - | -73.43 | 21.41 | 54.98 | 68.20 | -13.22 |

Table 7-295. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 359 of 534 |

V 10.5 12/15/2021




Plot 7-953. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 144)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11440.00 | Average | H | - | - | -83.93 | 13.23 | 36.30 | 53.98 | -17.68 |
| * 11440.00 | Peak | H | - | - | -72.85 | 13.23 | 47.38 | 73.98 | -26.60 |
| 17160.00 | Peak | H | - | - | -74.27 | 22.21 | 54.94 | 68.20 | -13.26 |

Table 7-296. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 360 of 534 |




Plot 7-954. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 149)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11490.00 | Average | H | - | - | -83.76 | 13.35 | 36.59 | 53.98 | -17.39 |
| * 11490.00 | Peak | H | - | - | -72.43 | 13.35 | 47.92 | 73.98 | -26.06 |
| 17235.00 | Peak | H | - | - | -73.68 | 22.33 | 55.65 | 68.20 | -12.55 |

Table 7-297. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 361 of 534 |



Plot 7-955. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 157)




12:02:36 01.08.2022

Plot 7-956. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) – Ch.157, Pol. H)

| | | | |
|--|---|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 362 of 534 |

V 10.5 12/15/2021



12:04:17 01.08.2022


Plot 7-957. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) – Ch.157, Pol. V)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBµV/m] | Limit [dBµV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11570.00 | Average | H | - | - | -83.14 | 16.28 | 40.14 | 53.98 | -13.84 |
| * 11570.00 | Peak | H | - | - | -72.47 | 16.28 | 50.81 | 73.98 | -23.17 |
| 17355.00 | Peak | H | - | - | -73.21 | 21.33 | 55.12 | 68.20 | -13.08 |

Table 7-298. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 363 of 534 |



Plot 7-958. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 165)


Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11650.00 | Average | H | - | - | -83.20 | 16.90 | 40.70 | 53.98 | -13.28 |
| * 11650.00 | Peak | H | - | - | -71.83 | 16.90 | 52.07 | 73.98 | -21.91 |
| 17475.00 | Peak | H | - | - | -72.92 | 20.80 | 54.88 | 68.20 | -13.32 |

Table 7-299. Radiated Spurious Emission Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 364 of 534 |

7.6.5 CDD/SDM Diversity Radiated Spurious Emission




Plot 7-959. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 36)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10360.00 | Peak | H | - | - | -71.79 | 15.48 | 50.69 | 68.20 | -17.51 |
| * 15540.00 | Average | H | - | - | -83.96 | 19.97 | 43.01 | 53.98 | -10.97 |
| * 15540.00 | Peak | H | - | - | -72.74 | 19.97 | 54.23 | 73.98 | -19.75 |

Table 7-300. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 365 of 534 |



Plot 7-960. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 40)




09:46:04 01.08.2022

Plot 7-961. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.40, Pol. H)

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 366 of 534 |

V 10.5 12/15/2021



09:51:20 01.08.2022

Plot 7-962. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.40, Pol. V)


Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBµV/m] | Limit [dBµV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10400.00 | Peak | H | - | - | -71.52 | 15.45 | 50.93 | 68.20 | -17.27 |
| * 15600.00 | Average | H | - | - | -84.22 | 20.22 | 43.00 | 53.98 | -10.98 |
| * 15600.00 | Peak | H | - | - | -72.65 | 20.22 | 54.57 | 73.98 | -19.41 |

Table 7-301. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 367 of 534 |

V 10.5 12/15/2021




Plot 7-963. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 48)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10480.00 | Peak | H | - | - | -71.38 | 15.09 | 50.71 | 68.20 | -17.49 |
| * 15720.00 | Average | H | - | - | -84.64 | 21.50 | 43.86 | 53.98 | -10.12 |
| * 15720.00 | Peak | H | - | - | -72.52 | 21.50 | 55.98 | 73.98 | -18.00 |

Table 7-302. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 368 of 534 |




Plot 7-964. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 52)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10520.00 | Peak | H | - | - | -71.37 | 14.85 | 50.48 | 68.20 | -17.72 |
| * 15780.00 | Average | H | - | - | -84.54 | 20.56 | 43.02 | 53.98 | -10.96 |
| * 15780.00 | Peak | H | - | - | -73.34 | 20.56 | 54.22 | 73.98 | -19.76 |

Table 7-303. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 369 of 534 |



Plot 7-965. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 56)




11:11:01 01.08.2022

Plot 7-966. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.56, Pol. H)

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 370 of 534 |

V 10.5 12/15/2021



11:12:48 01.08.2022


Plot 7-967. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.56, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10560.00 | Peak | H | - | - | -72.16 | 15.23 | 50.07 | 68.20 | -18.13 |
| * 15840.00 | Average | H | - | - | -84.24 | 20.87 | 43.63 | 53.98 | -10.35 |
| * 15840.00 | Peak | H | - | - | -72.86 | 20.87 | 55.01 | 73.98 | -18.97 |

Table 7-304. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 371 of 534 |




Plot 7-968. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 64)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| * 10640.00 | Average | H | - | - | -83.60 | 15.77 | 39.17 | 53.98 | -14.81 |
| * 10640.00 | Peak | H | - | - | -72.69 | 15.77 | 50.08 | 73.98 | -23.90 |
| * 15960.00 | Average | H | - | - | -84.75 | 21.66 | 43.91 | 53.98 | -10.07 |
| * 15960.00 | Peak | H | - | - | -73.18 | 21.66 | 55.48 | 73.98 | -18.50 |

Table 7-305. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 372 of 534 |




Plot 7-969. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 100)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11000.00 | Average | H | - | - | -84.32 | 15.99 | 38.67 | 53.98 | -15.31 |
| * 11000.00 | Peak | H | - | - | -72.72 | 15.99 | 50.27 | 73.98 | -23.71 |
| 16500.00 | Peak | H | - | - | -72.93 | 21.14 | 55.21 | 68.20 | -12.99 |

Table 7-306. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 373 of 534 |



Plot 7-970. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 116)




11:16:47 01.08.2022

Plot 7-971. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.116, Pol. H)

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 374 of 534 |

V 10.5 12/15/2021



11:19:48 01.08.2022


Plot 7-972. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.116, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBµV/m] | Limit [dBµV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11160.00 | Average | H | - | - | -83.06 | 15.72 | 39.66 | 53.98 | -14.32 |
| * 11160.00 | Peak | H | - | - | -71.87 | 15.72 | 50.85 | 73.98 | -23.13 |
| 16740.00 | Peak | H | - | - | -72.93 | 21.49 | 55.56 | 68.20 | -12.64 |

Table 7-307. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 375 of 534 |




Plot 7-973. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 144)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11440.00 | Average | H | - | - | -83.91 | 16.52 | 39.61 | 53.98 | -14.37 |
| * 11440.00 | Peak | H | - | - | -72.56 | 16.52 | 50.96 | 73.98 | -23.02 |
| 17160.00 | Peak | H | - | - | -73.38 | 21.74 | 55.36 | 68.20 | -12.84 |

Table 7-308. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 376 of 534 |




Plot 7-974. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 149)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBuV/m] | Limit [dBuV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11490.00 | Average | H | - | - | -83.19 | 16.20 | 40.01 | 53.98 | -13.97 |
| * 11490.00 | Peak | H | - | - | -72.50 | 16.20 | 50.70 | 73.98 | -23.28 |
| 17235.00 | Peak | H | - | - | -72.92 | 21.28 | 55.36 | 68.20 | -12.84 |

Table 7-309. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 377 of 534 |



Plot 7-975. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 157)




11:29:03 01.08.2022

Plot 7-976. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.157, Pol. H)

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 378 of 534 |

V 10.5 12/15/2021



11:31:23 01.08.2022

Plot 7-977. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.157, Pol. V)


Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11570.00 | Average | H | - | - | -83.14 | 16.28 | 40.14 | 53.98 | -13.84 |
| * 11570.00 | Peak | H | - | - | -71.66 | 16.28 | 51.62 | 73.98 | -22.36 |
| 17355.00 | Peak | H | - | - | -72.65 | 21.33 | 55.68 | 68.20 | -12.52 |

Table 7-310. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 379 of 534 |

V 10.5 12/15/2021




Plot 7-978. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 165)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| * 11650.00 | Average | H | - | - | -83.21 | 16.90 | 40.69 | 53.98 | -13.29 |
| * 11650.00 | Peak | H | - | - | -71.92 | 16.90 | 51.98 | 73.98 | -22.00 |
| 17475.00 | Peak | H | - | - | -72.82 | 20.80 | 54.98 | 68.20 | -13.22 |

Table 7-311. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 380 of 534 |




Plot 7-979. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 10360.00 | Peak | H | - | - | -73.25 | 15.48 | 49.23 | 68.20 | -18.97 |
| * 15540.00 | Average | H | - | - | -84.27 | 19.97 | 42.70 | 53.98 | -11.28 |
| * 15540.00 | Peak | H | - | - | -73.76 | 19.97 | 53.21 | 73.98 | -20.77 |

Table 7-312. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 381 of 534 |



Plot 7-980. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 40)




12:18:19 01.08.2022

Plot 7-981. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11ax(SU) – Ch.40, Pol. H)

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 382 of 534 |

V 10.5 12/15/2021



12:20:54 01.08.2022

Plot 7-982. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11ax(SU) – Ch.40, Pol. V)


Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBµV/m] | Limit [dBµV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10400.00 | Peak | H | - | - | -72.48 | 15.45 | 49.97 | 68.20 | -18.23 |
| * 15600.00 | Average | H | - | - | -84.35 | 20.22 | 42.87 | 53.98 | -11.11 |
| * 15600.00 | Peak | H | - | - | -73.59 | 20.22 | 53.63 | 73.98 | -20.35 |

Table 7-313. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 383 of 534 |

V 10.5 12/15/2021




Plot 7-983. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 10480.00 | Peak | H | - | - | -72.16 | 15.09 | 49.93 | 68.20 | -18.27 |
| * 15720.00 | Average | H | - | - | -84.80 | 21.50 | 43.70 | 53.98 | -10.28 |
| * 15720.00 | Peak | H | - | - | -73.42 | 21.50 | 55.08 | 73.98 | -18.90 |

Table 7-314. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 384 of 534 |




Plot 7-984. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10520.00 | Peak | H | - | - | -71.84 | 14.85 | 50.01 | 68.20 | -18.19 |
| * 15780.00 | Average | H | - | - | -84.68 | 20.56 | 42.88 | 53.98 | -11.10 |
| * 15780.00 | Peak | H | - | - | -73.79 | 20.56 | 53.77 | 73.98 | -20.21 |

Table 7-315. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 385 of 534 |



Plot 7-985. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 56)




12:28:26 01.08.2022

Plot 7-986. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11ax(SU) – Ch.56, Pol. H)

| | | | |
|--|---|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 386 of 534 |

V 10.5 12/15/2021



12:29:41 01.08.2022

Plot 7-987. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11ax(SU) – Ch.56, Pol. V)


Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 10560.00 | Peak | H | - | - | -72.73 | 15.23 | 49.50 | 68.20 | -18.70 |
| * 15840.00 | Average | H | - | - | -84.16 | 20.87 | 43.71 | 53.98 | -10.27 |
| * 15840.00 | Peak | H | - | - | -73.48 | 20.87 | 54.39 | 73.98 | -19.59 |

Table 7-316. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---|--|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 387 of 534 |

V 10.5 12/15/2021




Plot 7-988. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| * 10640.00 | Average | H | - | - | -83.48 | 15.77 | 39.29 | 53.98 | -14.69 |
| * 10640.00 | Peak | H | - | - | -72.58 | 15.77 | 50.19 | 73.98 | -23.79 |
| * 15960.00 | Average | H | - | - | -84.51 | 21.66 | 44.15 | 53.98 | -9.83 |
| * 15960.00 | Peak | H | - | - | -73.66 | 21.66 | 55.00 | 73.98 | -18.98 |

Table 7-317. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 388 of 534 |



Plot 7-989. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11000.00 | Average | H | - | - | -84.25 | 15.99 | 38.74 | 53.98 | -15.24 |
| * 11000.00 | Peak | H | - | - | -72.75 | 15.99 | 50.24 | 73.98 | -23.74 |
| 16500.00 | Peak | H | - | - | -73.40 | 21.14 | 54.74 | 68.20 | -13.46 |

Table 7-318. Radiated Spurious Emission Measurements CDD Diversity

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2757 IC: 579C-A2757 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090023-16.BCG | Test Dates: 08/02/2022 – 09/14/2022 | EUT Type: Tablet Device | Page 389 of 534 |