


Plot 7-457. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11b – Ch. 11)

Mode: 802.11b
 Data Rate: 1Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Avg	-	-	-	-80.02	4.58	31.56	53.98	-22.42
4924.00	Peak	-	-	-	-68.69	4.58	42.89	73.98	-31.09
7386.00	Avg	-	-	-	-80.81	8.41	34.60	53.98	-19.38
7386.00	Peak	-	-	-	-69.21	8.41	46.20	73.98	-27.78
12310.00	Avg	-	-	-	-83.14	13.54	37.40	53.98	-16.58
12310.00	Peak	-	-	-	-71.95	13.54	48.59	73.98	-25.39

Table 7-56. Radiated Spurious Emission Measurements Antenna WF7

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 287 of 441




Plot 7-458. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax (SU) – Ch. 1)

Mode: 802.11ax (SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	H	-	-	-80.92	8.18	34.26	53.98	-19.72
4824.00	Peak	H	-	-	-69.10	8.18	46.08	73.98	-27.90
12060.00	Avg	H	-	-	-82.53	17.53	42.00	53.98	-11.98
12060.00	Peak	H	-	-	-70.69	17.53	53.84	73.98	-20.14

Table 7-57. Radiated Spurious Emission Measurements Antenna WF7

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 288 of 441




Plot 7-459. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax (SU) – Ch. 6)

Mode: 802.11ax (SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Avg	H	-	-	-80.54	8.63	35.09	53.98	-18.88
4874.00	Peak	H	-	-	-68.95	8.63	46.68	73.98	-27.29
7311.00	Avg	H	-	-	-80.94	11.22	37.28	53.98	-16.70
7311.00	Peak	H	-	-	-69.58	11.22	48.64	73.98	-25.34
12185.00	Avg	H	-	-	-82.44	17.25	41.81	53.98	-12.17
12185.00	Peak	H	-	-	-71.71	17.25	52.54	73.98	-21.44

Table 7-58. Radiated Spurious Emission Measurements Antenna WF7

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 289 of 441



Plot 7-460. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax (SU) – Ch.11)

Mode: 802.11ax (SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Avg	H	-	-	-80.49	9.23	35.74	53.98	-18.24
4924.00	Peak	H	-	-	-68.86	9.23	47.37	73.98	-26.61
7386.00	Avg	H	-	-	-81.12	12.66	38.54	53.98	-15.44
7386.00	Peak	H	-	-	-69.88	12.66	49.78	73.98	-24.20
12310.00	Avg	H	-	-	-82.79	18.60	42.81	53.98	-11.17
12310.00	Peak	H	-	-	-71.48	18.60	54.12	73.98	-19.86

Table 7-59. Radiated Spurious Emission Measurements Antenna WF7

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 290 of 441

7.7.3 CDD Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




Plot 7-461. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch.1)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4824.00	Avg	H	-	-	-79.79	4.57	31.78	53.98	-22.20
4824.00	Peak	H	-	-	-67.95	4.57	43.62	73.98	-30.36
12060.00	Avg	H	-	-	-82.84	13.23	37.39	53.98	-16.59
12060.00	Peak	H	-	-	-71.59	13.23	48.64	73.98	-25.34

Table 7-60. Radiated Spurious Emission Measurements Antenna CDD

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 291 of 441




Plot 7-462. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch.6)



Plot 7-463. Radiated Spurious Emissions above 18GHz CDD (802.11n – Ch.6, Pol, H)

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 292 of 441




Plot 7-464. Radiated Spurious Emissions above 18GHz CDD (802.11n – Ch.6, Pol, V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
4874.00	Avg	H	-	-	-79.56	4.50	31.94	53.98	-22.04
4874.00	Peak	H	-	-	-68.35	4.50	43.15	73.98	-30.83
7311.00	Avg	H	-	-	-80.78	8.31	34.53	53.98	-19.44
7311.00	Peak	H	-	-	-69.36	8.31	45.95	73.98	-28.02
12185.00	Avg	H	-	-	-82.96	13.27	37.31	53.98	-16.67
12185.00	Peak	H	-	-	-71.87	13.27	48.40	73.98	-25.58

Table 7-61. Radiated Spurious Emission Measurements Antenna CDD

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 293 of 441




Plot 7-465. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch.11)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4924.00	Avg	H	-	-	-79.98	4.58	31.60	53.98	-22.38
4924.00	Peak	H	-	-	-68.57	4.58	43.01	73.98	-30.97
7386.00	Avg	H	-	-	-80.81	8.41	34.60	53.98	-19.38
7386.00	Peak	H	-	-	-69.35	8.41	46.06	73.98	-27.92
12310.00	Avg	H	-	-	-83.01	13.54	37.53	53.98	-16.45
12310.00	Peak	H	-	-	-72.01	13.54	48.53	73.98	-25.45

Table 7-62. Radiated Spurious Emission Measurements Antenna CDD

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 294 of 441




Plot 7-466. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch.1)

Mode: 802.11ax (SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4824.00	Avg	H	-	-	-81.22	8.18	33.96	53.98	-20.02
4824.00	Peak	H	-	-	-70.06	8.18	45.12	73.98	-28.86
12060.00	Avg	H	-	-	-83.45	17.53	41.08	53.98	-12.90
12060.00	Peak	H	-	-	-71.69	17.53	52.84	73.98	-21.14

Table 7-63. Radiated Spurious Emission Measurements Antenna CDD

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 295 of 441




Plot 7-467. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch.6)



Plot 7-468. Radiated Spurious Emissions above 18GHz CDD (802.11ax (SU) – Ch.6, Pol, H)

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 296 of 441




Plot 7-469. Radiated Spurious Emissions above 18GHz CDD (802.11ax (SU) – Ch.6, Pol, V)

Mode: 802.11ax (SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
4874.00	Avg	H	-	-	-81.03	8.63	34.60	53.98	-19.37
4874.00	Peak	H	-	-	-69.38	8.63	46.25	73.98	-27.72
7311.00	Avg	H	-	-	-81.57	11.22	36.65	53.98	-17.33
7311.00	Peak	H	-	-	-70.15	11.22	48.07	73.98	-25.91
12185.00	Avg	H	-	-	-82.19	17.25	42.06	53.98	-11.92
12185.00	Peak	H	-	-	-71.82	17.25	52.43	73.98	-21.55

Table 7-64. Radiated Spurious Emission Measurements Antenna CDD

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 297 of 441



Plot 7-470. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch.11)

Mode: 802.11ax (SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4924.00	Avg	H	-	-	-80.86	9.23	35.37	53.98	-18.61
4924.00	Peak	H	-	-	-69.42	9.23	46.81	73.98	-27.17
7386.00	Avg	H	-	-	-80.74	12.66	38.92	53.98	-15.06
7386.00	Peak	H	-	-	-70.21	12.66	49.45	73.98	-24.53
12310.00	Avg	H	-	-	-82.38	18.60	43.22	53.98	-10.76
12310.00	Peak	H	-	-	-71.15	18.60	54.45	73.98	-19.53

Table 7-65. Radiated Spurious Emission Measurements Antenna CDD

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 298 of 441


7.7.4 Antenna WF8 Radiated Restricted Band Edge Measurements §15.205 §15.209; RSS-Gen [8.9]

Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-471. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-472. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 299 of 441

Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-473. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-474. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 300 of 441

Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-475. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-476. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 301 of 441

Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-477. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-478. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 302 of 441

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-479. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-480. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 303 of 441

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-481. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-482. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 304 of 441

Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-483. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-484. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 305 of 441

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-485. Radiated Restricted Lower Band Edge Measurement Antenna WF8

Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-486. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 306 of 441

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-487. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-488. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 307 of 441

Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-489. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-490. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 308 of 441

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-491. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-492. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 309 of 441

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-493. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (low)



Plot 7-494. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 310 of 441

Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (low)



Plot 7-495. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (low)



Plot 7-496. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 311 of 441

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (high)



Plot 7-497. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (high)



Plot 7-498. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 312 of 441

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (high)



Plot 7-499. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-500. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 313 of 441

Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-501. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-502. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 314 of 441

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-503. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-504. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 315 of 441

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-505. Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-506. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-01.BCG	Test Dates: 07/21/2022-09/25/2022	EUT Type: Tablet Device	Page 316 of 441