




Plot 7-113. PSD Antenna WF5T (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-116. PSD Antenna WF5T (20MHz BW 11ax– RU242 – Ch.40)




Plot 7-114. PSD Antenna WF5T (20MHz BW 11ax Index 4 – RU26 – Ch.40)



Plot 7-117. PSD Antenna WF5T (40MHz BW 11ax Index 0 – RU26 – Ch.46)



Plot 7-115. PSD Antenna WF5T (20MHz BW 11ax Index 8– RU26 – Ch.40)




Plot 7-118. PSD Antenna WF5T (40MHz BW 11ax Index 8 – RU26 – Ch.46)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 88 of 289




Plot 7-119. PSD Antenna WF5T (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-122. PSD Antenna WF5T (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-120. PSD Antenna WF5T (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-123. PSD Antenna WF5T (80MHz BW 11ax Index 36 – RU26 – Ch.42)




Plot 7-121. PSD Antenna WF5T (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-124. PSD Antenna WF5T (80MHz BW 11ax – RU996 – Ch.42)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 89 of 289




Plot 7-125. PSD Antenna WF5T (20MHz BW 11ax Index 0 – RU26 – Ch.50(L))




Plot 7-128. PSD Antenna WF5T (20MHz BW 11ax Index 68– RU996x2 – Ch.50)




Plot 7-126. PSD Antenna WF5T (20MHz BW 11ax Index 36 – RU26 – Ch.50(L))



Plot 7-129. PSD Antenna WF5T (20MHz BW 11ax Index 37 – RU52 – Ch.60)




Plot 7-127. PSD Antenna WF5T (20MHz BW 11ax Index 36– RU26 – Ch.50(U))




Plot 7-130. PSD Antenna WF5T (20MHz BW 11ax Index 38 – RU52 – Ch.60)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 90 of 289




Plot 7-131. PSD Antenna WF5T (20MHz BW 11ax Index 40 - RU52 - Ch.60)




Plot 7-134. PSD Antenna WF5T (40MHz BW 11ax Index 40 - RU52 - Ch.54)




Plot 7-132. PSD Antenna WF5T (20MHz BW 11ax - RU242 - Ch.60)



Plot 7-135. PSD Antenna WF5T (40MHz BW 11ax Index 44 - RU52 - Ch.54)




Plot 7-133. PSD Antenna WF5T (40MHz BW 11ax Index 37 - RU52 - Ch.54)




Plot 7-136. PSD Antenna WF5T (40MHz BW 11ax - RU484 - Ch.54)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 91 of 289




Plot 7-137. PSD Antenna WF5T (80MHz BW 11ax Index 37 – RU52 – Ch.58)




Plot 7-140. PSD Antenna WF5T (80MHz BW 11ax – RU996 – Ch.58)




Plot 7-138. PSD Antenna WF5T (80MHz BW 11ax Index 44 – RU52 – Ch.58)



Plot 7-141. PSD Antenna WF5T (20MHz BW 11ax Index 37 – RU52 – Ch.116)




Plot 7-139. PSD Antenna WF5T (80MHz BW 11ax Index 52 – RU52 – Ch.58)




Plot 7-142. PSD Antenna WF5T (20MHz BW 11ax Index 38 – RU52 – Ch.116)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 92 of 289




Plot 7-143. PSD Antenna WF5T (20MHz BW 11ax Index 40- RU52 - Ch.116)




Plot 7-146. PSD Antenna WF5T (40MHz BW 11ax Index 40 - RU52 - Ch.110)




Plot 7-144. PSD Antenna WF5T (20MHz BW 11ax- RU242 - Ch.116)



Plot 7-147. PSD Antenna WF5T (40MHz BW 11ax Index 44 - RU52 - Ch.110)



Plot 7-145. PSD Antenna WF5T (40MHz BW 11ax Index 37 - RU52 - Ch.110)




Plot 7-148. PSD Antenna WF5T (40MHz BW 11ax - RU484 - Ch.110)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 93 of 289




Plot 7-149. PSD Antenna WF5T (80MHz BW 11ax Index 37 – RU52 – Ch.122)




Plot 7-152. PSD Antenna WF5T (80MHz BW 11ax – RU996 – Ch.122)




Plot 7-150. PSD Antenna WF5T (80MHz BW 11ax Index 44 – RU52 – Ch.122)



Plot 7-153. PSD Antenna WF5T (80MHz BW 11ax Index 0 – RU26 – Ch.114(L))





Plot 7-151. PSD Antenna WF5T (80MHz BW 11ax Index 52 – RU52 – Ch.122)



Plot 7-154. PSD Antenna WF5T (80MHz BW 11ax Index 36 – RU26 – Ch.114(U))

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 94 of 289



FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 95 of 289


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.24	30.00	-22.76
				26	4	12.5/14.7 (MCS11)	7.38	30.00	-22.62
				26	8	12.5/14.7 (MCS11)	7.28	30.00	-22.72
	5785	157	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.78	30.00	-23.22
				26	4	12.5/14.7 (MCS11)	6.88	30.00	-23.12
				26	8	12.5/14.7 (MCS11)	6.43	30.00	-23.57
	5825	165	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.60	30.00	-23.40
				26	4	12.5/14.7 (MCS11)	6.69	30.00	-23.31
				26	8	12.5/14.7 (MCS11)	6.55	30.00	-23.46
	5755	151	ax (40MHz)	26	0	12.5/14.7 (MCS11)	7.19	30.00	-22.81
				26	8	12.5/14.7 (MCS11)	7.52	30.00	-22.48
				26	17	12.5/14.7 (MCS11)	6.22	30.00	-23.78
	5795	159	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.46	30.00	-23.55
				26	8	12.5/14.7 (MCS11)	6.95	30.00	-23.05
				26	17	12.5/14.7 (MCS11)	6.40	30.00	-23.60
5775	155	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.82	30.00	-23.18	
			26	18	12.5/14.7 (MCS11)	6.49	30.00	-23.51	
			26	36	12.5/14.7 (MCS11)	6.15	30.00	-23.85	

Table 7-105. Band 3 Power Spectral Density Measurements Antenna WF5T (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.53	30.00	-22.48
	5785	157	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.19	30.00	-22.81
	5825	165	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.26	30.00	-22.75
	5755	151	ax (40MHz)	484	65	243.8/286.8 (MCS11)	2.96	30.00	-27.04
	5795	159	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.30	30.00	-25.70
	5775	155	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-3.61	30.00	-33.61

Table 7-106. Band 3 Power Spectral Density Measurements Antenna WF5T (Fully-loaded RU)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 96 of 289




Plot 7-157. PSD Antenna WF5T (20MHz BW 11ax Index 0 – RU26 – Ch.157)




Plot 7-160. PSD Antenna WF5T (20MHz BW 11ax– RU242 – Ch.157)




Plot 7-158. PSD Antenna WF5T (20MHz BW 11ax Index 4 – RU26 – Ch.157)



Plot 7-161. PSD Antenna WF5T (40MHz BW 11ax Index 0 – RU26 – Ch.151)




Plot 7-159. PSD Antenna WF5T (20MHz BW 11ax Index 8– RU26 – Ch.157)




Plot 7-162. PSD Antenna WF5T (40MHz BW 11ax Index 8 – RU26 – Ch.151)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 97 of 289




Plot 7-163. PSD Antenna WF5T (40MHz BW 11ax Index 17 – RU26 – Ch.151)




Plot 7-166. PSD Antenna WF5T (80MHz BW 11ax Index 18 – RU26 – Ch.155)




Plot 7-164. PSD Antenna WF5T (40MHz BW 11ax – RU484 – Ch.151)



Plot 7-167. PSD Antenna WF5T (80MHz BW 11ax Index 36 – RU26 – Ch.155)



Plot 7-165. PSD Antenna WF5T (80MHz BW 11ax Index 0 – RU26 – Ch.155)



Plot 7-168. PSD Antenna WF5T (80MHz BW 11ax – RU996 – Ch.155)

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 98 of 289


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	12.5/14.7 (MCS11)	4.47	2.20	6.67	10.0	-3.33
				26	4	12.5/14.7 (MCS11)	4.09	2.20	6.29	10.0	-3.72
				26	8	12.5/14.7 (MCS11)	5.04	2.20	7.24	10.0	-2.76
	5200	40	ax (20MHz)	26	0	12.5/14.7 (MCS11)	5.36	2.20	7.56	10.0	-2.44
				26	4	12.5/14.7 (MCS11)	4.86	2.20	7.06	10.0	-2.94
				26	8	12.5/14.7 (MCS11)	5.31	2.20	7.51	10.0	-2.49
	5240	48	ax (20MHz)	26	0	12.5/14.7 (MCS11)	5.29	2.20	7.49	10.0	-2.51
				26	4	12.5/14.7 (MCS11)	4.61	2.20	6.81	10.0	-3.19
				26	8	12.5/14.7 (MCS11)	5.09	2.20	7.29	10.0	-2.71
	5190	38	ax (40MHz)	26	0	12.5/14.7 (MCS11)	4.48	2.20	6.68	10.0	-3.32
				26	8	12.5/14.7 (MCS11)	5.89	2.20	8.09	10.0	-1.91
				26	17	12.5/14.7 (MCS11)	5.14	2.20	7.34	10.0	-2.66
	5230	46	ax (40MHz)	26	0	12.5/14.7 (MCS11)	5.08	2.20	7.28	10.0	-2.72
				26	8	12.5/14.7 (MCS11)	5.80	2.20	8.00	10.0	-2.00
				26	17	12.5/14.7 (MCS11)	4.82	2.20	7.02	10.0	-2.98
	5210	42	ax (80MHz)	26	0	12.5/14.7 (MCS11)	5.55	2.20	7.75	10.0	-2.25
				26	18	12.5/14.7 (MCS11)	4.85	2.20	7.05	10.0	-2.95
				26	36	12.5/14.7 (MCS11)	5.82	2.20	8.02	10.0	-1.98
5250	50(L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	1.20	2.20	3.40	10.0	-6.60	
			26	36	12.5/14.7 (MCS11)	1.03	2.20	3.23	10.0	-6.77	

Table 7-107. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF5T (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	121.9/143.4 (MCS11)	0.23	2.20	2.43	10.0	-7.57
	5200	40	ax (20MHz)	242	61	121.9/143.4 (MCS11)	0.67	2.20	2.87	10.0	-7.13
	5240	48	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-0.22	2.20	1.98	10.0	-8.02
	5190	38	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-5.60	2.20	-3.40	10.0	-13.40
	5230	46	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-0.01	2.20	2.19	10.0	-7.81
	5210	42	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-7.65	2.20	-5.45	10.0	-15.45
	5250	50(L)	ax (160MHz)	996x2	68	510.4/600.5 (MCS11)	-11.96	2.20	-9.76	10.0	-19.76

Table 7-108. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF5T (Fully-loaded RU)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 99 of 289




Plot 7-169. ISED PSD Antenna WF5T (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-172. ISED PSD Antenna WF5T (20MHz BW 11ax– RU242 – Ch.40)




Plot 7-170. ISED PSD Antenna WF5T (20MHz BW 11ax Index 4 – RU26 – Ch.40)



Plot 7-173. ISED PSD Antenna WF5T (40MHz BW 11ax Index 0 – RU26 – Ch.46)




Plot 7-171. ISED PSD Antenna WF5T (20MHz BW 11ax Index 8– RU26 – Ch.40)




Plot 7-174. ISED PSD Antenna WF5T (40MHz BW 11ax Index 8 – RU26 – Ch.46)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 100 of 289




Plot 7-175. ISED PSD Antenna WF5T (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-178. ISED PSD Antenna WF5T (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-176. ISED PSD Antenna WF5T (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-179. ISED PSD Antenna WF5T (80MHz BW 11ax Index 36 – RU26 – Ch.42)



Plot 7-177. ISED PSD Antenna WF5T (80MHz BW 11ax Index 0 – RU26 – Ch.42)



Plot 7-180. ISED PSD Antenna WF5T (80MHz BW 11ax – RU996 – Ch.42)

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 101 of 289