


Plot 7-676. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 113 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13030.00 | Average | V | 289 | 110 | -79.82 | 18.84 | 46.02 | 68.20 | -22.18 |

Table 7-57. Radiated Spurious Emission Measurements Antenna WF5t – RU26

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 189 of 323 |




Plot 7-677. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 117 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13070.00 | Average | V | - | - | -83.55 | 18.01 | 41.46 | 68.20 | -26.74 |

Table 7-58. Radiated Spurious Emission Measurements Antenna WF5t – RU26

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 190 of 323 |




Plot 7-678. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 149 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 13390.00 | Peak | V | - | - | -72.73 | 18.12 | 52.39 | 73.98 | -21.59 |
| * 13390.00 | Average | V | - | - | -84.03 | 18.12 | 41.09 | 53.98 | -12.89 |

Table 7-59. Radiated Spurious Emission Measurements Antenna WF5t – RU26

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 191 of 323 |




Plot 7-679. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 185 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBuV/m] | Limit [dBuV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13750.00 | Average | V | - | - | -83.25 | 17.82 | 41.57 | 68.20 | -26.63 |

Table 7-60. Radiated Spurious Emission Measurements Antenna WF5t – RU26

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 192 of 323 |




Plot 7-680. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 189 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13790.00 | Average | V | - | - | -83.30 | 17.46 | 41.16 | 68.20 | -27.04 |

Table 7-61. Radiated Spurious Emission Measurements Antenna WF5t – RU26

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 193 of 323 |




Plot 7-681. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 209 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBuV/m] | Limit [dBuV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13990.00 | Average | V | - | - | -83.22 | 17.85 | 41.63 | 68.20 | -26.57 |

Table 7-62. Radiated Spurious Emission Measurements Antenna WF5t – RU26

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 194 of 323 |



Plot 7-682. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 229 – RU26)


Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 14230.00 | Average | V | - | - | -83.79 | 18.13 | 41.34 | 68.20 | -26.86 |

Table 7-63. Radiated Spurious Emission Measurements Antenna WF5t – RU26

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 195 of 323 |

RU242




Plot 7-683. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 1 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11910.00 | Peak | V | - | - | -71.36 | 16.96 | 52.60 | 73.98 | -21.38 |
| * 11910.00 | Average | V | - | - | -83.03 | 16.96 | 40.93 | 53.98 | -13.05 |
| * 17865.00 | Peak | V | - | - | -75.05 | 21.89 | 53.84 | 73.98 | -20.14 |
| * 17865.00 | Average | V | - | - | -86.62 | 21.89 | 42.27 | 53.98 | -11.71 |

Table 7-64. Radiated Spurious Emission Measurements Antenna WF5t – RU242

| | | | | |
|--|---------------------------------------|---------------------------------------|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 196 of 323 |




Plot 7-684. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 45 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 12350.00 | Peak | V | - | - | -72.35 | 17.84 | 52.49 | 73.98 | -21.49 |
| * 12350.00 | Average | V | - | - | -84.28 | 17.84 | 40.56 | 53.98 | -13.42 |

Table 7-65. Radiated Spurious Emission Measurements Antenna WF5t – RU242

| | | | |
|--|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 197 of 323 |




Plot 7-685. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 93 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 12830.00 | Average | V | - | - | -84.26 | 18.55 | 41.29 | 68.20 | -26.91 |

Table 7-66. Radiated Spurious Emission Measurements Antenna WF5t – RU242

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 198 of 323 |




Plot 7-686. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 97 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 12870.00 | Average | V | - | - | -83.92 | 18.68 | 41.76 | 68.20 | -26.44 |

Table 7-67. Radiated Spurious Emission Measurements Antenna WF5t – RU242

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 199 of 323 |




Plot 7-687. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 105 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBuV/m] | Limit [dBuV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 12950.00 | Average | V | - | - | -83.65 | 18.16 | 41.51 | 68.20 | -26.69 |

Table 7-68. Radiated Spurious Emission Measurements Antenna WF5t – RU242

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 200 of 323 |




Plot 7-688. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 113 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13030.00 | Average | V | - | - | -83.88 | 18.53 | 41.65 | 68.20 | -26.55 |

Table 7-69. Radiated Spurious Emission Measurements Antenna WF5t – RU242

| | | | |
|--|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 201 of 323 |




Plot 7-689. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 117 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 13070.00 | Average | V | - | - | -83.60 | 18.31 | 41.71 | 68.20 | -26.49 |

Table 7-70. Radiated Spurious Emission Measurements Antenna WF5t – RU242

| | | | |
|--|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 202 of 323 |




Plot 7-690. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 149 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 13390.00 | Peak | V | - | - | -72.27 | 18.01 | 52.74 | 73.98 | -21.24 |
| * 13390.00 | Average | V | - | - | -84.21 | 18.01 | 40.80 | 53.98 | -13.18 |

Table 7-71. Radiated Spurious Emission Measurements Antenna WF5t – RU242

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 203 of 323 |




Plot 7-691. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 185 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13750.00 | Average | V | - | - | -86.33 | 17.82 | 38.49 | 68.20 | -29.71 |

Table 7-72. Radiated Spurious Emission Measurements Antenna WF5t – RU242

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 204 of 323 |




Plot 7-692. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 189 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13750.00 | Average | V | - | - | -83.28 | 17.82 | 41.54 | 68.20 | -26.66 |

Table 7-73. Radiated Spurious Emission Measurements Antenna WF5t – RU242

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 205 of 323 |




Plot 7-693. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 209 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13990.00 | Average | V | - | - | -83.30 | 17.85 | 41.55 | 68.20 | -26.65 |

Table 7-74. Radiated Spurious Emission Measurements Antenna WF5t – RU242

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 206 of 323 |



Plot 7-694. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 229 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 14230.00 | Average | V | - | - | -83.56 | 18.14 | 41.58 | 68.20 | -26.62 |

Table 7-75. Radiated Spurious Emission Measurements Antenna WF5t – RU242

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 207 of 323 |

7.7.2 Antenna WF5b Primary Radiated Spurious Emission

RU26




Plot 7-695. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 1 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11910.00 | Peak | V | - | - | -71.88 | 18.18 | 53.30 | 73.98 | -20.68 |
| * 11910.00 | Average | V | - | - | -83.07 | 18.18 | 42.11 | 53.98 | -11.87 |
| * 17865.00 | Peak | V | - | - | -75.48 | 23.46 | 54.98 | 73.98 | -19.00 |
| * 17865.00 | Average | V | - | - | -86.61 | 23.46 | 43.85 | 53.98 | -10.13 |

Table 7-76. Radiated Spurious Emission Measurements Antenna WF5b – RU26

| | | | | |
|--|---------------------------------------|---------------------------------------|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 208 of 323 |




Plot 7-696. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 45 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 12350.00 | Peak | V | - | - | -72.67 | 18.70 | 53.03 | 73.98 | -20.95 |
| * 12350.00 | Average | V | - | - | -83.70 | 18.70 | 42.00 | 53.98 | -11.98 |

Table 7-77. Radiated Spurious Emission Measurements Antenna WF5b – RU26

| | | | |
|--|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 209 of 323 |




Plot 7-697. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 93 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 12830.00 | Average | V | - | - | -83.74 | 18.94 | 42.20 | 68.20 | -26.00 |

Table 7-78. Radiated Spurious Emission Measurements Antenna WF5b – RU26

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 210 of 323 |




Plot 7-698. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 97 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 12870.00 | Average | V | 294 | 71 | -77.81 | 19.59 | 48.78 | 68.20 | -19.42 |

Table 7-79. Radiated Spurious Emission Measurements Antenna WF5b – RU26

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 211 of 323 |




Plot 7-699. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 105 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBuV/m] | Limit [dBuV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 12950.00 | Average | V | 298 | 70 | -75.37 | 19.17 | 50.80 | 68.20 | -17.40 |

Table 7-80. Radiated Spurious Emission Measurements Antenna WF5b – RU26

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 212 of 323 |




Plot 7-700. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 113 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13030.00 | Average | V | 289 | 68 | -79.05 | 18.84 | 46.79 | 68.20 | -21.41 |

Table 7-81. Radiated Spurious Emission Measurements Antenna WF5b – RU26

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 213 of 323 |




Plot 7-701. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 117 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13070.00 | Average | V | - | - | -83.53 | 18.01 | 41.48 | 68.20 | -26.72 |

Table 7-82. Radiated Spurious Emission Measurements Antenna WF5b – RU26

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 214 of 323 |




Plot 7-702. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 149 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 13390.00 | Peak | V | - | - | -72.06 | 18.12 | 53.06 | 73.98 | -20.92 |
| * 13390.00 | Average | V | - | - | -84.09 | 18.12 | 41.03 | 53.98 | -12.95 |

Table 7-83. Radiated Spurious Emission Measurements Antenna WF5b – RU26

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 215 of 323 |




Plot 7-703. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 185 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBuV/m] | Limit [dBuV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13750.00 | Average | V | - | - | -83.23 | 17.82 | 41.59 | 68.20 | -26.61 |

Table 7-84. Radiated Spurious Emission Measurements Antenna WF5b – RU26

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 216 of 323 |




Plot 7-704. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 189 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13790.00 | Average | V | - | - | -83.20 | 17.46 | 41.26 | 68.20 | -26.94 |

Table 7-85. Radiated Spurious Emission Measurements Antenna WF5b – RU26

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 217 of 323 |




Plot 7-705. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 209 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13990.00 | Average | V | - | - | -83.50 | 17.85 | 41.35 | 68.20 | -26.85 |

Table 7-86. Radiated Spurious Emission Measurements Antenna WF5b – RU26

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 218 of 323 |



Plot 7-706. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 229 – RU26)


Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 14230.00 | Average | V | - | - | -83.58 | 18.13 | 41.55 | 68.20 | -26.65 |

Table 7-87. Radiated Spurious Emission Measurements Antenna WF5b – RU26

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 219 of 323 |

RU242




Plot 7-707. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 1 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBuV/m] | Limit [dBuV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11910.00 | Peak | V | - | - | -71.84 | 16.96 | 52.12 | 73.98 | -21.86 |
| * 11910.00 | Average | V | - | - | -83.00 | 16.96 | 40.96 | 53.98 | -13.02 |
| * 17865.00 | Peak | V | - | - | -72.12 | 21.89 | 56.77 | 73.98 | -17.21 |
| * 17865.00 | Average | V | - | - | -84.26 | 21.89 | 44.63 | 53.98 | -9.35 |

Table 7-88. Radiated Spurious Emission Measurements Antenna WF5b – RU242

| | | | |
|--|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 220 of 323 |




Plot 7-708. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 45 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 12350.00 | Peak | V | - | - | -72.32 | 17.83 | 52.51 | 73.98 | -21.47 |
| * 12350.00 | Average | V | - | - | -84.03 | 17.83 | 40.80 | 53.98 | -13.18 |

Table 7-89. Radiated Spurious Emission Measurements Antenna WF5b – RU242

| | | | | |
|--|---------------------------------------|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 221 of 323 |




Plot 7-709. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 93 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 12830.00 | Average | V | - | - | -84.06 | 18.55 | 41.49 | 68.20 | -26.71 |

Table 7-90. Radiated Spurious Emission Measurements Antenna WF5b – RU242

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 222 of 323 |




Plot 7-710. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 97 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 12870.00 | Average | V | - | - | -83.73 | 18.68 | 41.95 | 68.20 | -26.25 |

Table 7-91. Radiated Spurious Emission Measurements Antenna WF5b – RU242

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 223 of 323 |




Plot 7-711. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 105 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 12950.00 | Average | V | - | - | -83.56 | 18.16 | 41.60 | 68.20 | -26.60 |

Table 7-92. Radiated Spurious Emission Measurements Antenna WF5b – RU242

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 224 of 323 |




Plot 7-712. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 113 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 13030.00 | Average | V | - | - | -83.89 | 18.52 | 41.63 | 68.20 | -26.57 |

Table 7-93. Radiated Spurious Emission Measurements Antenna WF5b – RU242

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 225 of 323 |




Plot 7-713. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 117 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13070.00 | Average | V | - | - | -83.71 | 18.31 | 41.60 | 68.20 | -26.60 |

Table 7-94. Radiated Spurious Emission Measurements Antenna WF5b – RU242

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 226 of 323 |




Plot 7-714. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 149 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBuV/m] | Limit [dBuV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 13390.00 | Peak | V | - | - | -72.96 | 18.01 | 52.05 | 73.98 | -21.93 |
| * 13390.00 | Average | V | - | - | -84.03 | 18.01 | 40.98 | 53.98 | -13.00 |

Table 7-95. Radiated Spurious Emission Measurements Antenna WF5b – RU242

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 227 of 323 |




Plot 7-715. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 185 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13750.00 | Average | V | - | - | -83.37 | 17.82 | 41.45 | 68.20 | -26.75 |

Table 7-96. Radiated Spurious Emission Measurements Antenna WF5b – RU242

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 228 of 323 |




Plot 7-716. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 189 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 13750.00 | Average | V | - | - | -83.20 | 17.82 | 41.62 | 68.20 | -26.58 |

Table 7-97. Radiated Spurious Emission Measurements Antenna WF5b – RU242

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 229 of 323 |




Plot 7-717. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 209 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 13990.00 | Average | V | - | - | -83.49 | 17.85 | 41.36 | 68.20 | -26.84 |

Table 7-98. Radiated Spurious Emission Measurements Antenna WF5b – RU242

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 230 of 323 |



Plot 7-718. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 229 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 14230.00 | Average | V | - | - | -83.55 | 18.14 | 41.59 | 68.20 | -26.61 |

Table 7-99. Radiated Spurious Emission Measurements Antenna WF5b – RU242


| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 231 of 323 |

7.7.3 SDM Primary Radiated Spurious Emission

RU26




Plot 7-719. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1 – RU26)



Plot 7-720. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 1 – RU26, Pol. H)

| | | | |
|--|---------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 232 of 323 |



23:22:49 25.08.2022

Plot 7-721. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1 – RU26, Pol. V)


Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBµV/m] | Limit [dBµV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 11910.00 | Peak | H | - | - | -71.65 | 18.18 | 53.53 | 73.98 | -20.45 |
| * 11910.00 | Average | H | - | - | -83.16 | 18.18 | 42.02 | 53.98 | -11.96 |
| * 17865.00 | Peak | H | - | - | -75.17 | 23.46 | 55.29 | 73.98 | -18.69 |
| * 17865.00 | Average | H | - | - | -86.63 | 23.46 | 43.83 | 53.98 | -10.15 |

Table 7-100. Radiated Spurious Emission Measurements SDM – RU26

| | | | |
|--|---------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 233 of 323 |

V 10.5 12/15/2021




Plot 7-722. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 45 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 12350.00 | Peak | H | - | - | -72.23 | 18.70 | 53.47 | 73.98 | -20.51 |
| * 12350.00 | Average | H | - | - | -83.67 | 18.70 | 42.03 | 53.98 | -11.95 |

Table 7-101. Radiated Spurious Emission Measurements SDM – RU26

| | | | |
|--|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 234 of 323 |




Plot 7-723. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 93 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 12830.00 | Average | H | 230 | 117 | -79.43 | 18.94 | 46.51 | 68.20 | -21.69 |

Table 7-102. Radiated Spurious Emission Measurements SDM – RU26

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 235 of 323 |




Plot 7-724. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 97 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 12870.00 | Average | H | 291 | 79 | -72.91 | 19.59 | 53.68 | 68.20 | -14.52 |

Table 7-103. Radiated Spurious Emission Measurements SDM – RU26

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 236 of 323 |




Plot 7-725. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 105 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 12950.00 | Average | H | 224 | 119 | -69.18 | 19.17 | 56.99 | 68.20 | -11.21 |

Table 7-104. Radiated Spurious Emission Measurements SDM – RU26

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 237 of 323 |



Plot 7-726. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 113 – RU26)




23:31:35 25.08.2022

Plot 7-727. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 113 – RU26, Pol. H)

| | | | |
|--|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 238 of 323 |

V 10.5 12/15/2021



23:33:49 25-08-2022

Plot 7-728. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 113 – RU26, Pol. V)


Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13030.00 | Average | H | 219 | 116 | -72.85 | 18.84 | 52.99 | 68.20 | -15.21 |

Table 7-105. Radiated Spurious Emission Measurements SDM – RU26

| | | | | |
|--|---------------------------------------|---------------------------------------|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 239 of 323 |

V 10.5 12/15/2021




Plot 7-729. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 117 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 13070.00 | Average | H | - | - | -83.57 | 18.02 | 41.45 | 68.20 | -26.75 |

Table 7-106. Radiated Spurious Emission Measurements SDM – RU26

| | | | |
|--|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 240 of 323 |




Plot 7-730. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 149 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBuV/m] | Limit [dBuV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| * 13390.00 | Peak | H | - | - | -72.94 | 18.12 | 52.18 | 73.98 | -21.80 |
| * 13390.00 | Average | H | - | - | -83.98 | 18.12 | 41.14 | 53.98 | -12.84 |

Table 7-107. Radiated Spurious Emission Measurements SDM – RU26

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 241 of 323 |




Plot 7-731. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185 – RU26)



Plot 7-732. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 185 – RU26, Pol. H)

| | | | |
|--|---------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 242 of 323 |



23:39:15 25-08-2022

Plot 7-733. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185 – RU26, Pol. V)


Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBµV/m] | Limit [dBµV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13750.00 | Average | V | - | - | -83.26 | 17.82 | 41.56 | 68.20 | -26.64 |

Table 7-108. Radiated Spurious Emission Measurements SDM – RU26

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 243 of 323 |

V 10.5 12/15/2021




Plot 7-734. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 189 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13790.00 | Average | V | - | - | -83.30 | 17.46 | 41.16 | 68.20 | -27.04 |

Table 7-109. Radiated Spurious Emission Measurements SDM – RU26

| | | | |
|---|---|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 244 of 323 |




Plot 7-735. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 209 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 13990.00 | Average | V | - | - | -83.31 | 17.85 | 41.54 | 68.20 | -26.66 |

Table 7-110. Radiated Spurious Emission Measurements SDM – RU26

| | | | | |
|--|---|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 |  | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 245 of 323 |



Plot 7-736. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 229 – RU26)




23:50:47 25.00.2022

Plot 7-737. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 1 – RU26, Pol. H)

| | | | |
|---|--|---|--|
| FCC ID: BCGA2759 IC: 579C-A2759 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | Page 246 of 323 |

V 10.5 12/15/2021



23:53:31 25-08-2022

Plot 7-738. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1 – RU26, Pol. V)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBµV/m] | Limit [dBµV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 14230.00 | Average | H | - | - | -83.62 | 18.14 | 41.52 | 68.20 | -26.68 |

Table 7-111. Radiated Spurious Emission Measurements SDM – RU26

| | | | | |
|--|---------------------------------------|---|--|-----------------------------------|
| FCC ID: BCGA2759 IC: 579C-A2759 | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2205090024-12-R1.BCG | Test Dates: 05/27/2022 - 9/26/2022 | EUT Type: Tablet Device | | Page 247 of 323 |

V 10.5 12/15/2021