


Plot 7-638. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	-	-	-68.96	10.37	48.41	68.20	-19.79
* 15780.00	Average	H	-	-	-80.62	14.19	40.57	53.98	-13.41
* 15780.00	Peak	H	-	-	-68.26	14.19	52.93	73.98	-21.05

Table 7-183. Radiated Measurements Antenna 4a

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 237 of 390




Plot 7-639. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 56)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-68.34	9.92	48.58	68.20	-19.62
* 15840.00	Average	H	-	-	-80.55	14.45	40.90	53.98	-13.08
* 15840.00	Peak	H	-	-	-68.80	14.45	52.65	73.98	-21.33

Table 7-184. Radiated Measurements Antenna 4a

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 238 of 390




Plot 7-640. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-80.68	10.13	36.45	53.98	-17.53
* 10640.00	Peak	H	-	-	-69.43	10.13	47.70	73.98	-26.28
* 15960.00	Average	H	-	-	-80.79	14.94	41.15	53.98	-12.83
* 15960.00	Peak	H	-	-	-69.22	14.94	52.72	73.98	-21.26

Table 7-185. Radiated Measurements Antenna 4a

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 239 of 390




Plot 7-641. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-80.43	10.96	37.53	53.98	-16.45
* 11000.00	Peak	H	-	-	-69.88	10.96	48.08	73.98	-25.90
16500.00	Peak	H	-	-	-71.23	17.98	53.75	68.20	-14.45

Table 7-186. Radiated Measurements Antenna 4a

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 240 of 390




Plot 7-642. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 116)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-80.49	10.39	36.90	53.98	-17.08
* 11160.00	Peak	H	-	-	-69.16	10.39	48.23	73.98	-25.75
16740.00	Peak	H	-	-	-69.85	17.57	54.72	68.20	-13.48

Table 7-187. Radiated Measurements Antenna 4a

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 241 of 390




Plot 7-643. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 144)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-80.45	10.79	37.34	53.98	-16.64
* 11440.00	Peak	H	-	-	-69.66	10.79	48.13	73.98	-25.85
17160.00	Peak	H	-	-	-70.37	18.62	55.25	68.20	-12.95

Table 7-188. Radiated Measurements Antenna 4a

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 242 of 390




Plot 7-644. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 149)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-80.60	10.82	37.22	53.98	-16.76
* 11490.00	Peak	H	-	-	-68.76	10.82	49.06	73.98	-24.92
17235.00	Peak	H	-	-	-69.46	18.44	55.98	68.20	-12.22

Table 7-189. Radiated Measurements Antenna 4a

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 243 of 390




Plot 7-645. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 157)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-80.65	10.97	37.32	53.98	-16.66
* 11570.00	Peak	H	-	-	-69.53	10.97	48.44	73.98	-25.54
17355.00	Peak	H	-	-	-68.65	19.31	57.66	68.20	-10.54

Table 7-190. Radiated Measurements Antenna 4a

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 244 of 390



Plot 7-646. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 165)


Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	H	-	-	-80.62	11.13	37.51	53.98	-16.47
* 11650.00	Peak	H	-	-	-69.26	11.13	48.87	73.98	-25.11
17475.00	Peak	H	-	-	-69.54	21.67	59.13	68.20	-9.07

Table 7-191. Radiated Measurements Antenna 4a

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 245 of 390

7.6.3 CDD/SDM Radiated Spurious Emission




Plot 7-647. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 36)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	H	–	–	-71.29	15.48	51.19	68.20	-17.01
* 15540.00	Average	H	–	–	-83.40	19.97	43.57	53.98	-10.41
* 15540.00	Peak	H	–	–	-71.05	19.97	55.92	73.98	-18.06

Table 7-192. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 246 of 390



Plot 7-648. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 40)




Plot 7-649. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.40, Pol. H)

13:24:26 27.07.2022

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 247 of 390

V 10.5 12/15/2021



13:49:34 27.07.2022


Plot 7-650. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.40, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10400.00	Peak	H	–	–	-71.58	15.45	50.87	68.20	-17.33
* 15600.00	Average	H	–	–	-83.63	20.22	43.59	53.98	-10.39
* 15600.00	Peak	H	–	–	-71.94	20.22	55.28	73.98	-18.70

Table 7-193. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device		Page 248 of 390




Plot 7-651. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 48)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10480.00	Peak	H	–	–	-71.28	15.09	50.81	68.20	-17.39
* 15720.00	Average	H	–	–	-84.01	21.50	44.49	53.98	-9.49
* 15720.00	Peak	H	–	–	-72.18	21.50	56.32	73.98	-17.66

Table 7-194. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 249 of 390




Plot 7-652. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 52)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	_	_	-71.12	14.85	50.73	68.20	-17.47
* 15780.00	Average	H	_	_	-83.62	20.55	43.93	53.98	-10.05
* 15780.00	Peak	H	_	_	-71.56	20.55	55.99	73.98	-17.99

Table 7-195. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 250 of 390



Plot 7-653. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 56)




Plot 7-654. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.56, Pol. H)

14:00:29 27.07.2022

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 251 of 390

V 10.5 12/15/2021



14:04:21 27.07.2022


Plot 7-655. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.56, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10560.00	Peak	H	–	–	-71.01	15.54	51.53	68.20	-16.67
* 15840.00	Average	H	–	–	-83.39	20.87	44.48	53.98	-9.50
* 15840.00	Peak	H	–	–	-71.39	20.87	56.48	73.98	-17.50

Table 7-196. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 252 of 390




Plot 7-656. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 64)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	H	–	–	-82.93	15.77	39.84	53.98	-14.14
* 10640.00	Peak	H	–	–	-71.13	15.77	51.64	73.98	-22.34
* 15960.00	Average	H	–	–	-83.63	21.65	45.02	53.98	-8.96
* 15960.00	Peak	H	–	–	-71.19	21.65	57.46	73.98	-16.52

Table 7-197. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 253 of 390




Plot 7-657. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 100)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	_	_	-83.60	15.99	39.39	53.98	-14.59
* 11000.00	Peak	H	_	_	-72.09	15.99	50.90	73.98	-23.08
16500.00	Peak	H	_	_	-71.64	21.14	56.50	68.20	-11.70

Table 7-198. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 254 of 390




Plot 7-658. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 116)



Plot 7-659. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.116, Pol. H)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 255 of 390



14:11:13 27.07.2022


Plot 7-660. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.116, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	H	–	–	-82.80	15.72	39.92	53.98	-14.06
*	11160.00	Peak	H	–	–	-71.25	15.72	51.47	73.98	-22.51
	16740.00	Peak	H	–	–	-71.92	21.49	56.57	68.20	-11.63

Table 7-199. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 256 of 390




Plot 7-661. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 144)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	H	–	–	-82.88	16.52	40.64	53.98	-13.34
* 11440.00	Peak	H	–	–	-71.74	16.52	51.78	73.98	-22.20
17160.00	Peak	H	–	–	-71.85	21.74	56.89	68.20	-11.31

Table 7-200. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 257 of 390




Plot 7-662. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 149)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	–	–	-82.53	16.20	40.67	53.98	-13.31
* 11490.00	Peak	H	–	–	-71.14	16.20	52.06	73.98	-21.92
17235.00	Peak	H	–	–	-70.98	21.28	57.30	68.20	-10.90

Table 7-201. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 258 of 390




Plot 7-663. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 157)



Plot 7-664. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.157, Pol. H)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 259 of 390



14:19:08 27.07.2022

Plot 7-665. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.157, Pol. V)


Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-82.21	16.28	41.07	53.98	-12.91
* 11570.00	Peak	H	-	-	-70.68	16.28	52.60	73.98	-21.38
17355.00	Peak	H	-	-	-71.56	21.33	56.77	68.20	-11.43

Table 7-202. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 260 of 390

V 10.5 12/15/2021




Plot 7-666. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 165)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11650.00	Average	H	-	-	-82.35	16.28	40.93	53.98	-13.05
11650.00	Peak	H	-	-	-70.28	16.28	53.00	73.98	-20.98
17475.00	Peak	H	-	-	-71.81	21.33	56.52	68.20	-11.68

Table 7-203. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 261 of 390




Plot 7-667. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	H	-	-	-69.74	10.05	47.31	68.20	-20.89
* 15540.00	Average	H	-	-	-80.57	15.23	41.66	53.98	-12.32
* 15540.00	Peak	H	-	-	-68.53	15.23	53.70	73.98	-20.28

Table 7-204. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 262 of 390




Plot 7-668. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 40)



Plot 7-669. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.40, Pol. H)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 263 of 390



09:06:33 28.07.2022


Plot 7-670. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.40, Pol. V)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10400.00	Peak	H	-	-	-69.05	9.87	47.82	68.20	-20.38
* 15600.00	Average	H	-	-	-80.67	14.80	41.13	53.98	-12.85
* 15600.00	Peak	H	-	-	-68.92	14.80	52.88	73.98	-21.10

Table 7-205. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device		Page 264 of 390




Plot 7-671. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-69.62	10.13	47.51	68.20	-20.69
* 15720.00	Average	H	-	-	-81.93	14.34	39.41	53.98	-14.57
* 15720.00	Peak	H	-	-	-70.31	14.34	51.03	73.98	-22.95

Table 7-206. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 265 of 390




Plot 7-672. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	-	-	-69.89	10.37	47.48	68.20	-20.72
* 15780.00	Average	H	-	-	-82.43	14.19	38.76	53.98	-15.22
* 15780.00	Peak	H	-	-	-71.08	14.19	50.11	73.98	-23.87

Table 7-207. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 266 of 390



Plot 7-673. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 56)



Plot 7-674. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.56, Pol. H)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 267 of 390



09:40:23 28.07.2022


Plot 7-675. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.56, Pol. V)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10560.00	Peak	H	-	-	-70.23	9.92	46.69	68.20	-21.51
* 15840.00	Average	H	-	-	-81.95	14.45	39.50	53.98	-14.48
* 15840.00	Peak	H	-	-	-71.47	14.45	49.98	73.98	-24.00

Table 7-208. Radiated Measurements SDM

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 268 of 390




Plot 7-676. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-81.18	10.13	35.95	53.98	-18.03
* 10640.00	Peak	H	-	-	-69.39	10.13	47.74	73.98	-26.24
* 15960.00	Average	H	-	-	-82.39	14.94	39.55	53.98	-14.43
* 15960.00	Peak	H	-	-	-71.22	14.94	50.72	73.98	-23.26

Table 7-209. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 269 of 390




Plot 7-677. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11000.00	Average	H	-	-	-81.52	10.96	36.44	53.98	-17.54
* 11000.00	Peak	H	-	-	-69.97	10.96	47.99	73.98	-25.99
16500.00	Peak	H	-	-	-72.63	17.98	52.35	68.20	-15.85

Table 7-210. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 270 of 390



Plot 7-678. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 116)



Plot 7-679. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.116, Pol. H)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 271 of 390



09:51:35 28.07.2022


Plot 7-680. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.116, Pol. V)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-81.34	10.39	36.05	53.98	-17.93
* 11160.00	Peak	H	-	-	-69.70	10.39	47.69	73.98	-26.29
16740.00	Peak	H	-	-	-71.07	17.57	53.50	68.20	-14.70

Table 7-211. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 272 of 390




Plot 7-681. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 144)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	H	-	-	-81.41	10.79	36.38	53.98	-17.60
* 11440.00	Peak	H	-	-	-69.49	10.79	48.30	73.98	-25.68
17160.00	Peak	H	-	-	-72.27	18.62	53.35	68.20	-14.85

Table 7-212. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 273 of 390




Plot 7-682. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 149)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-80.56	10.82	37.26	53.98	-16.72
* 11490.00	Peak	H	-	-	-69.43	10.82	48.39	73.98	-25.59
17235.00	Peak	H	-	-	-71.48	18.44	53.96	68.20	-14.24

Table 7-213. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 274 of 390




Plot 7-683. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 157)



Plot 7-684. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.157, Pol. H)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 275 of 390



10:58:21 28.07.2022


Plot 7-685. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.157, Pol. V)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11570.00	Average	H	-	-	-80.76	10.97	37.21	53.98	-16.77
*	11570.00	Peak	H	-	-	-69.77	10.97	48.20	73.98	-25.78
	17355.00	Peak	H	-	-	-72.16	19.31	54.15	68.20	-14.05

Table 7-214. Radiated Measurements CDD

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 276 of 390



Plot 7-686. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 165)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	H	-	-	-80.82	11.13	37.31	53.98	-16.67
* 11650.00	Peak	H	-	-	-69.60	11.13	48.53	73.98	-25.45
17475.00	Peak	H	-	-	-72.68	21.67	55.99	68.20	-12.21

Table 7-215. Radiated Measurements CDD


FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 277 of 390

7.6.4 Antenna 5b Radiated Band Edge Measurements (20MHz BW)


\$15.407(b.1)(b.2) \$15.205 \$15.209; RSS-Gen [8.9]; RSS-Gen [8.9]




Plot 7-687. Antenna 5b (Pk & Avg, Ch.36, 802.11n, MCS2)




Plot 7-690. Antenna 5b (Pk & Avg, Ch.40, 802.11n, MCS2)




Plot 7-688. Antenna 5b (Pk & Avg, Ch.36, 802.11n, MCS4)



Plot 7-691. Antenna 5b (Pk & Avg, Ch.40, 802.11n, MCS4)




Plot 7-689. Antenna 5b (Pk & Avg, Ch.36, 802.11n, MCS7)




Plot 7-692. Antenna 5b (Pk & Avg, Ch.40, 802.11n, MCS7)


FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 278 of 390




Plot 7-693. Antenna 5b (Pk & Avg, Ch.60, 802.11n, MCS2)




Plot 7-696. Antenna 5b (Pk & Avg, Ch.64, 802.11n, MCS2)




Plot 7-694. Antenna 5b (Pk & Avg, Ch.60, 802.11n, MCS4)



Plot 7-697. Antenna 5b (Pk & Avg, Ch.64, 802.11n, MCS4)




Plot 7-695. Antenna 5b (Pk & Avg, Ch.60, 802.11n, MCS7)




Plot 7-698. Antenna 5b (Pk & Avg, Ch.64, 802.11n, MCS7)


FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 279 of 390




Plot 7-699. Antenna 5b (Pk & Avg, Ch.100, 802.11n, MCS2)




Plot 7-702. Antenna 5b (Pk & Avg, Ch.104, 802.11n, MCS4)




Plot 7-700. Antenna 5b (Pk & Avg, Ch.100, 802.11n, MCS4)



Plot 7-703. Antenna 5b (Pk & Avg, Ch.104, 802.11n, MCS7)




Plot 7-701. Antenna 5b (Pk & Avg, Ch.100, 802.11n, MCS7)




Plot 7-704. Antenna 5b (Pk & Avg, Ch.108, 802.11n, MCS7)


FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 280 of 390




Plot 7-705. Antenna 5b (PK, Ch.136, 802.11n, MCS2)




Plot 7-708. Antenna 5b (Pk, Ch.136, 802.11n, MCS7)




Plot 7-706. Antenna 5b (PK, Ch.136, 802.11n, MCS4)




Plot 7-709. Antenna 5b (Pk, Ch.140, 802.11n, MCS2)



Plot 7-707. Antenna 5b (PK, Ch.132, 802.11n, MCS7)



Plot 7-710. Antenna 5b (Pk, Ch.140, 802.11n, MCS4)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 281 of 390