


Plot 7-474. RSE above 1GHz CDD (11ax – Ch.64 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-81.56	10.13	35.57	53.98	-18.41
* 10640.00	Peak	H	-	-	-70.02	10.13	47.11	73.98	-26.87
* 15960.00	Average	H	-	-	-82.38	14.94	39.56	53.98	-14.42
* 15960.00	Peak	H	-	-	-71.11	14.94	50.83	73.98	-23.15

Table 7-184. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 223 of 278




Plot 7-475. RSE above 1GHz CDD (11ax – Ch.100 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-80.48	10.96	37.48	53.98	-16.50
* 11000.00	Peak	H	-	-	-68.89	10.96	49.07	73.98	-24.91
16500.00	Peak	H	-	-	-71.08	17.98	53.90	68.20	-14.30

Table 7-185. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 224 of 278




Plot 7-476. RSE above 1GHz CDD (11ax – Ch.116 – RU242)



Plot 7-477. RSE 18GHz – 40 GHz CDD (11ax Ch.116 — RU242, Pol. H)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 225 of 278



21:54:50 20.08.2022

Plot 7-478. RSE 18 GHz - 40GHz CDD (11ax Ch.116 — RU242, Pol. V)


Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-80.47	10.39	36.92	53.98	-17.06
* 11160.00	Peak	H	-	-	-68.95	10.39	48.44	73.98	-25.54
16740.00	Peak	H	-	-	-70.20	17.57	54.37	68.20	-13.83

Table 7-186. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 226 of 278

V 10.5 12/15/2021




Plot 7-479. RSE above 1GHz CDD (11ax – Ch.144 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-81.40	10.79	36.39	53.98	-17.59
* 11440.00	Peak	H	-	-	-69.33	10.79	48.46	73.98	-25.52
17160.00	Peak	H	-	-	-72.93	18.62	52.69	68.20	-15.51

Table 7-187. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 227 of 278




Plot 7-480. RSE above 1GHz CDD (11ax – Ch.149 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-81.48	10.82	36.34	53.98	-17.64
* 11490.00	Peak	H	-	-	-70.11	10.82	47.71	73.98	-26.27
17235.00	Peak	H	-	-	-72.44	18.44	53.00	68.20	-15.20

Table 7-188. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 228 of 278




Plot 7-481. RSE above 1GHz CDD (11ax – Ch.157 – RU242)



Plot 7-482. RSE 18GHz – 40 GHz CDD (11ax Ch.157 — RU242, Pol. H)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 229 of 278



22:00:22 20.08.2022

Plot 7-483. RSE 18 GHz - 40GHz CDD (11ax Ch.157 — RU242, Pol. V)


Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11570.00	Average	H	-	-	-81.72	10.97	36.25	53.98	-17.73
*	11570.00	Peak	H	-	-	-70.03	10.97	47.94	73.98	-26.04
	17355.00	Peak	H	-	-	-73.24	19.31	53.07	68.20	-15.13

Table 7-189. Radiated Measurements CDD (RU242)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 230 of 278

V 10.5 12/15/2021



Plot 7-484. RSE above 1GHz CDD (11ax – Ch.165 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11650.00	Average	H	-	-	-81.75	11.13	36.38	53.98	-17.60
* 11650.00	Peak	H	-	-	-69.74	11.13	48.39	73.98	-25.59
17475.00	Peak	H	-	-	-73.71	21.67	54.96	68.20	-13.24

Table 7-190. Radiated Measurements CDD (RU242)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 231 of 278

7.6.4 Antenna WF5b Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


RU26/RU52




Plot 7-485. Antenna WF5b (Pk & Avg, RU26, Index 0, Ch.36, MCS11)




Plot 7-488. Antenna WF5b (Pk, RU52, Index 37, Ch.140, MCS11)




Plot 7-486. Antenna WF5b (Pk & Avg, RU52, Index 40, Ch.64, MCS11)



Plot 7-489. Antenna WF5b (Pk, RU26, Index 0, Ch.149, MCS11)




Plot 7-487. Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.100, MCS11)




Plot 7-490. Antenna WF5b (Pk, RU26, Index 8, Ch.165, MCS11)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 232 of 278


RU242




Plot 7-491. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.36, MCS11)




Plot 7-494. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.64, MCS11)




Plot 7-492. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.40, MCS11)



Plot 7-495. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.100, MCS11)




Plot 7-493. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.60, MCS11)




Plot 7-496. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 233 of 278




Plot 7-497. Antenna WF5b (Pk & Avg, RU242, Index 61, Ch.108, MCS11)




Plot 7-500. Antenna WF5b (Pk, RU242, Index 61, Ch.140, MCS11)




Plot 7-498. Antenna WF5b (Pk, RU242, Index 61, Ch.132, MCS11)



Plot 7-501. Antenna WF5b (Pk, RU242, Index 61, Ch.149, MCS11)



Plot 7-499. Antenna WF5b (Pk, RU242, Index 61, Ch.136, MCS11)




Plot 7-502. Antenna WF5b (Pk, RU242, Index 61, Ch.165, MCS11)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 234 of 278

7.6.6 Antenna WF5b Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/52




Plot 7-503. Antenna WF5b (Pk & Avg, RU26, Index 0, Ch.38, MCS11)




Plot 7-506. Antenna WF5b (Pk, RU52, Index 37, Ch.134, MCS11)




Plot 7-504. Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.62, MCS11)



Plot 7-507. Antenna WF5b (Pk, RU26, Index 0, Ch.151, MCS11)




Plot 7-505. Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.102, MCS11)




Plot 7-508. Antenna WF5b (Pk, RU26, Index 17, Ch.159, MCS11)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 235 of 278


RU484




Plot 7-509. Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.38, MCS11)




Plot 7-512. Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.62, MCS11)




Plot 7-510. Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.46, MCS11)



Plot 7-513. Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.102, MCS11)




Plot 7-511. Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.54, MCS11)




Plot 7-514. Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 236 of 278




Plot 7-515. (FCC Only) Antenna WF5b (Pk & Avg, RU484, Index 65, Ch.118, MCS11)




Plot 7-518. Antenna WF5b (Pk, RU484, Index 65, Ch.134, MCS11)




Plot 7-516. (FCC Only) Antenna WF5b (Pk, RU484, Index 65, Ch.118, MCS11)



Plot 7-519. Antenna WF5b (Pk, RU484, Index 65, Ch.151, MCS11)



Plot 7-517. (FCC Only) Antenna WF5b (Pk, RU484, Index 65, Ch.126, MCS11)




Plot 7-520. Antenna WF5b (Pk, RU484, Index 65, Ch.159, MCS11)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 237 of 278

7.6.7 Antenna WF5b Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/RU52




Plot 7-521. Antenna WF5b (Pk & Avg, RU26, Index 0, Ch.42, MCS11)




Plot 7-524. (FCC Only) Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.122, MCS11)




Plot 7-522. Antenna WF5b (Pk & Avg, RU52, Index 52, Ch.58, MCS11)



Plot 7-525. (FCC Only) Antenna WF5b (Pk, RU52, Index 52, Ch.122, MCS11)




Plot 7-523. Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.106, MCS11)



Plot 7-526. Antenna WF5b (Pk, RU26, Index 0, Ch.155, MCS11)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 238 of 278




Plot 7-527. Antenna WF5b (Pk, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 239 of 278


RU996




Plot 7-528. Antenna WF5b (Pk & Avg, RU996, Index 67, Ch.42, MCS11)




Plot 7-531. (FCC Only) Antenna WF5b (Pk & Avg, RU996, Index 67, Ch.122, MCS11)




Plot 7-529. Antenna WF5b (Pk & Avg, RU996, Index 67, Ch.58, MCS11)



Plot 7-532. (FCC Only) Antenna WF5b (Pk, RU996, Index 67, Ch.122, MCS11)




Plot 7-530. Antenna WF5b (Pk & Avg, RU996, Index 67, Ch.106, MCS11)



Plot 7-533. Antenna WF5b (Pk, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 240 of 278




Plot 7-534. Antenna WF5b (Pk, RU996, Index 67, Ch.155, MCS11)


FCC ID: BCG2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device
		Page 241 of 278

7.6.8 Antenna WF5b Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU52



Plot 7-535. Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.50, MCS11)




Plot 7-536. Antenna WF5b (Pk & Avg, RU52, Index 52, Ch.50, MCS11)




Plot 7-537. (FCC Only) Antenna WF5b (Pk & Avg, RU52, Index 37, Ch.114, MCS11)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 242 of 278


RU996x2



Plot 7-538. Antenna WF5b (Pk & Avg, RU996x2, Index 68, Ch.50, MCS11)



Plot 7-539. Antenna WF5b (Pk & Avg, RU996x2, Index 68, Ch.50, MCS11)




Plot 7-540. (FCC Only) Antenna WF5b (Pk & Avg, RU996x2, Index 68, Ch.114, MCS11)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 243 of 278

7.6.9 Antenna WF4a Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/RU52




Plot 7-541. Antenna WF4a (Pk & Avg, RU26, Index 0, Ch.36, MCS11)




Plot 7-544. Antenna WF4a (Pk, RU52, Index 37, Ch.140, MCS11)




Plot 7-542. Antenna WF4a (Pk & Avg, RU52, Index 40, Ch.64, MCS11)



Plot 7-545. Antenna WF4a (Pk, RU26, Index 0, Ch.149, MCS11)




Plot 7-543. Antenna WF4a (Pk & Avg, RU52, Index 37, Ch.100, MCS11)




Plot 7-546. Antenna WF4a (Pk, RU26, Index 8, Ch.165, MCS11)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 244 of 278


RU242




Plot 7-547. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.36, MCS11)




Plot 7-550. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.64, MCS11)




Plot 7-548. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.40, MCS11)



Plot 7-551. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.100, MCS11)




Plot 7-549. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.60, MCS11)




Plot 7-552. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 245 of 278




Plot 7-553. Antenna WF4a (Pk & Avg, RU242, Index 61, Ch.108, MCS11)




Plot 7-556. Antenna WF4a (Pk, RU242, Index 61, Ch.140, MCS11)




Plot 7-554. Antenna WF4a (Pk, RU242, Index 61, Ch.132, MCS11)



Plot 7-557. Antenna WF4a (Pk, RU242, Index 61, Ch.149, MCS11)



Plot 7-555. Antenna WF4a (Pk, RU242, Index 61, Ch.136, MCS11)



Plot 7-558. Antenna WF4a (Pk, RU242, Index 61, Ch.165, MCS11)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 246 of 278