



Figure 61 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 62 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth



Figure 63 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 64 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth



Figure 65 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth



Figure 66 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth



Figure 67 - Core 1 (B) 2476 MHz (CH74) 99% Bandwidth




Figure 68 - Core 1 (B) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	1.888	-	-	$\geq 500.0$
2441	-	1.904	-	-	$\geq 500.0$
2476	-	1.896	-	-	$\geq 500.0$

**Table 33 - 6 dB Bandwidth Results**

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	2.320	-	-	-
2441	-	2.328	-	-	-
2476	-	2.328	-	-	-

**Table 34 - 99% Bandwidth Results**




Figure 69 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 70 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 71 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 72 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 73 - Core 1 (B) 2476 MHz (CH74) 99% Bandwidth



Figure 74 - Core 1 (B) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	1.020	-	-	$\geq 500.0$
2441	-	0.975	-	-	$\geq 500.0$
2476	-	1.005	-	-	$\geq 500.0$

**Table 35 - 6 dB Bandwidth Results**

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	4.635	-	-	-
2441	-	4.635	-	-	-
2476	-	4.650	-	-	-

**Table 36 - 99% Bandwidth Results**



Figure 75 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 76 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 77 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 78 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	C (Core 2)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	-	1.896	-	$\geq 500.0$
2441	-	-	1.896	-	$\geq 500.0$
2476	-	-	1.896	-	$\geq 500.0$

**Table 37 - 6 dB Bandwidth Results**

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	-	2.320	-	-
2441	-	-	2.320	-	-
2476	-	-	2.328	-	-

**Table 38 - 99% Bandwidth Results**



Figure 81 - Core 2 (C) 2404 MHz (CH2) 99% Bandwidth




Figure 82 - Core 2 (C) 2404 MHz (CH2) 6 dB Bandwidth




Figure 83 - Core 2 (C) 2441 MHz (CH39) 99% Bandwidth




Figure 84 - Core 2 (C) 2441 MHz (CH39) 6 dB Bandwidth




Figure 85 - Core 2 (C) 2476 MHz (CH74) 99% Bandwidth




Figure 86 - Core 2 (C) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	C (Core 2)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	-	1.020	-	$\geq 500.0$
2441	-	-	1.020	-	$\geq 500.0$
2476	-	-	1.020	-	$\geq 500.0$

**Table 39 - 6 dB Bandwidth Results**

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	-	4.635	-	-
2441	-	-	4.635	-	-
2476	-	-	4.635	-	-

**Table 40 - 99% Bandwidth Results**



Figure 87 - Core 2 (C) 2404 MHz (CH2) 99% Bandwidth



Figure 88 - Core 2 (C) 2404 MHz (CH2) 6 dB Bandwidth



Figure 89 - Core 2 (C) 2441 MHz (CH39) 99% Bandwidth




Figure 90 - Core 2 (C) 2441 MHz (CH39) 6 dB Bandwidth



Figure 91 - Core 2 (C) 2476 MHz (CH74) 99% Bandwidth




Figure 92 - Core 2 (C) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0 + Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	1.888	1.896	-	-	$\geq 500.0$
2441	1.896	1.896	-	-	$\geq 500.0$
2476	1.888	1.896	-	-	$\geq 500.0$

**Table 41 - 6 dB Bandwidth Results**

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.320	2.320	-	-	-
2441	2.320	2.328	-	-	-
2476	2.328	2.328	-	-	-

**Table 42 - 99% Bandwidth Results**




Figure 93 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 94 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth



Figure 95 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 96 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 97 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 98 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 99 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 100 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 101 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth




Figure 102 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0 + Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	1.020	1.020	-	-	$\geq 500.0$
2441	1.005	1.005	-	-	$\geq 500.0$
2476	1.005	1.005	-	-	$\geq 500.0$

**Table 43 - 6 dB Bandwidth Results**

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	4.635	4.635	-	-	-
2441	4.650	4.635	-	-	-
2476	4.650	4.650	-	-	-

**Table 44 - 99% Bandwidth Results**



Figure 105 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth



Figure 106 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 107 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 108 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 109 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 110 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth



Figure 111 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 112 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth







Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	0.724	-	-	≥500.0
2440	-	0.724	-	-	≥500.0
2480	-	0.720	-	-	≥500.0

**Table 45 - 6 dB Bandwidth Results**

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.040	-	-	-
2440	-	1.040	-	-	-
2480	-	1.040	-	-	-

**Table 46 - 99% Bandwidth Results**



Figure 117 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth




Figure 118 - Core 1 (B) 2402 MHz (CH37) 6 dB Bandwidth



Figure 119 - Core 1 (B) 2440 MHz (CH17) 99% Bandwidth



Figure 120 - Core 1 (B) 2440 MHz (CH17) 6 dB Bandwidth




Figure 121 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth




Figure 122 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.280	-	-	≥500.0
2440	-	1.288	-	-	≥500.0
2480	-	1.336	-	-	≥500.0

**Table 47 - 6 dB Bandwidth Results**

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	2.040	-	-	-
2440	-	2.040	-	-	-
2480	-	2.040	-	-	-

**Table 48 - 99% Bandwidth Results**



Figure 123 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth



Figure 124 - Core 1 (B) 2402 MHz (CH37) 6 dB Bandwidth



Figure 125 - Core 1 (B) 2440 MHz (CH17) 99% Bandwidth



Figure 126 - Core 1 (B) 2440 MHz (CH17) 6 dB Bandwidth




Figure 127 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth



Figure 128 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	C (Core 2)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	-	0.728	-	≥500.0
2440	-	-	0.724	-	≥500.0
2480	-	-	0.728	-	≥500.0

**Table 49 - 6 dB Bandwidth Results**

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	-	1.040	-	-
2440	-	-	1.040	-	-
2480	-	-	1.040	-	-

**Table 50 - 99% Bandwidth Results**



Figure 129 - Core 2 (C) 2402 MHz (CH37) 99% Bandwidth




Figure 130 - Core 2 (C) 2402 MHz (CH37) 6 dB Bandwidth



Figure 131 - Core 2 (C) 2440 MHz (CH17) 99% Bandwidth



Figure 132 - Core 2 (C) 2440 MHz (CH17) 6 dB Bandwidth




Figure 133 - Core 2 (C) 2480 MHz (CH39) 99% Bandwidth




Figure 134 - Core 2 (C) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	C (Core 2)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	-	1.256	-	≥500.0
2440	-	-	1.248	-	≥500.0
2480	-	-	1.264	-	≥500.0

**Table 51 - 6 dB Bandwidth Results**

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	-	2.048	-	-
2440	-	-	2.048	-	-
2480	-	-	2.048	-	-

**Table 52 - 99% Bandwidth Results**



Figure 135 - Core 2 (C) 2402 MHz (CH37) 99% Bandwidth




Figure 136 - Core 2 (C) 2402 MHz (CH37) 6 dB Bandwidth



Figure 137 - Core 2 (C) 2440 MHz (CH17) 99% Bandwidth



Figure 138 - Core 2 (C) 2440 MHz (CH17) 6 dB Bandwidth



Figure 139 - Core 2 (C) 2480 MHz (CH39) 99% Bandwidth



Figure 140 - Core 2 (C) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0 + Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	0.728	0.720	-	-	≥500.0
2440	0.728	0.716	-	-	≥500.0
2480	0.720	0.724	-	-	≥500.0

**Table 53 - 6 dB Bandwidth Results**

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.040	1.040	-	-	-
2440	1.040	1.040	-	-	-
2480	1.040	1.040	-	-	-

**Table 54 - 99% Bandwidth Results**



Figure 141 - Core 0 (A) 2402 MHz (CH37) 99% Bandwidth




Figure 142 - Core 0 (A) 2402 MHz (CH37) 6 dB Bandwidth




Figure 143 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth




Figure 144 - Core 1 (B) 2402 MHz (CH37) 6 dB Bandwidth



Figure 145 - Core 0 (A) 2440 MHz (CH17) 99% Bandwidth



Figure 146 - Core 0 (A) 2440 MHz (CH17) 6 dB Bandwidth





Figure 149 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth



Figure 150 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth



Figure 151 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth



Figure 152 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 a)	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0 + Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.288	1.288	-	-	≥500.0
2440	1.280	1.280	-	-	≥500.0
2480	1.304	1.352	-	-	≥500.0

**Table 55 - 6 dB Bandwidth Results**

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	2.040	2.040	-	-	-
2440	2.048	2.048	-	-	-
2480	2.040	2.040	-	-	-

**Table 56 - 99% Bandwidth Results**



Figure 153 - Core 0 (A) 2402 MHz (CH37) 99% Bandwidth



Figure 154 - Core 0 (A) 2402 MHz (CH37) 6 dB Bandwidth