


Plot 7-599. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax (SU) – Ch. 1)

Mode: 802.11ax (SU)
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 4824.00 | Average | H | - | - | -76.53 | 2.34 | 32.81 | 53.98 | -21.17 |
| 4824.00 | Peak | H | - | - | -66.22 | 2.34 | 43.12 | 73.98 | -30.86 |
| 12060.00 | Average | H | - | - | -78.45 | 8.66 | 37.21 | 53.98 | -16.77 |
| 12060.00 | Peak | H | - | - | -67.95 | 8.66 | 47.71 | 73.98 | -26.27 |

Table 7-102. Radiated Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 377 of 583 |



Plot 7-600. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax (SU) – Ch. 6)



Plot 7-601. Radiated Spurious Emissions above 18GHz CDD Primary (802.11ax (SU) – Ch.6)


| | | | |
|--|---|-----------------------------------|--|
| FCC ID: BCGA2836 IC: 579C-A2836 |  MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 378 of 583 |

Mode: 802.11ax (SU)
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 4874.00 | Average | H | - | - | -75.28 | 2.04 | 33.76 | 53.98 | -20.22 |
| 4874.00 | Peak | H | - | - | -65.89 | 2.04 | 43.15 | 73.98 | -30.83 |
| 7311.00 | Average | H | - | - | -74.87 | 4.06 | 36.19 | 53.98 | -17.79 |
| 7311.00 | Peak | H | - | - | -66.38 | 4.06 | 44.68 | 73.98 | -29.30 |
| 12185.00 | Average | H | - | - | -77.44 | 9.41 | 38.97 | 53.98 | -15.01 |
| 12185.00 | Peak | H | - | - | -67.87 | 9.38 | 48.52 | 73.98 | -25.46 |

Table 7-103. Radiated Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 379 of 583 |



Plot 7-602. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax (SU) – Ch. 11)

Mode: 802.11ax (SU)
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBuV/m] | Limit [dBuV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 4924.00 | Average | H | - | - | -76.13 | 1.92 | 32.79 | 53.98 | -21.19 |
| 4924.00 | Peak | H | - | - | -66.40 | 1.89 | 42.49 | 73.98 | -31.49 |
| 7386.00 | Average | H | - | - | -77.23 | 4.18 | 33.95 | 53.98 | -20.03 |
| 7386.00 | Peak | H | - | - | -66.42 | 4.18 | 44.76 | 73.98 | -29.22 |
| 12310.00 | Average | H | - | - | -78.79 | 9.87 | 38.08 | 53.98 | -15.90 |
| 12310.00 | Peak | H | - | - | -68.12 | 9.89 | 48.77 | 73.98 | -25.21 |

Table 7-104. Radiated Measurements CDD Primary

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 380 of 583 |

7.7.5 CDD Diversity Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




Plot 7-603. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 1)

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 4824.00 | Average | H | - | - | -80.16 | 7.05 | 33.89 | 53.98 | -20.09 |
| 4824.00 | Peak | H | - | - | -68.69 | 7.05 | 45.35 | 73.98 | -28.63 |
| 12060.00 | Average | H | - | - | -83.53 | 18.39 | 41.87 | 53.98 | -12.11 |
| 12060.00 | Peak | H | - | - | -71.74 | 18.22 | 53.48 | 73.98 | -20.50 |

Table 7-105. Radiated Measurements CDD Diversity


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 381 of 583 |



Plot 7-604. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 6)



Plot 7-605. Radiated Spurious Emissions above 18GHz CDD Diversity (802.11n – Ch.6)


| | | | |
|--|---|-----------------------------------|--|
| FCC ID: BCGA2836 IC: 579C-A2836 |  MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 382 of 583 |

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 4874.00 | Average | H | - | - | -80.74 | 7.60 | 33.86 | 53.98 | -20.12 |
| 4874.00 | Peak | H | - | - | -69.28 | 7.60 | 45.32 | 73.98 | -28.66 |
| 7311.00 | Average | H | - | - | -81.44 | 10.79 | 36.35 | 53.98 | -17.63 |
| 7311.00 | Peak | H | - | - | -70.10 | 10.90 | 47.81 | 73.98 | -26.17 |
| 12185.00 | Average | H | - | - | -83.41 | 18.77 | 42.36 | 53.98 | -11.62 |
| 12185.00 | Peak | H | - | - | -71.74 | 18.77 | 54.03 | 73.98 | -19.95 |

Table 7-106. Radiated Measurements CDD Diversity

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 383 of 583 |




Plot 7-606. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 11)

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 4924.00 | Average | H | - | - | -80.56 | 7.16 | 33.61 | 53.98 | -20.37 |
| 4924.00 | Peak | H | - | - | -68.70 | 7.16 | 45.46 | 73.98 | -28.52 |
| 7386.00 | Average | H | - | - | -81.65 | 10.80 | 36.15 | 53.98 | -17.83 |
| 7386.00 | Peak | H | - | - | -69.84 | 10.86 | 48.02 | 73.98 | -25.96 |
| 12310.00 | Average | H | - | - | -83.58 | 19.08 | 42.50 | 53.98 | -11.48 |
| 12310.00 | Peak | H | - | - | -72.38 | 19.08 | 53.70 | 73.98 | -20.28 |

Table 7-107. Radiated Measurements CDD Diversity

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 384 of 583 |




Plot 7-607. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax (SU) – Ch. 1)

Mode: 802.11ax (SU)
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 4824.00 | Average | H | - | - | -80.19 | 7.18 | 33.99 | 53.98 | -19.99 |
| 4824.00 | Peak | H | - | - | -68.11 | 7.05 | 45.94 | 73.98 | -28.04 |
| 12060.00 | Average | H | - | - | -83.46 | 18.22 | 41.76 | 53.98 | -12.22 |
| 12060.00 | Peak | H | - | - | -72.16 | 18.39 | 53.23 | 73.98 | -20.75 |

Table 7-108. Radiated Measurements CDD Diversity

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 385 of 583 |



Plot 7-608. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax (SU) – Ch. 6)



Plot 7-609. Radiated Spurious Emissions above 18GHz CDD Diversity (802.11ax (SU) – Ch.6)


| | | | |
|--|---|-----------------------------------|--|
| FCC ID: BCGA2836 IC: 579C-A2836 |  MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 386 of 583 |

Mode: 802.11ax (SU)
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dB μ V/m] | Limit [dB μ V/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------------|----------------------|-------------|
| 4874.00 | Average | H | - | - | -80.63 | 7.60 | 33.97 | 53.98 | -20.01 |
| 4874.00 | Peak | H | - | - | -69.10 | 7.34 | 45.24 | 73.98 | -28.74 |
| 7311.00 | Average | H | - | - | -81.25 | 10.77 | 36.52 | 53.98 | -17.46 |
| 7311.00 | Peak | H | - | - | -69.83 | 10.90 | 48.07 | 73.98 | -25.91 |
| 12185.00 | Average | H | - | - | -83.34 | 18.77 | 42.44 | 53.98 | -11.54 |
| 12185.00 | Peak | H | - | - | -71.69 | 18.77 | 54.09 | 73.98 | -19.89 |

Table 7-109. Radiated Measurements CDD Diversity

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 387 of 583 |



Plot 7-610. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax (SU) – Ch. 11)

Mode: 802.11ax (SU)
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 4924.00 | Average | H | - | - | -80.63 | 7.16 | 33.53 | 53.98 | -20.45 |
| 4924.00 | Peak | H | - | - | -68.92 | 7.20 | 45.27 | 73.98 | -28.71 |
| 7386.00 | Average | H | - | - | -81.55 | 10.83 | 36.28 | 53.98 | -17.70 |
| 7386.00 | Peak | H | - | - | -69.79 | 10.80 | 48.01 | 73.98 | -25.97 |
| 12310.00 | Average | H | - | - | -83.43 | 19.08 | 42.65 | 53.98 | -11.33 |
| 12310.00 | Peak | H | - | - | -71.98 | 19.08 | 54.10 | 73.98 | -19.88 |


Table 7-110. Radiated Measurements CDD Diversity

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 388 of 583 |

7.7.6 Antenna WF8 Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

| | |
|-------------------------|----------|
| Mode | 802.11b |
| Data Rate | MCS11 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2412MHz |
| Channel | 1 |



Plot 7-611 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | |
|-------------------------|----------|
| Mode | 802.11b |
| Data Rate | MCS11 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2462MHz |
| Channel | 11 |



Plot 7-612 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 389 of 583 |

| | |
|-------------------------|----------|
| Mode | 802.11b |
| Data Rate | MCS11 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2467MHz |
| Channel | 12 |



Plot 7-613 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | |
|-------------------------|----------|
| Mode | 802.11b |
| Data Rate | MCS11 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2472MHz |
| Channel | 13 |



Plot 7-614 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 390 of 583 |

Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2412MHz
Channel 1



Plot 7-615 Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2412MHz
Channel 1



Plot 7-616 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 391 of 583 |

Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2412MHz
Channel 1



Plot 7-617 Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2417MHz
Channel 2



Plot 7-618 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 392 of 583 |

Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2417MHz
Channel 2



Plot 7-619 Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2417MHz
Channel 2



Plot 7-620 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 393 of 583 |

Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2422MHz
Channel 3



Plot 7-621 Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2422MHz
Channel 3



Plot 7-622 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 394 of 583 |

Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2422MHz
Channel 3



Plot 7-623 Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2427MHz
Channel 4



Plot 7-624 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 395 of 583 |

Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2427MHz
Channel 4



Plot 7-625 Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2432MHz
Channel 5



Plot 7-626 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 396 of 583 |

Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2442MHz
Channel 7



Plot 7-627 Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2442MHz
Channel 7



Plot 7-628 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 397 of 583 |

Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2447MHz
Channel 8



Plot 7-629 Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2447MHz
Channel 8



Plot 7-630 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 398 of 583 |

Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2452MHz
Channel 9



Plot 7-631 Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2452MHz
Channel 9



Plot 7-632 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 399 of 583 |

Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2452MHz
Channel 9



Plot 7-633 Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2457MHz
Channel 10



Plot 7-634 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 400 of 583 |

| | |
|-------------------------|----------|
| Mode | 802.11n |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2457MHz |
| Channel | 10 |



Plot 7-635 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | |
|-------------------------|----------|
| Mode | 802.11n |
| Data Rate | MCS7 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2457MHz |
| Channel | 10 |



Plot 7-636 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 401 of 583 |

Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2462MHz
Channel 11



Plot 7-637 Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2462MHz
Channel 11



Plot 7-638 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 402 of 583 |

| | |
|-------------------------|----------|
| Mode | 802.11n |
| Data Rate | MCS7 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2462MHz |
| Channel | 11 |



Plot 7-639 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | |
|-------------------------|----------|
| Mode | 802.11n |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2467MHz |
| Channel | 12 |



Plot 7-640 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 403 of 583 |

Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2467MHz
Channel 12



Plot 7-641 Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2467MHz
Channel 12



Plot 7-642 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 404 of 583 |

Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2472MHz
Channel 13



Plot 7-643 Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2472MHz
Channel 13



Plot 7-644 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|--|---|---|--|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 405 of 583 |

Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2472MHz
Channel 13



Plot 7-645 Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode 802.11ax-SU
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2412MHz
Channel 1



Plot 7-646 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 406 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2412MHz |
| Channel | 1 |



Plot 7-647 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2412MHz |
| Channel | 1 |



Plot 7-648 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 407 of 583 |

Mode 802.11ax-SU
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2417MHz
Channel 2



Plot 7-649 Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode 802.11ax-SU
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2417MHz
Channel 2



Plot 7-650 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 408 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2417MHz |
| Channel | 2 |



Plot 7-651 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2422MHz |
| Channel | 3 |



Plot 7-652 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 409 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2422MHz |
| Channel | 3 |



Plot 7-653 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2422MHz |
| Channel | 3 |



Plot 7-654 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 410 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2427MHz |
| Channel | 4 |



Plot 7-655 Radiated Restricted Lower Band Edge Measurement Antenna WF8

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2427MHz |
| Channel | 4 |



Plot 7-656 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 411 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2427MHz |
| Channel | 4 |



Plot 7-657 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2432MHz |
| Channel | 5 |



Plot 7-658 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 412 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2432MHz |
| Channel | 5 |



Plot 7-659 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2432MHz |
| Channel | 5 |



Plot 7-660 Radiated Restricted Lower Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 413 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2442MHz |
| Channel | 7 |



Plot 7-661 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2442MHz |
| Channel | 7 |



Plot 7-662 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 414 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2442MHz |
| Channel | 7 |



Plot 7-663 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2447MHz |
| Channel | 8 |



Plot 7-664 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 415 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2447MHz |
| Channel | 8 |



Plot 7-665 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2447MHz |
| Channel | 8 |



Plot 7-666 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 416 of 583 |

Mode 802.11ax-SU
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2452MHz
Channel 9



Plot 7-667 Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode 802.11ax-SU
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2452MHz
Channel 9



Plot 7-668 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 417 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2452MHz |
| Channel | 9 |



Plot 7-669 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2457MHz |
| Channel | 10 |



Plot 7-670 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 418 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2457MHz |
| Channel | 10 |



Plot 7-671 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2457MHz |
| Channel | 10 |



Plot 7-672 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 419 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2462MHz |
| Channel | 11 |



Plot 7-673 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2462MHz |
| Channel | 11 |



Plot 7-674 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 420 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2462MHz |
| Channel | 11 |



Plot 7-675 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2467MHz |
| Channel | 12 |



Plot 7-676 Radiated Restricted Upper Band Edge Measurement Antenna WF8


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 421 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2467MHz |
| Channel | 12 |



Plot 7-677 Radiated Restricted Upper Band Edge Measurement Antenna WF8

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2467MHz |
| Channel | 12 |




Plot 7-678 Radiated Restricted Upper Band Edge Measurement Antenna WF8

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 422 of 583 |


7.7.7 Antenna WF7 Radiated Restricted Band Edge Measurements §15.205 §15.209; RSS-Gen [8.9]

| | |
|-------------------------|----------|
| Mode | 802.11b |
| Data Rate | MCS11 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2412MHz |
| Channel | 1 |



Plot 7-679 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | |
|-------------------------|----------|
| Mode | 802.11b |
| Data Rate | MCS11 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2462MHz |
| Channel | 11 |



Plot 7-680 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 423 of 583 |

Mode 802.11b
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 2467MHz
Channel 12



Plot 7-681 Radiated Restricted Upper Band Edge Measurement Antenna WF7


Mode 802.11b
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 2472MHz
Channel 13



Plot 7-682 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 424 of 583 |

Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2412MHz
Channel 1



Plot 7-683 Radiated Restricted Lower Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2412MHz
Channel 1



Plot 7-684 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 425 of 583 |

Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2412MHz
Channel 1



Plot 7-685 Radiated Restricted Lower Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2417MHz
Channel 2



Plot 7-686 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 426 of 583 |

Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2417MHz
Channel 2



Plot 7-687 Radiated Restricted Lower Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2417MHz
Channel 2



Plot 7-688 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 427 of 583 |

Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2422MHz
Channel 3



Plot 7-689 Radiated Restricted Lower Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2422MHz
Channel 3



Plot 7-690 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 428 of 583 |

Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2422MHz
Channel 3



Plot 7-691 Radiated Restricted Lower Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2427MHz
Channel 4



Plot 7-692 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 429 of 583 |

Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2427MHz
Channel 4



Plot 7-693 Radiated Restricted Lower Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2432MHz
Channel 5



Plot 7-694 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 430 of 583 |

Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2442MHz
Channel 7



Plot 7-695 Radiated Restricted Upper Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2442MHz
Channel 7



Plot 7-696 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 431 of 583 |

Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2447MHz
Channel 8



Plot 7-697 Radiated Restricted Upper Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2447MHz
Channel 8



Plot 7-698 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 432 of 583 |

Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2452MHz
Channel 9



Plot 7-699 Radiated Restricted Upper Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2452MHz
Channel 9



Plot 7-700 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 433 of 583 |

Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2452MHz
Channel 9



Plot 7-701 Radiated Restricted Upper Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2457MHz
Channel 10



Plot 7-702 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 434 of 583 |

Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2457MHz
Channel 10



Plot 7-703 Radiated Restricted Upper Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2457MHz
Channel 10



Plot 7-704 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 435 of 583 |

Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2462MHz
Channel 11



Plot 7-705 Radiated Restricted Upper Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2462MHz
Channel 11



Plot 7-706 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 436 of 583 |

Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2462MHz
Channel 11



Plot 7-707 Radiated Restricted Upper Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2467MHz
Channel 12



Plot 7-708 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 437 of 583 |

Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2467MHz
Channel 12



Plot 7-709 Radiated Restricted Upper Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2467MHz
Channel 12



Plot 7-710 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 438 of 583 |

Mode 802.11n
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2472MHz
Channel 13



Plot 7-711 Radiated Restricted Upper Band Edge Measurement Antenna WF7


Mode 802.11n
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2472MHz
Channel 13



Plot 7-712 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 439 of 583 |

Mode 802.11n
Data Rate MCS7
Distance of Measurement 3 Meters
Operating Frequency 2472MHz
Channel 13



Plot 7-713 Radiated Restricted Upper Band Edge Measurement Antenna WF7


Mode 802.11ax-SU
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2412MHz
Channel 1



Plot 7-714 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 440 of 583 |

Mode 802.11ax-SU
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2412MHz
Channel 1



Plot 7-715 Radiated Restricted Lower Band Edge Measurement Antenna WF7


Mode 802.11ax-SU
Data Rate MCS9
Distance of Measurement 3 Meters
Operating Frequency 2412MHz
Channel 1



Plot 7-716 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 441 of 583 |

Mode 802.11ax-SU
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2417MHz
Channel 2



Plot 7-717 Radiated Restricted Lower Band Edge Measurement Antenna WF7


Mode 802.11ax-SU
Data Rate MCS4
Distance of Measurement 3 Meters
Operating Frequency 2417MHz
Channel 2



Plot 7-718 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 442 of 583 |

Mode 802.11ax-SU
Data Rate MCS9
Distance of Measurement 3 Meters
Operating Frequency 2417MHz
Channel 2



Plot 7-719 Radiated Restricted Lower Band Edge Measurement Antenna WF7


Mode 802.11ax-SU
Data Rate MCS2
Distance of Measurement 3 Meters
Operating Frequency 2422MHz
Channel 3



Plot 7-720 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 443 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2422MHz |
| Channel | 3 |



Plot 7-721 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2422MHz |
| Channel | 3 |



Plot 7-722 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 444 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2427MHz |
| Channel | 4 |



Plot 7-723 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2427MHz |
| Channel | 4 |



Plot 7-724 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 445 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2427MHz |
| Channel | 4 |



Plot 7-725 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2432MHz |
| Channel | 5 |



Plot 7-726 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 446 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2432MHz |
| Channel | 5 |



Plot 7-727 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2432MHz |
| Channel | 5 |



Plot 7-728 Radiated Restricted Lower Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 447 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2442MHz |
| Channel | 7 |



Plot 7-729 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS4 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2442MHz |
| Channel | 7 |



Plot 7-730 Radiated Restricted Upper Band Edge Measurement Antenna WF7


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 448 of 583 |

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS9 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2442MHz |
| Channel | 7 |



Plot 7-731 Radiated Restricted Upper Band Edge Measurement Antenna WF7

| | |
|-------------------------|-------------|
| Mode | 802.11ax-SU |
| Data Rate | MCS2 |
| Distance of Measurement | 3 Meters |
| Operating Frequency | 2447MHz |
| Channel | 8 |



Plot 7-732 Radiated Restricted Upper Band Edge Measurement Antenna WF7

| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-03.BCG | Test Dates: 1/8/2024 - 3/15/2024 | EUT Type: Tablet Device | Page 449 of 583 |