



Plot 7-105. Power Spectral Density Plot Diversity Antenna WF9 (802.11ax OFDMA – RU26 Index 8 – Ch. 11)




Plot 7-106. Power Spectral Density Plot Diversity Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 1)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 86 of 220



Plot 7-107. Power Spectral Density Plot Diversity Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 6)



Plot 7-108. Power Spectral Density Plot Diversity Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 11)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 87 of 220



**Note:**

Per ANSI C63.10-2013 Subclause 14.3.2.2 and KDB 662911 D01 v02r01 Section E)2), the power spectral density at Antenna WF8 and Antenna WF7 were first measured separately as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.

**Sample CDD Calculation:**

At 2412MHz the average conducted power spectral density was measured to be -16.67 dBm for Antenna WF8 and -16.83 dBm for Antenna WF7.

$$\text{Antenna WF8} + \text{Antenna WF7} = \text{CDD}$$

$$(-16.67 \text{ dBm} + -16.83 \text{ dBm}) = (0.022 \text{ mW} + 0.021 \text{ mW}) = 0.043 \text{ mW} = -13.74 \text{ dBm}$$

<b>FCC ID:</b> BCGA2836 <b>IC:</b> 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270067-04.BCG	<b>Test Dates:</b> 1/8/2024 - 3/15/2024	<b>EUT Type:</b> Tablet Device	Page 88 of 220

V 10.6 09/14/2023

## 7.5 Conducted Authorized Band Edge

§15.247(d); RSS-247 [5.5]

### Test Overview and Limit

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates, tone configurations, and RU indices were investigated to determine the worst case configuration. For the following out of band conducted emissions plots at the band edge, the EUT was set to a data rate of MCS9 in 802.11ax-RU mode as this setting produced the worst-case emissions.

***The limit for out-of-band spurious emissions at the band edge is 20dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100kHz bandwidth per the PSD procedure (Section 7.4).***

### Test Procedure Used

ANSI C63.10-2013 – Subclause 11.11.3  
KDB 558074 D01 v05r02 – Section 8.7.2

### Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW = 100kHz
4. VBW = 1MHz
5. Detector = Peak
6. Number of sweep points  $\geq 2 \times \text{Span/RBW}$
7. Trace mode = max hold
8. Sweep time = auto couple
9. The trace was allowed to stabilize

### Test Setup


The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-4. Test Instrument & Measurement Setup**


### Test Notes

1. All antenna configurations and data rates were investigated and only the worst case are reported.
2. All RU's were investigated and only worst case partially-loaded and fully-loaded RU's are reported.


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 89 of 220

V 10.6 09/14/2023

## Antenna WF8 Conducted Emissions at the Band Edge




Plot 7-109. Band Edge Antenna WF8 (802.11ax OFDMA – RU26 Index 0 – Ch. 1)




Plot 7-110. Band Edge Antenna WF8 (802.11ax OFDMA – RU26 Index 8 – Ch. 12)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 90 of 220




Plot 7-111. Band Edge Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 1)




Plot 7-112. Band Edge Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 2)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 91 of 220




Plot 7-113. Band Edge Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 3)




Plot 7-114. Band Edge Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 4)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 92 of 220




Plot 7-115. Band Edge Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 5)




Plot 7-116. Band Edge Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 7)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 93 of 220






Plot 7-117. Band Edge Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 8)




Plot 7-118. Band Edge Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 9)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 94 of 220




Plot 7-119. Band Edge Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 10)



Plot 7-120. Band Edge Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 11)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 95 of 220




Plot 7-121. Band Edge Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 12)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 96 of 220

## Antenna WF7 Conducted Emissions at the Band Edge




Plot 7-122. Band Edge Antenna WF7 (802.11ax OFDMA – RU26 Index 0 – Ch. 1)




Plot 7-123. Band Edge Antenna WF7 (802.11ax OFDMA – RU26 Index 8 – Ch. 12)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 97 of 220




Plot 7-124. Band Edge Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 1)




Plot 7-125. Band Edge Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 2)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 98 of 220




Plot 7-126. Band Edge Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 3)




Plot 7-127. Band Edge Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 4)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 99 of 220




Plot 7-128. Band Edge Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 5)




Plot 7-129. Band Edge Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 7)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 100 of 220




Plot 7-130. Band Edge Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 8)




Plot 7-131. Band Edge Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 9)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 101 of 220





Plot 7-132. Band Edge Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 10)




Plot 7-133. Band Edge Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 11)


FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT</b> (CERTIFICATION)	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270067-04.BCG	<b>Test Dates:</b> 1/8/2024 - 3/15/2024	<b>EUT Type:</b> Tablet Device	Page 102 of 220



## Antenna WF9 Conducted Emissions at the Band Edge




Plot 7-135. Band Edge Antenna WF9 (802.11ax OFDMA – RU26 Index 0 – Ch. 1)




Plot 7-136. Band Edge Antenna WF9 (802.11ax OFDMA – RU26 Index 8 – Ch. 12)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 104 of 220




Plot 7-137. Band Edge Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 1)




Plot 7-138. Band Edge Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 2)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 105 of 220




Plot 7-139. Band Edge Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 3)




Plot 7-140. Band Edge Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 4)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 106 of 220




Plot 7-141. Band Edge Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 5)




Plot 7-142. Band Edge Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 7)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 107 of 220




Plot 7-143. Band Edge Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 8)




Plot 7-144. Band Edge Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 9)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 108 of 220




Plot 7-145. Band Edge Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 10)



Plot 7-146. Band Edge Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 11)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 109 of 220





**Plot 7-147. Band Edge Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 12)**

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG		Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 110 of 220

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).

## 7.6 Conducted Spurious Emissions

§15.247(d); RSS-247 [5.5]

### Test Overview and Limit

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates, tone configurations, and RU indices were investigated to determine the worst case configuration. For the following out of band conducted emissions plots, the EUT was set to a data rate of MCS9 in 802.11ax-RU mode as this setting produced the worst-case emissions.

***The limit for out-of-band spurious emissions at the band edge is 20dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100kHz bandwidth per the procedure in Subclause 11.11 of ANSI C63.10-2013 and KDB 558074 D01 v05r02.***

### Test Procedure Used

ANSI C63.10-2013 – Subclause 11.11.3  
 KDB 558074 D01 v05r02 – Section 8.5  
 ANSI C63.10-2013 – Subclause 14.3.3  
 KDB 662911 D01 v02r01 – Section E)3)b)

### Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 25GHz (separated into two plots per channel)
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = Peak
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-5. Test Instrument & Measurement Setup**

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 111 of 220


V 10.6 09/14/2023

**Test Notes**


1. RBW was set to 1MHz rather than 100kHz in order to increase the measurement speed.
2. The display line shown in the following plots denotes the limit at 20dB below the fundamental emission level measured in a 100kHz bandwidth. However, since the traces in the following plots are measured with a 1MHz RBW, the display line may not necessarily appear to be 20dB below the level of the fundamental in a 1MHz bandwidth.
3. For plots showing conducted spurious emissions near the limit, the frequencies were investigated with a reduced RBW to ensure that no emissions were present.
4. The conducted spurious emissions were measured to relative limits. Therefore, in accordance with ANSI C63.10-2013 and KDB 662911 D01 v02r01 Section E)3)b), it was unnecessary to show compliance through the summation of test results of the individual outputs.
5. All antenna configurations and data rates were investigated and only the worst case are reported.
6. All RU's were investigated and only worst case partially-loaded and fully-loaded RU's are reported.

<b>FCC ID:</b> BCGA2836 <b>IC:</b> 579C-A2836	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270067-04.BCG		<b>Test Dates:</b> 1/8/2024 - 3/15/2024

## Antenna WF8 Conducted Spurious Emission




Plot 7-148. Conducted Spurious Plot Antenna WF8 (802.11ax OFDMA – RU26 – Ch. 1)




Plot 7-149. Conducted Spurious Plot Antenna WF8 (802.11ax OFDMA – RU26 – Ch. 1)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 113 of 220




Plot 7-150. Conducted Spurious Plot Antenna WF8 (802.11ax OFDMA – RU26 – Ch. 6)




Plot 7-151. Conducted Spurious Plot Antenna WF8 (802.11ax OFDMA – RU26 – Ch. 6)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 114 of 220




Plot 7-152. Conducted Spurious Plot Antenna WF8 (802.11ax OFDMA – RU26 – Ch. 11)




Plot 7-153. Conducted Spurious Plot Antenna WF8 (802.11ax OFDMA – RU26 – Ch. 11)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 115 of 220




Plot 7-154. Conducted Spurious Plot Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 1)




Plot 7-155. Conducted Spurious Plot Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 1)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 116 of 220




Plot 7-156. Conducted Spurious Plot Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 6)




Plot 7-157. Conducted Spurious Plot Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 6)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 117 of 220






Plot 7-158. Conducted Spurious Plot Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 11)




Plot 7-159. Conducted Spurious Plot Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 11)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 118 of 220

## Antenna WF7 Conducted Spurious Emissions




Plot 7-160. Conducted Spurious Plot Antenna WF7 (802.11ax OFDMA – RU26 – Ch. 1)




Plot 7-161. Conducted Spurious Plot Antenna WF7 (802.11ax OFDMA – RU26 – Ch. 1)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 119 of 220




Plot 7-162. Conducted Spurious Plot Antenna WF7 (802.11ax OFDMA – RU26 – Ch. 6)




Plot 7-163. Conducted Spurious Plot Antenna WF7 (802.11ax OFDMA – RU26 – Ch. 6)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 120 of 220




Plot 7-164. Conducted Spurious Plot Antenna WF7 (802.11ax OFDMA – RU26 – Ch. 11)




Plot 7-165. Conducted Spurious Plot Antenna WF7 (802.11ax OFDMA – RU26 – Ch. 11)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 121 of 220




Plot 7-166. Conducted Spurious Plot Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 1)




Plot 7-167. Conducted Spurious Plot Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 1)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 122 of 220




Plot 7-168. Conducted Spurious Plot Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 6)




Plot 7-169. Conducted Spurious Plot Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 6)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 123 of 220




Plot 7-170. Conducted Spurious Plot Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 11)




Plot 7-171. Conducted Spurious Plot Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 11)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 124 of 220

## Antenna WF9 Conducted Spurious Emissions




Plot 7-172. Conducted Spurious Plot Antenna WF9 (802.11ax OFDMA – RU26 – Ch. 1)




Plot 7-173. Conducted Spurious Plot Antenna WF9 (802.11ax OFDMA – RU26 – Ch. 1)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 125 of 220






Plot 7-174. Conducted Spurious Plot Antenna WF9 (802.11ax OFDMA – RU26 – Ch. 6)




Plot 7-175. Conducted Spurious Plot Antenna WF9 (802.11ax OFDMA – RU26 – Ch. 6)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 126 of 220




Plot 7-176. Conducted Spurious Plot Antenna WF9 (802.11ax OFDMA – RU26 – Ch. 11)




Plot 7-177. Conducted Spurious Plot Antenna WF9 (802.11ax OFDMA – RU26 – Ch. 11)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 127 of 220




Plot 7-178. Conducted Spurious Plot Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 1)




Plot 7-179. Conducted Spurious Plot Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 1)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 128 of 220




Plot 7-180. Conducted Spurious Plot Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 6)




Plot 7-181. Conducted Spurious Plot Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 6)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 129 of 220



Plot 7-182. Conducted Spurious Plot Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 11)



Plot 7-183. Conducted Spurious Plot Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 11)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 130 of 220

## 7.7 Radiated Spurious Emissions – Above 1 GHz

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]

### Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

***All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-30 per Section 15.209 and RSS-Gen (8.9).***

Frequency	Field Strength [ $\mu\text{V/m}$ ]	Measured Distance [Meters]
Above 960.0 MHz	500	3

**Table 7-30. Radiated Limits**

### Test Procedures Used

ANSI C63.10-2013 – Subclause 6.6.4.3  
KDB 558074 D01 v05r02 – Sections 8.6, 8.7

### Test Settings

#### Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be  $\geq 2 \times \text{span/RBW}$ )
6. Sweep time = auto
7. Trace (RMS) averaging was performed over at least 100 traces

#### Peak Field Strength Measurements


1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 131 of 220

V 10.6 09/14/2023

## Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-6. Radiated Measurement Setup**

## Test Notes

1. The optional test procedures for antenna port conducted measurements of unwanted emissions per the guidance of KDB 558074 D01 v05r02 were not used to evaluate this device for compliance to radiated limits. All Radiated Spurious Emissions levels were measured in a radiated test setup.
2. All emissions lying in restricted bands specified in Section 15.205 and Section 8.10 of RSS-Gen are below the limit shown in Table 7-30.
3. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
4. This unit was tested with its standard battery.
5. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas.
6. D is the measurement test distance and emissions 1-18GHz were measured at a 3 meters test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
7. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. Any emissions found to be within 20dB of the limit are fully investigated and the results are shown in this section.
8. The "-" shown in the following RSE tables are used to denote a noise floor measurement.
9. All data rates were investigated and only the worst case is reported.
10. For radiated measurements, emissions were investigated for the fully-loaded RU configuration and for all the partially-loaded RU configurations. Among all of the available partially-loaded RU configurations, only the configuration with the worst case emissions is reported.

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 132 of 220

V 10.6 09/14/2023

## Sample Calculations

### Determining Spurious Emissions Levels

- Field Strength Level  $_{[dB_{\mu V/m}]} = \text{Analyzer Level }_{[dBm]} + 107 + \text{AFCL }_{[dB/m]}$
- $\text{AFCL }_{[dB/m]} = \text{Antenna Factor }_{[dB/m]} + \text{Cable Loss }_{[dB]} - \text{Preamplifier Gain }_{[dB]}$
- $\text{Margin }_{[dB]} = \text{Field Strength Level }_{[dB_{\mu V/m}]} - \text{Limit }_{[dB_{\mu V/m}]}$

### Radiated Band Edge Measurement Offset

- The amplitude offset shown in the radiated restricted band edge plots in Sections 7.7.6, 7.7.7, 7.7.8, 7.7.9, and 7.7.10 were calculated using the formula:  
 $\text{Offset (dB)} = (\text{Antenna Factor} + \text{Cable Loss} + \text{Attenuator}) - \text{Preamplifier Gain}$


<b>FCC ID:</b> BCGA2836 <b>IC:</b> 579C-A2836	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270067-04.BCG		<b>Test Dates:</b> 1/8/2024 - 3/15/2024

V 10.6 09/14/2023



### 7.7.1 Antenna WF8 Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




**Plot 7-184. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax OFDMA – RU26 – Ch. 1)**

Worst Case Mode:	<u>802.11ax OFDMA</u>
Worst Case Transfer Rate:	<u>MCS0</u>
RU Index:	<u>4</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>2412MHz</u>
Channel:	<u>01</u>

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	H	-	-	-77.70	4.22	33.51	53.98	-20.47
4824.00	Peak	H	-	-	-66.15	4.22	45.07	73.98	-28.91
12060.00	Average	H	-	-	-80.57	12.13	38.56	53.98	-15.42
12060.00	Peak	H	-	-	-68.68	12.13	50.45	73.98	-23.53

**Table 7-31. Radiated Measurements Antenna WF8 (RU26)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 134 of 220




**Plot 7-185. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax OFDMA – RU26 – Ch. 6)**

Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-78.14	4.32	33.19	53.98	-20.79
4874.00	Peak	H	-	-	-65.90	4.25	45.35	73.98	-28.63
7311.00	Average	H	-	-	-79.05	8.84	36.79	53.98	-17.19
7311.00	Peak	H	-	-	-67.35	8.75	48.40	73.98	-25.58
12185.00	Average	H	-	-	-80.85	12.46	38.61	53.98	-15.37
12185.00	Peak	H	-	-	-69.50	12.46	49.96	73.98	-24.02

**Table 7-32. Radiated Measurements Antenna WF8 (RU26)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 135 of 220




**Plot 7-186. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax OFDMA – RU26 – Ch. 11)**

Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Average	V	-	-	-77.93	4.19	33.26	53.98	-20.72
4924.00	Peak	V	-	-	-66.48	4.46	44.98	73.98	-29.00
7386.00	Average	V	-	-	-78.78	8.52	36.74	53.98	-17.24
7386.00	Peak	V	-	-	-67.07	8.52	48.44	73.98	-25.54
12310.00	Average	V	-	-	-80.79	12.43	38.64	53.98	-15.34
12310.00	Peak	V	-	-	-69.25	12.43	50.18	73.98	-23.80

**Table 7-33. Radiated Measurements Antenna WF8 (RU26)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 136 of 220




**Plot 7-187. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 1)**

Worst Case Mode:	<u>802.11ax OFDMA</u>
Worst Case Transfer Rate:	<u>MCS0</u>
RU Index:	<u>61</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>2412MHz</u>
Channel:	<u>01</u>

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	V	-	-	-77.91	4.22	33.30	53.98	-20.68
4824.00	Peak	V	-	-	-66.01	4.22	45.20	73.98	-28.78
12060.00	Average	V	-	-	-80.48	12.13	38.65	53.98	-15.33
12060.00	Peak	V	-	-	-68.81	12.13	50.33	73.98	-23.65

**Table 7-34. Radiated Measurements Antenna WF8 (RU242)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 137 of 220




**Plot 7-188. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 6)**

Worst Case Mode:	<u>802.11ax OFDMA</u>
Worst Case Transfer Rate:	<u>MCS0</u>
RU Index:	<u>61</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>2437MHz</u>
Channel:	<u>06</u>

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-77.59	4.32	33.73	53.98	-20.25
4874.00	Peak	H	-	-	-65.61	4.32	45.72	73.98	-28.26
7311.00	Average	H	-	-	-79.14	8.93	36.79	53.98	-17.19
7311.00	Peak	H	-	-	-67.51	8.93	48.42	73.98	-25.56
12185.00	Average	H	-	-	-81.07	12.46	38.39	53.98	-15.59
12185.00	Peak	H	-	-	-69.60	12.46	49.86	73.98	-24.12

**Table 7-35. Radiated Measurements Antenna WF8 (RU242)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 138 of 220



**Plot 7-189. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax OFDMA – RU242 – Ch. 11)**

Worst Case Mode:	<u>802.11ax OFDMA</u>
Worst Case Transfer Rate:	<u>MCS0</u>
RU Index:	<u>61</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>2462MHz</u>
Channel:	<u>11</u>


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Average	H	-	-	-76.02	1.92	32.91	53.98	-21.07
4924.00	Peak	H	-	-	-66.29	1.92	42.64	73.98	-31.34
7386.00	Average	H	-	-	-77.44	4.18	33.74	53.98	-20.24
7386.00	Peak	H	-	-	-66.74	4.18	44.44	73.98	-29.54
12310.00	Average	H	-	-	-77.46	9.87	39.40	53.98	-14.58
12310.00	Peak	H	-	-	-68.39	9.87	48.47	73.98	-25.51

**Table 7-36. Radiated Measurements Antenna WF8 (RU242)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 139 of 220

## 7.7.2 Antenna WF7 Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]



**Plot 7-190. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax OFDMA – RU26 – Ch. 1)**


Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	V	-	-	-75.78	2.43	33.65	53.98	-20.33
4824.00	Peak	V	-	-	-65.87	2.43	43.56	73.98	-30.42
12060.00	Average	V	-	-	-78.40	8.88	37.48	53.98	-16.50
12060.00	Peak	V	-	-	-67.44	8.82	48.39	73.98	-25.59

**Table 7-37. Radiated Measurements Antenna WF7 (RU26)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 140 of 220

V 10.6 09/14/2023



**Plot 7-191. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax OFDMA – RU26 – Ch. 6)**


Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-76.77	2.10	32.34	53.98	-21.64
4874.00	Peak	H	-	-	-66.13	2.10	42.97	73.98	-31.01
7311.00	Average	H	-	-	-76.40	4.00	34.61	53.98	-19.37
7311.00	Peak	H	-	-	-66.19	4.00	44.81	73.98	-29.17
12185.00	Average	H	-	-	-78.26	9.41	38.15	53.98	-15.83
12185.00	Peak	H	-	-	-68.09	9.41	48.32	73.98	-25.66

**Table 7-38. Radiated Measurements Antenna WF7 (RU26)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 141 of 220






**Plot 7-192. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax OFDMA – RU26 – Ch. 11)**

Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	V	-	-	-76.63	1.92	32.30	53.98	-21.68
4924.00	Peak	V	-	-	-65.69	1.92	43.23	73.98	-30.75
7386.00	Average	V	-	-	-77.11	4.26	34.15	53.98	-19.83
7386.00	Peak	V	-	-	-67.04	4.26	44.22	73.98	-29.76
12310.00	Average	V	-	-	-78.19	9.87	38.67	53.98	-15.31
12310.00	Peak	V	-	-	-68.44	9.87	48.43	73.98	-25.55

**Table 7-39. Radiated Measurements Antenna WF7 (RU26)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 142 of 220




**Plot 7-193. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 1)**

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Average	H	-	-	-76.10	2.43	33.33	53.98	-20.65
4824.00	Peak	H	-	-	-65.81	2.43	43.62	73.98	-30.36
12060.00	Average	H	-	-	-77.64	8.88	38.24	53.98	-15.74
12060.00	Peak	H	-	-	-67.57	8.88	48.31	73.98	-25.67

**Table 7-40. Radiated Measurements Antenna WF7 (RU242)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 143 of 220




**Plot 7-194. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 6)**

Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-76.62	2.10	32.48	53.98	-21.50
4874.00	Peak	H	-	-	-66.04	2.10	43.07	73.98	-30.91
7311.00	Average	H	-	-	-76.99	4.06	34.08	53.98	-19.90
7311.00	Peak	H	-	-	-66.76	4.06	44.31	73.98	-29.67
12185.00	Average	H	-	-	-78.63	9.41	37.78	53.98	-16.20
12185.00	Peak	H	-	-	-68.25	9.41	48.16	73.98	-25.82

**Table 7-41. Radiated Measurements Antenna WF7 (RU242)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 144 of 220



**Plot 7-195. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 11)**

Worst Case Mode:	<u>802.11ax OFDMA</u>
Worst Case Transfer Rate:	<u>MCS0</u>
RU Index:	<u>61</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>2462MHz</u>
Channel:	<u>11</u>


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	H	-	-	-76.14	1.95	32.81	53.98	-21.17
4924.00	Peak	H	-	-	-66.32	1.95	42.63	73.98	-31.35
7386.00	Average	H	-	-	-77.33	4.26	33.93	53.98	-20.05
7386.00	Peak	H	-	-	-66.85	4.26	44.41	73.98	-29.57
12310.00	Average	H	-	-	-78.46	9.64	38.19	53.98	-15.79
12310.00	Peak	H	-	-	-68.19	9.64	48.45	73.98	-25.53

**Table 7-42. Radiated Measurements Antenna WF7 (RU242)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 145 of 220

### 7.7.3 Antenna WF9 Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




**Plot 7-196. Radiated Spurious Emissions above 1GHz Antenna WF9 (802.11ax OFDMA – RU26 – Ch. 1)**

Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	H	-	-	-78.88	7.05	35.17	53.98	-18.81
4824.00	Peak	H	-	-	-68.85	7.05	45.19	73.98	-28.79
12060.00	Average	H	-	-	-82.16	18.39	43.23	53.98	-10.75
12060.00	Peak	H	-	-	-71.71	18.39	53.68	73.98	-20.30

**Table 7-43. Radiated Measurements Antenna WF9 (RU26)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 146 of 220




**Plot 7-197. Radiated Spurious Emissions above 1GHz Antenna WF9 (802.11ax OFDMA – RU26 – Ch. 6)**

Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	V	-	-	-78.99	7.60	35.61	53.98	-18.37
4874.00	Peak	V	-	-	-68.47	7.60	46.13	73.98	-27.85
7311.00	Average	V	-	-	-80.13	10.90	37.77	53.98	-16.21
7311.00	Peak	V	-	-	-69.98	10.90	47.92	73.98	-26.06
12185.00	Average	V	-	-	-82.54	19.02	43.48	53.98	-10.50
12185.00	Peak	V	-	-	-71.75	19.02	54.28	73.98	-19.70

**Table 7-44. Radiated Measurements Antenna WF9 (RU26)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 147 of 220




**Plot 7-198. Radiated Spurious Emissions above 1GHz Antenna WF9 (802.11ax OFDMA – RU26 – Ch. 11)**

Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	H	-	-	-79.41	7.20	34.78	53.98	-19.20
4924.00	Peak	H	-	-	-69.16	7.20	45.03	73.98	-28.95
7386.00	Average	H	-	-	-80.33	10.86	37.52	53.98	-16.46
7386.00	Peak	H	-	-	-70.15	10.86	47.71	73.98	-26.27
12310.00	Average	H	-	-	-81.92	19.08	44.16	53.98	-9.82
12310.00	Peak	H	-	-	-71.22	19.08	54.86	73.98	-19.12

**Table 7-45. Radiated Measurements Antenna WF9 (RU26)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 148 of 220



**Plot 7-199. Radiated Spurious Emissions above 1GHz Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 1)**


Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	H	-	-	-78.77	7.05	35.27	53.98	-18.71
4824.00	Peak	H	-	-	-68.57	7.05	45.48	73.98	-28.50
12060.00	Average	H	-	-	-82.24	18.22	42.98	53.98	-11.00
12060.00	Peak	H	-	-	-71.59	18.22	53.63	73.98	-20.35

**Table 7-46. Radiated Measurements Antenna WF9 (RU242)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 149 of 220






**Plot 7-200. Radiated Spurious Emissions above 1GHz Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 6)**

Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	V	-	-	-79.23	7.34	35.11	53.98	-18.87
4874.00	Peak	V	-	-	-68.79	7.34	45.55	73.98	-28.43
7311.00	Average	V	-	-	-79.77	10.79	38.01	53.98	-15.97
7311.00	Peak	V	-	-	-69.72	10.79	48.06	73.98	-25.92
12185.00	Average	V	-	-	-82.51	19.02	43.51	53.98	-10.47
12185.00	Peak	V	-	-	-72.21	19.02	53.81	73.98	-20.17

**Table 7-47. Radiated Measurements Antenna WF9 (RU242)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 150 of 220



**Plot 7-201. Radiated Spurious Emissions above 1GHz Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 11)**

Worst Case Mode:	<u>802.11ax OFDMA</u>
Worst Case Transfer Rate:	<u>MCS0</u>
RU Index:	<u>61</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>2462MHz</u>
Channel:	<u>11</u>


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4924.00	Average	H	-	-	-79.66	7.88	35.22	53.98	-18.76
4924.00	Peak	H	-	-	-69.47	7.88	45.40	73.98	-28.58
7386.00	Average	H	-	-	-79.97	10.83	37.86	53.98	-16.12
7386.00	Peak	H	-	-	-70.25	10.83	47.58	73.98	-26.40
12310.00	Average	H	-	-	-81.34	18.21	43.86	53.98	-10.12
12310.00	Peak	H	-	-	-71.78	18.21	53.43	73.98	-20.55

**Table 7-48. Radiated Measurements Antenna WF9 (RU242)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 151 of 220

### 7.7.4 CDD Primary Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




**Plot 7-202. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax OFDMA – RU26 – Ch. 1)**

Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	V	-	-	-76.45	2.43	32.98	53.98	-21.00
4824.00	Peak	V	-	-	-65.65	2.43	43.78	73.98	-30.20
12060.00	Average	V	-	-	-78.51	8.88	37.38	53.98	-16.60
12060.00	Peak	V	-	-	-67.69	8.66	47.97	73.98	-26.01

**Table 7-49. Radiated Measurements CDD Primary (RU26)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 152 of 220




**Plot 7-203. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax OFDMA – RU26 – Ch. 6)**

Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-76.58	2.10	32.53	53.98	-21.45
4874.00	Peak	H	-	-	-65.51	2.10	43.60	73.98	-30.38
7311.00	Average	H	-	-	-77.56	4.06	33.50	53.98	-20.48
7311.00	Peak	H	-	-	-66.76	4.06	44.30	73.98	-29.68
12185.00	Average	H	-	-	-78.45	9.59	38.14	53.98	-15.84
12185.00	Peak	H	-	-	-68.18	9.59	48.41	73.98	-25.57

**Table 7-50. Radiated Measurements CDD Primary (RU26)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 153 of 220




**Plot 7-204. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax OFDMA – RU26 – Ch. 11)**

Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
4924.00	Average	V	-	-	-79.56	7.20	34.64	53.98	-19.34
4924.00	Peak	V	-	-	-69.03	7.20	45.17	73.98	-28.81
7386.00	Average	V	-	-	-80.17	10.86	37.68	53.98	-16.30
7386.00	Peak	V	-	-	-70.13	10.86	47.73	73.98	-26.25
12310.00	Average	V	-	-	-82.31	19.08	43.78	53.98	-10.20
12310.00	Peak	V	-	-	-72.19	19.08	53.89	73.98	-20.09

**Table 7-51. Radiated Measurements CDD Primary (RU26)**

FCC ID: BCGA2836 IC: 579C-A2836	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 154 of 220



**Plot 7-205. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax OFDMA – RU242 – Ch. 1)**

Worst Case Mode: 802.11ax OFDMA  
 Worst Case Transfer Rate: MCS0  
 RU Index: 61  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	H	-	-	-78.86	7.18	35.32	53.98	-18.66
4824.00	Peak	H	-	-	-68.76	7.18	45.42	73.98	-28.56
12060.00	Average	H	-	-	-82.08	18.05	42.97	53.98	-11.01
12060.00	Peak	H	-	-	-71.74	18.05	53.31	73.98	-20.67

**Table 7-52. Radiated Measurements CDD Primary (RU242)**

FCC ID: BCGA2836 IC: 579C-A2836		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270067-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device		Page 155 of 220