




Plot 7-518. PSD Antenna WF7 (160MHz BW 802.11ac – Ch. 50, MCS9)




Plot 7-521. PSD Antenna WF7 (20MHz BW 802.11ac(SU) – Ch. 60, MCS11)




Plot 7-519. PSD Antenna WF7 (160MHz BW 802.11ax(SU) – Ch. 50, MCS11)



Plot 7-522. PSD Antenna WF7 (40MHz BW 802.11n – Ch. 54, MCS7)




Plot 7-520. PSD Antenna WF7 (20MHz BW 802.11n – Ch. 60, MCS7)




Plot 7-523. PSD Antenna WF7 (40MHz BW 802.11ax(SU) – Ch. 54, MCS11)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 205 of 595




Plot 7-524. PSD Antenna WF7 (80MHz BW 802.11ac - Ch. 58, MCS9)




Plot 7-527. PSD Antenna WF7 (20MHz BW 802.11ac(SU) - Ch. 116, MCS11)




Plot 7-525. PSD Antenna WF7 (80MHz BW 802.11ax(SU) - Ch. 58, MCS11)



Plot 7-528. PSD Antenna WF7 (40MHz BW 802.11n - Ch. 110, MCS7)




Plot 7-526. PSD Antenna WF7 (20MHz BW 802.11n - Ch. 116, MCS7)




Plot 7-529. PSD Antenna WF7 (40MHz BW 802.11ax(SU) - Ch. 110, MCS11)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 206 of 595




Plot 7-530. PSD Antenna WF7 (80MHz BW 802.11ac – Ch. 122, MCS9)



Plot 7-532. PSD Antenna WF7 (160MHz BW 802.11ac – Ch. 114, MCS9)



Plot 7-531. PSD Antenna WF7 (80MHz BW 802.11ax(SU) – Ch. 122, MCS11)



Plot 7-533. PSD Antenna WF7 (160MHz BW 802.11ax(SU) – Ch. 114, MCS11)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 207 of 595

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	19.5/21.7 (MCS2)	6.07	30.0	-23.9
	5785	157	n (20MHz)	19.5/21.7 (MCS2)	5.92	30.0	-24.1
	5825	165	n (20MHz)	19.5/21.7 (MCS2)	6.24	30.0	-23.8
	5745	149	ax (SU) (20MHz)	24/25.8 (MCS2)	4.88	30.0	-25.1
	5785	157	ax (SU) (20MHz)	24/25.8 (MCS2)	4.74	30.0	-25.3
	5825	165	ax (SU) (20MHz)	24/25.8 (MCS2)	4.88	30.0	-25.1
	5755	151	n (40MHz)	40/40.5 (MCS2)	3.04	30.0	-27.0
	5795	159	n (40MHz)	40/40.5 (MCS2)	3.14	30.0	-26.9
	5755	151	ax (SU) (40MHz)	49/51.6 (MCS2)	2.10	30.0	-27.9
	5795	159	ax (SU) (40MHz)	49/51.6 (MCS2)	1.96	30.0	-28.0
	5775	155	ac (80MHz)	87.8/97.5 (MCS2)	-0.86	30.0	-30.9
	5775	155	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.74	30.0	-32.7

Table 7-221. Band 3 Power Spectral Density Measurements Antenna WF7 (Low Data Rate)


	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	39/43.3 (MCS4)	6.55	30.0	-23.5
	5785	157	n (20MHz)	39/43.3 (MCS4)	6.21	30.0	-23.8
	5825	165	n (20MHz)	39/43.3 (MCS4)	6.51	30.0	-23.5
	5745	149	ax (SU) (20MHz)	49/51.6 (MCS4)	5.17	30.0	-24.8
	5785	157	ax (SU) (20MHz)	49/51.6 (MCS4)	4.87	30.0	-25.1
	5825	165	ax (SU) (20MHz)	49/51.6 (MCS4)	5.40	30.0	-24.6
	5755	151	n (40MHz)	81/90 (MCS4)	3.36	30.0	-26.6
	5795	159	n (40MHz)	81/90 (MCS4)	3.28	30.0	-26.7
	5755	151	ax (SU) (40MHz)	98/103.2 (MCS4)	2.03	30.0	-28.0
	5795	159	ax (SU) (40MHz)	98/103.2 (MCS4)	2.07	30.0	-27.9
	5775	155	ac (80MHz)	175.5/195 (MCS4)	-0.98	30.0	-31.0
	5775	155	ax (SU) (80MHz)	204/216.2 (MCS4)	-3.88	30.0	-33.9

Table 7-222. Band 3 Power Spectral Density Measurements Antenna WF7 (Mid Data Rate)


	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	65/72.2 (MCS7)	5.24	30.0	-24.8
	5785	157	n (20MHz)	65/72.2 (MCS7)	5.16	30.0	-24.8
	5825	165	n (20MHz)	65/72.2 (MCS7)	5.40	30.0	-24.6
	5745	149	ax (SU) (20MHz)	135/143.4 (MCS11)	5.05	30.0	-25.0
	5785	157	ax (SU) (20MHz)	135/143.4 (MCS11)	4.92	30.0	-25.1
	5825	165	ax (SU) (20MHz)	135/143.4 (MCS11)	5.31	30.0	-24.7
	5755	151	n (40MHz)	135/150 (MCS7)	2.13	30.0	-27.9
	5795	159	n (40MHz)	135/150 (MCS7)	1.97	30.0	-28.0
	5755	151	ax (SU) (40MHz)	271/286 (MCS11)	2.12	30.0	-27.9
	5795	159	ax (SU) (40MHz)	271/286 (MCS11)	2.31	30.0	-27.7
	5775	155	ac (80MHz)	390/433.3 (MCS9)	-3.28	30.0	-33.3
	5775	155	ax (SU) (80MHz)	567/600.5 (MCS11)	-3.66	30.0	-33.7

Table 7-223. Band 3 Power Spectral Density Measurements Antenna WF7 (High Data Rate)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 208 of 595




Plot 7-534. PSD Antenna WF7 (20MHz BW 802.11n – Ch. 157, MCS2)




Plot 7-537. PSD Antenna WF7 (40MHz BW 802.11ax(SU) – Ch. 151, MCS2)




Plot 7-535. PSD Antenna WF7 (20MHz BW 802.11ax(SU) – Ch. 157, MCS2)



Plot 7-538. PSD Antenna WF7 (80MHz BW 802.11ac – Ch. 155, MCS2)




Plot 7-536. PSD Antenna WF7 (40MHz BW 802.11n – Ch. 151, MCS2)



Plot 7-539. PSD Antenna WF7 (80MHz BW 802.11ax(SU) – Ch. 155, MCS2)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 209 of 595




Plot 7-540. PSD Antenna WF7 (20MHz BW 802.11n – Ch. 157, MCS4)




Plot 7-543. PSD Antenna WF7 (40MHz BW 802.11ax(SU) – Ch. 151, MCS4)




Plot 7-541. PSD Antenna WF7 (20MHz BW 802.11ax(SU) – Ch. 157, MCS4)



Plot 7-544. PSD Antenna WF7 (80MHz BW 802.11ac – Ch. 155, MCS4)




Plot 7-542. PSD Antenna WF7 (40MHz BW 802.11n – Ch. 151, MCS4)




Plot 7-545. PSD Antenna WF7 (80MHz BW 802.11ax SU – Ch. 155, MCS4)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 210 of 595




Plot 7-546. PSD Antenna WF7 (20MHz BW 802.11n – Ch. 157, MCS7)




Plot 7-549. PSD Antenna WF7 (40MHz BW 802.11ax(SU) – Ch. 151, MCS11)




Plot 7-547. PSD Antenna WF7 (20MHz BW 802.11ax(SU) – Ch. 157, MCS11)



Plot 7-550. PSD Antenna WF7 (80MHz BW 802.11ac – Ch. 155, MCS9)



Plot 7-548. PSD Antenna WF7 (40MHz BW 802.11n – Ch. 151, MCS7)



Plot 7-551. PSD Antenna WF7 (80MHz BW 802.11ax SU – Ch. 155, MCS11)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 211 of 595

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	5.92	-0.20	5.72	10.0	-4.29
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	6.33	-0.20	6.13	10.0	-3.87
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	6.02	-0.20	5.82	10.0	-4.18
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	4.63	-0.20	4.43	10.0	-5.57
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	5.04	-0.20	4.84	10.0	-5.17
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	4.38	-0.20	4.18	10.0	-5.82
	5190	38	n (40MHz)	40/40.5 (MCS2)	2.36	-0.20	2.16	10.0	-7.84
	5230	46	n (40MHz)	40/40.5 (MCS2)	6.04	-0.20	5.84	10.0	-4.16
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	0.82	-0.20	0.62	10.0	-9.38
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	4.79	-0.20	4.59	10.0	-5.41
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-1.48	-0.20	-1.68	10.0	-11.68
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-3.42	-0.20	-3.62	10.0	-13.62
Band 1/2	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	-6.74	-0.20	-6.94	10.0	-16.94
	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	-8.06	-0.20	-8.26	10.0	-18.26

Table 7-224. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF7 (Low Data Rate)


	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	6.00	-0.20	5.80	10.0	-4.21
	5200	40	n (20MHz)	39/43.3 (MCS4)	6.05	-0.20	5.85	10.0	-4.15
	5240	48	n (20MHz)	39/43.3 (MCS4)	6.12	-0.20	5.92	10.0	-4.08
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	4.54	-0.20	4.34	10.0	-5.66
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	4.72	-0.20	4.52	10.0	-5.48
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	4.71	-0.20	4.51	10.0	-5.50
	5190	38	n (40MHz)	81/90 (MCS4)	2.08	-0.20	1.88	10.0	-8.12
	5230	46	n (40MHz)	81/90 (MCS4)	6.51	-0.20	6.31	10.0	-3.69
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	0.12	-0.20	-0.08	10.0	-10.08
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	4.88	-0.20	4.68	10.0	-5.33
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-1.93	-0.20	-2.13	10.0	-12.13
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-3.76	-0.20	-3.96	10.0	-13.96
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	-7.00	-0.20	-7.20	10.0	-17.20
	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	-7.94	-0.20	-8.14	10.0	-18.14

Table 7-225. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF7 (Mid Data Rate)


	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	5.14	-0.20	4.94	10.0	-5.06
	5200	40	n (20MHz)	65/72.2 (MCS7)	5.48	-0.20	5.28	10.0	-4.72
	5240	48	n (20MHz)	65/72.2 (MCS7)	5.12	-0.20	4.92	10.0	-5.08
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	4.54	-0.20	4.34	10.0	-5.66
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	4.66	-0.20	4.46	10.0	-5.54
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	4.91	-0.20	4.71	10.0	-5.29
	5190	38	n (40MHz)	135/150 (MCS7)	0.22	-0.20	0.02	10.0	-9.98
	5230	46	n (40MHz)	135/150 (MCS7)	5.00	-0.20	4.80	10.0	-5.20
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	-0.28	-0.20	-0.48	10.0	-10.48
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	5.18	-0.20	4.98	10.0	-5.02
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-3.83	-0.20	-4.03	10.0	-14.03
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.14	-0.20	-4.34	10.0	-14.34
Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	-8.30	-0.20	-8.50	10.0	-18.50
	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	-8.82	-0.20	-9.02	10.0	-19.02

Table 7-226. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF7 (High Data Rate)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device		Page 212 of 595




Plot 7-552. ISED PSD Antenna WF7 (20MHz BW 11n – Ch.40, MCS2)




Plot 7-555. ISED PSD Antenna WF7 (40MHz BW 11ax(SU) – Ch.46, MCS2)




Plot 7-553. ISED PSD Antenna WF7 (20MHz BW 11ax(SU) – Ch.40, MCS2)



Plot 7-556. ISED PSD Antenna WF7 (80MHz BW 11ac – Ch.42, MCS2)




Plot 7-554. ISED PSD Antenna WF7 (40MHz BW 11n – Ch.46, MCS2)




Plot 7-557. ISED PSD Antenna WF7 (80MHz BW 11ax (SU) – Ch.42, MCS2)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 213 of 595




Plot 7-558. ISED PSD Antenna WF7 (160MHz BW 11ac – Ch.50, MCS2)




Plot 7-559. ISED PSD Antenna WF7 (160MHz BW 11ax (SU) – Ch.50, MCS2)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 214 of 595




Plot 7-560. ISED PSD Antenna WF7 (20MHz BW 11n – Ch.40, MCS4)




Plot 7-563. ISED PSD Antenna WF7 (40MHz BW 11ax(SU) – Ch.46, MCS4)




Plot 7-561. ISED PSD Antenna WF7 (20MHz BW 11ax(SU) – Ch.40, MCS4)



Plot 7-564. ISED PSD Antenna WF7 (80MHz BW 11ac – Ch.42, MCS4)




Plot 7-562. ISED PSD Antenna WF7 (40MHz BW 11n – Ch.46, MCS4)




Plot 7-565. ISED PSD Antenna WF7 (80MHz BW 11ax (SU) – Ch.42, MCS4)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 215 of 595




Plot 7-566. ISED PSD Antenna WF7 (160MHz BW 11ac – Ch.50, MCS4)




Plot 7-567. ISED PSD Antenna WF7 (160MHz BW 11ax (SU) – Ch.50, MCS4)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 216 of 595




Plot 7-568. ISED PSD Antenna WF7 (20MHz BW 11n – Ch.40, MCS7)




Plot 7-571. ISED PSD Antenna WF7 (40MHz BW 11ax(SU) – Ch.46, MCS11)




Plot 7-569. ISED PSD Antenna WF7 (20MHz BW 11ax(SU) – Ch.40, MCS11)



Plot 7-572. ISED PSD Antenna WF7 (80MHz BW 11ac – Ch.42, MCS9)




Plot 7-570. ISED PSD Antenna WF7 (40MHz BW 11n – Ch.46, MCS7)




Plot 7-573. ISED PSD Antenna WF7 (80MHz BW 11ax (SU) – Ch.42, MCS11)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 217 of 595



Plot 7-574. ISED PSD Antenna WF7 (160MHz BW 11ac – Ch.50, MCS9)



Plot 7-575. ISED PSD Antenna WF7 (160MHz BW 11ax (SU) – Ch.50, MCS11)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 218 of 595

7.5.4 Summed CDD Primary Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	Data Rate [Mbps]	Antenna WF5b Power Density [dBm/MHz]	Antenna WF8 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	39/43.3 (MCS10)	6.22	6.33	9.28	11.00	-1.72
	5200	40	n (20MHz)	CDD	39/43.3 (MCS10)	6.16	6.48	9.33	11.00	-1.67
	5240	48	n (20MHz)	CDD	39/43.3 (MCS10)	6.37	6.51	9.45	11.00	-1.55
	5180	36	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	3.74	3.93	6.85	11.00	-4.15
	5200	40	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.69	4.51	7.61	11.00	-3.39
	5240	48	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.01	4.64	7.84	11.00	-3.16
	5190	38	n (40MHz)	CDD	81/60 (MCS10)	0.36	0.91	3.65	11.00	-7.35
	5230	46	n (40MHz)	CDD	81/60 (MCS10)	6.06	6.78	9.45	11.00	-1.55
	5190	38	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-1.08	-1.74	1.61	11.00	-9.39
	5230	46	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	4.66	4.27	7.48	11.00	-3.52
	5210	42	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.97	-3.63	-0.28	11.00	-11.28
	5210	42	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-5.16	-5.67	-2.40	11.00	-13.40
Band 1/2	5250	50	ac (160MHz)	CDD	175.5/195 (MCS2)	-7.55	-7.81	-4.66	11.00	-15.66
	5250	50	ax (SU) (160MHz)	CDD	204/216.2 (MCS2)	-8.65	-9.30	-5.95	11.00	-16.95
Band 2A	5260	52	n (20MHz)	CDD	39/43.3 (MCS10)	6.45	6.44	9.45	11.00	-1.55
	5300	60	n (20MHz)	CDD	39/43.3 (MCS10)	6.62	6.15	9.40	11.00	-1.60
	5320	64	n (20MHz)	CDD	39/43.3 (MCS10)	6.74	6.17	9.48	11.00	-1.52
	5260	52	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.97	4.77	7.88	11.00	-3.12
	5300	60	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.15	4.11	7.67	11.00	-3.33
	5320	64	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.55	4.01	7.30	11.00	-3.70
	5270	54	n (40MHz)	CDD	81/60 (MCS10)	6.12	6.84	9.50	11.00	-1.50
	5310	62	n (40MHz)	CDD	81/60 (MCS10)	1.38	1.88	4.65	11.00	-6.35
	5270	54	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	4.87	4.54	7.72	11.00	-3.28
	5310	62	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-1.00	-1.45	1.79	11.00	-9.21
	5290	58	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.38	-2.66	0.49	11.00	-10.51
	5290	58	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-3.92	-4.40	-1.15	11.00	-12.15
	5500	100	n (20MHz)	CDD	39/43.3 (MCS10)	6.43	5.05	8.91	11.00	-2.19
	Band 2C	5580	116	n (20MHz)	CDD	39/43.3 (MCS10)	6.66	6.33	9.51	11.00
*5600		120	n (20MHz)	CDD	39/43.3 (MCS10)	6.72	6.27	9.51	11.00	-1.49
5700		140	n (20MHz)	CDD	39/43.3 (MCS10)	5.30	5.23	8.28	11.00	-2.72
5720		144	n (20MHz)	CDD	39/43.3 (MCS10)	6.64	6.58	9.62	11.00	-1.38
5500		100	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.58	4.17	7.39	11.00	-3.61
5580		116	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.15	5.01	8.09	11.00	-2.91
*5600		120	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.09	4.83	7.97	11.00	-3.03
5700		140	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	2.57	1.88	5.25	11.00	-5.75
5720		144	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.12	4.51	7.83	11.00	-3.17
5510		102	n (40MHz)	CDD	81/60 (MCS10)	1.28	1.13	4.22	11.00	-6.78
5550		110	n (40MHz)	CDD	81/60 (MCS10)	6.18	6.78	9.50	11.00	-1.50
*5590		118	n (40MHz)	CDD	81/60 (MCS10)	6.05	6.59	9.34	11.00	-1.66
5670		134	n (40MHz)	CDD	81/60 (MCS10)	3.94	4.20	7.08	11.00	-3.92
5710		142	n (40MHz)	CDD	81/60 (MCS10)	6.36	6.69	9.54	11.00	-1.46
5510		102	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-1.39	-1.62	1.50	11.00	-9.50
5550		110	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	3.21	3.01	6.12	11.00	-4.88
*5590		118	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	4.37	4.51	7.45	11.00	-3.55
5670		134	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	2.21	1.61	4.93	11.00	-6.07
5710		142	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	4.66	4.49	7.59	11.00	-3.41
5530		106	ac (80MHz)	CDD	175.5/195 (MCS2)	-3.27	-3.51	-0.38	11.00	-11.38
*5610		122	ac (80MHz)	CDD	175.5/195 (MCS2)	1.59	1.16	4.39	11.00	-6.61
5690		138	ac (80MHz)	CDD	175.5/195 (MCS2)	3.06	3.21	6.15	11.00	-4.85
5530		106	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-5.16	-5.49	-2.31	11.00	-13.31
*5610		122	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-0.74	-0.64	2.33	11.00	-8.67
5690		138	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	1.93	1.74	4.85	11.00	-6.15
*5570		114	ac (160MHz)	CDD	175.5/195 (MCS2)	-8.82	-9.20	-6.00	11.00	-17.00
*5570		114	ax (SU) (160MHz)	CDD	204/216.2 (MCS2)	-10.04	-10.50	-7.25	11.00	-18.25

Table 7-227. Bands 1, 2A, 2C CDD Power Spectral Density Measurements (Low Data Rate)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 219 of 595

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	Data Rate [Mbps]	Antenna WF5b Power Density [dBm/MHz]	Antenna WF8 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	78/86.7 (MCS12)	5.85	5.93	8.90	11.00	-2.10
	5200	40	n (20MHz)	CDD	78/86.7 (MCS12)	6.23	6.59	9.42	11.00	-1.58
	5240	48	n (20MHz)	CDD	78/86.7 (MCS12)	6.31	6.37	9.35	11.00	-1.65
	5180	36	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	3.70	3.62	6.67	11.00	-4.33
	5200	40	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.82	4.67	7.76	11.00	-3.24
	5240	48	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.02	4.88	7.96	11.00	-3.04
	5190	38	n (40MHz)	CDD	162/180 (MCS12)	0.65	0.98	3.83	11.00	-7.17
	5230	46	n (40MHz)	CDD	162/180 (MCS12)	6.08	6.62	9.37	11.00	-1.63
	5190	38	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	-1.21	-1.44	1.69	11.00	-9.31
	5230	46	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	4.86	4.00	7.46	11.00	-3.54
5210	42	ac (80MHz)	CDD	351/390 (MCS4)	-3.46	-3.90	-0.67	11.00	-11.67	
5210	42	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-5.83	-6.28	-3.04	11.00	-14.04	
Band 1/2	5250	50	ac (160MHz)	CDD	351/390 (MCS4)	-8.41	-9.02	-5.69	11.00	-16.69
	5250	50	ax (SU) (160MHz)	CDD	408/432.4 (MCS4)	-9.68	-10.28	-6.96	11.00	-17.96
Band 2A	5260	52	n (20MHz)	CDD	78/86.7 (MCS12)	6.61	6.28	9.46	11.00	-1.54
	5300	60	n (20MHz)	CDD	78/86.7 (MCS12)	6.95	6.28	9.64	11.00	-1.36
	5320	64	n (20MHz)	CDD	78/86.7 (MCS12)	6.87	6.16	9.54	11.00	-1.46
	5260	52	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.22	4.76	8.01	11.00	-2.99
	5300	60	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.03	4.45	7.76	11.00	-3.24
	5320	64	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.21	3.43	6.85	11.00	-4.15
	5270	54	n (40MHz)	CDD	162/180 (MCS12)	5.98	6.61	9.32	11.00	-1.68
	5310	62	n (40MHz)	CDD	162/180 (MCS12)	1.10	1.33	4.23	11.00	-6.77
	5270	54	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	4.57	4.17	7.38	11.00	-3.62
	5310	62	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	-1.04	-1.14	1.92	11.00	-9.08
5290	58	ac (80MHz)	CDD	351/390 (MCS4)	-2.55	-3.15	0.17	11.00	-10.83	
5290	58	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-4.25	-4.77	-1.49	11.00	-12.49	
Band 2C	5500	100	n (20MHz)	CDD	78/86.7 (MCS12)	6.21	6.07	9.15	11.00	-1.85
	5580	116	n (20MHz)	CDD	78/86.7 (MCS12)	6.43	6.48	9.46	11.00	-1.54
	*5600	120	n (20MHz)	CDD	78/86.7 (MCS12)	6.61	6.35	9.49	11.00	-1.51
	5700	140	n (20MHz)	CDD	78/86.7 (MCS12)	4.58	4.74	7.67	11.00	-3.33
	5720	144	n (20MHz)	CDD	78/86.7 (MCS12)	7.24	6.45	9.87	11.00	-1.13
	5500	100	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	3.90	3.56	6.74	11.00	-4.26
	5580	116	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.38	4.86	8.14	11.00	-2.86
	*5600	120	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.27	5.12	8.20	11.00	-2.80
	5700	140	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	2.10	1.53	4.83	11.00	-6.17
	5720	144	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.30	4.68	8.01	11.00	-2.99
	5510	102	n (40MHz)	CDD	162/180 (MCS12)	1.39	0.40	3.93	11.00	-7.07
	5550	110	n (40MHz)	CDD	162/180 (MCS12)	5.93	6.19	9.07	11.00	-1.93
	*5590	118	n (40MHz)	CDD	162/180 (MCS12)	6.24	6.80	9.54	11.00	-1.46
	5670	134	n (40MHz)	CDD	162/180 (MCS12)	3.80	3.29	6.56	11.00	-4.44
	5710	142	n (40MHz)	CDD	162/180 (MCS12)	6.25	6.53	9.40	11.00	-1.60
	5510	102	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	-1.67	-2.21	1.08	11.00	-9.92
	5550	110	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	3.00	2.69	5.85	11.00	-5.15
	*5590	118	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	4.61	4.82	7.73	11.00	-3.27
	5670	134	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	1.31	0.96	4.15	11.00	-6.85
	5710	142	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	4.80	4.20	7.52	11.00	-3.48
	5530	106	ac (80MHz)	CDD	351/390 (MCS4)	-3.43	-3.72	-0.56	11.00	-11.56
	*5610	122	ac (80MHz)	CDD	351/390 (MCS4)	1.00	0.47	3.75	11.00	-7.25
	5690	138	ac (80MHz)	CDD	351/390 (MCS4)	2.81	3.29	6.07	11.00	-4.93
	5530	106	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-5.45	-6.05	-2.73	11.00	-13.73
	*5610	122	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-0.61	-0.82	2.30	11.00	-8.70
	5690	138	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	1.81	2.12	4.98	11.00	-6.02
	*5570	114	ac (160MHz)	CDD	351/390 (MCS4)	-9.29	-9.37	-6.32	11.00	-17.32
	*5570	114	ax (SU) (160MHz)	CDD	408/432.4 (MCS4)	-10.56	-11.08	-7.80	11.00	-18.80

Table 7-228. Bands 1, 2A, 2C CDD Power Spectral Density Measurements (Mid Data Rate)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 220 of 595

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	Data Rate [Mbps]	Antenna WF5b Power Density [dBm/MHz]	Antenna WF8 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	130/144.4 (MCS15)	4.19	4.62	7.42	11.00	-3.58
	5200	40	n (20MHz)	CDD	130/144.4 (MCS15)	5.05	5.35	8.21	11.00	-2.79
	5240	48	n (20MHz)	CDD	130/144.4 (MCS15)	5.16	5.17	8.18	11.00	-2.82
	5180	36	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	3.23	3.14	6.19	11.00	-4.81
	5200	40	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	4.63	4.89	7.77	11.00	-3.23
	5240	48	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.02	4.79	7.92	11.00	-3.08
	5190	38	n (40MHz)	CDD	270/300 (MCS15)	-2.07	-0.77	1.64	11.00	-9.36
	5230	46	n (40MHz)	CDD	270/300 (MCS15)	4.92	5.71	8.34	11.00	-2.66
	5190	38	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	-2.04	-1.91	1.04	11.00	-9.96
	5230	46	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	4.18	3.71	6.96	11.00	-4.04
	5210	42	ac (80MHz)	CDD	780/866.7 (MCS9)	-5.81	-5.96	-2.87	11.00	-13.87
	5210	42	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-5.97	-6.16	-3.05	11.00	-14.05
Band 1/2	5250	50	ac (160MHz)	CDD	780/866.7 (MCS9)	-10.09	-10.14	-7.10	11.00	-18.10
	5250	50	ax (SU) (160MHz)	CDD	1134/1201 (MCS11)	-10.12	-10.41	-7.25	11.00	-18.25
Band 2A	5260	52	n (20MHz)	CDD	130/144.4 (MCS15)	5.61	5.17	8.41	11.00	-2.59
	5300	60	n (20MHz)	CDD	130/144.4 (MCS15)	5.55	5.12	8.35	11.00	-2.65
	5320	64	n (20MHz)	CDD	130/144.4 (MCS15)	4.84	4.10	7.50	11.00	-3.50
	5260	52	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.26	5.12	8.20	11.00	-2.80
	5300	60	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.05	5.03	8.05	11.00	-2.95
	5320	64	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	3.73	3.10	6.44	11.00	-4.56
	5270	54	n (40MHz)	CDD	270/300 (MCS15)	4.40	4.90	7.67	11.00	-3.33
	5310	62	n (40MHz)	CDD	270/300 (MCS15)	-1.17	-0.49	2.19	11.00	-8.81
	5270	54	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	4.33	3.97	7.17	11.00	-3.83
	5310	62	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	-2.16	-2.39	0.74	11.00	-10.26
	5290	58	ac (80MHz)	CDD	780/866.7 (MCS9)	-3.90	-4.50	-1.18	11.00	-12.18
	5290	58	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-4.95	-5.32	-1.12	11.00	-13.12
Band 2C	5500	100	n (20MHz)	CDD	130/144.4 (MCS15)	3.63	3.85	6.75	11.00	-4.25
	5580	116	n (20MHz)	CDD	130/144.4 (MCS15)	5.61	5.17	8.40	11.00	-2.60
	*5600	120	n (20MHz)	CDD	130/144.4 (MCS15)	5.68	5.38	8.54	11.00	-2.46
	5700	140	n (20MHz)	CDD	130/144.4 (MCS15)	2.59	2.70	5.66	11.00	-5.34
	5720	144	n (20MHz)	CDD	130/144.4 (MCS15)	5.56	5.36	8.47	11.00	-2.53
	5500	100	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	2.77	2.74	5.76	11.00	-5.24
	5580	116	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.50	5.32	8.42	11.00	-2.58
	*5600	120	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.37	5.04	8.22	11.00	-2.78
	5700	140	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	1.12	0.95	4.04	11.00	-6.96
	5720	144	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.67	5.04	8.38	11.00	-2.62
	5510	102	n (40MHz)	CDD	270/300 (MCS15)	-2.17	-2.65	0.61	11.00	-10.39
	5550	110	n (40MHz)	CDD	270/300 (MCS15)	3.53	2.15	5.91	11.00	-5.09
	*5590	118	n (40MHz)	CDD	270/300 (MCS15)	5.14	5.62	8.40	11.00	-2.60
	5670	134	n (40MHz)	CDD	270/300 (MCS15)	0.32	0.63	3.49	11.00	-7.51
	5710	142	n (40MHz)	CDD	270/300 (MCS15)	5.34	6.38	8.90	11.00	-2.10
	5510	102	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	-2.50	-3.14	0.20	11.00	-10.80
	5550	110	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	2.69	2.63	5.67	11.00	-5.33
	*5590	118	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	5.06	5.29	8.19	11.00	-2.81
	5670	134	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	0.32	0.23	3.29	11.00	-7.71
	5710	142	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	4.95	5.18	8.07	11.00	-2.93
	5530	106	ac (80MHz)	CDD	780/866.7 (MCS9)	-6.47	-5.60	-3.00	11.00	-14.00
	*5610	122	ac (80MHz)	CDD	780/866.7 (MCS9)	-0.75	-0.89	2.19	11.00	-8.81
	5690	138	ac (80MHz)	CDD	780/866.7 (MCS9)	1.62	1.83	4.74	11.00	-6.26
	5530	106	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-6.35	-6.30	-3.32	11.00	-14.32
	*5610	122	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-1.09	-1.14	1.89	11.00	-9.11
	5690	138	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	1.93	1.97	4.96	11.00	-6.04
	*5570	114	ac (160MHz)	CDD	780/866.7 (MCS9)	-11.43	-11.68	-8.54	11.00	-19.54
	*5570	114	ax (SU) (160MHz)	CDD	1134/1201 (MCS11)	-11.52	-11.54	-8.52	11.00	-19.52


Table 7-229. Bands 1, 2A, 2C CDD Power Spectral Density Measurements (High Data Rate)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 221 of 595




Plot 7-576. PSD CDD Antenna WF5b (20MHz BW 802.11n – Ch. 40, MCS10)




Plot 7-579. PSD CDD Antenna WF8 (20MHz BW 802.11ax(SU) – Ch. 40, MCS2)




Plot 7-577. PSD CDD Antenna WF8 (20MHz BW 802.11n – Ch. 40, MCS10)



Plot 7-580. PSD CDD Antenna WF5b (40MHz BW 802.11n – Ch. 46, MCS10)




Plot 7-578. PSD CDD Antenna WF5b (20MHz BW 802.11ax(SU) – Ch. 40, MCS2)




Plot 7-581. PSD CDD Antenna WF8 (40MHz BW 802.11n – Ch. 46, MCS10)


FCC ID: BCGA2836 IC: 799C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 222 of 595




Plot 7-582. PSD CDD Antenna WF5b (40MHz BW 802.11ax(SU) – Ch. 46, MCS2)




Plot 7-585. PSD CDD Antenna WF8 (80MHz BW 802.11ac – Ch. 42, MCS2)




Plot 7-583. PSD CDD Antenna WF8 (40MHz BW 802.11ax(SU) – Ch. 46, MCS2)



Plot 7-586. PSD CDD Antenna WF5b (80MHz BW 802.11ax(SU) – Ch. 42, MCS2)




Plot 7-584. PSD CDD Antenna WF5b (80MHz BW 802.11ac – Ch. 42, MCS2)




Plot 7-587. PSD CDD Antenna WF8 (80MHz BW 802.11ax(SU) – Ch. 42, MCS2)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 223 of 595




Plot 7-588. PSD CDD Antenna WF5b (160MHz BW 802.11ac – Ch. 50, MCS2)




Plot 7-591. PSD CDD Antenna WF8 (160MHz BW 802.11ax(SU) – Ch. 50, MCS2)




Plot 7-589. PSD CDD Antenna WF8 (160MHz BW 802.11ac – Ch. 50, MCS2)



Plot 7-592. PSD CDD Antenna WF5b (20MHz BW 802.11n – Ch. 60, MCS10)




Plot 7-590. PSD CDD Antenna WF5b (160MHz BW 802.11ax(SU) – Ch. 50, MCS2)




Plot 7-593. PSD CDD Antenna WF8 (20MHz BW 802.11n – Ch. 60, MCS10)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 224 of 595




Plot 7-594. PSD CDD Antenna WF5b (20MHz BW 802.11ax(SU) - Ch. 60, MCS2)




Plot 7-597. PSD CDD Antenna WF8 (40MHz BW 802.11n - Ch. 54, MCS10)




Plot 7-595. PSD CDD Antenna WF8 (20MHz BW 802.11ax(SU) - Ch. 60, MCS2)



Plot 7-598. PSD CDD Antenna WF5b (40MHz BW 802.11ax(SU) - Ch. 54, MCS2)



Plot 7-596. PSD CDD Antenna WF5b (40MHz BW 802.11n - Ch. 54, MCS10)



Plot 7-599. PSD CDD Antenna WF8 (40MHz BW 802.11ax(SU) - Ch. 54, MCS2)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-11-R1.BCG	Test Dates: 12/06/202 - 02/20/2024	EUT Type: Tablet Device	Page 225 of 595