

Plot 7-919. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) - Ch. 40)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5200MHz


 Channel:
 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10400.00	Peak	Н	-	-	-71.33	15.04	50.71	68.23	-17.52
*	15600.00	Average	V	-	-	-85.09	22.84	44.75	53.98	-9.23
*	15600.00	Peak	٧	-	-	-73.21	22.84	56.63	73.98	-17.35

Table 7-259. Radiated Measurements Antenna WF5b

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 302 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 302 01 595	





Plot 7-920. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) - Ch. 48)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5240MHz


 Channel:
 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10480.00	Peak	V	-	-	-71.63	15.06	50.43	68.23	-17.80
*	15720.00	Average	٧	-	-	-85.44	23.43	44.99	53.98	-8.99
*	15720.00	Peak	٧	-	-	-74.19	23.43	56.24	73.98	-17.74

Table 7-260. Radiated Measurements Antenna WF5b

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 303 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 303 01 595





Plot 7-921. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) - Ch. 52)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5260MHz


 Channel:
 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	٧	-	-	-72.08	15.08	50.00	68.23	-18.23
*	15780.00	Average	٧	-	-	-84.16	22.41	45.25	53.98	-8.73
*	15780.00	Peak	٧	1	-	-72.84	22.41	56.58	73.98	-17.40

Table 7-261. Radiated Measurements Antenna WF5b

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 304 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	raye 304 01 393





Plot 7-922. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) - Ch. 56)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5280MHz


 Channel:
 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	Н	-	-	-72.08	14.87	49.79	68.23	-18.44
*	15840.00	Average	V	-	-	-84.74	23.39	45.65	53.98	-8.33
*	15840.00	Peak	٧	-	-	-74.44	24.18	56.74	73.98	-17.24

Table 7-262. Radiated Measurements Antenna WF5b

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 305 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 303 01 595





Plot 7-923. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) - Ch. 64)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5320MHz


 Channel:
 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	Н	-	-	-82.78	14.56	38.78	53.98	-15.20
*	10640.00	Peak	Н	-	-	-72.09	14.56	49.47	73.98	-24.51
*	15960.00	Average	Н	-	-	-85.84	24.88	46.04	53.98	-7.94
*	15960.00	Peak	Н	-	-	-74.96	24.88	56.92	73.98	-17.06

Table 7-263. Radiated Measurements Antenna WF5b

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 306 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	rage 300 of 393





Plot 7-924. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) - Ch. 100)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5500MHz


 Channel:
 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11000.00	Average	Н	-	-	-83.08	15.63	39.55	53.98	-14.43
*	11000.00	Peak	Н	-	-	-72.08	15.80	50.71	73.98	-23.27
	16500.00	Peak	٧	-	-	-73.12	24.46	58.35	68.23	-9.88

Table 7-264. Radiated Measurements Antenna WF5b

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 307 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	raye 307 01 393





Plot 7-925. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) - Ch. 116)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5580MHz


 Channel:
 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	V	-	-	-83.74	17.06	40.32	53.98	-13.66
*	11160.00	Peak	٧	-	-	-72.02	16.42	51.40	73.98	-22.58
	16740.00	Peak	Н	-	-	-72.97	25.28	59.31	68.23	-8.92

Table 7-265. Radiated Measurements Antenna WF5b

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 308 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 306 01 595





Plot 7-926. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) - Ch. 144)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5720MHz


 Channel:
 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11440.00	Average	٧	-	-	-83.07	16.17	40.11	53.98	-13.87
*	11440.00	Peak	٧	-	-	-72.89	16.96	51.07	73.98	-22.91
	17160.00	Peak	Н	-	-	-73.91	24.70	57.80	68.23	-10.43

Table 7-266. Radiated Measurements Antenna WF5b

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 200 of 505
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 309 of 595





Plot 7-927. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) - Ch. 149)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5745MHz


 Channel:
 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11490.00	Average	Н	-	-	-83.18	16.28	40.10	53.98	-13.88
*	11490.00	Peak	Н	-	-	-71.54	16.87	52.33	73.98	-21.65
	17235.00	Peak	Н	-	-	-73.20	24.37	58.16	68.23	-10.07

Table 7-267. Radiated Measurements Antenna WF5b

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 310 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 310 01 595	





Plot 7-928. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) - Ch. 157)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5785MHz


 Channel:
 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11570.00	Average	V	-	-	-83.51	16.76	40.25	53.98	-13.73
*	11570.00	Peak	V	-	-	-72.46	16.76	51.30	73.98	-22.68
	17355.00	Peak	Н	-	-	-73.47	24.47	58.00	68.23	-10.23

Table 7-268. Radiated Measurements Antenna WF5b

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 211 of 505
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 311 of 595





Plot 7-929. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) - Ch. 165)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5825MHz

 Channel:
 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11650.00	Average	Н	-	-	-83.63	17.12	40.49	53.98	-13.49
*	11650.00	Peak	Н	-	-	-72.56	17.25	51.69	73.98	-22.29
	17475.00	Peak	٧	-	-	-73.70	25.10	58.41	68.23	-9.82

Table 7-269. Radiated Measurements Antenna WF5b

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 312 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 312 01 595	



7.6.2 Antenna WF8 Radiated Spurious Emission



Plot 7-930. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11n - Ch. 36)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5180MHz


Channel: 36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBµV/m]	Margin [dB]
	10360.00	Peak	V	-	-	-71.75	15.15	50.40	68.23	-17.83
*	15540.00	Average	٧	-	-	-85.78	23.59	44.81	53.98	-9.17
*	15540.00	Peak	V	-	-	-73.78	23.07	56.29	73.98	-17.69

Table 7-270. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 313 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 313 01 595	





Plot 7-931. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11n - Ch. 40)

 Mode:
 802.11n

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5200MHz


 Channel:
 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBµV/m]	Margin [dB]
	10400.00	Peak	V	-	-	-70.37	15.04	51.67	68.23	-16.56
*	15600.00	Average	٧	-	-	-84.97	22.51	44.54	53.98	-9.44
*	15600.00	Peak	V	-	-	-73.45	23.18	56.73	73.98	-17.25

Table 7-271. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 314 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 314 01 595





Plot 7-932. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11n - Ch. 48)

 Mode:
 802.11n

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5240MHz


 Channel:
 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10480.00	Peak	٧	-	-	-71.63	15.06	50.43	68.23	-17.80
*	15720.00	Average	Н	-	-	-83.91	22.10	45.19	53.98	-8.79
*	15720.00	Peak	Н	-	-	-73.79	23.43	56.64	73.98	-17.34

Table 7-272. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 315 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	raye 313 01 393





Plot 7-933. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11n - Ch. 52)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5260MHz


Channel: 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	Н	-	-	-71.47	15.08	50.62	68.23	-17.61
*	15780.00	Average	V	-	-	-84.21	22.41	45.20	53.98	-8.78
*	15780.00	Peak	٧	-	-	-73.19	22.41	56.22	73.98	-17.76

Table 7-273. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 216 of 505
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 316 of 595





Plot 7-934. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11n - Ch. 56)


Mode:802.11nData Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:5280MHzChannel:56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	٧	•	-	-72.18	14.87	49.69	68.23	-18.54
*	15840.00	Average	Н	-	-	-85.72	24.18	45.45	53.98	-8.53
*	15840.00	Peak	Н	-	-	-74.61	24.18	56.57	73.98	-17.41

Table 7-274. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 217 of 505
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 317 of 595





Plot 7-935. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11n - Ch. 64)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5320MHz


Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	Н	-	-	-82.50	14.56	39.06	53.98	-14.92
*	10640.00	Peak	Н			-71.82	14.56	49.74	73.98	-24.24
*	15960.00	Average	Н	-	-	-85.89	24.88	45.99	53.98	-7.99
*	15960.00	Peak	Н	-	-	-74.86	24.88	57.02	73.98	-16.96

Table 7-275. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 318 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 316 01 595





Plot 7-936. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11n - Ch. 100)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5500MHz


Channel: 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11000.00	Average	V	-	-	-83.11	15.80	39.68	53.98	-14.30
*	11000.00	Peak	٧	-	-	-71.79	15.80	51.01	73.98	-22.97
	16500.00	Peak	٧	-	-	-73.76	24.46	57.70	68.23	-10.53

Table 7-276. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 210 of 505
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 319 of 595





Plot 7-937. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11n - Ch. 116)


Mode:802.11nData Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:5580MHzChannel:116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	Н	-	-	-82.60	15.88	40.27	53.98	-13.71
*	11160.00	Peak	Н	-	-	-72.57	16.42	50.86	73.98	-23.12
	16740.00	Peak	Н	-	-	-72.47	25.08	59.61	68.23	-8.62

Table 7-277. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 320 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 320 01 595	





Plot 7-938. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11n - Ch. 144)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5720MHz


Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBµV/m]	Margin [dB]
*	11440.00	Average	Н	-	-	-83.56	16.93	40.37	53.98	-13.61
*	11440.00	Peak	Н	-	-	-71.67	16.47	51.80	73.98	-22.18
	17160.00	Peak	Н	-	-	-73.72	24.83	58.11	68.23	-10.12

Table 7-278. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 221 of 505	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 321 of 595	





Plot 7-939. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11n - Ch. 149)

 Mode:
 802.11n

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5745MHz


 Channel:
 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBµV/m]	Margin [dB]
*	11490.00	Average	٧	-	-	-83.27	16.55	40.29	53.98	-13.69
*	11490.00	Peak	٧	-	-	-71.96	16.55	51.59	73.98	-22.39
	17235.00	Peak	٧	-	-	-73.77	24.37	57.60	68.23	-10.63

Table 7-279. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 322 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 322 01 595	





Plot 7-940. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11n - Ch. 157)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5785MHz


Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11570.00	Average	V	-	-	-83.23	16.74	40.51	53.98	-13.47
*	11570.00	Peak	V	-	-	-71.71	16.75	52.04	73.98	-21.94
	17355.00	Peak	V	-	-	-73.70	24.47	57.77	68.23	-10.46

Table 7-280. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 222 of 505
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 323 of 595





Plot 7-941. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11n - Ch. 165)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5825MHz


Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11650.00	Average	٧	-	-	-83.46	16.99	40.53	53.98	-13.45
*	11650.00	Peak	٧	-	-	-72.55	17.25	51.70	73.98	-22.28
	17475.00	Peak	Н	-	-	-74.00	25.10	58.10	68.23	-10.13

Table 7-281. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 324 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	raye 324 01 393	





Plot 7-942. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) - Ch. 36)


Mode:802.11ax(SU)Data Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:5180MHzChannel:36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10360.00	Peak	Н	-	-	-71.63	15.15	50.52	68.23	-17.71
*	15540.00	Average	Н	-	-	-85.22	23.07	44.85	53.98	-9.13
*	15540.00	Peak	Н	-	-	-74.17	23.07	55.90	73.98	-18.08

Table 7-282. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 325 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 323 01 595	





Plot 7-943. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) - Ch. 40)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5200MHz


 Channel:
 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10400.00	Peak	Н	-	-	-71.70	14.70	50.00	68.23	-18.23
*	15600.00	Average	Н	-	-	-84.70	22.65	44.95	53.98	-9.03
*	15600.00	Peak	Н	-	-	-73.75	22.65	55.90	73.98	-18.08

Table 7-283. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 326 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 326 01 595	





Plot 7-944. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) - Ch. 48)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5240MHz


 Channel:
 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10480.00	Peak	Н	-	-	-71.83	15.06	50.23	68.23	-18.00
*	15720.00	Average	V	-	-	-84.02	22.10	45.08	53.98	-8.90
*	15720.00	Peak	V	-	-	-73.80	23.43	56.62	73.98	-17.36

Table 7-284. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 327 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 327 01 595	





Plot 7-945. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) - Ch. 52)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5260MHz


 Channel:
 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	٧	-	-	-72.05	15.08	50.03	68.23	-18.20
*	15780.00	Average	Н	-	-	-84.75	23.00	45.25	53.98	-8.73
*	15780.00	Peak	Н	1	,	-72.16	22.41	57.25	73.98	-16.73

Table 7-285. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 328 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 328 01 595	





Plot 7-946. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) - Ch. 56)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5280MHz


 Channel:
 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	٧	-	-	-71.95	14.87	49.92	68.23	-18.31
*	15840.00	Average	Н	-	-	-85.62	24.18	45.56	53.98	-8.42
*	15840.00	Peak	Н	-	-	-74.42	24.18	56.76	73.98	-17.22

Table 7-286. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 220 of 505	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 329 of 595	





Plot 7-947. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) - Ch. 64)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5320MHz


 Channel:
 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	Н	-	-	-82.50	14.56	39.06	53.98	-14.92
*	10640.00	Peak	Н	-	-	-71.82	14.56	49.74	73.98	-24.24
*	15960.00	Average	Н	-	-	-85.64	24.88	46.24	53.98	-7.74
*	15960.00	Peak	Н	-	-	-74.51	24.88	57.37	73.98	-16.61

Table 7-287. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 220 of 505
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 330 of 595





Plot 7-948. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) - Ch. 100)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5500MHz


 Channel:
 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11000.00	Average	Н	-	-	-83.22	15.63	39.41	53.98	-14.57
*	11000.00	Peak	Н	-	-	-71.43	15.80	51.36	73.98	-22.62
	16500.00	Peak	Н	-	-	-73.81	24.46	57.65	68.23	-10.58

Table 7-288. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 331 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	raye oo i ol ogo





Plot 7-949. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) - Ch. 116)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5580MHz


 Channel:
 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	Н	-	-	-82.53	15.88	40.34	53.98	-13.64
*	11160.00	Peak	Н	-	-	-71.92	16.42	51.51	73.98	-22.47
	16740.00	Peak	Н	-	-	-73.52	25.08	58.56	68.23	-9.67

Table 7-289. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 332 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 332 01 595





Plot 7-950. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) - Ch. 144)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5720MHz


 Channel:
 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11440.00	Average	Н	-	-	-82.95	16.47	40.52	53.98	-13.46
*	11440.00	Peak	Н	-	-	-72.36	16.87	51.51	73.98	-22.47
	17160.00	Peak	Н	-	-	-74.13	24.83	57.71	68.23	-10.52

Table 7-290. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 222 of 505	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 333 of 595	





Plot 7-951. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) - Ch. 149)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5745MHz


 Channel:
 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-83.10	16.28	40.18	53.98	-13.80
*	11490.00	Peak	٧	-	-	-72.31	16.87	51.56	73.98	-22.42
	17235.00	Peak	٧	-	-	-73.64	24.37	57.73	68.23	-10.50

Table 7-291. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 334 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 334 01 595





Plot 7-952. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) - Ch. 157)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5785MHz


 Channel:
 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11570.00	Average	Н	-	-	-83.23	16.74	40.52	53.98	-13.46
*	11570.00	Peak	Н	-	-	-72.17	16.76	51.59	73.98	-22.39
	17355.00	Peak	Н	-	-	-74.01	24.47	57.47	68.23	-10.76

Table 7-292. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 335 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	rage 333 01 595





Plot 7-953. Radiated Spurious Emissions above 1GHz Antenna WF8 (802.11ax(SU) - Ch. 165)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5825MHz

 Channel:
 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11650.00	Average	Н	-	-	-83.59	17.12	40.53	53.98	-13.45
*	11650.00	Peak	Н	-	-	-72.53	17.25	51.72	73.98	-22.26
	17475.00	Peak	٧	-	-	-74.08	25.10	58.02	68.23	-10.21

Table 7-293. Radiated Measurements Antenna WF8

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 336 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 336 01 393



7.6.3 Antenna WF7 Radiated Spurious Emission



Plot 7-954. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11n - Ch. 36)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5180MHz


Channel: 36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
	10360.00	Peak	Н	•	-	-71.44	15.15	50.71	68.23	-17.52
*	15540.00	Average	٧	-	-	-85.02	23.07	45.05	53.98	-8.93
*	15540.00	Peak	٧	-	-	-73.86	23.07	56.21	73.98	-17.77

Table 7-294. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 337 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	raye 337 UI 393





Plot 7-955. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11n - Ch. 40)

 Mode:
 802.11n

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5200MHz


 Channel:
 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
	10400.00	Peak	Н	-	-	-71.18	14.70	50.52	68.23	-17.71
*	15600.00	Average	Н	-	-	-85.23	23.12	44.89	53.98	-9.09
*	15600.00	Peak	Н	-	-	-73.76	22.65	55.89	73.98	-18.09

Table 7-295. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 220 of E0E	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 338 of 595	





Plot 7-956. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11n - Ch. 48)

 Mode:
 802.11n

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5240MHz


 Channel:
 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
	10480.00	Peak	٧	-	-	-71.99	15.06	50.07	68.23	-18.16
*	15720.00	Average	Н	-	-	-84.98	23.08	45.10	53.98	-8.88
*	15720.00	Peak	Н	-	-	-73.92	23.43	56.50	73.98	-17.48

Table 7-296. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 220 of 505	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 339 of 595	





Plot 7-957. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11n - Ch. 52)

 Mode:
 802.11n

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5260MHz


 Channel:
 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
	10520.00	Peak	Н	-	-	-72.17	15.08	49.91	68.23	-18.32
*	15780.00	Average	Н	-	-	-84.32	22.41	45.09	53.98	-8.89
*	15780.00	Peak	Н	-	-	-73.29	22.41	56.12	73.98	-17.86

Table 7-297. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 240 of 505
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 340 of 595





Plot 7-958. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11n - Ch. 56)

 Mode:
 802.11n

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5280MHz


 Channel:
 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
	10560.00	Peak	٧	-	-	-71.98	14.87	49.90	68.23	-18.33
*	15840.00	Average	٧	-	-	-84.79	23.39	45.60	53.98	-8.38
*	15840.00	Peak	٧	-	-	-72.93	22.84	56.91	73.98	-17.07

Table 7-298. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 341 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	raye 341 01 393





Plot 7-959. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11n - Ch. 64)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5320MHz


Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	Н	•		-82.86	14.56	38.70	53.98	-15.28
*	10640.00	Peak	Н	-	-	-71.24	14.56	50.32	73.98	-23.66
*	15960.00	Average	Н	-	-	-85.89	24.88	45.99	53.98	-7.99
*	15960.00	Peak	Н	-	-	-73.15	24.88	58.73	73.98	-15.25

Table 7-299. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 342 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 342 01 595	





Plot 7-960. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11n - Ch. 100)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5500MHz


Channel: 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
*	11000.00	Average	Н	-	-	-81.04	12.17	38.12	53.98	-15.86
*	11000.00	Peak	Н	-	-	-68.93	12.04	50.11	73.98	-23.87
	16500.00	Peak	Н	-	-	-70.16	19.50	56.34	68.23	-11.89

Table 7-300. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 343 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	raye 343 01 393





Plot 7-961. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11n - Ch. 116)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5580MHz


Channel: 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
*	11160.00	Average	Н	-	-	-80.53	11.30	37.77	53.98	-16.21
*	11160.00	Peak	Н	-	-	-69.10	11.30	49.20	73.98	-24.78
	16740.00	Peak	V	-	-	-70.78	19.63	55.85	68.23	-12.38

Table 7-301. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 344 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 344 01 595





Plot 7-962. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11n - Ch. 144)

 Mode:
 802.11n

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5720MHz


 Channel:
 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
*	11440.00	Average	Н	-	-	-80.65	12.08	38.44	53.98	-15.54
*	11440.00	Peak	Н	-	-	-68.56	12.08	50.52	73.98	-23.46
	17160.00	Peak	٧	-	-	-70.97	20.84	56.87	68.23	-11.36

Table 7-302. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 345 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	raye 343 01 393





Plot 7-963. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11n - Ch. 149)

 Mode:
 802.11n

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5745MHz


 Channel:
 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
*	11490.00	Average	V	-	-	-80.89	12.03	38.14	53.98	-15.84
*	11490.00	Peak	٧	-	-	-69.04	11.92	49.88	73.98	-24.10
	17235.00	Peak	٧	-	-	-70.22	20.95	57.74	68.23	-10.49

Table 7-303. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 346 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 340 01 595





Plot 7-964. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11n - Ch. 157)


Mode:802.11nData Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:5785MHzChannel:157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
*	11570.00	Average	Н	-	-	-80.72	12.03	38.30	53.98	-15.68
*	11570.00	Peak	Н	-	-	-68.98	12.03	50.05	73.98	-23.93
	17355.00	Peak	Н	-	-	-71.44	21.01	56.57	68.23	-11.66

Table 7-304. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 347 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 347 01 595





Plot 7-965. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11n - Ch. 165)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5825MHz


Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
*	11650.00	Average	٧	-	-	-81.42	11.95	37.53	53.98	-16.45
*	11650.00	Peak	٧	-	-	-69.63	11.95	49.31	73.98	-24.67
	17475.00	Peak	V	-	-	-71.03	21.86	57.83	68.23	-10.40

Table 7-305. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 348 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 346 01 595





Plot 7-966. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) - Ch. 36)


Mode:802.11ax(SU)Data Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:5180MHzChannel:36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10360.00	Peak	Н	-	-	-69.35	11.07	48.72	68.23	-19.51
*	15540.00	Average	٧	-	-	-81.99	17.63	42.64	53.98	-11.34
*	15540.00	Peak	٧	-	-	-70.27	17.35	54.08	73.98	-19.90

Table 7-306. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 349 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 349 01 595





Plot 7-967. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) - Ch. 40)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5200MHz


 Channel:
 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10400.00	Peak	Н	-	-	-69.21	11.20	48.99	68.23	-19.24
*	15600.00	Average	Н	-	-	-81.54	17.26	42.72	53.98	-11.26
*	15600.00	Peak	Н	-	-	-70.26	17.26	53.99	73.98	-19.99

Table 7-307. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 350 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 350 01 595	





Plot 7-968. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) - Ch. 48)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5240MHz


 Channel:
 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10480.00	Peak	٧	-	-	-68.59	11.19	49.60	68.23	-18.63
*	15720.00	Average	V	-	-	-82.01	16.69	41.67	53.98	-12.31
*	15720.00	Peak	٧	-	-	-70.17	16.69	53.51	73.98	-20.47

Table 7-308. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 351 of 595	
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 351 01 595	





Plot 7-969. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) - Ch. 52)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5260MHz


 Channel:
 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	Н	-	-	-69.40	11.14	48.74	68.23	-19.49
*	15780.00	Average	٧	-	-	-81.68	17.54	42.86	53.98	-11.12
*	15780.00	Peak	V	-	-	-70.45	17.43	53.97	73.98	-20.01

Table 7-309. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 352 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 352 01 595





Plot 7-970. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) - Ch. 56)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5280MHz


 Channel:
 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	Н	-	-	-69.53	11.14	48.61	68.23	-19.62
*	15840.00	Average	Н	-	-	-81.54	17.68	43.14	53.98	-10.84
*	15840.00	Peak	Н	-	-	-70.18	17.67	54.50	73.98	-19.48

Table 7-310. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 353 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 353 01 595





Plot 7-971. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) - Ch. 64)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5320MHz


 Channel:
 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	Н	-	-	-80.85	11.03	37.18	53.98	-16.80
*	10640.00	Peak	Н	-	-	-69.12	10.87	48.75	73.98	-25.23
*	15960.00	Average	Н	-	-	-81.50	17.97	43.46	53.98	-10.52
*	15960.00	Peak	Н	-	-	-70.09	17.91	54.82	73.98	-19.16

Table 7-311. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 354 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 354 01 595





Plot 7-972. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) - Ch. 100)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5500MHz


 Channel:
 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11000.00	Average	٧	-	-	-80.96	12.10	38.14	53.98	-15.84
*	11000.00	Peak	٧	-	-	-69.58	12.04	49.45	73.98	-24.53
	16500.00	Peak	Н	-	,	-70.00	19.50	56.50	68.23	-11.73

Table 7-312. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 355 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	rage 300 of 595





Plot 7-973. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) - Ch. 116)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5580MHz


 Channel:
 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	Н	-	-	-80.77	11.30	37.53	53.98	-16.45
*	11160.00	Peak	Н	-	-	-68.73	11.21	49.49	73.98	-24.49
	16740.00	Peak	٧	-	-	-70.46	19.63	56.17	68.23	-12.06

Table 7-313. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 256 of 505
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Page 356 of 595





Plot 7-974. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) - Ch. 144)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5720MHz


 Channel:
 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11440.00	Average	٧	-	-	-80.59	12.08	38.49	53.98	-15.49
*	11440.00	Peak	٧	-	-	-68.93	12.08	50.15	73.98	-23.83
	17160.00	Peak	٧	-	-	-71.13	20.84	56.70	68.23	-11.53

Table 7-314. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 357 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 337 01 595





Plot 7-975. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) - Ch. 149)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5745MHz


 Channel:
 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11490.00	Average	٧	-	-	-80.69	11.97	38.27	53.98	-15.71
*	11490.00	Peak	V	-	-	-68.84	12.03	50.19	73.98	-23.79
	17235.00	Peak	Н	-	-	-70.39	20.84	57.44	68.23	-10.79

Table 7-315. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 358 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 336 01 595





Plot 7-976. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax(SU) - Ch. 157)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5785MHz

 Channel:
 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11570.00	Average	V	-	-	-81.03	12.03	38.00	53.98	-15.98
*	11570.00	Peak	٧	-	-	-69.45	12.03	49.58	73.98	-24.40
	17355.00	Peak	Н	-	-	-71.35	20.99	56.63	68.23	-11.60

Table 7-316. Radiated Measurements Antenna WF7

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 359 of 595
1C2311270067-11-R1.BCG	12/06/202 - 02/20/2024	Tablet Device	Fage 359 01 595