




High Data Rate




Plot 7-531. Power Spectral Density Plot CDD/SDM Primary Antenna WF5B Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)




Plot 7-534. Power Spectral Density Plot CDD/SDM Primary Antenna WF8 Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)




Plot 7-532. Power Spectral Density Plot CDD/SDM Primary Antenna WF8 Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-535. Power Spectral Density Plot CDD/SDM Primary Antenna WF5B Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-533. Power Spectral Density Plot CDD/SDM Primary Antenna WF5B Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)




Plot 7-536. Power Spectral Density Plot CDD/SDM Primary Antenna WF8 Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 210 of 567 |




Plot 7-537. Power Spectral Density Plot CDD/SDM Primary Antenna WF5B Standard Power (160MHz 802.11ax (UNII Band 5) - Ch. 47, MCS11)




Plot 7-540. Power Spectral Density Plot CDD/SDM Primary Antenna WF8 Standard Power (20MHz 802.11ax (UNII Band 7) - Ch. 149, MCS11)




Plot 7-538. Power Spectral Density Plot CDD/SDM Primary Antenna WF8 Standard Power (160MHz 802.11ax (UNII Band 5) - Ch. 47, MCS11)



Plot 7-541. Power Spectral Density Plot CDD/SDM Primary Antenna WF5B Standard Power (40MHz 802.11ax (UNII Band 7) - Ch. 155, MCS11)




Plot 7-539. Power Spectral Density Plot CDD/SDM Primary Antenna WF5B Standard Power (20MHz 802.11ax (UNII Band 7) - Ch. 149, MCS11)




Plot 7-542. Power Spectral Density Plot CDD/SDM Primary Antenna WF8 Standard Power (40MHz 802.11ax (UNII Band 7) - Ch. 155, MCS11)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 211 of 567 |




Plot 7-543. Power Spectral Density Plot CDD/SDM Primary Antenna WF5B Standard Power (80MHz 802.11ax (UNII Band 7) - Ch. 151, MCS11)



Plot 7-545. Power Spectral Density Plot CDD/SDM Primary Antenna WF5B Standard Power (160MHz 802.11ax (UNII Band 7) - Ch. 143, MCS11)



Plot 7-544. Power Spectral Density Plot CDD/SDM Primary Antenna WF8 Standard Power (80MHz 802.11ax (UNII Band 7) - Ch. 151, MCS11)



Plot 7-546. Power Spectral Density Plot CDD/SDM Primary Antenna WF8 Standard Power (160MHz 802.11ax (UNII Band 7) - Ch. 143, MCS11)

| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 212 of 567 |

7.4.5 CDD/SDM Diversity Power Spectral Density Measurements

| | Frequency [MHz] | Channel No. | 802.11 Mode | Mode | Data Rate [Mbps] | Antenna WF8 Measured Power Density [dBm/MHz] | Antenna WF7 Measured Power Density [dBm/MHz] | Summed Power Density [dBm/MHz] | Directional Gain [dBi] | e.i.r.p Density [dBm/MHz] | Max EIRP Density [dBm/MHz] | Margin [dB] |
|--------|-----------------|-------------|-------------|------|--------------------|--|--|--------------------------------|------------------------|---------------------------|----------------------------|-------------|
| Band 5 | 5955 | 1 | ax (20MHz) | SDM | 48/51.6 (MCS2) | -8.34 | -8.13 | -5.22 | 1.90 | -3.32 | -1 | -2.32 |
| | 6175 | 45 | ax (20MHz) | SDM | 48/51.6 (MCS2) | -8.38 | -7.93 | -5.14 | 1.90 | -3.23 | -1 | -2.23 |
| | 6415 | 93 | ax (20MHz) | SDM | 48/51.6 (MCS2) | -8.27 | -7.87 | -5.05 | 1.90 | -3.15 | -1 | -2.15 |
| | 5965 | 3 | ax (40MHz) | SDM | 98/103.2 (MCS2) | -8.35 | -8.25 | -5.29 | 1.90 | -3.38 | -1 | -2.38 |
| | 6165 | 43 | ax (40MHz) | SDM | 98/103.2 (MCS2) | -8.44 | -7.95 | -5.17 | 1.90 | -3.27 | -1 | -2.27 |
| | 6405 | 91 | ax (40MHz) | SDM | 98/103.2 (MCS2) | -8.08 | -7.81 | -4.93 | 1.90 | -3.02 | -1 | -2.02 |
| | 5985 | 7 | ax (80MHz) | SDM | 204/216.2 (MCS2) | -8.11 | -7.90 | -4.99 | 1.90 | -3.08 | -1 | -2.08 |
| | 6145 | 39 | ax (80MHz) | SDM | 204/216.2 (MCS2) | -8.31 | -7.84 | -5.05 | 1.90 | -3.15 | -1 | -2.15 |
| | 6385 | 87 | ax (80MHz) | SDM | 204/216.2 (MCS2) | -7.87 | -7.47 | -4.66 | 1.90 | -2.75 | -1 | -1.75 |
| | 6025 | 15 | ax (160MHz) | SDM | 367.5/432.4 (MCS2) | -8.89 | -8.69 | -5.78 | 1.90 | -3.87 | -1 | -2.87 |
| Band 6 | 6185 | 47 | ax (160MHz) | SDM | 367.5/432.4 (MCS2) | -8.76 | -8.30 | -5.51 | 1.90 | -3.61 | -1 | -2.61 |
| | 6345 | 79 | ax (160MHz) | SDM | 367.5/432.4 (MCS2) | -8.75 | -7.95 | -5.32 | 1.90 | -3.42 | -1 | -2.42 |
| | 6435 | 97 | ax (20MHz) | SDM | 48/51.6 (MCS2) | -8.74 | -8.63 | -5.67 | 1.96 | -3.72 | -1 | -2.72 |
| | 6475 | 105 | ax (20MHz) | SDM | 48/51.6 (MCS2) | -8.66 | -8.29 | -5.46 | 1.96 | -3.50 | -1 | -2.50 |
| | 6515 | 113 | ax (20MHz) | SDM | 48/51.6 (MCS2) | -8.81 | -8.03 | -5.39 | 1.96 | -3.44 | -1 | -2.44 |
| | 6445 | 99 | ax (40MHz) | SDM | 98/103.2 (MCS2) | -8.41 | -8.22 | -5.30 | 1.96 | -3.35 | -1 | -2.35 |
| | 6485 | 107 | ax (40MHz) | SDM | 98/103.2 (MCS2) | -8.18 | -8.17 | -5.17 | 1.96 | -3.21 | -1 | -2.21 |
| | 6525 | 115 | ax (40MHz) | SDM | 98/103.2 (MCS2) | -9.26 | -8.38 | -5.79 | 1.96 | -3.83 | -1 | -2.83 |
| | 6465 | 103 | ax (80MHz) | SDM | 204/216.2 (MCS2) | -8.02 | -7.79 | -4.89 | 1.96 | -2.93 | -1 | -1.93 |
| | 6505 | 111 | ax (160MHz) | SDM | 367.5/432.4 (MCS2) | -9.49 | -8.57 | -6.00 | 1.96 | -4.04 | -1 | -3.04 |
| Band 7 | 6535 | 117 | ax (20MHz) | SDM | 48/51.6 (MCS2) | -9.42 | -8.61 | -5.98 | 2.58 | -3.41 | -1 | -2.41 |
| | 6695 | 149 | ax (20MHz) | SDM | 48/51.6 (MCS2) | -8.77 | -9.09 | -5.92 | 2.58 | -3.34 | -1 | -2.34 |
| | 6875 | 185 | ax (20MHz) | SDM | 48/51.6 (MCS2) | -9.08 | -9.43 | -6.24 | 2.58 | -3.67 | -1 | -2.67 |
| | 6565 | 123 | ax (40MHz) | SDM | 98/103.2 (MCS2) | -9.23 | -8.64 | -5.91 | 2.58 | -3.34 | -1 | -2.34 |
| | 6725 | 155 | ax (40MHz) | SDM | 98/103.2 (MCS2) | -9.12 | -8.97 | -6.03 | 2.58 | -3.46 | -1 | -2.46 |
| | 6845 | 179 | ax (40MHz) | SDM | 98/103.2 (MCS2) | -9.08 | -9.15 | -6.11 | 2.58 | -3.53 | -1 | -2.53 |
| | 6545 | 119 | ax (80MHz) | SDM | 204/216.2 (MCS2) | -9.08 | -8.59 | -5.82 | 2.58 | -3.24 | -1 | -2.24 |
| | 6705 | 151 | ax (80MHz) | SDM | 204/216.2 (MCS2) | -9.05 | -9.00 | -6.01 | 2.58 | -3.44 | -1 | -2.44 |
| | 6865 | 183 | ax (80MHz) | SDM | 204/216.2 (MCS2) | -8.86 | -8.95 | -5.89 | 2.58 | -3.32 | -1 | -2.32 |
| | 6665 | 143 | ax (160MHz) | SDM | 367.5/432.4 (MCS2) | -9.80 | -9.70 | -6.74 | 2.58 | -4.17 | -1 | -3.17 |
| Band 8 | 6825 | 175 | ax (160MHz) | SDM | 367.5/432.4 (MCS2) | -9.40 | -8.86 | -6.11 | 2.58 | -3.53 | -1 | -2.53 |
| | 6895 | 189 | ax (20MHz) | SDM | 48/51.6 (MCS2) | -8.52 | -8.75 | -5.62 | 1.13 | -4.49 | -1 | -3.49 |
| | 6995 | 209 | ax (20MHz) | SDM | 48/51.6 (MCS2) | -8.64 | -8.46 | -5.54 | 1.13 | -4.41 | -1 | -3.41 |
| | 7115 | 233 | ax (20MHz) | SDM | 48/51.6 (MCS2) | -8.48 | -8.28 | -5.37 | 1.13 | -4.24 | -1 | -3.24 |
| | 6885 | 187 | ax (40MHz) | SDM | 98/103.2 (MCS2) | -9.20 | -9.18 | -6.18 | 1.13 | -5.05 | -1 | -4.05 |
| | 7005 | 211 | ax (40MHz) | SDM | 98/103.2 (MCS2) | -8.62 | -8.41 | -5.50 | 1.13 | -4.37 | -1 | -3.37 |
| | 7085 | 227 | ax (40MHz) | SDM | 98/103.2 (MCS2) | -8.07 | -8.22 | -5.14 | 1.13 | -4.01 | -1 | -3.01 |
| | 6945 | 199 | ax (80MHz) | SDM | 204/216.2 (MCS2) | -8.48 | -8.56 | -5.51 | 1.13 | -4.38 | -1 | -3.38 |
| | 7025 | 215 | ax (80MHz) | SDM | 204/216.2 (MCS2) | -8.14 | -8.21 | -5.16 | 1.13 | -4.03 | -1 | -3.03 |
| | 6985 | 207 | ax (160MHz) | SDM | 367.5/432.4 (MCS2) | -8.57 | -8.93 | -5.74 | 1.13 | -4.61 | -1 | -3.61 |

Table 7-155. Power Spectral Density Measurements LPI CDD/SDM Diversity (Low Data Rate)

| | | | |
|---|---|---|--|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 213 of 567 |

| | Frequency [MHz] | Channel No. | 802.11 Mode | Mode | Data Rate [Mbps] | Antenna WF8 Measured Power Density [dBm/MHz] | Antenna WF7 Measured Power Density [dBm/MHz] | Summed Power Density [dBm/MHz] | Directional Gain [dBi] | e.i.r.p Density [dBm/MHz] | Max EIRP Density [dBm/MHz] | Margin [dB] |
|--------|-----------------|-------------|-------------|------|------------------|--|--|--------------------------------|------------------------|---------------------------|----------------------------|-------------|
| Band 5 | 5955 | 1 | ax (20MHz) | SDM | 98/103.2 (MCS4) | -8.43 | -8.28 | -5.34 | 1.90 | -3.44 | -1 | -2.44 |
| | 6175 | 45 | ax (20MHz) | SDM | 98/103.2 (MCS4) | -8.40 | -8.23 | -5.30 | 1.90 | -3.40 | -1 | -2.40 |
| | 6415 | 93 | ax (20MHz) | SDM | 98/103.2 (MCS4) | -8.02 | -7.83 | -4.92 | 1.90 | -3.01 | -1 | -2.01 |
| | 5965 | 3 | ax (40MHz) | SDM | 196/206.5 (MCS4) | -8.02 | -8.17 | -5.08 | 1.90 | -3.18 | -1 | -2.18 |
| | 6165 | 43 | ax (40MHz) | SDM | 196/206.5 (MCS4) | -8.21 | -7.86 | -5.02 | 1.90 | -3.12 | -1 | -2.12 |
| | 6405 | 91 | ax (40MHz) | SDM | 196/206.5 (MCS4) | -7.84 | -7.58 | -4.70 | 1.90 | -2.79 | -1 | -1.79 |
| | 5985 | 7 | ax (80MHz) | SDM | 408/432.4 (MCS4) | -7.86 | -7.81 | -4.82 | 1.90 | -2.92 | -1 | -1.92 |
| | 6145 | 39 | ax (80MHz) | SDM | 408/432.4 (MCS4) | -8.41 | -7.74 | -5.05 | 1.90 | -3.15 | -1 | -2.15 |
| | 6385 | 87 | ax (80MHz) | SDM | 408/432.4 (MCS4) | -7.64 | -7.68 | -4.65 | 1.90 | -2.74 | -1 | -1.74 |
| | 6025 | 15 | ax (160MHz) | SDM | 735/864.7 (MCS4) | -8.51 | -8.57 | -5.53 | 1.90 | -3.63 | -1 | -2.63 |
| Band 6 | 6185 | 47 | ax (160MHz) | SDM | 735/864.7 (MCS4) | -8.65 | -8.23 | -5.42 | 1.90 | -3.52 | -1 | -2.52 |
| | 6345 | 79 | ax (160MHz) | SDM | 735/864.7 (MCS4) | -8.77 | -7.90 | -5.30 | 1.90 | -3.40 | -1 | -2.40 |
| | 6435 | 97 | ax (20MHz) | SDM | 98/103.2 (MCS4) | -8.58 | -8.36 | -5.46 | 1.96 | -3.50 | -1 | -2.50 |
| | 6475 | 105 | ax (20MHz) | SDM | 98/103.2 (MCS4) | -8.40 | -8.32 | -5.35 | 1.96 | -3.39 | -1 | -2.39 |
| | 6515 | 113 | ax (20MHz) | SDM | 98/103.2 (MCS4) | -8.38 | -7.78 | -5.06 | 1.96 | -3.10 | -1 | -2.10 |
| | 6445 | 99 | ax (40MHz) | SDM | 196/206.5 (MCS4) | -8.23 | -7.79 | -4.99 | 1.96 | -3.04 | -1 | -2.04 |
| | 6485 | 107 | ax (40MHz) | SDM | 196/206.5 (MCS4) | -8.17 | -7.57 | -4.85 | 1.96 | -2.90 | -1 | -1.90 |
| | 6525 | 115 | ax (40MHz) | SDM | 196/206.5 (MCS4) | -9.28 | -8.32 | -5.76 | 1.96 | -3.81 | -1 | -2.81 |
| | 6465 | 103 | ax (80MHz) | SDM | 408/432.4 (MCS4) | -7.71 | -7.76 | -4.72 | 1.96 | -2.77 | -1 | -1.77 |
| | 6505 | 111 | ax (160MHz) | SDM | 735/864.7 (MCS4) | -9.29 | -8.95 | -6.11 | 1.96 | -4.15 | -1 | -3.15 |
| Band 7 | 6535 | 117 | ax (20MHz) | SDM | 98/103.2 (MCS4) | -9.24 | -8.40 | -5.79 | 2.58 | -3.21 | -1 | -2.21 |
| | 6695 | 149 | ax (20MHz) | SDM | 98/103.2 (MCS4) | -8.80 | -8.76 | -5.77 | 2.58 | -3.19 | -1 | -2.19 |
| | 6875 | 185 | ax (20MHz) | SDM | 98/103.2 (MCS4) | -10.49 | -9.35 | -6.87 | 2.58 | -4.29 | -1 | -3.29 |
| | 6565 | 123 | ax (40MHz) | SDM | 196/206.5 (MCS4) | -8.91 | -8.87 | -5.88 | 2.58 | -3.30 | -1 | -2.30 |
| | 6725 | 155 | ax (40MHz) | SDM | 196/206.5 (MCS4) | -9.11 | -8.67 | -5.87 | 2.58 | -3.30 | -1 | -2.30 |
| | 6845 | 179 | ax (40MHz) | SDM | 196/206.5 (MCS4) | -8.74 | -9.20 | -5.95 | 2.58 | -3.38 | -1 | -2.38 |
| | 6545 | 119 | ax (80MHz) | SDM | 408/432.4 (MCS4) | -8.95 | -8.35 | -5.63 | 2.58 | -3.05 | -1 | -2.05 |
| | 6705 | 151 | ax (80MHz) | SDM | 408/432.4 (MCS4) | -8.65 | -8.72 | -5.68 | 2.58 | -3.10 | -1 | -2.10 |
| | 6865 | 183 | ax (80MHz) | SDM | 408/432.4 (MCS4) | -8.92 | -8.67 | -5.78 | 2.58 | -3.21 | -1 | -2.21 |
| | 6665 | 143 | ax (160MHz) | SDM | 735/864.7 (MCS4) | -9.66 | -9.25 | -6.44 | 2.58 | -3.86 | -1 | -2.86 |
| Band 8 | 6825 | 175 | ax (160MHz) | SDM | 735/864.7 (MCS4) | -9.10 | -9.05 | -6.06 | 2.58 | -3.49 | -1 | -2.49 |
| | 6895 | 189 | ax (20MHz) | SDM | 98/103.2 (MCS4) | -8.36 | -8.55 | -5.44 | 1.13 | -4.31 | -1 | -3.31 |
| | 6995 | 209 | ax (20MHz) | SDM | 98/103.2 (MCS4) | -8.35 | -8.69 | -5.50 | 1.13 | -4.38 | -1 | -3.38 |
| | 7115 | 233 | ax (20MHz) | SDM | 98/103.2 (MCS4) | -8.26 | -8.22 | -5.23 | 1.13 | -4.10 | -1 | -3.10 |
| | 6885 | 187 | ax (40MHz) | SDM | 196/206.5 (MCS4) | -8.69 | -9.12 | -5.89 | 1.13 | -4.76 | -1 | -3.76 |
| | 7005 | 211 | ax (40MHz) | SDM | 196/206.5 (MCS4) | -8.14 | -8.40 | -5.26 | 1.13 | -4.13 | -1 | -3.13 |
| | 7085 | 227 | ax (40MHz) | SDM | 196/206.5 (MCS4) | -7.93 | -7.84 | -4.87 | 1.13 | -3.75 | -1 | -2.75 |
| | 6945 | 199 | ax (80MHz) | SDM | 408/432.4 (MCS4) | -8.41 | -8.41 | -5.40 | 1.13 | -4.27 | -1 | -3.27 |
| | 7025 | 215 | ax (80MHz) | SDM | 408/432.4 (MCS4) | -8.15 | -8.35 | -5.24 | 1.13 | -4.11 | -1 | -3.11 |
| | 6985 | 207 | ax (160MHz) | SDM | 735/864.7 (MCS4) | -8.53 | -8.53 | -5.52 | 1.13 | -4.39 | -1 | -3.39 |

Table 7-156. Power Spectral Density Measurements CDD/SDM LPI Diversity (Mid Data Rate)


| | | | |
|--|---|---|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 214 of 567 |

| | Frequency [MHz] | Channel No. | 802.11 Mode | Mode | Data Rate [Mbps] | Antenna WF8 Measured Power Density [dBm/MHz] | Antenna WF7 Measured Power Density [dBm/MHz] | Summed Power Density [dBm/MHz] | Directional Gain [dBi] | e.i.r.p Density [dBm/MHz] | Max EIRP Density [dBm/MHz] | Margin [dB] |
|--------|-----------------|-------------|-------------|------|---------------------|--|--|--------------------------------|------------------------|---------------------------|----------------------------|-------------|
| Band 5 | 5955 | 1 | ax (20MHz) | SDM | 270/286.8 (MCS11) | -8.18 | -8.10 | -5.13 | 1.90 | -3.22 | -1 | -2.22 |
| | 6175 | 45 | ax (20MHz) | SDM | 270/286.8 (MCS11) | -8.15 | -7.84 | -4.98 | 1.90 | -3.08 | -1 | -2.08 |
| | 6415 | 93 | ax (20MHz) | SDM | 270/286.8 (MCS11) | -8.14 | -7.47 | -4.78 | 1.90 | -2.87 | -1 | -1.87 |
| | 5965 | 3 | ax (40MHz) | SDM | 540/573.5 (MCS11) | -8.11 | -8.17 | -5.13 | 1.90 | -3.22 | -1 | -2.22 |
| | 6165 | 43 | ax (40MHz) | SDM | 540/573.5 (MCS11) | -7.73 | -7.85 | -4.78 | 1.90 | -2.88 | -1 | -1.88 |
| | 6405 | 91 | ax (40MHz) | SDM | 540/573.5 (MCS11) | -7.89 | -7.50 | -4.68 | 1.90 | -2.78 | -1 | -1.78 |
| | 5985 | 7 | ax (80MHz) | SDM | 1134/1201 (MCS11) | -8.12 | -7.63 | -4.86 | 1.90 | -2.95 | -1 | -1.95 |
| | 6145 | 39 | ax (80MHz) | SDM | 1134/1201 (MCS11) | -8.06 | -7.69 | -4.86 | 1.90 | -2.96 | -1 | -1.96 |
| | 6385 | 87 | ax (80MHz) | SDM | 1134/1201 (MCS11) | -7.78 | -7.56 | -4.66 | 1.90 | -2.75 | -1 | -1.75 |
| | 6025 | 15 | ax (160MHz) | SDM | 2041.7/2402 (MCS11) | -8.67 | -8.38 | -5.52 | 1.90 | -3.61 | -1 | -2.61 |
| | 6185 | 47 | ax (160MHz) | SDM | 2041.7/2402 (MCS11) | -8.29 | -7.85 | -5.06 | 1.90 | -3.15 | -1 | -2.15 |
| | 6345 | 79 | ax (160MHz) | SDM | 2041.7/2402 (MCS11) | -8.25 | -8.02 | -5.12 | 1.90 | -3.22 | -1 | -2.22 |
| | 6435 | 97 | ax (20MHz) | SDM | 270/286.8 (MCS11) | -8.47 | -7.80 | -5.11 | 1.96 | -3.15 | -1 | -2.15 |
| | 6475 | 105 | ax (20MHz) | SDM | 270/286.8 (MCS11) | -8.09 | -7.87 | -4.97 | 1.96 | -3.01 | -1 | -2.01 |
| Band 6 | 6515 | 113 | ax (20MHz) | SDM | 270/286.8 (MCS11) | -8.54 | -7.78 | -5.13 | 1.96 | -3.18 | -1 | -2.18 |
| | 6445 | 99 | ax (40MHz) | SDM | 540/573.5 (MCS11) | -7.95 | -7.93 | -4.93 | 1.96 | -2.97 | -1 | -1.97 |
| | 6485 | 107 | ax (40MHz) | SDM | 540/573.5 (MCS11) | -7.96 | -7.83 | -4.88 | 1.96 | -2.92 | -1 | -1.92 |
| | 6525 | 115 | ax (40MHz) | SDM | 540/573.5 (MCS11) | -9.20 | -8.63 | -5.90 | 1.96 | -3.94 | -1 | -2.94 |
| | 6465 | 103 | ax (80MHz) | SDM | 1134/1201 (MCS11) | -8.01 | -7.61 | -4.80 | 1.96 | -2.84 | -1 | -1.84 |
| | 6505 | 111 | ax (160MHz) | SDM | 2041.7/2402 (MCS11) | -8.68 | -8.41 | -5.54 | 1.96 | -3.58 | -1 | -2.58 |
| | 6535 | 117 | ax (20MHz) | SDM | 270/286.8 (MCS11) | -9.38 | -8.60 | -5.97 | 2.58 | -3.39 | -1 | -2.39 |
| | 6695 | 149 | ax (20MHz) | SDM | 270/286.8 (MCS11) | -8.96 | -8.79 | -5.86 | 2.58 | -3.29 | -1 | -2.29 |
| | 6875 | 185 | ax (20MHz) | SDM | 270/286.8 (MCS11) | -9.05 | -9.33 | -6.18 | 2.58 | -3.60 | -1 | -2.60 |
| | 6565 | 123 | ax (40MHz) | SDM | 540/573.5 (MCS11) | -8.97 | -8.68 | -5.81 | 2.58 | -3.23 | -1 | -2.23 |
| Band 7 | 6725 | 155 | ax (40MHz) | SDM | 540/573.5 (MCS11) | -8.99 | -8.69 | -5.83 | 2.58 | -3.25 | -1 | -2.25 |
| | 6845 | 179 | ax (40MHz) | SDM | 540/573.5 (MCS11) | -8.90 | -8.85 | -5.87 | 2.58 | -3.29 | -1 | -2.29 |
| | 6545 | 119 | ax (80MHz) | SDM | 1134/1201 (MCS11) | -8.87 | -8.24 | -5.53 | 2.58 | -2.96 | -1 | -1.96 |
| | 6705 | 151 | ax (80MHz) | SDM | 1134/1201 (MCS11) | -8.89 | -8.52 | -5.69 | 2.58 | -3.11 | -1 | -2.11 |
| | 6865 | 183 | ax (80MHz) | SDM | 1134/1201 (MCS11) | -8.43 | -8.63 | -5.52 | 2.58 | -2.95 | -1 | -1.95 |
| | 6665 | 143 | ax (160MHz) | SDM | 2041.7/2402 (MCS11) | -9.43 | -9.44 | -6.43 | 2.58 | -3.85 | -1 | -2.85 |
| | 6825 | 175 | ax (160MHz) | SDM | 2041.7/2402 (MCS11) | -9.25 | -9.06 | -6.14 | 2.58 | -3.56 | -1 | -2.56 |
| | 6895 | 189 | ax (20MHz) | SDM | 270/286.8 (MCS11) | -8.32 | -8.86 | -5.57 | 1.13 | -4.44 | -1 | -3.44 |
| | 6995 | 209 | ax (20MHz) | SDM | 270/286.8 (MCS11) | -8.21 | -7.95 | -5.07 | 1.13 | -3.94 | -1 | -2.94 |
| | 7115 | 233 | ax (20MHz) | SDM | 270/286.8 (MCS11) | -8.22 | -7.77 | -4.98 | 1.13 | -3.85 | -1 | -2.85 |
| Band 8 | 6885 | 187 | ax (40MHz) | SDM | 540/573.5 (MCS11) | -9.19 | -9.16 | -6.17 | 1.13 | -5.04 | -1 | -4.04 |
| | 7005 | 211 | ax (40MHz) | SDM | 540/573.5 (MCS11) | -8.02 | -8.05 | -5.03 | 1.13 | -3.90 | -1 | -2.90 |
| | 7085 | 227 | ax (40MHz) | SDM | 540/573.5 (MCS11) | -8.19 | -7.62 | -4.89 | 1.13 | -3.76 | -1 | -2.76 |
| | 6945 | 199 | ax (80MHz) | SDM | 1134/1201 (MCS11) | -8.19 | -8.04 | -5.10 | 1.13 | -3.97 | -1 | -2.97 |
| | 7025 | 215 | ax (80MHz) | SDM | 1134/1201 (MCS11) | -8.09 | -8.21 | -5.14 | 1.13 | -4.01 | -1 | -3.01 |
| | 6985 | 207 | ax (160MHz) | SDM | 2041.7/2402 (MCS11) | -8.55 | -8.65 | -5.59 | 1.13 | -4.46 | -1 | -3.46 |


Table 7-157. Power Spectral Density Measurements CDD/SDM Diversity LPI (High Data Rate)

| | | | |
|---|---|---|--|
| FCC ID: BCGA2836 IC: 579C-A2836 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 215 of 567 |


Low Data Rate




Plot 7-547. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (20MHz 802.11ax (UNII Band 5) - Ch. 45, MCS2)




Plot 7-550. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (40MHz 802.11ax (UNII Band 5) - Ch. 43, MCS2)




Plot 7-548. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (20MHz 802.11ax (UNII Band 5) - Ch. 45, MCS2)



Plot 7-551. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (80MHz 802.11ax (UNII Band 5) - Ch. 39, MCS2)




Plot 7-549. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (40MHz 802.11ax (UNII Band 5) - Ch. 43, MCS2)




Plot 7-552. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (80MHz 802.11ax (UNII Band 5) - Ch. 39, MCS2)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 216 of 567 |




Plot 7-553. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS2)




Plot 7-556. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS2)




Plot 7-554. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS2)



Plot 7-557. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS2)




Plot 7-555. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS2)




Plot 7-558. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS2)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 217 of 567 |




Plot 7-559. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS2)



Plot 7-562. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS2)




Plot 7-560. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS2)



Plot 7-563. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (20MHz 802.11ax (UNII Band 6) – Ch. 149, MCS2)




Plot 7-561. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS2)




Plot 7-564. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS2)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 218 of 567 |




Plot 7-565. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS2)




Plot 7-568. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)




Plot 7-566. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS2)



Plot 7-569. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)




Plot 7-567. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)




Plot 7-570. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 219 of 567 |




Plot 7-571. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS2)




Plot 7-574. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS2)




Plot 7-572. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS2)



Plot 7-575. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS2)




Plot 7-573. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS2)




Plot 7-576. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS2)

| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 220 of 567 |




Plot 7-577. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS2)




Plot 7-578. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS2)

| | | | |
|--|--------------------------------------|---|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 221 of 567 |


Mid Data Rate




Plot 7-579. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)




Plot 7-582. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)




Plot 7-580. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)



Plot 7-583. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS4)




Plot 7-581. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)




Plot 7-584. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS4)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 222 of 567 |




Plot 7-585. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)




Plot 7-588. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS4)




Plot 7-586. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)



Plot 7-589. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS4)




Plot 7-587. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS4)




Plot 7-590. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS4)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 223 of 567 |




Plot 7-591. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS4)




Plot 7-594. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS4)




Plot 7-592. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS4)



Plot 7-595. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)




Plot 7-593. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS4)




Plot 7-596. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 224 of 567 |




Plot 7-597. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)




Plot 7-600. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)




Plot 7-598. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)



Plot 7-601. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)




Plot 7-599. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)




Plot 7-602. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)


| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 225 of 567 |




Plot 7-603. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (20MHz 802.11ax (UNII Band 8) - Ch. 209, MCS4)




Plot 7-606. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (40MHz 802.11ax (UNII Band 8) - Ch. 211, MCS4)




Plot 7-604. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (20MHz 802.11ax (UNII Band 8) - Ch. 209, MCS4)



Plot 7-607. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (80MHz 802.11ax (UNII Band 8) - Ch. 199, MCS4)




Plot 7-605. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (40MHz 802.11ax (UNII Band 8) - Ch. 211, MCS4)




Plot 7-608. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (80MHz 802.11ax (UNII Band 8) - Ch. 199, MCS4)

| | | | |
|--|--------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 226 of 567 |



Plot 7-609. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF5B (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS4)



Plot 7-610. Power Spectral Density Plot LPI CDD/SDM Diversity Antenna WF7 (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS4)

| | | | |
|---|---|---|--|
| FCC ID: BCGA2836 IC: 579C-A2836 | | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2311270067-13-R1.BCG | Test Dates: 1/8/2024 - 04/05/2024 | EUT Type: Tablet Device | Page 227 of 567 |