




Plot 7-681. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)




Plot 7-684. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)




Plot 7-682. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)



Plot 7-685. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)




Plot 7-683. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)




Plot 7-686. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 216 of 616




Plot 7-687. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 155)




Plot 7-690. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-688. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 155)



Plot 7-691. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-689. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-692. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 217 of 616




Plot 7-693. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-696. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 151)




Plot 7-694. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)



Plot 7-697. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)




Plot 7-695. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 151)




Plot 7-698. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 218 of 616




Plot 7-699. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 7) - Ch. 143)




Plot 7-702. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 7) - Ch. 143)




Plot 7-700. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 7) - Ch. 143)



Plot 7-703. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU996x2 (UNII Band 7) - Ch. 143)




Plot 7-701. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 7) - Ch. 143)




Plot 7-704. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU996x2 (UNII Band 7) - Ch. 143)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 219 of 616




Plot 7-705. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)




Plot 7-708. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)




Plot 7-706. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)



Plot 7-709. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)




Plot 7-707. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)




Plot 7-710. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 220 of 616




Plot 7-711. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU242 (UNII Band 8) – Ch. 209)




Plot 7-714. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)




Plot 7-712. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (20MHz 802.11ax RU242 (UNII Band 8) – Ch. 209)



Plot 7-715. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)




Plot 7-713. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)




Plot 7-716. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 221 of 616




Plot 7-717. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 8) - Ch. 211)




Plot 7-720. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU484 (UNII Band 8) - Ch. 211)




Plot 7-718. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 8) - Ch. 211)



Plot 7-721. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 8) - Ch. 199)




Plot 7-719. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU484 (UNII Band 8) - Ch. 211)




Plot 7-722. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 8) - Ch. 199)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG			Test Dates: 1/8/2024 - 04/05/2024




Plot 7-723. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)




Plot 7-726. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)




Plot 7-724. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)



Plot 7-727. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU996 (UNII Band 8) – Ch. 199)




Plot 7-725. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)




Plot 7-728. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU996 (UNII Band 8) – Ch. 199)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 223 of 616




Plot 7-729. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 8) - Ch. 207)




Plot 7-732. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 8) - Ch. 207)




Plot 7-730. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 8) - Ch. 207)



Plot 7-733. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 8) - Ch. 207)




Plot 7-731. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 8) - Ch. 207)




Plot 7-734. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 8) - Ch. 207)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 224 of 616



Plot 7-735. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU996x2 (UNII Band 8) – Ch. 207)



Plot 7-736. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU996x2 (UNII Band 8) – Ch. 207)

<p>FCC ID: BCGA2836 IC: 579C-A2836</p>		<p>MEASUREMENT REPORT (CERTIFICATION)</p>	<p>Approved by: Technical Manager</p>
<p>Test Report S/N: 1C2311270067-14-R1.BCG</p>	<p>Test Dates: 1/8/2024 - 04/05/2024</p>	<p>EUT Type: Tablet Device</p>	<p>Page 225 of 616</p>

7.4.10 SDM Diversity LPI Power Spectral Density Measurements

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate [Mbps]	Ant WFB Power Density [dBm/MHz]	Ant W7 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max ERP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.33	-9.25	-5.75	1.90	-3.85	-1	-2.85
	5955	1	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.73	-9.72	-6.71	1.90	-4.81	-1	-3.81
	5955	1	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.82	-9.26	-6.02	1.90	-4.12	-1	-3.12
	6175	45	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.20	-8.47	-5.32	1.90	-3.41	-1	-2.41
	6175	45	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.28	-9.55	-6.40	1.90	-4.50	-1	-3.50
	6175	45	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.39	-8.51	-5.44	1.90	-3.54	-1	-2.54
	6415	93	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-26.85	-8.72	-8.65	1.90	-6.75	-1	-5.75
	6415	93	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-15.33	-10.17	-9.01	1.90	-7.11	-1	-6.11
	6415	93	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.83	-8.70	-5.76	1.90	-3.85	-1	-2.85
	5965	3	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-7.76	-9.33	-5.46	1.90	-3.56	-1	-2.56
	5965	3	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.38	-8.59	-5.47	1.90	-3.57	-1	-2.57
	5965	3	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.57	-9.40	-5.95	1.90	-4.05	-1	-3.05
	6165	43	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.76	-9.16	-5.94	1.90	-4.04	-1	-3.04
	6165	43	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-7.91	-8.85	-5.35	1.90	-3.44	-1	-2.44
	6165	43	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.34	-9.40	-5.83	1.90	-3.92	-1	-2.92
	6165	91	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.50	-7.91	-5.18	1.90	-3.28	-1	-2.28
	6165	91	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.60	-8.16	-5.36	1.90	-3.46	-1	-2.46
	6165	91	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.63	-8.02	-5.30	1.90	-3.40	-1	-2.40
	5985	7	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.74	-8.42	-5.57	1.90	-3.66	-1	-2.66
	5985	7	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-9.66	-10.23	-6.92	1.90	-5.02	-1	-4.02
	5985	7	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.30	-8.79	-5.53	1.90	-3.62	-1	-2.62
	6145	39	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.74	-8.99	-5.85	1.90	-3.94	-1	-2.94
	6145	39	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-9.55	-9.86	-6.69	1.90	-4.78	-1	-3.78
	6145	39	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.70	-9.14	-5.90	1.90	-4.00	-1	-3.00
	6385	87	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.35	-8.69	-5.51	1.90	-3.61	-1	-2.61
	6385	87	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-9.96	-10.26	-7.10	1.90	-5.19	-1	-4.19
	6385	87	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.42	-8.60	-5.50	1.90	-3.59	-1	-2.59
	6025	15	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-8.40	-9.17	-5.75	1.90	-3.85	-1	-2.85
	6025	15	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-8.42	-8.87	-5.63	1.90	-3.73	-1	-2.73
	6025	15	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-9.05	-9.15	-6.09	1.90	-4.19	-1	-3.19
	6185	47	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-8.31	-9.16	-5.71	1.90	-3.80	-1	-2.80
	6185	47	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-8.25	-9.64	-5.88	1.90	-3.98	-1	-2.98
	6185	47	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-8.03	-9.00	-5.48	1.90	-3.57	-1	-2.57
	6345	79	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-7.88	-8.46	-5.15	1.90	-3.24	-1	-2.24
	6345	79	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-8.01	-9.14	-5.53	1.90	-3.62	-1	-2.62
	6345	79	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-7.92	-8.95	-5.39	1.90	-3.49	-1	-2.49
	6345	97	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.29	-9.41	-5.81	1.96	-3.85	-1	-2.85
	6345	97	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.19	-10.21	-6.66	1.96	-4.71	-1	-3.71
	6345	97	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.51	-9.58	-6.00	1.96	-4.05	-1	-3.05
	6475	105	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.57	-9.08	-5.80	1.96	-3.85	-1	-2.85
	6475	105	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.57	-10.12	-6.82	1.96	-4.87	-1	-3.87
	6475	105	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.65	-8.98	-5.80	1.96	-3.84	-1	-2.84
	6515	113	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.73	-8.89	-5.80	1.96	-3.84	-1	-2.84
	6515	113	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.48	-10.15	-6.79	1.96	-4.83	-1	-3.83
	6515	113	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.27	-8.91	-5.57	1.96	-3.61	-1	-2.61
6445	99	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.55	-8.65	-5.59	1.96	-3.63	-1	-2.63	
6445	99	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.29	-8.82	-5.54	1.96	-3.58	-1	-2.58	
6445	99	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.70	-8.90	-5.79	1.96	-3.83	-1	-2.83	
6485	107	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.69	-9.49	-6.06	1.96	-4.10	-1	-3.10	
6485	107	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.32	-9.19	-5.72	1.96	-3.77	-1	-2.77	
6485	107	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.61	-9.05	-5.81	1.96	-3.86	-1	-2.86	
6525	115	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.39	-9.88	-6.62	1.96	-4.66	-1	-3.66	
6525	115	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.49	-9.88	-6.67	1.96	-4.72	-1	-3.72	
6525	115	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.79	-10.06	-6.91	1.96	-4.96	-1	-3.96	
6465	103	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.14	-9.28	-5.66	1.96	-3.71	-1	-2.71	
6465	103	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-9.43	-10.35	-6.85	1.96	-4.90	-1	-3.90	
6465	103	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.29	-8.75	-5.50	1.96	-3.55	-1	-2.55	
6505	111	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-8.65	-9.63	-6.10	1.96	-4.15	-1	-3.15	
6505	111	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-8.76	-9.20	-5.96	1.96	-4.01	-1	-3.01	
6505	111	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-8.96	-9.49	-6.21	1.96	-4.25	-1	-3.25	

Table 7-153. Bands 5, 6 LPI Power Spectral Density Measurements SDM Diversity (RU26)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 226 of 616

Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate [Mbps]	Ant W8 Power Density [dBm/MHz]	Ant W7 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]																												
Band 7																																									
														6535	117	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-9.78	-9.71	-6.73	2.58	-4.16	-1	-3.16														
														6535	117	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-10.44	-10.43	-7.43	2.58	-4.85	-1	-3.85														
														6535	117	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.48	-9.79	-6.62	2.58	-4.05	-1	-3.05														
														6695	149	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.79	-9.27	-6.01	2.58	-3.44	-1	-2.44														
														6695	149	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.77	-9.92	-6.83	2.58	-4.25	-1	-3.25														
														6695	149	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.10	-9.09	-6.09	2.58	-3.51	-1	-2.51														
														6875	185	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-9.56	-10.41	-6.95	2.58	-4.38	-1	-3.38														
														6875	185	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-10.20	-10.83	-7.50	2.58	-4.92	-1	-3.92														
														6875	185	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.38	-10.29	-6.80	2.58	-4.23	-1	-3.23														
														6565	123	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.29	-9.63	-6.45	2.58	-3.87	-1	-2.87														
														6565	123	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.19	-9.96	-6.55	2.58	-3.97	-1	-2.97														
														6565	123	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.57	-10.19	-6.86	2.58	-4.28	-1	-3.28														
														6725	155	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.53	-9.85	-6.68	2.58	-4.10	-1	-3.10														
														6725	155	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.32	-9.39	-6.34	2.58	-3.77	-1	-2.77														
														6725	155	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.40	-10.69	-6.99	2.58	-4.41	-1	-3.41														
														6845	179	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.49	-10.42	-6.92	2.58	-4.34	-1	-3.34														
														6845	179	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-10.07	-10.09	-7.07	2.58	-4.50	-1	-3.50														
														6845	179	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-10.04	-10.24	-7.13	2.58	-4.55	-1	-3.55														
														6545	119	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.20	-9.63	-5.85	2.58	-3.27	-1	-2.27														
														6545	119	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-9.98	-10.58	-7.26	2.58	-4.69	-1	-3.69														
														6545	119	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-9.24	-9.67	-6.44	2.58	-3.86	-1	-2.86														
														6705	151	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-9.14	-10.23	-6.64	2.58	-4.07	-1	-3.07														
														6705	151	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.83	-10.85	-7.83	2.58	-5.25	-1	-4.25														
														6705	151	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-9.54	-10.06	-6.78	2.58	-4.21	-1	-3.21														
														6865	183	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-9.50	-9.54	-6.51	2.58	-3.93	-1	-2.93														
														6865	183	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-11.49	-11.16	-8.31	2.58	-5.73	-1	-4.73														
														6865	183	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-10.12	-9.60	-6.84	2.58	-4.27	-1	-3.27														
														6665	143	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-9.39	-10.28	-6.80	2.58	-4.23	-1	-3.23														
														6665	143	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-9.61	-10.25	-6.91	2.58	-4.33	-1	-3.33														
														6665	143	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-9.04	-10.91	-6.86	2.58	-4.29	-1	-3.29														
														6825	175	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-9.44	-10.55	-6.95	2.58	-4.37	-1	-3.37														
														6825	175	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-9.53	-10.06	-6.77	2.58	-4.20	-1	-3.20														
														6825	175	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-9.96	-10.38	-7.15	2.58	-4.58	-1	-3.58														
														Band 8																											
																												6895	189	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.84	-9.46	-6.13	1.13	-5.00	-1	-4.00
																												6895	189	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.25	-10.04	-6.62	1.13	-5.49	-1	-4.49
																												6895	189	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.62	-8.98	-5.78	1.13	-4.65	-1	-3.65
6995	209	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.50	-8.74	-5.61	1.13	-4.48	-1	-3.48																												
6995	209	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.25	-9.96	-6.58	1.13	-5.45	-1	-4.45																												
6995	209	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.10	-8.79	-5.42	1.13	-4.29	-1	-3.29																												
7095	229	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-9.92	-9.33	-6.60	1.13	-5.47	-1	-4.47																												
7095	229	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.86	-10.41	-7.12	1.13	-5.99	-1	-4.99																												
7095	229	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.31	-9.05	-6.17	1.13	-5.04	-1	-4.04																												
6885	187	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-10.70	-10.37	-7.52	1.13	-6.39	-1	-5.39																												
6885	187	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-10.16	-10.07	-7.11	1.13	-5.98	-1	-4.98																												
6885	187	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-10.66	-10.14	-7.38	1.13	-6.25	-1	-5.25																												
7005	211	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.25	-8.92	-6.07	1.13	-4.94	-1	-3.94																												
7005	211	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.69	-8.88	-5.77	1.13	-4.64	-1	-3.64																												
7005	211	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.08	-8.88	-5.97	1.13	-4.84	-1	-3.84																												
7085	227	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.95	-8.95	-5.94	1.13	-4.81	-1	-3.81																												
7085	227	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.58	-8.64	-5.60	1.13	-4.47	-1	-3.47																												
7085	227	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.89	-8.88	-5.87	1.13	-4.74	-1	-3.74																												
6945	199	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-9.46	-9.03	-6.23	1.13	-5.10	-1	-4.10																												
6945	199	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-11.50	-11.01	-8.24	1.13	-7.11	-1	-6.11																												
6945	199	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-9.71	-9.05	-6.36	1.13	-5.23	-1	-4.23																												
7025	215	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-9.95	-8.50	-6.15	1.13	-5.02	-1	-4.02																												
7025	215	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-11.32	-10.17	-7.70	1.13	-6.57	-1	-5.57																												
7025	215	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-10.54	-8.43	-6.35	1.13	-5.22	-1	-4.22																												
6985	207	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-8.98	-9.30	-6.12	1.13	-5.00	-1	-4.00																												
6985	207	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-9.37	-9.07	-6.21	1.13	-5.08	-1	-4.08																												
6985	207	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-8.74	-9.29	-5.99	1.13	-4.86	-1	-3.86																												


Table 7-154. Bands 7, 8 LPI Power Spectral Density Measurements SDM Diversity (RU26)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 227 of 616


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate [Mbps]	Ant W8 Power Density [dBm/MHz]	Ant W7 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.02	-8.40	-5.19	1.90	-3.29	-1	-2.29
	6175	45	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.56	-8.44	-5.49	1.90	-3.58	-1	-2.58
	6415	93	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.38	-8.02	-5.19	1.90	-3.28	-1	-2.28
	5965	3	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.11	-8.24	-5.16	1.90	-3.26	-1	-2.26
	6165	43	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.39	-8.03	-5.20	1.90	-3.29	-1	-2.29
	6165	91	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.74	-7.89	-4.80	1.90	-2.90	-1	-1.90
	5985	7	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.23	-7.89	-5.04	1.90	-3.14	-1	-2.14
	6145	39	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-7.93	-7.99	-4.95	1.90	-3.05	-1	-2.05
	6385	87	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-7.75	-7.45	-4.58	1.90	-2.68	-1	-1.68
	6025	15	ax (160MHz)	996	68	SDM	2041.6/2402 (MCS11)	-8.57	-8.19	-5.36	1.90	-3.46	-1	-2.46
	6185	47	ax (160MHz)	996	68	SDM	2041.6/2402 (MCS11)	-8.44	-8.29	-5.35	1.90	-3.45	-1	-2.45
	6345	79	ax (160MHz)	996	68	SDM	2041.6/2402 (MCS11)	-8.03	-8.14	-5.07	1.90	-3.17	-1	-2.17
Band 6	6345	97	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.42	-8.35	-5.37	1.96	-3.42	-1	-2.42
	6475	105	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.33	-8.46	-5.38	1.96	-3.43	-1	-2.43
	6515	113	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.37	-7.82	-5.07	1.96	-3.12	-1	-2.12
	6445	99	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.72	-7.96	-4.83	1.96	-2.87	-1	-1.87
	6485	107	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.92	-7.82	-4.86	1.96	-2.90	-1	-1.90
	6525	115	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.69	-8.40	-5.53	1.96	-3.58	-1	-2.58
	6465	103	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-7.97	-7.66	-4.80	1.96	-2.85	-1	-1.85
	6505	111	ax (160MHz)	996	68	SDM	2041.6/2402 (MCS11)	-8.81	-8.43	-5.61	1.96	-3.65	-1	-2.65
	6535	117	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-10.28	-8.70	-6.41	2.58	-3.84	-1	-2.84
	6695	149	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.72	-9.03	-5.86	2.58	-3.28	-1	-2.28
	6875	185	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.89	-9.42	-6.14	2.58	-3.56	-1	-2.56
	6565	123	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.72	-8.84	-5.76	2.58	-3.19	-1	-2.19
Band 7	6725	155	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.88	-8.58	-5.71	2.58	-3.14	-1	-2.14
	6845	179	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-9.18	-9.05	-6.10	2.58	-3.53	-1	-2.53
	6545	119	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.66	-8.43	-5.53	2.58	-2.96	-1	-1.96
	6705	151	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.82	-8.74	-5.77	2.58	-3.19	-1	-2.19
	6865	183	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-9.04	-8.99	-6.01	2.58	-3.43	-1	-2.43
	6665	143	ax (160MHz)	996	68	SDM	2041.6/2402 (MCS11)	-9.48	-9.30	-6.38	2.58	-3.80	-1	-2.80
	6825	175	ax (160MHz)	996	68	SDM	2041.6/2402 (MCS11)	-8.82	-8.79	-5.79	2.58	-3.22	-1	-2.22
	6895	189	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.16	-8.67	-5.40	1.13	-4.27	-1	-3.27
	6995	209	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.05	-8.47	-5.24	1.13	-4.11	-1	-3.11
	7115	233	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.66	-8.04	-4.83	1.13	-3.71	-1	-2.71
	6885	187	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-9.15	-9.12	-6.12	1.13	-4.99	-1	-3.99
	7005	211	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.12	-8.18	-5.14	1.13	-4.01	-1	-3.01
Band 8	7085	227	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.84	-7.83	-4.82	1.13	-3.69	-1	-2.69
	6945	199	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.54	-8.00	-5.25	1.13	-4.12	-1	-3.12
	7025	215	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.41	-8.25	-5.32	1.13	-4.19	-1	-3.19
	6985	207	ax (160MHz)	996	68	SDM	2041.6/2402 (MCS11)	-8.41	-8.70	-5.55	1.13	-4.42	-1	-3.42

Table 7-155. LPI Power Spectral Density Measurements SDM Diversity (Fully-loaded RU)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 228 of 616




Plot 7-737. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-740. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-738. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)



Plot 7-741. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)



Plot 7-739. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-742. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 229 of 616




Plot 7-743. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 45)




Plot 7-746. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-744. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 45)



Plot 7-747. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-745. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-748. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 230 of 616




Plot 7-749. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-752. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 43)




Plot 7-750. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)



Plot 7-753. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-751. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 43)




Plot 7-754. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 231 of 616




Plot 7-755. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-758. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-756. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)



Plot 7-759. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (80MHz 802.11ax RU996 (UNII Band 5) – Ch. 39)



Plot 7-757. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)



Plot 7-760. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (80MHz 802.11ax RU996 (UNII Band 5) – Ch. 39)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-14-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 232 of 616