




Mid Data Rate




Plot 7-251. Power Spectral Density Plot Antenna WF7a Standard Power (20MHz 802.11a (UNII Band 5) – Ch. 45, 24Mbps)




Plot 7-254. Power Spectral Density Plot Antenna WF7a Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS4)




Plot 7-252. Power Spectral Density Plot Antenna WF7a Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)



Plot 7-255. Power Spectral Density Plot Antenna WF7a Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)




Plot 7-253. Power Spectral Density Plot Antenna WF7a Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)




Plot 7-256. Power Spectral Density Plot Antenna WF7a Standard Power (20MHz 802.11a (UNII Band 7) – Ch. 149, 24Mbps)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 130 of 552




Plot 7-257. Power Spectral Density Plot Antenna WF7a Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)



Plot 7-259. Power Spectral Density Plot Antenna WF7a Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)




Plot 7-258. Power Spectral Density Plot Antenna WF7a Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)




Plot 7-260. Power Spectral Density Plot Antenna WF7a Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 131 of 552


High Data Rate




Plot 7-261. Power Spectral Density Plot Antenna WF7a Standard Power (20MHz 802.11a (UNII Band 5) – Ch. 45, 54Mbps)




Plot 7-264. Power Spectral Density Plot Antenna WF7a Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-262. Power Spectral Density Plot Antenna WF7a Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-265. Power Spectral Density Plot Antenna WF7a Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)




Plot 7-263. Power Spectral Density Plot Antenna WF7a Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)




Plot 7-266. Power Spectral Density Plot Antenna WF7a Standard Power (20MHz 802.11a (UNII Band 7) – Ch. 149, 54Mbps)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 132 of 552




Plot 7-267. Power Spectral Density Plot Antenna WF7a Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)



Plot 7-269. Power Spectral Density Plot Antenna WF7a Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)



Plot 7-268. Power Spectral Density Plot Antenna WF7a Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)



Plot 7-270. Power Spectral Density Plot Antenna WF7a Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 133 of 552

7.4.2 Antenna WF2a Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	12	-3.84	1.00	-2.84	-1	-1.84
	6175	45	a	12	-2.93	1.00	-1.93	-1	-0.93
	6415	93	a	12	-3.67	1.00	-2.67	-1	-1.67
	5955	1	ax (20MHz)	24/25.8 (MCS2)	-4.41	1.00	-3.41	-1	-2.41
	6175	45	ax (20MHz)	24/25.8 (MCS2)	-3.06	1.00	-2.06	-1	-1.06
	6415	93	ax (20MHz)	24/25.8 (MCS2)	-3.84	1.00	-2.84	-1	-1.84
	5965	3	ax (40MHz)	49/51.6 (MCS2)	-4.13	1.00	-3.13	-1	-2.13
	6165	43	ax (40MHz)	49/51.6 (MCS2)	-3.39	1.00	-2.39	-1	-1.39
	6405	91	ax (40MHz)	49/51.6 (MCS2)	-4.02	1.00	-3.02	-1	-2.02
	5985	7	ax (80MHz)	102/108.1 (MCS2)	-4.11	1.00	-3.11	-1	-2.11
	6145	39	ax (80MHz)	102/108.1 (MCS2)	-3.25	1.00	-2.25	-1	-1.25
	6385	87	ax (80MHz)	102/108.1 (MCS2)	-3.89	1.00	-2.89	-1	-1.89
	6025	15	ax (160MHz)	183.8/216.2 (MCS2)	-4.13	1.00	-3.13	-1	-2.13
	6185	47	ax (160MHz)	183.8/216.2 (MCS2)	-3.04	1.00	-2.04	-1	-1.04
6345	79	ax (160MHz)	183.8/216.2 (MCS2)	-4.68	1.00	-3.68	-1	-2.68	
Band 6	6435	97	a	12	-3.60	-0.50	-4.10	-1	-3.10
	6475	105	a	12	-4.11	-0.50	-4.61	-1	-3.61
	6515	113	a	12	-3.68	-0.50	-4.18	-1	-3.18
	6435	97	ax (20MHz)	24/25.8 (MCS2)	-4.25	-0.50	-4.75	-1	-3.75
	6475	105	ax (20MHz)	24/25.8 (MCS2)	-4.40	-0.50	-4.90	-1	-3.90
	6515	113	ax (20MHz)	24/25.8 (MCS2)	-4.46	-0.50	-4.96	-1	-3.96
	6445	99	ax (40MHz)	49/51.6 (MCS2)	-4.86	-0.50	-5.36	-1	-4.36
	6485	107	ax (40MHz)	49/51.6 (MCS2)	-4.36	-0.50	-4.86	-1	-3.86
	6525	115	ax (40MHz)	49/51.6 (MCS2)	-5.32	-0.50	-5.82	-1	-4.82
	6465	103	ax (80MHz)	102/108.1 (MCS2)	-4.15	-0.50	-4.65	-1	-3.65
Band 7	6505	111	ax (160MHz)	183.8/216.2 (MCS2)	-5.13	-0.50	-5.63	-1	-4.63
	6535	117	a	12	-4.27	0.70	-3.57	-1	-2.57
	6695	149	a	12	-3.98	0.70	-3.28	-1	-2.28
	6875	185	a	12	-5.49	0.70	-4.79	-1	-3.79
	6535	117	ax (20MHz)	24/25.8 (MCS2)	-4.83	0.70	-4.13	-1	-3.13
	6695	149	ax (20MHz)	24/25.8 (MCS2)	-4.49	0.70	-3.79	-1	-2.79
	6875	185	ax (20MHz)	24/25.8 (MCS2)	-5.36	0.70	-4.66	-1	-3.66
	6565	123	ax (40MHz)	49/51.6 (MCS2)	-5.81	0.70	-5.11	-1	-4.11
	6725	155	ax (40MHz)	49/51.6 (MCS2)	-6.04	0.70	-5.34	-1	-4.34
	6845	179	ax (40MHz)	49/51.6 (MCS2)	-6.07	0.70	-5.37	-1	-4.37
	6545	119	ax (80MHz)	102/108.1 (MCS2)	-5.40	0.70	-4.70	-1	-3.70
	6705	151	ax (80MHz)	102/108.1 (MCS2)	-6.14	0.70	-5.44	-1	-4.44
	6865	183	ax (80MHz)	102/108.1 (MCS2)	-6.16	0.70	-5.46	-1	-4.46
	6665	143	ax (160MHz)	183.8/216.2 (MCS2)	-6.53	0.70	-5.83	-1	-4.83
Band 8	6825	175	ax (160MHz)	183.8/216.2 (MCS2)	-6.23	0.70	-5.53	-1	-4.53
	6895	189	a	12	-3.87	0.00	-3.87	-1	-2.87
	6995	209	a	12	-3.94	0.00	-3.94	-1	-2.94
	7115	233	a	12	-4.40	0.00	-4.40	-1	-3.40
	6895	189	ax (20MHz)	24/25.8 (MCS2)	-4.69	0.00	-4.69	-1	-3.69
	6995	209	ax (20MHz)	24/25.8 (MCS2)	-4.32	0.00	-4.32	-1	-3.32
	7115	233	ax (20MHz)	24/25.8 (MCS2)	-4.57	0.00	-4.57	-1	-3.57
	6885	187	ax (40MHz)	49/51.6 (MCS2)	-6.25	0.00	-6.25	-1	-5.25
	7005	211	ax (40MHz)	49/51.6 (MCS2)	-4.59	0.00	-4.59	-1	-3.59
	7085	227	ax (40MHz)	49/51.6 (MCS2)	-4.28	0.00	-4.28	-1	-3.28
	6945	199	ax (80MHz)	102/108.1 (MCS2)	-4.58	0.00	-4.58	-1	-3.58
	7025	215	ax (80MHz)	102/108.1 (MCS2)	-4.19	0.00	-4.19	-1	-3.19
	6985	207	ax (160MHz)	183.8/216.2 (MCS2)	-4.74	0.00	-4.74	-1	-3.74

Table 7-137. Power Spectral Density Measurements Antenna WF2a LPI (Low Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 134 of 552

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	24	-3.46	1.00	-2.46	-1	-1.46
	6175	45	a	24	-2.84	1.00	-1.84	-1	-0.84
	6415	93	a	24	-3.43	1.00	-2.43	-1	-1.43
	5955	1	ax (20MHz)	49/51.6 (MCS4)	-4.12	1.00	-3.12	-1	-2.12
	6175	45	ax (20MHz)	49/51.6 (MCS4)	-3.33	1.00	-2.33	-1	-1.33
	6415	93	ax (20MHz)	49/51.6 (MCS4)	-4.06	1.00	-3.06	-1	-2.06
	5965	3	ax (40MHz)	98/103.2 (MCS4)	-4.19	1.00	-3.19	-1	-2.19
	6165	43	ax (40MHz)	98/103.2 (MCS4)	-3.47	1.00	-2.47	-1	-1.47
	6405	91	ax (40MHz)	98/103.2 (MCS4)	-3.73	1.00	-2.73	-1	-1.73
	5985	7	ax (80MHz)	204/216.2 (MCS4)	-3.97	1.00	-2.97	-1	-1.97
	6145	39	ax (80MHz)	204/216.2 (MCS4)	-2.89	1.00	-1.89	-1	-0.89
	6385	87	ax (80MHz)	204/216.2 (MCS4)	-3.87	1.00	-2.87	-1	-1.87
	6025	15	ax (160MHz)	367.5/432.4 (MCS4)	-4.00	1.00	-3.00	-1	-2.00
6185	47	ax (160MHz)	367.5/432.4 (MCS4)	-3.53	1.00	-2.53	-1	-1.53	
6345	79	ax (160MHz)	367.5/432.4 (MCS4)	-4.39	1.00	-3.39	-1	-2.39	
Band 6	6435	97	a	24	-3.83	-0.50	-4.33	-1	-3.33
	6475	105	a	24	-3.90	-0.50	-4.40	-1	-3.40
	6515	113	a	24	-3.78	-0.50	-4.28	-1	-3.28
	6435	97	ax (20MHz)	49/51.6 (MCS4)	-4.54	-0.50	-5.04	-1	-4.04
	6475	105	ax (20MHz)	49/51.6 (MCS4)	-4.26	-0.50	-4.76	-1	-3.76
	6515	113	ax (20MHz)	49/51.6 (MCS4)	-4.14	-0.50	-4.64	-1	-3.64
	6445	99	ax (40MHz)	98/103.2 (MCS4)	-4.73	-0.50	-5.23	-1	-4.23
	6485	107	ax (40MHz)	98/103.2 (MCS4)	-4.41	-0.50	-4.91	-1	-3.91
	6525	115	ax (40MHz)	98/103.2 (MCS4)	-5.13	-0.50	-5.63	-1	-4.63
6465	103	ax (80MHz)	204/216.2 (MCS4)	-4.69	-0.50	-5.19	-1	-4.19	
6505	111	ax (160MHz)	367.5/432.4 (MCS4)	-5.11	-0.50	-5.61	-1	-4.61	
Band 7	6535	117	a	24	-4.52	0.70	-3.82	-1	-2.82
	6695	149	a	24	-3.91	0.70	-3.21	-1	-2.21
	6875	185	a	24	-5.13	0.70	-4.43	-1	-3.43
	6535	117	ax (20MHz)	49/51.6 (MCS4)	-4.76	0.70	-4.06	-1	-3.06
	6695	149	ax (20MHz)	49/51.6 (MCS4)	-4.51	0.70	-3.81	-1	-2.81
	6875	185	ax (20MHz)	49/51.6 (MCS4)	-5.28	0.70	-4.58	-1	-3.58
	6565	123	ax (40MHz)	98/103.2 (MCS4)	-5.60	0.70	-4.90	-1	-3.90
	6725	155	ax (40MHz)	98/103.2 (MCS4)	-5.78	0.70	-5.08	-1	-4.08
	6845	179	ax (40MHz)	98/103.2 (MCS4)	-5.92	0.70	-5.22	-1	-4.22
	6545	119	ax (80MHz)	204/216.2 (MCS4)	-5.15	0.70	-4.45	-1	-3.45
	6705	151	ax (80MHz)	204/216.2 (MCS4)	-5.71	0.70	-5.01	-1	-4.01
	6865	183	ax (80MHz)	204/216.2 (MCS4)	-6.26	0.70	-5.56	-1	-4.56
6665	143	ax (160MHz)	367.5/432.4 (MCS4)	-6.19	0.70	-5.49	-1	-4.49	
6825	175	ax (160MHz)	367.5/432.4 (MCS4)	-5.85	0.70	-5.15	-1	-4.15	
Band 8	6895	189	a	24	-3.85	0.00	-3.85	-1	-2.85
	6995	209	a	24	-4.01	0.00	-4.01	-1	-3.01
	7115	233	a	24	-4.19	0.00	-4.19	-1	-3.19
	6895	189	ax (20MHz)	49/51.6 (MCS4)	-4.57	0.00	-4.57	-1	-3.57
	6995	209	ax (20MHz)	49/51.6 (MCS4)	-4.47	0.00	-4.47	-1	-3.47
	7115	233	ax (20MHz)	49/51.6 (MCS4)	-4.51	0.00	-4.51	-1	-3.51
	6885	187	ax (40MHz)	98/103.2 (MCS4)	-5.99	0.00	-5.99	-1	-4.99
	7005	211	ax (40MHz)	98/103.2 (MCS4)	-4.23	0.00	-4.23	-1	-3.23
	7085	227	ax (40MHz)	98/103.2 (MCS4)	-4.05	0.00	-4.05	-1	-3.05
	6945	199	ax (80MHz)	204/216.2 (MCS4)	-4.49	0.00	-4.49	-1	-3.49
	7025	215	ax (80MHz)	204/216.2 (MCS4)	-4.55	0.00	-4.55	-1	-3.55
6985	207	ax (160MHz)	367.5/432.4 (MCS4)	-4.92	0.00	-4.92	-1	-3.92	

Table 7-138. Power Spectral Density Measurements Antenna WF2a LPI (Mid Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 135 of 552

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	54	-3.82	1.00	-2.82	-1	-1.82
	6175	45	a	54	-2.50	1.00	-1.50	-1	-0.50
	6415	93	a	54	-2.77	1.00	-1.77	-1	-0.77
	5955	1	ax (20MHz)	135/143.4 (MCS11)	-4.18	1.00	-3.18	-1	-2.18
	6175	45	ax (20MHz)	135/143.4 (MCS11)	-3.32	1.00	-2.32	-1	-1.32
	6415	93	ax (20MHz)	135/143.4 (MCS11)	-4.00	1.00	-3.00	-1	-2.00
	5965	3	ax (40MHz)	271/286.8 (MCS11)	-3.98	1.00	-2.98	-1	-1.98
	6165	43	ax (40MHz)	271/286.8 (MCS11)	-3.17	1.00	-2.17	-1	-1.17
	6405	91	ax (40MHz)	271/286.8 (MCS11)	-3.84	1.00	-2.84	-1	-1.84
	5985	7	ax (80MHz)	567/600.5 (MCS11)	-3.94	1.00	-2.94	-1	-1.94
	6145	39	ax (80MHz)	567/600.5 (MCS11)	-2.86	1.00	-1.86	-1	-0.86
	6385	87	ax (80MHz)	567/600.5 (MCS11)	-3.66	1.00	-2.66	-1	-1.66
	6025	15	ax (160MHz)	1020.8/1201 (MCS11)	-3.89	1.00	-2.89	-1	-1.89
6185	47	ax (160MHz)	1020.8/1201 (MCS11)	-3.11	1.00	-2.11	-1	-1.11	
6345	79	ax (160MHz)	1020.8/1201 (MCS11)	-4.45	1.00	-3.45	-1	-2.45	
Band 6	6435	97	a	54	-3.69	-0.50	-4.19	-1	-3.19
	6475	105	a	54	-3.87	-0.50	-4.37	-1	-3.37
	6515	113	a	54	-3.54	-0.50	-4.04	-1	-3.04
	6435	97	ax (20MHz)	135/143.4 (MCS11)	-4.34	-0.50	-4.84	-1	-3.84
	6475	105	ax (20MHz)	135/143.4 (MCS11)	-4.40	-0.50	-4.90	-1	-3.90
	6515	113	ax (20MHz)	135/143.4 (MCS11)	-4.07	-0.50	-4.57	-1	-3.57
	6445	99	ax (40MHz)	271/286.8 (MCS11)	-4.52	-0.50	-5.02	-1	-4.02
	6485	107	ax (40MHz)	271/286.8 (MCS11)	-4.30	-0.50	-4.80	-1	-3.80
	6525	115	ax (40MHz)	271/286.8 (MCS11)	-5.07	-0.50	-5.57	-1	-4.57
6465	103	ax (80MHz)	567/600.5 (MCS11)	-4.20	-0.50	-4.70	-1	-3.70	
6505	111	ax (160MHz)	1020.8/1201 (MCS11)	-5.41	-0.50	-5.91	-1	-4.91	
Band 7	6535	117	a	54	-3.81	0.70	-3.11	-1	-2.11
	6695	149	a	54	-3.89	0.70	-3.19	-1	-2.19
	6875	185	a	54	-4.61	0.70	-3.91	-1	-2.91
	6535	117	ax (20MHz)	135/143.4 (MCS11)	-4.72	0.70	-4.02	-1	-3.02
	6695	149	ax (20MHz)	135/143.4 (MCS11)	-4.14	0.70	-3.44	-1	-2.44
	6875	185	ax (20MHz)	135/143.4 (MCS11)	-5.36	0.70	-4.66	-1	-3.66
	6565	123	ax (40MHz)	271/286.8 (MCS11)	-5.17	0.70	-4.47	-1	-3.47
	6725	155	ax (40MHz)	271/286.8 (MCS11)	-5.56	0.70	-4.86	-1	-3.86
	6845	179	ax (40MHz)	271/286.8 (MCS11)	-5.67	0.70	-4.97	-1	-3.97
	6545	119	ax (80MHz)	567/600.5 (MCS11)	-5.55	0.70	-4.85	-1	-3.85
	6705	151	ax (80MHz)	567/600.5 (MCS11)	-5.96	0.70	-5.26	-1	-4.26
	6865	183	ax (80MHz)	567/600.5 (MCS11)	-5.73	0.70	-5.03	-1	-4.03
	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	-6.20	0.70	-5.50	-1	-4.50
6825	175	ax (160MHz)	1020.8/1201 (MCS11)	-5.72	0.70	-5.02	-1	-4.02	
Band 8	6895	189	a	54	-3.71	0.00	-3.71	-1	-2.71
	6995	209	a	54	-3.49	0.00	-3.49	-1	-2.49
	7115	233	a	54	-4.28	0.00	-4.28	-1	-3.28
	6895	189	ax (20MHz)	135/143.4 (MCS11)	-4.13	0.00	-4.13	-1	-3.13
	6995	209	ax (20MHz)	135/143.4 (MCS11)	-4.29	0.00	-4.29	-1	-3.29
	7115	233	ax (20MHz)	135/143.4 (MCS11)	-4.65	0.00	-4.65	-1	-3.65
	6885	187	ax (40MHz)	271/286.8 (MCS11)	-5.98	0.00	-5.98	-1	-4.98
	7005	211	ax (40MHz)	271/286.8 (MCS11)	-4.18	0.00	-4.18	-1	-3.18
	7085	227	ax (40MHz)	271/286.8 (MCS11)	-3.97	0.00	-3.97	-1	-2.97
	6945	199	ax (80MHz)	567/600.5 (MCS11)	-4.53	0.00	-4.53	-1	-3.53
	7025	215	ax (80MHz)	567/600.5 (MCS11)	-4.47	0.00	-4.47	-1	-3.47
6985	207	ax (160MHz)	1020.8/1201 (MCS11)	-4.70	0.00	-4.70	-1	-3.70	

Table 7-139. Power Spectral Density Measurements Antenna WF2a LPI (High Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 136 of 552

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	12	3.11	1.00	4.11	17	-12.89
	6175	45	a	12	3.83	1.00	4.83	17	-12.17
	6415	93	a	12	6.07	1.00	7.07	17	-9.93
	5955	1	ax (20MHz)	24/25.8 (MCS2)	2.96	1.00	3.96	17	-13.04
	6175	45	ax (20MHz)	24/25.8 (MCS2)	3.52	1.00	4.52	17	-12.48
	6415	93	ax (20MHz)	24/25.8 (MCS2)	5.90	1.00	6.90	17	-10.10
	5965	3	ax (40MHz)	49/51.6 (MCS2)	0.41	1.00	1.41	17	-15.59
	6165	43	ax (40MHz)	49/51.6 (MCS2)	0.60	1.00	1.60	17	-15.40
	6405	91	ax (40MHz)	49/51.6 (MCS2)	3.12	1.00	4.12	17	-12.89
	5985	7	ax (80MHz)	102/108.1 (MCS2)	-2.43	1.00	-1.43	17	-18.43
	6145	39	ax (80MHz)	102/108.1 (MCS2)	-2.28	1.00	-1.28	17	-18.28
	6385	87	ax (80MHz)	102/108.1 (MCS2)	0.23	1.00	1.23	17	-15.77
	6025	15	ax (160MHz)	183.8/216.2 (MCS2)	-5.42	1.00	-4.42	17	-21.42
	6181	47	ax (160MHz)	183.8/216.2 (MCS2)	-4.60	1.00	-3.60	17	-20.60
6345	79	ax (160MHz)	183.8/216.2 (MCS2)	-3.82	1.00	-2.82	17	-19.82	
Band 7	6535	117	a	12	6.07	0.70	6.77	17	-10.23
	6695	149	a	12	6.16	0.70	6.86	17	-10.14
	6875	181	a	12	6.03	0.70	6.73	17	-10.27
	6535	117	ax (20MHz)	24/25.8 (MCS2)	6.00	0.70	6.70	17	-10.30
	6695	149	ax (20MHz)	24/25.8 (MCS2)	5.84	0.70	6.54	17	-10.46
	6875	181	ax (20MHz)	24/25.8 (MCS2)	5.76	0.70	6.46	17	-10.54
	6565	123	ax (40MHz)	49/51.6 (MCS2)	3.44	0.70	4.14	17	-12.86
	6725	155	ax (40MHz)	49/51.6 (MCS2)	3.45	0.70	4.15	17	-12.85
	6845	179	ax (40MHz)	49/51.6 (MCS2)	3.63	0.70	4.33	17	-12.67
	6545	135	ax (80MHz)	102/108.1 (MCS2)	0.61	0.70	1.31	17	-15.69
	6705	151	ax (80MHz)	102/108.1 (MCS2)	0.58	0.70	1.28	17	-15.72
	6865	167	ax (80MHz)	102/108.1 (MCS2)	0.40	0.70	1.10	17	-15.90
	6665	143	ax (160MHz)	183.8/216.2 (MCS2)	-2.77	0.70	-2.07	17	-19.07

Table 7-140. Power Spectral Density Measurements Antenna WF2a Standard Power (Low Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 137 of 552

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	24	3.48	1.00	4.48	17	-12.52
	6175	45	a	24	3.94	1.00	4.94	17	-12.06
	6415	93	a	24	6.46	1.00	7.46	17	-9.54
	5955	1	ax (20MHz)	49/51.6 (MCS4)	3.01	1.00	4.01	17	-12.99
	6175	45	ax (20MHz)	49/51.6 (MCS4)	3.53	1.00	4.53	17	-12.47
	6415	93	ax (20MHz)	49/51.6 (MCS4)	5.90	1.00	6.90	17	-10.10
	5965	3	ax (40MHz)	98/103.2 (MCS4)	0.57	1.00	1.57	17	-15.43
	6165	43	ax (40MHz)	98/103.2 (MCS4)	0.71	1.00	1.71	17	-15.29
	6405	91	ax (40MHz)	98/103.2 (MCS4)	3.11	1.00	4.11	17	-12.89
	5985	7	ax (80MHz)	204/216.2 (MCS4)	-1.99	1.00	-0.99	17	-17.99
	6145	39	ax (80MHz)	204/216.2 (MCS4)	-1.95	1.00	-0.95	17	-17.95
	6385	87	ax (80MHz)	204/216.2 (MCS4)	0.06	1.00	1.06	17	-15.95
	6025	15	ax (160MHz)	367.5/432.4 (MCS4)	-5.43	1.00	-4.43	17	-21.43
	6181	47	ax (160MHz)	367.5/432.4 (MCS4)	-4.69	1.00	-3.69	17	-20.69
6345	79	ax (160MHz)	367.5/432.4 (MCS4)	-3.52	1.00	-2.52	17	-19.52	
Band 7	6535	117	a	24	6.27	0.70	6.97	17	-10.04
	6695	149	a	24	6.21	0.70	6.91	17	-10.09
	6875	181	a	24	6.16	0.70	6.86	17	-10.15
	6535	117	ax (20MHz)	49/51.6 (MCS4)	6.46	0.70	7.16	17	-9.84
	6695	149	ax (20MHz)	49/51.6 (MCS4)	5.96	0.70	6.66	17	-10.34
	6875	181	ax (20MHz)	49/51.6 (MCS4)	6.21	0.70	6.91	17	-10.09
	6565	123	ax (40MHz)	98/103.2 (MCS4)	3.65	0.70	4.35	17	-12.65
	6725	155	ax (40MHz)	98/103.2 (MCS4)	3.64	0.70	4.34	17	-12.66
	6845	179	ax (40MHz)	98/103.2 (MCS4)	3.80	0.70	4.50	17	-12.50
	6545	135	ax (80MHz)	204/216.2 (MCS4)	0.78	0.70	1.48	17	-15.52
	6705	151	ax (80MHz)	204/216.2 (MCS4)	0.86	0.70	1.56	17	-15.44
	6865	167	ax (80MHz)	204/216.2 (MCS4)	0.64	0.70	1.34	17	-15.66
	6665	143	ax (160MHz)	367.5/432.4 (MCS4)	-2.78	0.70	-2.08	17	-19.08

Table 7-141. Power Spectral Density Measurements Antenna WF2a Standard Power (Mid Data Rate)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 138 of 552

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	54	3.55	1.00	4.55	17	-12.45
	6175	45	a	54	4.15	1.00	5.15	17	-11.85
	6415	93	a	54	6.50	1.00	7.50	17	-9.50
	5955	1	ax (20MHz)	135/143.4 (MCS11)	3.01	1.00	4.01	17	-13.00
	6175	45	ax (20MHz)	135/143.4 (MCS11)	3.51	1.00	4.51	17	-12.49
	6415	93	ax (20MHz)	135/143.4 (MCS11)	6.05	1.00	7.05	17	-9.95
	5965	3	ax (40MHz)	271/286.8 (MCS11)	0.64	1.00	1.64	17	-15.36
	6165	43	ax (40MHz)	271/286.8 (MCS11)	0.96	1.00	1.96	17	-15.05
	6405	91	ax (40MHz)	271/286.8 (MCS11)	3.35	1.00	4.35	17	-12.65
	5985	7	ax (80MHz)	567/600.5 (MCS11)	-2.22	1.00	-1.22	17	-18.22
	6145	39	ax (80MHz)	567/600.5 (MCS11)	-2.03	1.00	-1.03	17	-18.03
	6385	87	ax (80MHz)	567/600.5 (MCS11)	0.31	1.00	1.31	17	-15.69
	6025	15	ax (160MHz)	1020.8/1201 (MCS11)	-5.52	1.00	-4.52	17	-21.52
	6181	47	ax (160MHz)	1020.8/1201 (MCS11)	-4.35	1.00	-3.35	17	-20.35
6345	79	ax (160MHz)	1020.8/1201 (MCS11)	-3.79	1.00	-2.79	17	-19.79	
Band 7	6535	117	a	54	6.67	0.70	7.37	17	-9.63
	6695	149	a	54	6.32	0.70	7.02	17	-9.98
	6875	181	a	54	6.29	0.70	6.99	17	-10.01
	6535	117	ax (20MHz)	135/143.4 (MCS11)	6.18	0.70	6.88	17	-10.12
	6695	149	ax (20MHz)	135/143.4 (MCS11)	5.73	0.70	6.43	17	-10.57
	6875	181	ax (20MHz)	135/143.4 (MCS11)	5.76	0.70	6.46	17	-10.54
	6565	123	ax (40MHz)	271/286.8 (MCS11)	3.45	0.70	4.15	17	-12.85
	6725	155	ax (40MHz)	271/286.8 (MCS11)	3.55	0.70	4.25	17	-12.75
	6845	179	ax (40MHz)	271/286.8 (MCS11)	3.82	0.70	4.52	17	-12.48
	6545	135	ax (80MHz)	567/600.5 (MCS11)	1.01	0.70	1.71	17	-15.29
	6705	151	ax (80MHz)	567/600.5 (MCS11)	0.84	0.70	1.54	17	-15.46
	6865	167	ax (80MHz)	567/600.5 (MCS11)	0.62	0.70	1.32	17	-15.68
	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	-2.86	0.70	-2.16	17	-19.16


Table 7-142. Power Spectral Density Measurements Antenna WF2a Standard Power (High Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 139 of 552


Low Data Rate




Plot 7-271. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11a (UNII Band 5) – Ch. 45, 12Mbps)




Plot 7-274. Power Spectral Density Plot Antenna WF2a LPI (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS2)




Plot 7-272. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS2)



Plot 7-275. Power Spectral Density Plot Antenna WF2a LPI (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS2)




Plot 7-273. Power Spectral Density Plot Antenna WF2a LPI (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS2)




Plot 7-276. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11a (UNII Band 6) – Ch. 105, 12Mbps)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 140 of 552




Plot 7-277. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS2)




Plot 7-280. Power Spectral Density Plot Antenna WF2a LPI (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS2)




Plot 7-278. Power Spectral Density Plot Antenna WF2a LPI (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS2)



Plot 7-281. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11a (UNII Band 7) – Ch. 149, 12Mbps)




Plot 7-279. Power Spectral Density Plot Antenna WF2a LPI (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS2)




Plot 7-282. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS2)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 141 of 552




Plot 7-283. Power Spectral Density Plot Antenna WF2a LPI (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS2)




Plot 7-286. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11a (UNII Band 8) – Ch. 209, 12Mbps)




Plot 7-284. Power Spectral Density Plot Antenna WF2a LPI (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)



Plot 7-287. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS2)




Plot 7-285. Power Spectral Density Plot Antenna WF2a LPI (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)



Plot 7-288. Power Spectral Density Plot Antenna WF2a LPI (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS2)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 142 of 552




Plot 7-289. Power Spectral Density Plot Antenna WF2a LPI (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS2)




Plot 7-290. Power Spectral Density Plot Antenna WF2a LPI (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS2)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 143 of 552


Mid Data Rate




Plot 7-291. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11a (UNII Band 5) – Ch. 45, 24Mbps)




Plot 7-294. Power Spectral Density Plot Antenna WF2a LPI (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS4)




Plot 7-292. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)



Plot 7-295. Power Spectral Density Plot Antenna WF2a LPI (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)




Plot 7-293. Power Spectral Density Plot Antenna WF2a LPI (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)




Plot 7-296. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11a (UNII Band 6) – Ch. 105, 24Mbps)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 144 of 552




Plot 7-297. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS4)




Plot 7-300. Power Spectral Density Plot Antenna WF2a LPI (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS4)




Plot 7-298. Power Spectral Density Plot Antenna WF2a LPI (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS4)



Plot 7-301. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11a (UNII Band 7) – Ch. 149, 24Mbps)




Plot 7-299. Power Spectral Density Plot Antenna WF2a LPI (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS4)




Plot 7-302. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 145 of 552




Plot 7-303. Power Spectral Density Plot Antenna WF2a LPI (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)



Plot 7-305. Power Spectral Density Plot Antenna WF2a LPI (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)




Plot 7-304. Power Spectral Density Plot Antenna WF2a LPI (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)




Plot 7-306. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11a (UNII Band 8) – Ch. 209, 24Mbps)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 146 of 552


High Data Rate




Plot 7-307. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11a (UNII Band 5) – Ch. 45, 54Mbps)




Plot 7-310. Power Spectral Density Plot Antenna WF2a LPI (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-308. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-311. Power Spectral Density Plot Antenna WF2a LPI (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)




Plot 7-309. Power Spectral Density Plot Antenna WF2a LPI (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)




Plot 7-312. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11a (UNII Band 6) – Ch. 105, 54Mbps)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 147 of 552




Plot 7-313. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS11)




Plot 7-316. Power Spectral Density Plot Antenna WF2a LPI (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS11)




Plot 7-314. Power Spectral Density Plot Antenna WF2a LPI (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS11)



Plot 7-317. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11a (UNII Band 7) – Ch. 149, 54Mbps)




Plot 7-315. Power Spectral Density Plot Antenna WF2a LPI (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS11)




Plot 7-318. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 148 of 552




Plot 7-319. Power Spectral Density Plot Antenna WF2a LPI (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)




Plot 7-322. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11a (UNII Band 8) – Ch. 209, 54Mbps)




Plot 7-320. Power Spectral Density Plot Antenna WF2a LPI (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)



Plot 7-323. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS11)




Plot 7-321. Power Spectral Density Plot Antenna WF2a LPI (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)




Plot 7-324. Power Spectral Density Plot Antenna WF2a LPI (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS11)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 149 of 552




Plot 7-325. Power Spectral Density Plot Antenna WF2a LPI (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS11)




Plot 7-328. Power Spectral Density Plot Antenna WF2a LPI (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS11)




Plot 7-326. Power Spectral Density Plot Antenna WF2a LPI (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS11)



Plot 7-329. Power Spectral Density Plot Antenna WF2a LPI (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS11)



Plot 7-327. Power Spectral Density Plot Antenna WF2a LPI (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS11)



Plot 7-330. Power Spectral Density Plot Antenna WF2a LPI (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS11)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 150 of 552