




Low Data Rate




Plot 7-331. Power Spectral Density Plot Antenna WF2a Standard Power (20MHz 802.11a (UNII Band 5) – Ch. 45, 12Mbps)




Plot 7-334. Power Spectral Density Plot Antenna WF2a Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS2)




Plot 7-332. Power Spectral Density Plot Antenna WF2a Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS2)



Plot 7-335. Power Spectral Density Plot Antenna WF2a Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS2)




Plot 7-333. Power Spectral Density Plot Antenna WF2a Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS2)




Plot 7-336. Power Spectral Density Plot Antenna WF2a Standard Power (20MHz 802.11a (UNII Band 7) – Ch. 149, 12Mbps)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 151 of 552




Plot 7-337. Power Spectral Density Plot Antenna WF2a Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS2)



Plot 7-339. Power Spectral Density Plot Antenna WF2a Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)




Plot 7-338. Power Spectral Density Plot Antenna WF2a Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS2)




Plot 7-340. Power Spectral Density Plot Antenna WF2a Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 152 of 552


Mid Data Rate




Plot 7-341. Power Spectral Density Plot Antenna WF2a Standard Power (20MHz 802.11a (UNII Band 5) – Ch. 45, 24Mbps)




Plot 7-344. Power Spectral Density Plot Antenna WF2a Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS4)




Plot 7-342. Power Spectral Density Plot Antenna WF2a Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)



Plot 7-345. Power Spectral Density Plot Antenna WF2a Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)




Plot 7-343. Power Spectral Density Plot Antenna WF2a Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)




Plot 7-346. Power Spectral Density Plot Antenna WF2a Standard Power (20MHz 802.11a (UNII Band 7) – Ch. 149, 24Mbps)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 153 of 552




Plot 7-347. Power Spectral Density Plot Antenna WF2a Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)



Plot 7-349. Power Spectral Density Plot Antenna WF2a Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)




Plot 7-348. Power Spectral Density Plot Antenna WF2a Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)




Plot 7-350. Power Spectral Density Plot Antenna WF2a Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 154 of 552


High Data Rate




Plot 7-351. Power Spectral Density Plot Antenna WF2a Standard Power (20MHz 802.11a (UNII Band 5) – Ch. 45, 54Mbps)




Plot 7-354. Power Spectral Density Plot Antenna WF2a Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-352. Power Spectral Density Plot Antenna WF2a Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-355. Power Spectral Density Plot Antenna WF2a Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)




Plot 7-353. Power Spectral Density Plot Antenna WF2a Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)




Plot 7-356. Power Spectral Density Plot Antenna WF2a Standard Power (20MHz 802.11a (UNII Band 7) – Ch. 149, 54Mbps)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 155 of 552




Plot 7-357. Power Spectral Density Plot Antenna WF2a Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)



Plot 7-359. Power Spectral Density Plot Antenna WF2a Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)



Plot 7-358. Power Spectral Density Plot Antenna WF2a Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)



Plot 7-360. Power Spectral Density Plot Antenna WF2a Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 156 of 552

7.4.3 Antenna WF7b Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	12	-4.77	0.80	-3.97	-1	-2.97
	6175	45	a	12	-3.68	0.80	-2.88	-1	-1.88
	6415	93	a	12	-3.99	0.80	-3.19	-1	-2.19
	5955	1	ax (20MHz)	24/25.8 (MCS2)	-5.27	0.80	-4.47	-1	-3.47
	6175	45	ax (20MHz)	24/25.8 (MCS2)	-4.45	0.80	-3.65	-1	-2.65
	6415	93	ax (20MHz)	24/25.8 (MCS2)	-4.16	0.80	-3.36	-1	-2.36
	5965	3	ax (40MHz)	49/51.6 (MCS2)	-5.46	0.80	-4.66	-1	-3.66
	6165	43	ax (40MHz)	49/51.6 (MCS2)	-4.46	0.80	-3.66	-1	-2.66
	6405	91	ax (40MHz)	49/51.6 (MCS2)	-4.59	0.80	-3.79	-1	-2.79
	5985	7	ax (80MHz)	102/108.1 (MCS2)	-5.17	0.80	-4.37	-1	-3.37
	6145	39	ax (80MHz)	102/108.1 (MCS2)	-3.95	0.80	-3.15	-1	-2.15
	6385	87	ax (80MHz)	102/108.1 (MCS2)	-3.90	0.80	-3.10	-1	-2.10
	6025	15	ax (160MHz)	183.8/216.2 (MCS2)	-4.98	0.80	-4.18	-1	-3.18
	6185	47	ax (160MHz)	183.8/216.2 (MCS2)	-4.21	0.80	-3.41	-1	-2.41
6345	79	ax (160MHz)	183.8/216.2 (MCS2)	-4.92	0.80	-4.12	-1	-3.12	
Band 6	6435	97	a	12	-4.15	-1.50	-5.65	-1	-4.65
	6475	105	a	12	-4.02	-1.50	-5.52	-1	-4.52
	6515	113	a	12	-4.03	-1.50	-5.53	-1	-4.53
	6435	97	ax (20MHz)	24/25.8 (MCS2)	-4.56	-1.50	-6.06	-1	-5.06
	6475	105	ax (20MHz)	24/25.8 (MCS2)	-4.66	-1.50	-6.16	-1	-5.16
	6515	113	ax (20MHz)	24/25.8 (MCS2)	-4.53	-1.50	-6.03	-1	-5.03
	6445	99	ax (40MHz)	49/51.6 (MCS2)	-4.91	-1.50	-6.41	-1	-5.41
	6485	107	ax (40MHz)	49/51.6 (MCS2)	-4.73	-1.50	-6.23	-1	-5.23
	6525	115	ax (40MHz)	49/51.6 (MCS2)	-5.84	-1.50	-7.34	-1	-6.34
	6465	103	ax (80MHz)	102/108.1 (MCS2)	-4.40	-1.50	-5.90	-1	-4.90
6505	111	ax (160MHz)	183.8/216.2 (MCS2)	-6.14	-1.50	-7.64	-1	-6.64	
Band 7	6535	117	a	12	-4.68	2.50	-2.18	-1	-1.18
	6695	149	a	12	-4.30	2.50	-1.80	-1	-0.80
	6875	185	a	12	-4.52	2.50	-2.02	-1	-1.02
	6535	117	ax (20MHz)	24/25.8 (MCS2)	-4.78	2.50	-2.28	-1	-1.28
	6695	149	ax (20MHz)	24/25.8 (MCS2)	-4.64	2.50	-2.14	-1	-1.14
	6875	185	ax (20MHz)	24/25.8 (MCS2)	-4.87	2.50	-2.37	-1	-1.37
	6565	123	ax (40MHz)	49/51.6 (MCS2)	-6.12	2.50	-3.62	-1	-2.62
	6725	155	ax (40MHz)	49/51.6 (MCS2)	-5.85	2.50	-3.35	-1	-2.35
	6845	179	ax (40MHz)	49/51.6 (MCS2)	-5.59	2.50	-3.09	-1	-2.09
	6545	119	ax (80MHz)	102/108.1 (MCS2)	-5.37	2.50	-2.87	-1	-1.87
	6705	151	ax (80MHz)	102/108.1 (MCS2)	-5.56	2.50	-3.06	-1	-2.06
	6865	183	ax (80MHz)	102/108.1 (MCS2)	-5.66	2.50	-3.16	-1	-2.16
	6665	143	ax (160MHz)	183.8/216.2 (MCS2)	-6.46	2.50	-3.96	-1	-2.96
	6825	175	ax (160MHz)	183.8/216.2 (MCS2)	-5.89	2.50	-3.39	-1	-2.39
Band 8	6895	189	a	12	-3.47	0.70	-2.77	-1	-1.77
	6995	209	a	12	-3.23	0.70	-2.53	-1	-1.53
	7115	233	a	12	-3.82	0.70	-3.12	-1	-2.12
	6895	189	ax (20MHz)	24/25.8 (MCS2)	-3.77	0.70	-3.07	-1	-2.07
	6995	209	ax (20MHz)	24/25.8 (MCS2)	-3.88	0.70	-3.18	-1	-2.18
	7115	233	ax (20MHz)	24/25.8 (MCS2)	-3.83	0.70	-3.13	-1	-2.13
	6885	187	ax (40MHz)	49/51.6 (MCS2)	-5.55	0.70	-4.85	-1	-3.85
	7005	211	ax (40MHz)	49/51.6 (MCS2)	-3.83	0.70	-3.13	-1	-2.13
	7085	227	ax (40MHz)	49/51.6 (MCS2)	-3.74	0.70	-3.04	-1	-2.04
	6945	199	ax (80MHz)	102/108.1 (MCS2)	-3.86	0.70	-3.16	-1	-2.16
	7025	215	ax (80MHz)	102/108.1 (MCS2)	-3.12	0.70	-2.42	-1	-1.42
	6985	207	ax (160MHz)	183.8/216.2 (MCS2)	-4.15	0.70	-3.45	-1	-2.45

Table 7-143. Power Spectral Density Measurements Antenna WF7b LPI (Low Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 157 of 552

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	24	-4.20	0.80	-3.40	-1	-2.40
	6175	45	a	24	-3.35	0.80	-2.55	-1	-1.55
	6415	93	a	24	-3.81	0.80	-3.01	-1	-2.01
	5955	1	ax (20MHz)	49/51.6 (MCS4)	-4.38	0.80	-3.58	-1	-2.58
	6175	45	ax (20MHz)	49/51.6 (MCS4)	-4.19	0.80	-3.39	-1	-2.39
	6415	93	ax (20MHz)	49/51.6 (MCS4)	-4.11	0.80	-3.31	-1	-2.31
	5965	3	ax (40MHz)	98/103.2 (MCS4)	-4.70	0.80	-3.90	-1	-2.90
	6165	43	ax (40MHz)	98/103.2 (MCS4)	-3.96	0.80	-3.16	-1	-2.16
	6405	91	ax (40MHz)	98/103.2 (MCS4)	-3.96	0.80	-3.16	-1	-2.16
	5985	7	ax (80MHz)	204/216.2 (MCS4)	-4.36	0.80	-3.56	-1	-2.56
	6145	39	ax (80MHz)	204/216.2 (MCS4)	-3.83	0.80	-3.03	-1	-2.03
	6385	87	ax (80MHz)	204/216.2 (MCS4)	-3.58	0.80	-2.78	-1	-1.78
	6025	15	ax (160MHz)	367.5/432.4 (MCS4)	-4.64	0.80	-3.84	-1	-2.84
6185	47	ax (160MHz)	367.5/432.4 (MCS4)	-3.83	0.80	-3.03	-1	-2.03	
6345	79	ax (160MHz)	367.5/432.4 (MCS4)	-4.77	0.80	-3.97	-1	-2.97	
Band 6	6435	97	a	24	-3.85	-1.50	-5.35	-1	-4.35
	6475	105	a	24	-4.09	-1.50	-5.59	-1	-4.59
	6515	113	a	24	-3.96	-1.50	-5.46	-1	-4.46
	6435	97	ax (20MHz)	49/51.6 (MCS4)	-4.30	-1.50	-5.80	-1	-4.80
	6475	105	ax (20MHz)	49/51.6 (MCS4)	-4.57	-1.50	-6.07	-1	-5.07
	6515	113	ax (20MHz)	49/51.6 (MCS4)	-4.52	-1.50	-6.02	-1	-5.02
	6445	99	ax (40MHz)	98/103.2 (MCS4)	-4.65	-1.50	-6.15	-1	-5.15
	6485	107	ax (40MHz)	98/103.2 (MCS4)	-4.74	-1.50	-6.24	-1	-5.24
	6525	115	ax (40MHz)	98/103.2 (MCS4)	-5.44	-1.50	-6.94	-1	-5.94
	6465	103	ax (80MHz)	204/216.2 (MCS4)	-4.36	-1.50	-5.86	-1	-4.86
6505	111	ax (160MHz)	367.5/432.4 (MCS4)	-5.90	-1.50	-7.40	-1	-6.40	
Band 7	6535	117	a	24	-4.44	2.50	-1.94	-1	-0.94
	6695	149	a	24	-4.11	2.50	-1.61	-1	-0.61
	6875	185	a	24	-4.49	2.50	-1.99	-1	-0.99
	6535	117	ax (20MHz)	49/51.6 (MCS4)	-5.34	2.50	-2.84	-1	-1.84
	6695	149	ax (20MHz)	49/51.6 (MCS4)	-4.47	2.50	-1.97	-1	-0.97
	6875	185	ax (20MHz)	49/51.6 (MCS4)	-4.70	2.50	-2.20	-1	-1.20
	6565	123	ax (40MHz)	98/103.2 (MCS4)	-5.78	2.50	-3.28	-1	-2.28
	6725	155	ax (40MHz)	98/103.2 (MCS4)	-5.79	2.50	-3.29	-1	-2.29
	6845	179	ax (40MHz)	98/103.2 (MCS4)	-5.32	2.50	-2.82	-1	-1.82
	6545	119	ax (80MHz)	204/216.2 (MCS4)	-5.23	2.50	-2.73	-1	-1.73
	6705	151	ax (80MHz)	204/216.2 (MCS4)	-5.95	2.50	-3.45	-1	-2.45
	6865	183	ax (80MHz)	204/216.2 (MCS4)	-5.82	2.50	-3.32	-1	-2.32
	6665	143	ax (160MHz)	367.5/432.4 (MCS4)	-5.65	2.50	-3.15	-1	-2.15
6825	175	ax (160MHz)	367.5/432.4 (MCS4)	-5.59	2.50	-3.09	-1	-2.09	
Band 8	6895	189	a	24	-3.15	0.70	-2.45	-1	-1.45
	6995	209	a	24	-3.30	0.70	-2.60	-1	-1.60
	7115	233	a	24	-3.64	0.70	-2.94	-1	-1.94
	6895	189	ax (20MHz)	49/51.6 (MCS4)	-3.41	0.70	-2.71	-1	-1.71
	6995	209	ax (20MHz)	49/51.6 (MCS4)	-3.61	0.70	-2.91	-1	-1.91
	7115	233	ax (20MHz)	49/51.6 (MCS4)	-3.83	0.70	-3.13	-1	-2.13
	6885	187	ax (40MHz)	98/103.2 (MCS4)	-5.16	0.70	-4.46	-1	-3.46
	7005	211	ax (40MHz)	98/103.2 (MCS4)	-3.48	0.70	-2.78	-1	-1.78
	7085	227	ax (40MHz)	98/103.2 (MCS4)	-3.54	0.70	-2.84	-1	-1.84
	6945	199	ax (80MHz)	204/216.2 (MCS4)	-3.77	0.70	-3.07	-1	-2.07
	7025	215	ax (80MHz)	204/216.2 (MCS4)	-3.67	0.70	-2.97	-1	-1.97
	6985	207	ax (160MHz)	367.5/432.4 (MCS4)	-3.86	0.70	-3.16	-1	-2.16

Table 7-144. Power Spectral Density Measurements Antenna WF7b LPI (Mid Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 158 of 552

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	54	-4.00	0.80	-3.20	-1	-2.20
	6175	45	a	54	-3.48	0.80	-2.68	-1	-1.68
	6415	93	a	54	-3.85	0.80	-3.05	-1	-2.05
	5955	1	ax (20MHz)	135/143.4 (MCS11)	-4.57	0.80	-3.77	-1	-2.77
	6175	45	ax (20MHz)	135/143.4 (MCS11)	-3.85	0.80	-3.05	-1	-2.05
	6415	93	ax (20MHz)	135/143.4 (MCS11)	-4.24	0.80	-3.44	-1	-2.44
	5965	3	ax (40MHz)	271/286.8 (MCS11)	-4.49	0.80	-3.69	-1	-2.69
	6165	43	ax (40MHz)	271/286.8 (MCS11)	-3.73	0.80	-2.93	-1	-1.93
	6405	91	ax (40MHz)	271/286.8 (MCS11)	-3.87	0.80	-3.07	-1	-2.07
	5985	7	ax (80MHz)	567/600.5 (MCS11)	-4.34	0.80	-3.54	-1	-2.54
	6145	39	ax (80MHz)	567/600.5 (MCS11)	-3.58	0.80	-2.78	-1	-1.78
	6385	87	ax (80MHz)	567/600.5 (MCS11)	-3.58	0.80	-2.78	-1	-1.78
	6025	15	ax (160MHz)	1020.8/1201 (MCS11)	-5.20	0.80	-4.40	-1	-3.40
6185	47	ax (160MHz)	1020.8/1201 (MCS11)	-4.11	0.80	-3.31	-1	-2.31	
6345	79	ax (160MHz)	1020.8/1201 (MCS11)	-4.61	0.80	-3.81	-1	-2.81	
Band 6	6435	97	a	54	-3.91	-1.50	-5.41	-1	-4.41
	6475	105	a	54	-3.89	-1.50	-5.39	-1	-4.39
	6515	113	a	54	-4.24	-1.50	-5.74	-1	-4.74
	6435	97	ax (20MHz)	135/143.4 (MCS11)	-4.82	-1.50	-6.32	-1	-5.32
	6475	105	ax (20MHz)	135/143.4 (MCS11)	-4.50	-1.50	-6.00	-1	-5.00
	6515	113	ax (20MHz)	135/143.4 (MCS11)	-4.84	-1.50	-6.34	-1	-5.34
	6445	99	ax (40MHz)	271/286.8 (MCS11)	-4.92	-1.50	-6.42	-1	-5.42
	6485	107	ax (40MHz)	271/286.8 (MCS11)	-4.80	-1.50	-6.30	-1	-5.30
	6525	115	ax (40MHz)	271/286.8 (MCS11)	-5.80	-1.50	-7.30	-1	-6.30
	6465	103	ax (80MHz)	567/600.5 (MCS11)	-4.45	-1.50	-5.95	-1	-4.95
6505	111	ax (160MHz)	1020.8/1201 (MCS11)	-6.37	-1.50	-7.87	-1	-6.87	
Band 7	6535	117	a	54	-4.59	2.50	-2.09	-1	-1.09
	6695	149	a	54	-4.43	2.50	-1.93	-1	-0.93
	6875	185	a	54	-4.56	2.50	-2.06	-1	-1.06
	6535	117	ax (20MHz)	135/143.4 (MCS11)	-5.29	2.50	-2.79	-1	-1.79
	6695	149	ax (20MHz)	135/143.4 (MCS11)	-4.74	2.50	-2.24	-1	-1.24
	6875	185	ax (20MHz)	135/143.4 (MCS11)	-4.94	2.50	-2.44	-1	-1.44
	6565	123	ax (40MHz)	271/286.8 (MCS11)	-5.84	2.50	-3.34	-1	-2.34
	6725	155	ax (40MHz)	271/286.8 (MCS11)	-5.68	2.50	-3.18	-1	-2.18
	6845	179	ax (40MHz)	271/286.8 (MCS11)	-5.26	2.50	-2.76	-1	-1.76
	6545	119	ax (80MHz)	567/600.5 (MCS11)	-5.29	2.50	-2.79	-1	-1.79
	6705	151	ax (80MHz)	567/600.5 (MCS11)	-5.88	2.50	-3.38	-1	-2.38
	6865	183	ax (80MHz)	567/600.5 (MCS11)	-5.96	2.50	-3.46	-1	-2.46
	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	-5.69	2.50	-3.19	-1	-2.19
6825	175	ax (160MHz)	1020.8/1201 (MCS11)	-5.80	2.50	-3.30	-1	-2.30	
Band 8	6895	189	a	54	-3.29	0.70	-2.59	-1	-1.59
	6995	209	a	54	-3.48	0.70	-2.78	-1	-1.78
	7115	233	a	54	-3.55	0.70	-2.85	-1	-1.85
	6895	189	ax (20MHz)	135/143.4 (MCS11)	-3.68	0.70	-2.98	-1	-1.98
	6995	209	ax (20MHz)	135/143.4 (MCS11)	-4.00	0.70	-3.30	-1	-2.30
	7115	233	ax (20MHz)	135/143.4 (MCS11)	-3.99	0.70	-3.29	-1	-2.29
	6885	187	ax (40MHz)	271/286.8 (MCS11)	-5.19	0.70	-4.49	-1	-3.49
	7005	211	ax (40MHz)	271/286.8 (MCS11)	-3.65	0.70	-2.95	-1	-1.95
	7085	227	ax (40MHz)	271/286.8 (MCS11)	-3.68	0.70	-2.98	-1	-1.98
	6945	199	ax (80MHz)	567/600.5 (MCS11)	-3.64	0.70	-2.94	-1	-1.94
	7025	215	ax (80MHz)	567/600.5 (MCS11)	-3.49	0.70	-2.79	-1	-1.79
	6985	207	ax (160MHz)	1020.8/1201 (MCS11)	-4.05	0.70	-3.35	-1	-2.35

Table 7-145. Power Spectral Density Measurements Antenna WF7b LPI (High Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 159 of 552

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	12	2.07	0.80	2.87	17	-14.13
	6175	45	a	12	3.81	0.80	4.61	17	-12.39
	6415	93	a	12	5.33	0.80	6.13	17	-10.87
	5955	1	ax (20MHz)	24/25.8 (MCS2)	2.05	0.80	2.85	17	-14.15
	6175	45	ax (20MHz)	24/25.8 (MCS2)	3.39	0.80	4.19	17	-12.81
	6415	93	ax (20MHz)	24/25.8 (MCS2)	5.08	0.80	5.88	17	-11.12
	5965	3	ax (40MHz)	49/51.6 (MCS2)	-0.26	0.80	0.54	17	-16.46
	6165	43	ax (40MHz)	49/51.6 (MCS2)	0.71	0.80	1.51	17	-15.49
	6405	91	ax (40MHz)	49/51.6 (MCS2)	2.32	0.80	3.12	17	-13.88
	5985	7	ax (80MHz)	102/108.1 (MCS2)	-3.42	0.80	-2.62	17	-19.62
	6145	39	ax (80MHz)	102/108.1 (MCS2)	-2.55	0.80	-1.75	17	-18.75
	6385	87	ax (80MHz)	102/108.1 (MCS2)	-0.63	0.80	0.17	17	-16.83
	6025	15	ax (160MHz)	183.8/216.2 (MCS2)	-6.49	0.80	-5.69	17	-22.69
	6181	47	ax (160MHz)	183.8/216.2 (MCS2)	-4.73	0.80	-3.93	17	-20.93
6345	79	ax (160MHz)	183.8/216.2 (MCS2)	-3.69	0.80	-2.89	17	-19.89	
Band 7	6535	117	a	12	5.54	2.50	8.04	17	-8.96
	6695	149	a	12	5.69	2.50	8.19	17	-8.81
	6875	181	a	12	6.11	2.50	8.61	17	-8.39
	6535	117	ax (20MHz)	24/25.8 (MCS2)	5.02	2.50	7.52	17	-9.48
	6695	149	ax (20MHz)	24/25.8 (MCS2)	5.48	2.50	7.98	17	-9.02
	6875	181	ax (20MHz)	24/25.8 (MCS2)	5.77	2.50	8.27	17	-8.73
	6565	123	ax (40MHz)	49/51.6 (MCS2)	2.60	2.50	5.10	17	-11.90
	6725	155	ax (40MHz)	49/51.6 (MCS2)	3.25	2.50	5.75	17	-11.25
	6845	179	ax (40MHz)	49/51.6 (MCS2)	3.38	2.50	5.88	17	-11.12
	6545	135	ax (80MHz)	102/108.1 (MCS2)	0.18	2.50	2.68	17	-14.32
	6705	151	ax (80MHz)	102/108.1 (MCS2)	0.18	2.50	2.68	17	-14.32
	6865	167	ax (80MHz)	102/108.1 (MCS2)	0.00	2.50	2.50	17	-14.50
	6665	143	ax (160MHz)	183.8/216.2 (MCS2)	-2.97	2.50	-0.47	17	-17.47

Table 7-146. Power Spectral Density Measurements Antenna WF7b Standard Power (Low Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 160 of 552

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	24	2.52	0.80	3.32	17	-13.68
	6175	45	a	24	3.80	0.80	4.60	17	-12.40
	6415	93	a	24	5.45	0.80	6.25	17	-10.75
	5955	1	ax (20MHz)	49/51.6 (MCS4)	2.09	0.80	2.89	17	-14.11
	6175	45	ax (20MHz)	49/51.6 (MCS4)	3.40	0.80	4.20	17	-12.80
	6415	93	ax (20MHz)	49/51.6 (MCS4)	5.05	0.80	5.85	17	-11.15
	5965	3	ax (40MHz)	98/103.2 (MCS4)	-0.10	0.80	0.70	17	-16.30
	6165	43	ax (40MHz)	98/103.2 (MCS4)	0.80	0.80	1.60	17	-15.40
	6405	91	ax (40MHz)	98/103.2 (MCS4)	2.39	0.80	3.19	17	-13.81
	5985	7	ax (80MHz)	204/216.2 (MCS4)	-3.32	0.80	-2.52	17	-19.52
	6145	39	ax (80MHz)	204/216.2 (MCS4)	-2.64	0.80	-1.84	17	-18.84
	6385	87	ax (80MHz)	204/216.2 (MCS4)	-0.50	0.80	0.30	17	-16.70
	6025	15	ax (160MHz)	367.5/432.4 (MCS4)	-6.47	0.80	-5.67	17	-22.67
6181	47	ax (160MHz)	367.5/432.4 (MCS4)	-4.66	0.80	-3.86	17	-20.86	
6345	79	ax (160MHz)	367.5/432.4 (MCS4)	-3.73	0.80	-2.93	17	-19.93	
Band 7	6535	117	a	24	5.71	2.50	8.21	17	-8.79
	6695	149	a	24	5.83	2.50	8.33	17	-8.67
	6875	181	a	24	6.17	2.50	8.67	17	-8.33
	6535	117	ax (20MHz)	49/51.6 (MCS4)	5.20	2.50	7.70	17	-9.30
	6695	149	ax (20MHz)	49/51.6 (MCS4)	5.39	2.50	7.89	17	-9.11
	6875	181	ax (20MHz)	49/51.6 (MCS4)	5.83	2.50	8.33	17	-8.67
	6565	123	ax (40MHz)	98/103.2 (MCS4)	2.88	2.50	5.38	17	-11.62
	6725	155	ax (40MHz)	98/103.2 (MCS4)	3.32	2.50	5.82	17	-11.18
	6845	179	ax (40MHz)	98/103.2 (MCS4)	3.82	2.50	6.32	17	-10.68
	6545	135	ax (80MHz)	204/216.2 (MCS4)	0.28	2.50	2.78	17	-14.22
	6705	151	ax (80MHz)	204/216.2 (MCS4)	0.30	2.50	2.80	17	-14.20
	6865	167	ax (80MHz)	204/216.2 (MCS4)	0.28	2.50	2.78	17	-14.22
	6665	143	ax (160MHz)	367.5/432.4 (MCS4)	-2.80	2.50	-0.30	17	-17.30

Table 7-147. Power Spectral Density Measurements Antenna WF7b Standard Power (Mid Data Rate)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 161 of 552

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	54	2.34	0.80	3.14	17	-13.86
	6175	45	a	54	3.77	0.80	4.57	17	-12.43
	6415	93	a	54	5.51	0.80	6.31	17	-10.69
	5955	1	ax (20MHz)	135/143.4 (MCS11)	1.90	0.80	2.70	17	-14.30
	6175	45	ax (20MHz)	135/143.4 (MCS11)	3.08	0.80	3.88	17	-13.12
	6415	93	ax (20MHz)	135/143.4 (MCS11)	4.88	0.80	5.68	17	-11.32
	5965	3	ax (40MHz)	271/286.8 (MCS11)	-0.01	0.80	0.79	17	-16.21
	6165	43	ax (40MHz)	271/286.8 (MCS11)	0.71	0.80	1.51	17	-15.49
	6405	91	ax (40MHz)	271/286.8 (MCS11)	2.56	0.80	3.36	17	-13.64
	5985	7	ax (80MHz)	567/600.5 (MCS11)	-3.10	0.80	-2.30	17	-19.30
	6145	39	ax (80MHz)	567/600.5 (MCS11)	-2.30	0.80	-1.50	17	-18.50
	6385	87	ax (80MHz)	567/600.5 (MCS11)	-0.64	0.80	0.16	17	-16.84
	6025	15	ax (160MHz)	1020.8/1201 (MCS11)	-6.82	0.80	-6.02	17	-23.02
	6181	47	ax (160MHz)	1020.8/1201 (MCS11)	-4.60	0.80	-3.80	17	-20.80
6345	79	ax (160MHz)	1020.8/1201 (MCS11)	-3.94	0.80	-3.14	17	-20.14	
Band 7	6535	117	a	54	5.74	2.50	8.24	17	-8.76
	6695	149	a	54	5.96	2.50	8.46	17	-8.54
	6875	181	a	54	6.16	2.50	8.66	17	-8.34
	6535	117	ax (20MHz)	135/143.4 (MCS11)	4.98	2.50	7.48	17	-9.52
	6695	149	ax (20MHz)	135/143.4 (MCS11)	5.34	2.50	7.84	17	-9.16
	6875	181	ax (20MHz)	135/143.4 (MCS11)	5.83	2.50	8.33	17	-8.67
	6565	123	ax (40MHz)	271/286.8 (MCS11)	3.11	2.50	5.61	17	-11.39
	6725	155	ax (40MHz)	271/286.8 (MCS11)	3.57	2.50	6.07	17	-10.93
	6845	179	ax (40MHz)	271/286.8 (MCS11)	3.88	2.50	6.38	17	-10.62
	6545	135	ax (80MHz)	567/600.5 (MCS11)	0.35	2.50	2.85	17	-14.15
	6705	151	ax (80MHz)	567/600.5 (MCS11)	0.26	2.50	2.76	17	-14.24
	6865	167	ax (80MHz)	567/600.5 (MCS11)	0.27	2.50	2.77	17	-14.23
	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	-3.10	2.50	-0.60	17	-17.60


Table 7-148. Power Spectral Density Measurements Antenna WF7b Standard Power (High Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 162 of 552


Low Data Rate




Plot 7-361. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11a (UNII Band 5) – Ch. 45, 12Mbps)




Plot 7-364. Power Spectral Density Plot Antenna WF7b LPI (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS2)




Plot 7-362. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS2)



Plot 7-365. Power Spectral Density Plot Antenna WF7b LPI (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS2)




Plot 7-363. Power Spectral Density Plot Antenna WF7b LPI (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS2)




Plot 7-366. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11a (UNII Band 6) – Ch. 105, 12Mbps)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 163 of 552




Plot 7-367. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS2)




Plot 7-370. Power Spectral Density Plot Antenna WF7b LPI (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS2)




Plot 7-368. Power Spectral Density Plot Antenna WF7b LPI (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS2)



Plot 7-371. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11a (UNII Band 7) – Ch. 149, 12Mbps)




Plot 7-369. Power Spectral Density Plot Antenna WF7b LPI (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS2)




Plot 7-372. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS2)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 164 of 552




Plot 7-373. Power Spectral Density Plot Antenna WF7b LPI (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS2)




Plot 7-376. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11a (UNII Band 8) – Ch. 209, 12Mbps)




Plot 7-374. Power Spectral Density Plot Antenna WF7b LPI (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)



Plot 7-377. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS2)




Plot 7-375. Power Spectral Density Plot Antenna WF7b LPI (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)




Plot 7-378. Power Spectral Density Plot Antenna WF7b LPI (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS2)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 165 of 552




Plot 7-379. Power Spectral Density Plot Antenna WF7b LPI (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS2)




Plot 7-380. Power Spectral Density Plot Antenna WF7b LPI (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS2)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 166 of 552


Mid Data Rate




Plot 7-381. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11a (UNII Band 5) – Ch. 45, 24Mbps)




Plot 7-384. Power Spectral Density Plot Antenna WF7b LPI (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS4)




Plot 7-382. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)



Plot 7-385. Power Spectral Density Plot Antenna WF7b LPI (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)




Plot 7-383. Power Spectral Density Plot Antenna WF7b LPI (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)




Plot 7-386. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11a (UNII Band 6) – Ch. 105, 24Mbps)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 167 of 552




Plot 7-387. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS4)




Plot 7-390. Power Spectral Density Plot Antenna WF7b LPI (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS4)




Plot 7-388. Power Spectral Density Plot Antenna WF7b LPI (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS4)



Plot 7-391. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11a (UNII Band 7) – Ch. 149, 24Mbps)




Plot 7-389. Power Spectral Density Plot Antenna WF7b LPI (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS4)




Plot 7-392. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 168 of 552




Plot 7-393. Power Spectral Density Plot Antenna WF7b LPI (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)



Plot 7-395. Power Spectral Density Plot Antenna WF7b LPI (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)




Plot 7-394. Power Spectral Density Plot Antenna WF7b LPI (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)




Plot 7-396. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11a (UNII Band 8) – Ch. 209, 24Mbps)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 169 of 552


High Data Rate




Plot 7-397. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11a (UNII Band 5) – Ch. 45, 54Mbps)




Plot 7-400. Power Spectral Density Plot Antenna WF7b LPI (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-398. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-401. Power Spectral Density Plot Antenna WF7b LPI (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)




Plot 7-399. Power Spectral Density Plot Antenna WF7b LPI (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)




Plot 7-402. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11a (UNII Band 6) – Ch. 105, 54Mbps)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 170 of 552




Plot 7-403. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS11)




Plot 7-406. Power Spectral Density Plot Antenna WF7b LPI (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS11)




Plot 7-404. Power Spectral Density Plot Antenna WF7b LPI (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS11)



Plot 7-407. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11a (UNII Band 7) – Ch. 149, 54Mbps)



Plot 7-405. Power Spectral Density Plot Antenna WF7b LPI (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS11)



Plot 7-408. Power Spectral Density Plot Antenna WF7b LPI (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 171 of 552