





Plot 7-265. PSD Antenna 5T (80MHz BW 802.11ac - Ch. 58, MCS2)



Plot 7-266. PSD Antenna 5T (80MHz BW 802.11ax(SU) - Ch. 58, MCS2)




Plot 7-267. PSD Antenna 5T (20MHz BW 802.11n - Ch. 116, MCS2)



Plot 7-268. PSD Antenna 5T (20MHz BW 802.11ax(SU) - Ch. 116, MCS2)







Plot 7-269. PSD Antenna 5T (40MHz BW 802.11n - Ch. 110, MCS2)

Plot 7-270. PSD Antenna 5T (40MHz BW 802.11ax(SU) - Ch. 110, MCS2)

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 139 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 139 01 594
			V 10.5 12/15/2021









Plot 7-274. PSD Antenna 5T (160MHz BW 802.11ax(SU) - Ch. 114, MCS2)

Plot 7-271. PSD Antenna 5T (80MHz BW 802.11ac - Ch. 122, MCS2)



Plot 7-272. PSD Antenna 5T (80MHz BW 802.11ax(SU) - Ch. 122, MCS2)



Plot 7-273. PSD Antenna 5T (160MHz BW 802.11ac - Ch. 114, MCS2)


FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 140 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 140 01 594


V 10.5 12/15/2021





Plot 7-275. PSD Antenna 5T (20MHz BW 802.11n - Ch. 40, MCS4)







Plot 7-277. PSD Antenna 5T (40MHz BW 802.11n - Ch. 46, MCS4)



Plot 7-278. PSD Antenna 5T (40MHz BW 802.11ax(SU) - Ch. 46, MCS4)





Plot 7-279. PSD Antenna 5T (80MHz BW 802.11ac - Ch. 42, MCS4)

Plot 7-280. PSD Antenna 5T (80MHz BW 802.11ax(SU) - Ch. 42, MCS4)

FCC ID: BCGA2899 IC: 579C-A2899	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 141 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 141 01 394
		•	V 10 5 12/15/2024















Plot 7-283. PSD Antenna 5T (20MHz BW 802.11n - Ch. 60, MCS4)



Plot 7-284. PSD Antenna 5T (20MHz BW 802.11ax(SU) - Ch. 60, MCS4)







Plot 7-286. PSD Antenna 5T (40MHz BW 802.11ax(SU) - Ch. 54, MCS4)

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 142 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 142 01 394
			V 10.5 12/15/2021





Plot 7-287. PSD Antenna 5T (80MHz BW 802.11ac - Ch. 58, MCS4)



Plot 7-288. PSD Antenna 5T (80MHz BW 802.11ax(SU) - Ch. 58, MCS4)




Plot 7-289. PSD Antenna 5T (20MHz BW 802.11n - Ch. 116, MCS4)



Plot 7-290. PSD Antenna 5T (20MHz BW 802.11ax(SU) - Ch. 116, MCS4)





Plot 7-291. PSD Antenna 5T (40MHz BW 802.11n - Ch. 110, MCS4)


Plot 7-292. PSD Antenna 5T (40MHz BW 802.11ax(SU) - Ch. 110, MCS4)

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 143 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 143 01 394
			V 10.5 12/15/2021






Plot 7-293. PSD Antenna 5T (80MHz BW 802.11ac - Ch. 122, MCS4)




Plot 7-294. PSD Antenna 5T (80MHz BW 802.11ax(SU) - Ch. 122, MCS4)



Plot 7-295. PSD Antenna 5T (160MHz BW 802.11ac - Ch. 114, MCS4)


FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	<b>Approved by:</b> Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 144 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	1 age 144 01 334

V 10.5 12/15/2021



Plot 7-296. PSD Antenna 5T (160MHz BW 802.11ax(SU) - Ch. 114, MCS4)






Plot 7-297. PSD Antenna 5T (20MHz BW 802.11n - Ch. 40, MCS7)



Plot 7-298. PSD Antenna 5T (20MHz BW 802.11ax(SU) - Ch. 40, MCS11)



Plot 7-299. PSD Antenna 5T (40MHz BW 802.11n - Ch. 46, MCS7)



Plot 7-300. PSD Antenna 5T (40MHz BW 802.11ax(SU) - Ch. 46, MCS11)





Plot 7-301. PSD Antenna 5T (80MHz BW 802.11ac - Ch. 42, MCS9)


Plot 7-302. PSD Antenna 5T (80MHz BW 802.11ax(SU) - Ch. 42, MCS11)

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 145 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 145 01 594
			V 10 5 12/15/2021





Plot 7-303. PSD Antenna 5T (160MHz BW 802.11ac - Ch. 50, MCS9)




Plot 7-304. PSD Antenna 5T (160MHz BW 802.11ax(SU) - Ch. 50, MCS11)




Plot 7-305. PSD Antenna 5T (20MHz BW 802.11n - Ch. 60, MCS7)



Plot 7-306. PSD Antenna 5T (20MHz BW 802.11ax(SU) - Ch. 60, MCS11)






Plot 7-307. PSD Antenna 5T (40MHz BW 802.11n - Ch. 54, MCS7)

Plot 7-308. PSD Antenna 5T (40MHz BW 802.11ax(SU) - Ch. 54, MCS11)


FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 146 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 140 01 594
			\/ 10 5 12/15/2021

10.5 12/15/202






Plot 7-309. PSD Antenna 5T (80MHz BW 802.11ac – Ch. 58, MCS9)



Plot 7-310. PSD Antenna 5T (80MHz BW 802.11ax(SU) - Ch. 58, MCS11)




Plot 7-311. PSD Antenna 5T (20MHz BW 802.11n - Ch. 116, MCS7)



Plot 7-312. PSD Antenna 5T (20MHz BW 802.11ax(SU) - Ch. 116, MCS11)





Plot 7-313. PSD Antenna 5T (40MHz BW 802.11n - Ch. 110, MCS7)

Plot 7-314. PSD Antenna 5T (40MHz BW 802.11ax(SU) - Ch. 110, MCS11)

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 147 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 147 01 394
			V 10.5 12/15/2021







Plot 7-315. PSD Antenna 5T (80MHz BW 802.11ac – Ch. 122, MCS9)




Plot 7-316. PSD Antenna 5T (80MHz BW 802.11ax(SU) - Ch. 122, MCS11)



Plot 7-317. PSD Antenna 5T (160MHz BW 802.11ac - Ch. 114, MCS9)





FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	<b>Approved by:</b> Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 148 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 146 01 594
			V 10.5 12/15/2021



	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
	5745	149	n (20MHz)	19.5/21.7 (MCS2)	6.64	30.0	-23.36
	5785	157	n (20MHz)	19.5/21.7 (MCS2)	6.29	30.0	-23.71
	5825	165	n (20MHz)	19.5/21.7 (MCS2)	6.53	30.0	-23.47
	5745	149	ax (SU) (20MHz)	24/25.8 (MCS2)	5.29	30.0	-24.71
e	5785	157	ax (SU) (20MHz)	24/25.8 (MCS2)	4.74	30.0	-25.26
с рс	5825	165	ax (SU) (20MHz)	24/25.8 (MCS2)	4.87	30.0	-25.13
Band	5755	151	n (40MHz)	40/40.5 (MCS2)	4.04	30.0	-25.96
_	5795	159	n (40MHz)	40/40.5 (MCS2)	4.10	30.0	-25.90
	5755	151	ax (SU) (40MHz)	49/51.6 (MCS2)	2.86	30.0	-27.15
	5795	159	ax (SU) (40MHz)	49/51.6 (MCS2)	2.71	30.0	-27.30
	5775	155	ac (80MHz)	87.8/97.5 (MCS2)	-0.67	30.0	-30.67
	5775	155	ax (SU) (80MHz)	102/108.1 (MCS2)	-1.84	30.0	-31.84

Table 7-203. Band 3 Power Spectral Density Measurements Antenna 5T (Low Data Rate)

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
	5745	149	n (20MHz)	39/43.3 (MCS4)	6.86	30.0	-23.14
	5785	157	n (20MHz)	39/43.3 (MCS4)	6.35	30.0	-23.65
	5825	165	n (20MHz)	39/43.3 (MCS4)	6.66	30.0	-23.34
	5745	149	ax (SU) (20MHz)	49/51.6 (MCS4)	5.33	30.0	-24.67
e	5785	157	ax (SU) (20MHz)	49/51.6 (MCS4)	4.98	30.0	-25.02
	5825	165	ax (SU) (20MHz)	49/51.6 (MCS4)	4.67	30.0	-25.33
Band	5755	151	n (40MHz)	81/90 (MCS4)	4.24	30.0	-25.77
_	5795	159	n (40MHz)	81/90 (MCS4)	4.52	30.0	-25.48
	5755	151	ax (SU) (40MHz)	98/103.2 (MCS4)	2.91	30.0	-27.09
	5795	159	ax (SU) (40MHz)	98/103.2 (MCS4)	2.81	30.0	-27.20
	5775	155	ac (80MHz)	175.5/195 (MCS4)	-0.95	30.0	-30.95
	5775	155	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.27	30.0	-32.27

 Table 7-204. Band 3 Power Spectral Density Measurements Antenna 5T (Mid Data Rate)

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
	5745	149	n (20MHz)	65/72.2 (MCS7)	5.51	30.0	-24.49
	5785	157	n (20MHz)	65/72.2 (MCS7)	5.31	30.0	-24.70
	5825	165	n (20MHz)	65/72.2 (MCS7)	5.41	30.0	-24.59
	5745	149	ax (SU) (20MHz)	135/143.4 (MCS11)	5.41	30.0	-24.59
e	5785	157	ax (SU) (20MHz)	135/143.4 (MCS11)	5.09	30.0	-24.91
	5825	165	ax (SU) (20MHz)	135/143.4 (MCS11)	5.01	30.0	-24.99
Band	5755	151	n (40MHz)	135/150 (MCS7)	3.34	30.0	-26.66
	5795	159	n (40MHz)	135/150 (MCS7)	2.78	30.0	-27.22
	5755	151	ax (SU) (40MHz)	271/286 (MCS11)	3.05	30.0	-26.95
	5795	159	ax (SU) (40MHz)	271/286 (MCS11)	2.63	30.0	-27.37
	5775	155	ac (80MHz)	390/433.3 (MCS9)	-2.57	30.0	-32.57
	5775	155	ax (SU) (80MHz)	567/600.5 (MCS11)	-2.53	30.0	-32.53


Table 7-205. Band 3 Power Spectral Density Measurements Antenna 5T (High Data Rate)

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	<b>Approved by:</b> Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 149 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 149 01 394
			V 10.5 12/15/2021






Plot 7-319. PSD Antenna 5T (20MHz BW 802.11n - Ch. 157, MCS2)







Plot 7-320. PSD Antenna 5T (20MHz BW 802.11ax(SU) - Ch. 157, MCS2)

Plot 7-321. PSD Antenna 5T (40MHz BW 802.11n - Ch. 151, MCS2)



Plot 7-322. PSD Antenna 5T (40MHz BW 802.11ax(SU) - Ch. 151, MCS2)





Plot 7-323. PSD Antenna 5T (80MHz BW 802.11ac - Ch. 155, MCS2)

Plot 7-324. PSD Antenna 5T (80MHz BW 802.11ax(SU) - Ch. 155, MCS2)

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 150 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 150 01 594
			V 10.5 12/15/2021






Plot 7-325. PSD Antenna 5T (20MHz BW 802.11n - Ch. 157, MCS4)




Plot 7-326. PSD Antenna 5T (20MHz BW 802.11ax(SU) - Ch. 157, MCS4)




Plot 7-327. PSD Antenna 5T (40MHz BW 802.11n - Ch. 151, MCS4)



Plot 7-328. PSD Antenna 5T (40MHz BW 802.11ax(SU) - Ch. 151, MCS4)






Plot 7-329. PSD Antenna 5T (80MHz BW 802.11ac - Ch. 155, MCS4)

Plot 7-330. PSD Antenna 5T (80MHz BW 802.11ax(SU) - Ch. 155, MCS4)

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 151 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 151 01 594
			V 10 5 12/15/2021





Plot 7-331. PSD Antenna 5T (20MHz BW 802.11n – Ch. 157, MCS7)




Plot 7-332. PSD Antenna 5T (20MHz BW 802.11ax(SU) - Ch. 157, MCS11)




Plot 7-333. PSD Antenna 5T (40MHz BW 802.11n - Ch. 151, MCS7)



Plot 7-334. PSD Antenna 5T (40MHz BW 802.11ax(SU) - Ch. 151, MCS11)





Plot 7-335. PSD Antenna 5T (80MHz BW 802.11ac - Ch. 155, MCS9)

Plot 7-336. PSD Antenna 5T (80MHz BW 802.11ax(SU) - Ch. 155, MCS11)

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	<b>Approved by:</b> Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 152 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 152 01 594
			V 10.5 12/15/2021



	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
	5180	36	n (20MHz)	19.5/21.7 (MCS2)	8.36	-1.80	6.56	10.0	-3.44
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	9.26	-1.80	7.46	10.0	-2.54
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	9.40	-1.80	7.60	10.0	-2.40
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	5.24	-1.80	3.44	10.0	-6.56
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	7.70	-1.80	5.90	10.0	-4.10
d 1	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	7.79	-1.80	5.99	10.0	-4.02
Band	5190	38	n (40MHz)	40/40.5 (MCS2)	3.06	-1.80	1.26	10.0	-8.74
	5230	46	n (40MHz)	40/40.5 (MCS2)	6.71	-1.80	4.91	10.0	-5.09
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	0.79	-1.80	-1.01	10.0	-11.01
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	5.34	-1.80	3.54	10.0	-6.46
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-1.03	-1.80	-2.83	10.0	-12.83
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.10	-1.80	-3.90	10.0	-13.90
Band 1/2	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	-5.26	-1.80	-7.06	10.0	-17.06
Ba 1/	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	-6.25	-1.80	-8.05	10.0	-18.05

Table 7-206. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5T (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
	5180	36	n (20MHz)	39/43.3 (MCS4)	7.09	-1.80	5.29	10.0	-4.71
	5200	40	n (20MHz)	39/43.3 (MCS4)	9.20	-1.80	7.40	10.0	-2.60
	5240	48	n (20MHz)	39/43.3 (MCS4)	9.55	-1.80	7.75	10.0	-2.25
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	4.82	-1.80	3.02	10.0	-6.98
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	7.70	-1.80	5.90	10.0	-4.10
d 1	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	7.91	-1.80	6.11	10.0	-3.89
Band	5190	38	n (40MHz)	81/90 (MCS4)	2.20	-1.80	0.40	10.0	-9.60
_	5230	46	n (40MHz)	81/90 (MCS4)	6.75	-1.80	4.95	10.0	-5.06
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	0.31	-1.80	-1.49	10.0	-11.49
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	5.19	-1.80	3.39	10.0	-6.61
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-1.62	-1.80	-3.42	10.0	-13.42
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.71	-1.80	-4.51	10.0	-14.51
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	-5.15	-1.80	-6.95	10.0	-16.95
Ba 1/	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	-6.40	-1.80	-8.20	10.0	-18.20
	Table 7.0			Dowor Sportrol	D		Automa CT /	Mid Data Data	

Table 7-207. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5T (Mid Data Rate)

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
	5180	36	n (20MHz)	65/72.2 (MCS7)	4.85	-1.80	3.05	10.0	-6.95
	5200	40	n (20MHz)	65/72.2 (MCS7)	7.94	-1.80	6.14	10.0	-3.86
	5240	48	n (20MHz)	65/72.2 (MCS7)	8.13	-1.80	6.33	10.0	-3.67
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	4.77	-1.80	2.97	10.0	-7.04
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	7.85	-1.80	6.05	10.0	-3.95
d 1	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	8.27	-1.80	6.47	10.0	-3.53
Band	5190	38	n (40MHz)	135/150 (MCS7)	-0.25	-1.80	-2.05	10.0	-12.05
	5230	46	n (40MHz)	135/150 (MCS7)	5.43	-1.80	3.63	10.0	-6.37
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	-0.11	-1.80	-1.91	10.0	-11.91
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	5.72	-1.80	3.92	10.0	-6.08
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-3.13	-1.80	-4.93	10.0	-14.93
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-2.71	-1.80	-4.51	10.0	-14.51
Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	-6.65	-1.80	-8.45	10.0	-18.45
Ba 1/	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	-7.61	-1.80	-9.41	10.0	-19.41


Table 7-208. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5T (High Data Rate)


FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	<b>Approved by:</b> Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 153 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 155 01 594
			V 10 5 12/15/2021











Plot 7-338. ISED PSD Antenna 5T (20MHz BW 11ax(SU) - Ch.40, MCS2)



#VBW 3.0 MHz\*

enter 5.23000 GHz tes BW 1.0 MHz









Plot 7-342. ISED PSD Antenna 5T (80MHz BW 11ax (SU) - Ch.42, MCS2)

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 154 of 594
1C2311270066-24-R1.BCG	11/29/2023 - 1/19/2024	Tablet Device	Fage 154 01 594
			V 10.5 12/15/2021

00 GH

CF Step 6.000000 MH

Freq Offs 0 H

Scale Type

Lit

Auto

Span 60.00 MH Sweep 1.000 ms (1001 pt