




Plot 7-343. ISED PSD Antenna 5T (160MHz BW 11ac – Ch.50, MCS2)




Plot 7-346. ISED PSD Antenna 5T (20MHz BW 11ax(SU) – Ch.40, MCS4)




Plot 7-344. ISED PSD Antenna 5T (160MHz BW 11ax (SU) – Ch.50, MCS2)



Plot 7-347. ISED PSD Antenna 5T (40MHz BW 11n – Ch.46, MCS4)




Plot 7-345. ISED PSD Antenna 5T (20MHz BW 11n – Ch.40, MCS4)




Plot 7-348. ISED PSD Antenna 5T (40MHz BW 11ax(SU) – Ch.46, MCS4)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 155 of 594




Plot 7-349. ISED PSD Antenna 5T (80MHz BW 11ac – Ch.42, MCS4)




Plot 7-352. ISED PSD Antenna 5T (160MHz BW 11ax (SU) – Ch.50, MCS4)




Plot 7-350. ISED PSD Antenna 5T (80MHz BW 11ax (SU) – Ch.42, MCS4)



Plot 7-353. ISED PSD Antenna 5T (20MHz BW 11n – Ch.40, MCS7)




Plot 7-351. ISED PSD Antenna 5T (160MHz BW 11ac – Ch.50, MCS4)




Plot 7-354. ISED PSD Antenna 5T (20MHz BW 11ax(SU) – Ch.40, MCS11)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 156 of 594




Plot 7-355. ISED PSD Antenna 5T (40MHz BW 11n – Ch.46, MCS7)




Plot 7-358. ISED PSD Antenna 5T (80MHz BW 11ax (SU) – Ch.42, MCS11)




Plot 7-356. ISED PSD Antenna 5T (40MHz BW 11ax(SU) – Ch.46, MCS11)



Plot 7-359. ISED PSD Antenna 5T (160MHz BW 11ac – Ch.50, MCS9)



Plot 7-357. ISED PSD Antenna 5T (80MHz BW 11ac – Ch.42, MCS9)



Plot 7-360. ISED PSD Antenna 5T (160MHz BW 11ax (SU) – Ch.50, MCS11)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 157 of 594

7.5.2 Antenna 3b Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	7.71	11.00	-3.29
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	8.97	11.00	-2.03
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	8.70	11.00	-2.30
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	4.80	11.00	-6.20
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	7.56	11.00	-3.44
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	7.03	11.00	-3.97
	5190	38	n (40MHz)	40/40.5 (MCS2)	2.94	11.00	-8.06
	5230	46	n (40MHz)	40/40.5 (MCS2)	6.21	11.00	-4.79
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	0.90	11.00	-10.10
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	4.98	11.00	-6.02
Band 1/2	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-0.72	11.00	-11.72
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.21	11.00	-13.21
Band 2A	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	-6.52	11.00	-17.52
	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	-7.12	11.00	-18.12
	5260	52	n (20MHz)	19.5/21.7 (MCS2)	9.37	11.00	-1.63
	5300	60	n (20MHz)	19.5/21.7 (MCS2)	9.70	11.00	-1.30
	5320	64	n (20MHz)	19.5/21.7 (MCS2)	9.19	11.00	-1.81
	5260	52	ax (SU) (20MHz)	24/25.8 (MCS2)	7.92	11.00	-3.09
	5300	60	ax (SU) (20MHz)	24/25.8 (MCS2)	8.40	11.00	-2.60
	5320	64	ax (SU) (20MHz)	24/25.8 (MCS2)	5.62	11.00	-5.38
	5270	54	n (40MHz)	40/40.5 (MCS2)	7.30	11.00	-3.70
	5310	62	n (40MHz)	40/40.5 (MCS2)	3.47	11.00	-7.53
	5270	54	ax (SU) (40MHz)	49/51.6 (MCS2)	5.76	11.00	-5.24
	5310	62	ax (SU) (40MHz)	49/51.6 (MCS2)	2.36	11.00	-8.65
	5290	58	ac (80MHz)	87.8/97.5 (MCS2)	-0.34	11.00	-11.34
	5290	58	ax (SU) (80MHz)	102/108.1 (MCS2)	-1.08	11.00	-12.08
Band 2C	5500	100	n (20MHz)	19.5/21.7 (MCS2)	7.02	11.00	-3.98
	5580	116	n (20MHz)	19.5/21.7 (MCS2)	8.31	11.00	-2.69
	5720	144	n (20MHz)	19.5/21.7 (MCS2)	9.02	11.00	-1.98
	5500	100	ax (SU) (20MHz)	24/25.8 (MCS2)	5.66	11.00	-5.35
	5580	116	ax (SU) (20MHz)	24/25.8 (MCS2)	6.54	11.00	-4.46
	5720	144	ax (SU) (20MHz)	24/25.8 (MCS2)	7.28	11.00	-3.72
	5510	102	n (40MHz)	40/40.5 (MCS2)	3.48	11.00	-7.53
	5550	110	n (40MHz)	40/40.5 (MCS2)	5.66	11.00	-5.34
	5670	134	n (40MHz)	40/40.5 (MCS2)	4.90	11.00	-6.10
	5710	142	n (40MHz)	40/40.5 (MCS2)	6.88	11.00	-4.12
	5510	102	ax (SU) (40MHz)	49/51.6 (MCS2)	1.87	11.00	-9.13
	5550	110	ax (SU) (40MHz)	49/51.6 (MCS2)	4.32	11.00	-6.69
	5710	142	ax (SU) (40MHz)	49/51.6 (MCS2)	5.48	11.00	-5.52
	5530	106	ac (80MHz)	87.8/97.5 (MCS2)	-0.25	11.00	-11.25
	*5610	122	ac (80MHz)	87.8/97.5 (MCS2)	3.65	11.00	-7.35
	5690	138	ac (80MHz)	87.8/97.5 (MCS2)	3.62	11.00	-7.38
	5530	106	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.91	11.00	-13.91
	*5610	122	ax (SU) (80MHz)	102/108.1 (MCS2)	-0.01	11.00	-11.01
	5690	138	ax (SU) (80MHz)	102/108.1 (MCS2)	2.40	11.00	-8.60
	*5570	114	ac (160MHz)	87.8/97.5 (MCS2)	-6.19	11.00	-17.19
*5570	114	ax (SU) (160MHz)	102/108.1 (MCS2)	-7.39	11.00	-18.39	

Table 7-209. Power Spectral Density Measurements Antenna 3b (Low Data Rate)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 158 of 594

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	7.17	11.00	-3.83
	5200	40	n (20MHz)	39/43.3 (MCS4)	9.73	11.00	-1.27
	5240	48	n (20MHz)	39/43.3 (MCS4)	9.38	11.00	-1.62
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	5.25	11.00	-5.75
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	8.63	11.00	-2.37
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	8.15	11.00	-2.85
	5190	38	n (40MHz)	81/90 (MCS4)	3.65	11.00	-7.35
	5230	46	n (40MHz)	81/90 (MCS4)	7.81	11.00	-3.20
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	1.24	11.00	-9.76
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	6.59	11.00	-4.41
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-0.72	11.00	-11.72
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.20	11.00	-13.20
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	-4.89	11.00	-15.89
	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	-5.80	11.00	-16.80
Band 2A	5260	52	n (20MHz)	39/43.3 (MCS4)	9.93	11.00	-1.08
	5300	60	n (20MHz)	39/43.3 (MCS4)	9.36	11.00	-1.64
	5320	64	n (20MHz)	39/43.3 (MCS4)	8.15	11.00	-2.85
	5260	52	ax (SU) (20MHz)	49/51.6 (MCS4)	7.99	11.00	-3.01
	5300	60	ax (SU) (20MHz)	49/51.6 (MCS4)	8.54	11.00	-2.46
	5320	64	ax (SU) (20MHz)	49/51.6 (MCS4)	4.88	11.00	-6.12
	5270	54	n (40MHz)	81/90 (MCS4)	8.21	11.00	-2.79
	5310	62	n (40MHz)	81/90 (MCS4)	2.77	11.00	-8.23
	5270	54	ax (SU) (40MHz)	98/103.2 (MCS4)	6.52	11.00	-4.48
	5310	62	ax (SU) (40MHz)	98/103.2 (MCS4)	0.65	11.00	-10.35
	5290	58	ac (80MHz)	175.5/195 (MCS4)	-1.40	11.00	-12.40
	5290	58	ax (SU) (80MHz)	204/216.2 (MCS4)	-1.91	11.00	-12.91
Band 2C	5500	100	n (20MHz)	39/43.3 (MCS4)	5.93	11.00	-5.07
	5580	116	n (20MHz)	39/43.3 (MCS4)	8.53	11.00	-2.47
	5720	144	n (20MHz)	39/43.3 (MCS4)	8.99	11.00	-2.02
	5500	100	ax (SU) (20MHz)	49/51.6 (MCS4)	4.51	11.00	-6.49
	5580	116	ax (SU) (20MHz)	49/51.6 (MCS4)	6.70	11.00	-4.30
	5720	144	ax (SU) (20MHz)	49/51.6 (MCS4)	7.69	11.00	-3.32
	5510	102	n (40MHz)	81/90 (MCS4)	1.67	11.00	-9.33
	5550	110	n (40MHz)	81/90 (MCS4)	5.89	11.00	-5.11
	5670	134	n (40MHz)	81/90 (MCS4)	4.73	11.00	-6.27
	5710	142	n (40MHz)	81/90 (MCS4)	6.92	11.00	-4.08
	5510	102	ax (SU) (40MHz)	98/103.2 (MCS4)	0.63	11.00	-10.37
	5550	110	ax (SU) (40MHz)	98/103.2 (MCS4)	4.06	11.00	-6.94
	5710	142	ax (SU) (40MHz)	98/103.2 (MCS4)	5.58	11.00	-5.42
	5530	106	ac (80MHz)	175.5/195 (MCS4)	-1.68	11.00	-12.68
	*5610	122	ac (80MHz)	175.5/195 (MCS4)	0.34	11.00	-10.66
	5690	138	ac (80MHz)	175.5/195 (MCS4)	3.80	11.00	-7.20
	5530	106	ax (SU) (80MHz)	204/216.2 (MCS4)	-3.07	11.00	-14.07
	*5610	122	ax (SU) (80MHz)	204/216.2 (MCS4)	-1.10	11.00	-12.10
	5690	138	ax (SU) (80MHz)	204/216.2 (MCS4)	2.65	11.00	-8.35
	*5570	114	ac (160MHz)	175.5/195 (MCS4)	-6.55	11.00	-17.55
*5570	114	ax (SU) (160MHz)	204/216.2 (MCS4)	-7.78	11.00	-18.78	

Table 7-210. Power Spectral Density Measurements Antenna 3b (Mid Data Rate)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 159 of 594

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	4.72	11.00	-6.28
	5200	40	n (20MHz)	65/72.2 (MCS7)	8.12	11.00	-2.88
	5240	48	n (20MHz)	65/72.2 (MCS7)	8.05	11.00	-2.96
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	4.50	11.00	-6.50
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	8.13	11.00	-2.87
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	8.02	11.00	-2.98
	5190	38	n (40MHz)	135/150 (MCS7)	0.54	11.00	-10.46
	5230	46	n (40MHz)	135/150 (MCS7)	6.50	11.00	-4.51
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	0.34	11.00	-10.66
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	6.96	11.00	-4.04
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-1.78	11.00	-12.78
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-1.90	11.00	-12.90
Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	-6.01	11.00	-17.01
	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	-6.64	11.00	-17.64
Band 2A	5260	52	n (20MHz)	65/72.2 (MCS7)	8.45	11.00	-2.55
	5300	60	n (20MHz)	65/72.2 (MCS7)	8.60	11.00	-2.40
	5320	64	n (20MHz)	65/72.2 (MCS7)	6.05	11.00	-4.95
	5260	52	ax (SU) (20MHz)	135/143.4 (MCS11)	8.71	11.00	-2.29
	5300	60	ax (SU) (20MHz)	135/143.4 (MCS11)	8.53	11.00	-2.47
	5320	64	ax (SU) (20MHz)	135/143.4 (MCS11)	4.34	11.00	-6.66
	5270	54	n (40MHz)	135/150 (MCS7)	6.08	11.00	-4.92
	5310	62	n (40MHz)	135/150 (MCS7)	0.90	11.00	-10.10
	5270	54	ax (SU) (40MHz)	271/286 (MCS11)	6.95	11.00	-4.05
	5310	62	ax (SU) (40MHz)	271/286 (MCS11)	0.08	11.00	-10.92
	5290	58	ac (80MHz)	390/433.3 (MCS9)	-2.21	11.00	-13.21
	5290	58	ax (SU) (80MHz)	567/600.5 (MCS11)	-2.51	11.00	-13.51
Band 2C	5500	100	n (20MHz)	65/72.2 (MCS7)	2.85	11.00	-8.15
	5580	116	n (20MHz)	65/72.2 (MCS7)	7.20	11.00	-3.81
	5720	144	n (20MHz)	65/72.2 (MCS7)	7.69	11.00	-3.31
	5500	100	ax (SU) (20MHz)	135/143.4 (MCS11)	2.96	11.00	-8.04
	5580	116	ax (SU) (20MHz)	135/143.4 (MCS11)	7.28	11.00	-3.72
	5720	144	ax (SU) (20MHz)	135/143.4 (MCS11)	7.75	11.00	-3.25
	5510	102	n (40MHz)	135/150 (MCS7)	-1.60	11.00	-12.60
	5550	110	n (40MHz)	135/150 (MCS7)	3.74	11.00	-7.26
	5710	142	n (40MHz)	135/150 (MCS7)	5.68	11.00	-5.32
	5510	102	ax (SU) (40MHz)	271/286 (MCS11)	-1.36	11.00	-12.36
	5550	110	ax (SU) (40MHz)	271/286 (MCS11)	3.46	11.00	-7.54
	5670	134	ax (SU) (40MHz)	271/286 (MCS11)	0.86	11.00	-10.14
	5710	142	ax (SU) (40MHz)	271/286 (MCS11)	5.39	11.00	-5.61
	5530	106	ac (80MHz)	390/433.3 (MCS9)	-4.54	11.00	-15.54
	*5610	122	ac (80MHz)	390/433.3 (MCS9)	-0.99	11.00	-11.99
	5690	138	ac (80MHz)	390/433.3 (MCS9)	2.64	11.00	-8.37
	5530	106	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.62	11.00	-15.62
	*5610	122	ax (SU) (80MHz)	567/600.5 (MCS11)	-0.43	11.00	-11.43
	5690	138	ax (SU) (80MHz)	567/600.5 (MCS11)	2.51	11.00	-8.49
	*5570	114	ac (160MHz)	390/433.3 (MCS9)	-8.36	11.00	-19.36
*5570	114	ax (SU) (160MHz)	567/600.5 (MCS11)	-9.17	11.00	-20.17	


Table 7-211. Power Spectral Density Measurements Antenna 3b (High Data Rate)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 160 of 594




Plot 7-361. PSD Antenna 3b (20MHz BW 802.11n – Ch. 40, MCS2)




Plot 7-364. PSD Antenna 3b (40MHz BW 802.11ax(SU) – Ch. 46, MCS2)




Plot 7-362. PSD Antenna 3b (20MHz BW 802.11ax(SU) – Ch. 40, MCS2)



Plot 7-365. PSD Antenna 3b (80MHz BW 802.11ac – Ch. 42, MCS2)




Plot 7-363. PSD Antenna 3b (40MHz BW 802.11n – Ch. 46, MCS2)




Plot 7-366. PSD Antenna 3b (80MHz BW 802.11ax(SU) – Ch. 42, MCS2)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 161 of 594




Plot 7-367. PSD Antenna 3b (160MHz BW 802.11ac – Ch. 50, MCS2)




Plot 7-370. PSD Antenna 3b (20MHz BW 802.11ax(SU) – Ch. 60, MCS2)




Plot 7-368. PSD Antenna 3b (160MHz BW 802.11ax(SU) – Ch. 50, MCS2)



Plot 7-371. PSD Antenna 3b (40MHz BW 802.11n – Ch. 54, MCS2)




Plot 7-369. PSD Antenna 3b (20MHz BW 802.11n – Ch. 60, MCS2)




Plot 7-372. PSD Antenna 3b (40MHz BW 802.11ax(SU) – Ch. 54, MCS2)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 162 of 594




Plot 7-373. PSD Antenna 3b (80MHz BW 802.11ac – Ch. 58, MCS2)




Plot 7-376. PSD Antenna 3b (20MHz BW 802.11ax(SU) – Ch. 116, MCS2)




Plot 7-374. PSD Antenna 3b (80MHz BW 802.11ax(SU) – Ch. 58, MCS2)



Plot 7-377. PSD Antenna 3b (40MHz BW 802.11n – Ch. 110, MCS2)




Plot 7-375. PSD Antenna 3b (20MHz BW 802.11n – Ch. 116, MCS2)




Plot 7-378. PSD Antenna 3b (40MHz BW 802.11ax(SU) – Ch. 110, MCS2)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 163 of 594




Plot 7-379. PSD Antenna 3b (80MHz BW 802.11ac – Ch. 122, MCS2)



Plot 7-382. PSD Antenna 3b (160MHz BW 802.11ax(SU) – Ch. 114, MCS2)




Plot 7-380. PSD Antenna 3b (80MHz BW 802.11ax(SU) – Ch. 122, MCS2)




Plot 7-381. PSD Antenna 3b (160MHz BW 802.11ac – Ch. 114, MCS2)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 164 of 594




Plot 7-383. PSD Antenna 3b (20MHz BW 802.11n – Ch. 40, MCS4)




Plot 7-386. PSD Antenna 3b (40MHz BW 802.11ax(SU) – Ch. 46, MCS4)




Plot 7-384. PSD Antenna 3b (20MHz BW 802.11ax(SU) – Ch. 40, MCS4)



Plot 7-387. PSD Antenna 3b (80MHz BW 802.11ac – Ch. 42, MCS4)




Plot 7-385. PSD Antenna 3b (40MHz BW 802.11n – Ch. 46, MCS4)




Plot 7-388. PSD Antenna 3b (80MHz BW 802.11ax(SU) – Ch. 42, MCS4)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 165 of 594




Plot 7-389. PSD Antenna 3b (160MHz BW 802.11ac – Ch. 50, MCS4)




Plot 7-392. PSD Antenna 3b (20MHz BW 802.11ax(SU) – Ch. 60, MCS4)




Plot 7-390. PSD Antenna 3b (160MHz BW 802.11ax(SU) – Ch. 50, MCS4)



Plot 7-393. PSD Antenna 3b (40MHz BW 802.11n – Ch. 54, MCS4)




Plot 7-391. PSD Antenna 3b (20MHz BW 802.11n – Ch. 60, MCS4)




Plot 7-394. PSD Antenna 3b (40MHz BW 802.11ax(SU) – Ch. 54, MCS4)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 166 of 594




Plot 7-395. PSD Antenna 3b (80MHz BW 802.11ac – Ch. 58, MCS4)




Plot 7-398. PSD Antenna 3b (20MHz BW 802.11ax(SU) – Ch. 116, MCS4)




Plot 7-396. PSD Antenna 3b (80MHz BW 802.11ax(SU) – Ch. 58, MCS4)



Plot 7-399. PSD Antenna 3b (40MHz BW 802.11n – Ch. 110, MCS4)



Plot 7-397. PSD Antenna 3b (20MHz BW 802.11n – Ch. 116, MCS4)




Plot 7-400. PSD Antenna 3b (40MHz BW 802.11ax(SU) – Ch. 110, MCS4)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 167 of 594




Plot 7-401. PSD Antenna 3b (80MHz BW 802.11ac – Ch. 122, MCS4)



Plot 7-404. PSD Antenna 3b (160MHz BW 802.11ax(SU) – Ch. 114, MCS4)




Plot 7-402. PSD Antenna 3b (80MHz BW 802.11ax(SU) – Ch. 122, MCS4)




Plot 7-403. PSD Antenna 3b (160MHz BW 802.11ac – Ch. 114, MCS4)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 168 of 594




Plot 7-405. PSD Antenna 3b (20MHz BW 802.11n – Ch. 40, MCS7)




Plot 7-408. PSD Antenna 3b (40MHz BW 802.11ax(SU) – Ch. 46, MCS11)




Plot 7-406. PSD Antenna 3b (20MHz BW 802.11ax(SU) – Ch. 40, MCS11)



Plot 7-409. PSD Antenna 3b (80MHz BW 802.11ac – Ch. 42, MCS9)




Plot 7-407. PSD Antenna 3b (40MHz BW 802.11n – Ch. 46, MCS7)




Plot 7-410. PSD Antenna 3b (80MHz BW 802.11ax(SU) – Ch. 42, MCS11)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 169 of 594




Plot 7-411. PSD Antenna 3b (160MHz BW 802.11ac – Ch. 50, MCS5)




Plot 7-414. PSD Antenna 3b (20MHz BW 802.11ax(SU) – Ch. 60, MCS11)




Plot 7-412. PSD Antenna 3b (160MHz BW 802.11ax(SU) – Ch. 50, MCS11)



Plot 7-415. PSD Antenna 3b (40MHz BW 802.11n – Ch. 54, MCS7)




Plot 7-413. PSD Antenna 3b (20MHz BW 802.11n – Ch. 60, MCS7)




Plot 7-416. PSD Antenna 3b (40MHz BW 802.11ax(SU) – Ch. 54, MCS11)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 170 of 594




Plot 7-417. PSD Antenna 3b (80MHz BW 802.11ac – Ch. 58, MCS9)




Plot 7-420. PSD Antenna 3b (20MHz BW 802.11ax(SU) – Ch. 116, MCS11)




Plot 7-418. PSD Antenna 3b (80MHz BW 802.11ax(SU) – Ch. 58, MCS11)



Plot 7-421. PSD Antenna 3b (40MHz BW 802.11n – Ch. 110, MCS7)



Plot 7-419. PSD Antenna 3b (20MHz BW 802.11n – Ch. 116, MCS7)



Plot 7-422. PSD Antenna 3b (40MHz BW 802.11ax(SU) – Ch. 110, MCS11)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-24-R1.BCG	Test Dates: 11/29/2023 - 1/19/2024	EUT Type: Tablet Device	Page 171 of 594