




Plot 7-560. PSD CDD Diversity Antenna 5T (20MHz BW 11ax Index 40 – RU52 – Ch.60)




Plot 7-563. PSD CDD Diversity Antenna 1b (20MHz BW 11ax– RU242 – Ch.60)




Plot 7-561. PSD CDD Diversity Antenna 1b (20MHz BW 11ax Index 40 – RU52 – Ch.60)



Plot 7-564. PSD CDD Diversity Antenna 5T (40MHz BW 11ax Index 37 – RU52 – Ch.54)




Plot 7-562. PSD CDD Diversity Antenna 5T (20MHz BW 11ax– RU242 – Ch.60)




Plot 7-565. PSD CDD Diversity Antenna 1b (40MHz BW 11ax Index 37 – RU52 – Ch.54)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 217 of 459




Plot 7-566. PSD CDD Diversity Antenna 5T (40MHz BW 11ax Index 40 - RU52 - Ch.54)




Plot 7-569. PSD CDD Diversity Antenna 1b (40MHz BW 11ax Index 44 - RU52 - Ch.54)




Plot 7-567. PSD CDD Diversity Antenna 1b (40MHz BW 11ax Index 40 - RU52 - Ch.54)



Plot 7-570. PSD CDD Diversity Antenna 5T (40MHz BW 11ax - RU484 - Ch.54)




Plot 7-568. PSD CDD Diversity Antenna 5T (40MHz BW 11ax Index 44 - RU52 - Ch.54)




Plot 7-571. PSD CDD Diversity Antenna 1b (40MHz BW 11ax - RU484 - Ch.54)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 218 of 459




Plot 7-572. PSD CDD Diversity Antenna 5T (80MHz BW 11ax Index 37 - RU52 - Ch.58)




Plot 7-575. PSD Diversity CDD Antenna 1b (80MHz BW 11ax Index 44 - RU52 - Ch.58)




Plot 7-573. PSD CDD Diversity Antenna 1b (80MHz BW 11ax Index 37 - RU52 - Ch.58)



Plot 7-576. PSD CDD Diversity Antenna 5T (80MHz BW 11ax Index 52 - RU52 - Ch.58)




Plot 7-574. PSD CDD Diversity Antenna 5T (80MHz BW 11ax Index 44 - RU52 - Ch.58)




Plot 7-577. PSD CDD Diversity Antenna 1b (80MHz BW 11ax Index 52 - RU52 - Ch.58)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 219 of 459




Plot 7-578. PSD CDD Diversity Antenna 5T (80MHz BW 11ax – RU996 – Ch.58)




Plot 7-581. PSD CDD Diversity Antenna 1b (20MHz BW 11ax Index 37 – RU52 – Ch.116)



Plot 7-579. PSD CDD Diversity Antenna 1b (80MHz BW 11ax – RU996 – Ch.58)



Plot 7-582. PSD CDD Diversity Antenna 5T (20MHz BW 11ax Index 38 – RU52 – Ch.116)




Plot 7-580. PSD CDD Diversity Antenna 5T (20MHz BW 11ax Index 37 – RU52 – Ch.116)




Plot 7-583. PSD CDD Diversity Antenna 1b (20MHz BW 11ax Index 38 – RU52 – Ch.116)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 220 of 459



Plot 7-584. PSD CDD Diversity Antenna 5T (20MHz BW 11ax Index 40 - RU52 - Ch.116)




Plot 7-587. PSD CDD Diversity Antenna 1b (20MHz BW 11ax - RU242 - Ch.116)




Plot 7-585. PSD CDD Diversity Antenna 1b (20MHz BW 11ax Index 40 - RU52 - Ch.116)



Plot 7-588. PSD CDD Diversity Antenna 5T (40MHz BW 11ax Index 37 - RU52 - Ch.110)




Plot 7-586. PSD CDD Diversity Antenna 5T (20MHz BW 11ax - RU242 - Ch.116)




Plot 7-589. PSD CDD Diversity Antenna 1b (40MHz BW 11ax Index 37 - RU52 - Ch.110)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 221 of 459




Plot 7-590. PSD CDD Diversity Antenna 5T (40MHz BW 11ax Index 40 - RU52 - Ch.110)




Plot 7-593. PSD CDD Diversity Antenna 1b (40MHz BW 11ax Index 44 - RU52 - Ch.110)




Plot 7-591. PSD CDD Diversity Antenna 1b (40MHz BW 11ax Index 40 - RU52 - Ch.110)



Plot 7-594. PSD CDD Diversity Antenna 5T (40MHz BW 11ax - RU484 - Ch.110)




Plot 7-592. PSD CDD Diversity Antenna 5T (40MHz BW 11ax Index 44 - RU52 - Ch.110)




Plot 7-595. PSD CDD Diversity Antenna 1b (40MHz BW 11ax - RU484 - Ch.110)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 222 of 459




Plot 7-596. PSD CDD Diversity Antenna 5T (80MHz BW 11ax Index 37 - RU52 - Ch.122)




Plot 7-599. PSD CDD Diversity Antenna 1b (80MHz BW 11ax Index 44 - RU52 - Ch.122)




Plot 7-597. PSD CDD Diversity Antenna 1b (80MHz BW 11ax Index 37 - RU52 - Ch.122)



Plot 7-600. PSD CDD Diversity Antenna 5T (80MHz BW 11ax Index 52 - RU52 - Ch.122)




Plot 7-598. PSD CDD Diversity Antenna 5T (80MHz BW 11ax Index 44 - RU52 - Ch.122)




Plot 7-601. PSD CDD Diversity Antenna 1b (80MHz BW 11ax Index 52 - RU52 - Ch.122)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 223 of 459




Plot 7-602. PSD CDD Diversity Antenna 5T (80MHz BW 11ax – RU996 – Ch.112)




Plot 7-605. PSD CDD Diversity Antenna 1b (160MHz BW 11ax Index 37 – RU52 – Ch.114 (L))




Plot 7-603. PSD CDD Diversity Antenna 1b (80MHz BW 11ax – RU996 – Ch.112)



Plot 7-606. PSD CDD Diversity Antenna 5T (160MHz BW 11ax Index 52 – RU52 – Ch.114 (L))







Plot 7-604. PSD CDD Diversity Antenna 5T (160MHz BW 11ax Index 37 – RU52 – Ch.114 (L))



Plot 7-607. PSD CDD Diversity Antenna 1b (160MHz BW 11ax Index 52 – RU52 – Ch.114 (L))

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 224 of 459



FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 225 of 459


	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T Power Density [dBm/500kHz]	Antenna 1b Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	4.89	2.90	7.02	30.0	-27.10
					26	4	25/29.4 (MCS11)	4.48	2.93	6.79	30.0	-27.07
					26	8	25/29.4 (MCS11)	4.74	2.81	6.89	30.0	-27.19
	5785	157	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	4.25	2.71	6.56	30.0	-27.29
					26	4	25/29.4 (MCS11)	4.04	2.58	6.38	30.0	-27.42
					26	8	25/29.4 (MCS11)	4.45	2.80	6.71	30.0	-27.20
	5825	165	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	4.25	2.75	6.57	30.0	-27.25
					26	4	25/29.4 (MCS11)	3.96	2.79	6.42	30.0	-27.21
					26	8	25/29.4 (MCS11)	4.69	2.54	6.76	30.0	-27.47
	5755	151	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	5.40	3.48	7.55	30.0	-26.52
					26	8	25/29.4 (MCS11)	5.67	3.27	7.64	30.0	-26.74
					26	17	25/29.4 (MCS11)	4.89	2.92	7.03	30.0	-27.08
	5795	159	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	5.12	3.38	7.35	30.0	-26.62
					26	8	25/29.4 (MCS11)	4.82	2.82	6.94	30.0	-27.18
					26	17	25/29.4 (MCS11)	4.49	2.80	6.74	30.0	-27.20
	5775	155	ax (80MHz)	CDD	26	0	25/29.4 (MCS11)	5.08	3.12	7.22	30.0	-26.88
					26	18	25/29.4 (MCS11)	4.54	2.92	6.81	30.0	-27.08
					26	36	25/29.4 (MCS11)	4.39	3.31	6.90	30.0	-26.69

Table 7-198. Band 3 Power Spectral Density Measurements CDD Diversity (RU26)


	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T Power Density [dBm/500kHz]	Antenna 1b Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	5.09	3.25	7.27	30.0	-26.76
	5785	157	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.86	3.18	7.11	30.0	-26.82
	5825	165	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.98	3.20	7.19	30.0	-26.81
	5755	151	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	3.30	1.02	5.32	30.0	-28.98
	5795	159	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	2.81	0.61	4.86	30.0	-29.39
	5775	155	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-3.45	-5.52	-1.35	30.0	-35.52

Table 7-199. Band 3 Power Spectral Density Measurements CDD Diversity (Fully-loaded RU)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 226 of 459




Plot 7-612. PSD CDD Diversity Antenna 5T (20MHz BW 11ax Index 0 – RU26 – Ch.157)




Plot 7-615. PSD CDD Diversity Antenna 1b (20MHz BW 11ax Index 4 – RU26 – Ch.157)




Plot 7-613. PSD CDD Diversity Antenna 1b (20MHz BW 11ax Index 0 – RU26 – Ch.157)



Plot 7-616. PSD CDD Diversity Antenna 5T (20MHz BW 11ax Index 8 – RU26 – Ch.157)




Plot 7-614. PSD CDD Diversity Antenna 5T (20MHz BW 11ax Index 4 – RU26 – Ch.157)




Plot 7-617. PSD CDD Diversity Antenna 1b (20MHz BW 11ax Index 8 – RU26 – Ch.157)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 227 of 459




Plot 7-618. PSD CDD Diversity Antenna 5T (20MHz BW 11ax - RU242 - Ch.157)




Plot 7-621. PSD CDD Diversity Antenna 1b (40MHz BW 11ax Index 0 - RU26 - Ch.151)




Plot 7-619. PSD CDD Diversity Antenna 1b (20MHz BW 11ax - RU242 - Ch.157)



Plot 7-622. PSD CDD Diversity Antenna 5T (40MHz BW 11ax Index 8 - RU26 - Ch.151)




Plot 7-620. PSD CDD Diversity Antenna 5T (40MHz BW 11ax Index 0 - RU26 - Ch.151)




Plot 7-623. PSD CDD Diversity Antenna 1b (40MHz BW 11ax Index 8 - RU26 - Ch.151)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 228 of 459




Plot 7-624. PSD CDD Diversity Antenna 5T (40MHz BW 11ax Index 17 – RU26 – Ch.151)




Plot 7-627. PSD CDD Diversity Antenna 1b (40MHz BW 11ax – RU484 – Ch.151)




Plot 7-625. PSD CDD Diversity Antenna 1b (40MHz BW 11ax Index 17 – RU26 – Ch.151)



Plot 7-628. PSD CDD Diversity Antenna 5T (80MHz BW 11ax Index 0 – RU26 – Ch.155)




Plot 7-626. PSD CDD Diversity Antenna 5T (40MHz BW 11ax – RU484 – Ch.151)




Plot 7-629. PSD CDD Diversity Antenna 1b (80MHz BW 11ax Index 0 – RU26 – Ch.155)


FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 229 of 459




Plot 7-630. PSD CDD Diversity Antenna 5T (80MHz BW 11ax Index 18 – RU26 – Ch.155)




Plot 7-633. PSD CDD Diversity Antenna 1b (80MHz BW 11ax Index 36 – RU26 – Ch.155)




Plot 7-631. PSD CDD Diversity Antenna 1b (80MHz BW 11ax Index 18 – RU26 – Ch.155)



Plot 7-634. PSD CDD Diversity Antenna 5T (80MHz BW 11ax – RU996 – Ch.155)



Plot 7-632. PSD CDD Diversity Antenna 5T (80MHz BW 11ax Index 36 – RU26 – Ch.155)



Plot 7-635. PSD CDD Diversity Antenna 1b (80MHz BW 11ax – RU996 – Ch.155)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 230 of 459

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T Power Density [dBm/MHz]	Antenna 1b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directoinal Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	5.50	3.83	7.76	-1.38	6.38	10.0	-3.62
					26	4	25/29.4 (MCS11)	4.46	2.73	6.69	-1.38	5.31	10.0	-4.69
					26	8	25/29.4 (MCS11)	6.21	3.58	8.10	-1.38	6.72	10.0	-3.28
	5200	40	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	5.48	3.98	7.80	-1.38	6.42	10.0	-3.58
					26	4	25/29.4 (MCS11)	4.98	3.05	7.13	-1.38	5.75	10.0	-4.25
					26	8	25/29.4 (MCS11)	5.96	3.83	8.03	-1.38	6.65	10.0	-3.35
	5240	48	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	5.55	4.12	7.90	-1.38	6.52	10.0	-3.48
					26	4	25/29.4 (MCS11)	4.90	2.82	6.99	-1.38	5.61	10.0	-4.39
					26	8	25/29.4 (MCS11)	5.64	4.09	7.94	-1.38	6.56	10.0	-3.44
	5190	38	ax (40MHz)	SDM	26	0	25/29.4 (MCS11)	5.47	3.34	7.55	-1.38	6.17	10.0	-3.83
					26	8	25/29.4 (MCS11)	5.98	4.07	8.14	-1.38	6.76	10.0	-3.24
					26	17	25/29.4 (MCS11)	5.80	3.50	7.81	-1.38	6.43	10.0	-3.57
	5230	46	ax (40MHz)	SDM	26	0	25/29.4 (MCS11)	5.64	3.83	7.84	-1.38	6.46	10.0	-3.54
					26	8	25/29.4 (MCS11)	6.04	3.62	8.00	-1.38	6.62	10.0	-3.38
					26	17	25/29.4 (MCS11)	5.66	4.07	7.95	-1.38	6.57	10.0	-3.43
	5210	42	ax (80MHz)	SDM	26	0	25/29.4 (MCS11)	5.38	3.76	7.66	-1.38	6.27	10.0	-3.73
					26	18	25/29.4 (MCS11)	4.53	2.37	6.59	-1.38	5.21	10.0	-4.79
					26	36	25/29.4 (MCS11)	5.78	3.94	7.97	-1.38	6.59	10.0	-3.41
	5250	50 (L)	ax (160MHz)	SDM	52	37	50/58.8 (MCS11)	4.32	2.50	6.51	-1.38	5.13	10.0	-4.87
					52	52	50/58.8 (MCS11)	3.81	2.02	6.02	-1.38	4.63	10.0	-5.37

Table 7-200. ISED Band 1 e.i.r.p. Power Spectral Density Measurements SDM Diversity (RU26/RU52)

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T Power Density [dBm/MHz]	Antenna 1b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directoinal Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	3.34	1.72	5.62	-1.38	4.23	10.0	-5.77
	5200	40	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	4.92	2.96	7.06	-1.38	5.68	10.0	-4.32
	5240	48	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	5.33	3.03	7.34	-1.38	5.96	10.0	-4.04
	5190	38	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-0.52	-2.73	1.52	1.62	3.14	10.0	-6.86
	5230	46	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	4.48	2.63	6.66	-1.38	5.28	10.0	-4.72
	5210	42	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-3.52	-5.62	-1.44	1.62	0.18	10.0	-9.82
	5250	50	ax (160MHz)	CDD	996x2	68	2041.6/2402 (MCS11)	-9.72	-11.70	-7.59	1.62	-5.97	10.0	-15.97
Band 1/2A														

Table 7-201. ISED Band 1, 2A e.i.r.p. Power Spectral Density Measurements CDD/SDM Diversity (Fully-loaded RU)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-25-R1.BCG	Test Dates: 11/29/2023 - 03/07/2024	EUT Type: Tablet Device	Page 231 of 459