




Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6895MHz
Channel:	189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13790.00	Peak	V	-	-	-71.88	22.04	57.16	88.23	-31.07
13790.00	Average	V	-	-	-83.96	22.04	45.08	68.23	-23.15

 Table 7-168. Radiated Spurious Emission Measurements Antenna 5T – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 412 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Fage 412 01 007
			V/ 40 E 40/4E/2024








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13990.00	Peak	V	-	-	-72.55	22.11	56.56	88.23	-31.67
13990.00	Average	V	-	-	-84.21	22.11	44.90	68.23	-23.33
5242.00	Peak	Н	213	116	-66.69	20.19	60.50	88.23	-27.73
5242.00	Average	Н	213	116	-73.50	20.19	53.69	68.23	-14.54

Table 7-169. Radiated Spurious Emission Measurements Antenna 5T – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 413 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 5 12/15/2021







Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
14190.00	Peak	V	-	-	-73.65	22.41	55.76	88.23	-32.47
14190.00	Average	V	-	-	-85.63	22.41	43.78	68.23	-24.45
5322.00	Peak	Н	117	147	-66.23	19.94	60.71	88.23	-27.52
5322.00	Average	Н	117	147	-71.93	19.94	55.01	68.23	-13.22

Table 7-170. Radiated Spurious Emission Measurements Antenna 5T – RU26


FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 414 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 5 12/15/2021



## RU242



Plot 7-1585. Radiated Spurious Emissions above 1GHz Antenna 5T (802.11ax – Ch. 1 – RU242)




	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11910.00	Peak	V	-	-	-72.41	16.96	51.55	73.98	-22.43
*	11910.00	Average	V	-	-	-83.55	16.96	40.41	53.98	-13.57
*	17865.00	Peak	V	-	_	-72.58	22.53	56.95	73.98	-17.03
*	17865.00	Average	V	-	-	-84.24	22.53	45.29	53.98	-8.69

Table 7-171. Radiated Spurious Emission Measurements Antenna 5T – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 445 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Page 415 of 607
			V 10.5 12/15/2021








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6175MHz
Channel:	45

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12350.00	Peak	V	-	-	-73.41	21.14	54.73	73.98	-19.25
*	12350.00	Average	V	-	-	-85.96	21.14	42.18	53.98	-11.80

Table 7-172. Radiated Spurious Emission Measurements Antenna 5T – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 416 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 E 12/1E/2021








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6415MHz
Channel:	93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12830.00	Peak	V	-	-	-74.21	22.36	55.15	88.23	-33.08
12830.00	Average	V	-	-	-85.78	22.36	43.58	68.23	-24.65

Table 7-173. Radiated Spurious Emission Measurements Antenna 5T – RU242

	chnical Manager
Test Report S/N: Test Dates: EUT Type:	ae 417 of 607
1C2311270066-27-R3.BCG 11/29/2023 - 04/05/2024 Tablet Device	V 10 5 12/15/2021








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6435MHz
Channel:	97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12870.00	Peak	V	-	-	-74.20	21.76	54.56	88.23	-33.67
12870.00	Average	V	-	-	-85.29	21.76	43.47	68.23	-24.76

Table 7-174. Radiated Spurious Emission Measurements Antenna 5T – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	ЕИТ Туре:	Page 418 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 5 12/15/2021








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6475MHz
Channel:	105

Freque [MH:	-	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12950	.00	Peak	V	-	-	-74.17	21.90	54.73	88.23	-33.50
12950	.00	Average	V	-	-	-85.36	21.90	43.54	68.23	-24.69

Table 7-175. Radiated Spurious Emission Measurements Antenna 5T – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 419 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 E 12/1E/2021








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6515MHz
Channel:	113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13030.00	Peak	V	-	-	-74.40	22.35	54.95	88.23	-33.28
13030.00	Average	V	-	-	-85.42	22.35	43.93	68.23	-24.30

Table 7-176. Radiated Spurious Emission Measurements Antenna 5T – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 420 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 E 12/1E/2021








Mode:	802.11ax		
Data Rate:	MCS0		
Distance of Measurements:	3 Meters		
Operating Frequency:	6535MHz		
Channel:	117		

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13070.00	Peak	V	-	-	-73.70	21.97	55.27	88.23	-32.96
13070.00	Average	V	-	-	-85.55	21.97	43.43	68.23	-24.80

Table 7-177. Radiated Spurious Emission Measurements Antenna 5T – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 421 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 E 12/1E/2021








Mode:	802.11ax		
Data Rate:	MCS0		
Distance of Measurements:	3 Meters		
Operating Frequency:	6695MHz		
Channel:	149		

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	13390.00	Peak	V	-	-	-74.32	22.04	54.72	73.98	-19.26
*	13390.00	Average	V	-	-	-85.46	22.04	43.58	53.98	-10.40

Table 7-178. Radiated Spurious Emission Measurements Antenna 5T – RU242

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dage 422 of 607	
1C2311270066-27-R3.BCG 11/29/2023 - 04/05/2024		Tablet Device	Page 422 of 607	
			V/ 10 5 12/15/2021	





Plot 7-1593. Radiated Spurious Emissions above 1GHz Antenna 5T (802.11ax - Ch. 185 - RU242)


Mode:	802.11ax		
Data Rate:	MCS0		
Distance of Measurements:	3 Meters		
Operating Frequency:	6875MHz		
Channel:	185		

	equency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13	3750.00	Peak	V	-	-	-72.33	21.80	56.47	88.23	-31.76
13	3750.00	Average	V	-	-	-84.89	21.80	43.91	68.23	-24.32

Table 7-179. Radiated Spurious Emission Measurements Antenna 5T – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 423 of 607	
1C2311270066-27-R3.BCG 11/29/2023 - 04/05/2024		Tablet Device	Fage 425 01 007	








Mode:	802.11ax		
Data Rate:	MCS0		
Distance of Measurements:	3 Meters		
Operating Frequency:	6895MHz		
Channel:	189		

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13790.00	Peak	V	-	-	-71.82	22.04	57.22	88.23	-31.01
13790.00	Average	V	-	-	-84.85	22.04	44.19	68.23	-24.04

Table 7-180. Radiated Spurious Emission Measurements Antenna 5T – RU242

FCC ID: BCGA2899		MEASUREMENT REPORT	Approved by:
IC: 579C-A2899		(CERTIFICATION)	Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 424 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	
			V/ 40 E 40/4E/0004








Mode:	802.11ax		
Data Rate:	MCS0		
Distance of Measurements:	3 Meters		
Operating Frequency:	6995MHz		
Channel:	209		

Frequen [MHz]		Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13990.0	0 Peak	V	-	-	-73.13	22.11	55.98	88.23	-32.25
13990.0	00 Average	V	-	-	-84.77	22.11	44.34	68.23	-23.89

Table 7-181. Radiated Spurious Emission Measurements Antenna 5T – RU242

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 425 of 607	
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 40 5 40/45/2024	







Mode:	802.11ax		
Data Rate:	MCS0		
Distance of Measurements:	3 Meters		
Operating Frequency:	7095MHz		
Channel:	229		

F	requency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	14190.00	Peak	V	-	-	-73.36	22.41	56.05	88.23	-32.18
	14190.00	Average	V	-	-	-85.48	22.41	43.93	68.23	-24.30


Table 7-182. Radiated Spurious Emission Measurements Antenna 5T – RU242

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N: Test Dates:		EUT Type:	Page 426 of 607	
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 5 12/15/2021	



## 7.7.2 Antenna 3b Radiated Spurious Emission

RU26



Plot 7-1597. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 1 - RU26)


Mode:	802.11ax		
Data Rate:	MCS0		
Distance of Measurements:	3 Meters		
Operating Frequency:	5955MHz		
Channel:	1		

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11910.00	Peak	V	-	-	-72.63	16.96	51.33	73.98	-22.65
*	11910.00	Average	V	-	-	-83.48	16.96	40.48	53.98	-13.50
*	17865.00	Peak	V	-	-	-72.25	22.53	57.28	73.98	-16.70
*	17865.00	Average	V	-	-	-84.36	22.53	45.17	53.98	-8.81

Table 7-183. Radiated Spurious Emission Measurements Antenna 3b – RU26

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 407 of 607	
1C2311270066-27-R3.BCG 11/29/2023 - 04/05/2024		Tablet Device	Page 427 of 607	
			V/ 10 5 12/15/2021	





Plot 7-1598. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 45 - RU26)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6175MHz
Channel:	45

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12350.00	Peak	V	-	-	-74.06	21.14	54.08	73.98	-19.90
*	12350.00	Average	V	-	-	-85.89	21.14	42.25	53.98	-11.73

Table 7-184. Radiated Spurious Emission Measurements Antenna 3b – RU26

FCC ID: BCGA2899	element	MEASUREMENT REPORT	Approved by:
IC: 579C-A2899		(CERTIFICATION)	Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 428 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	
1C2311270000-27-R3.BCG	11/29/2023 - 04/03/2024		V/ 40 E 40/4E/2024





Plot 7-1599. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 93 - RU26)


02.11ax
ICS0
Meters
415MHz
3

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12830.00	Peak	V	-	-	-74.68	22.36	54.68	88.23	-33.55
12830.00	Average	V	-	-	-85.61	22.36	43.76	68.23	-24.47

Table 7-185. Radiated Spurious Emission Measurements Antenna 3b – RU26

FCC ID: BCGA2899	element	MEASUREMENT REPORT	Approved by:
IC: 579C-A2899		(CERTIFICATION)	Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 429 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	
1C2311270000-27-K3.BCG	11/29/2023 - 04/03/2024	Tablet Device	





Plot 7-1600. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 97 - RU26)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6435MHz
Channel:	97


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12870.00	Peak	V	-	-	-74.17	21.76	54.59	88.23	-33.64
12870.00	Average	V	-	-	-86.00	21.76	42.75	68.23	-25.48

 Table 7-186. Radiated Spurious Emission Measurements Antenna 3b – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 430 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 5 12/15/2021








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6475MHz
Channel:	105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12950.00	Peak	V	-	-	-74.41	21.90	54.49	88.23	-33.74
12950.00	Average	V	-	-	-85.39	21.90	43.51	68.23	-24.72

 Table 7-187. Radiated Spurious Emission Measurements Antenna 3b – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 421 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Page 431 of 607
			V 10 5 12/15/2021








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6515MHz
Channel:	113

Frequer [MHz]		Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13030.0	00 Peak	V	-	-	-74.31	22.35	55.04	88.23	-33.19
13030.0	00 Average	V	-	-	-85.33	22.35	44.02	68.23	-24.21

Table 7-188. Radiated Spurious Emission Measurements Antenna 3b – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 432 of 607
102311270000-27-R3.DCG	11/23/2023 - 04/03/2024		V 40 5 40/45/2024








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6535MHz
Channel:	117


FI	requency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
1	3070.00	Peak	V	-	-	-73.88	21.97	55.09	88.23	-33.14
1	3070.00	Average	V	-	-	-85.85	21.97	43.12	68.23	-25.11

 Table 7-189. Radiated Spurious Emission Measurements Antenna 3b – RU26

FCC ID: BCGA2899	element	MEASUREMENT REPORT	Approved by:
IC: 579C-A2899		(CERTIFICATION)	Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 433 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	
102011210000 21 110.000	11/20/2020 01/00/2021		V 40 5 40/45/2024








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	13390.00	Peak	V	-	-	-74.67	22.04	54.37	73.98	-19.61
*	13390.00	Average	V	-	-	-86.09	22.04	42.95	53.98	-11.03

 Table 7-190. Radiated Spurious Emission Measurements Antenna 3b – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dage 424 of 607	
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Page 434 of 607	
			V 10 5 12/15/2021	








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6875MHz
Channel:	185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13750.00	Peak	V	-	-	-72.36	21.80	56.44	88.23	-31.79
13750.00	Average	V	-	-	-84.00	21.80	44.80	68.23	-23.43

Table 7-191. Radiated Spurious Emission Measurements Antenna 3b – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 435 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 40 5 40/45/2024





Plot 7-1606. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 189 - RU26)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6895MHz
Channel:	189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13790.00	Peak	V	-	-	-71.57	22.04	57.47	88.23	-30.76
13790.00	Average	V	-	-	-84.86	22.04	44.18	68.23	-24.05

Table 7-192. Radiated Spurious Emission Measurements Antenna 3b – RU26

FCC ID: BCGA2899	element	MEASUREMENT REPORT	Approved by:
IC: 579C-A2899		(CERTIFICATION)	Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 436 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	
		•	V/ 40 E 40/4E/0004





Plot 7-1607. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 209 - RU26)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13990.00	Peak	V	-	-	-72.67	22.11	56.44	88.23	-31.79
13990.00	Average	V	-	-	-85.04	22.11	44.08	68.23	-24.15
5242.00	Peak	V	324	189	-67.89	20.19	59.30	88.23	-28.93
5242.00	Average	V	324	189	-73.21	20.19	53.98	68.23	-14.25

Table 7-193. Radiated Spurious Emission Measurements Antenna 3b - RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 437 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 5 12/15/2021





Plot 7-1608. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 229 - RU26)

Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
14190.00	Peak	V	-	-	-73.54	22.41	55.87	88.23	-32.36
14190.00	Average	V	-	-	-85.36	22.41	44.05	68.23	-24.18
5322.00	Peak	V	311	201	-66.69	19.94	60.25	88.23	-27.98
5322.00	Average	V	311	201	-72.00	19.94	54.94	68.23	-13.29

Table 7-194. Radiated Spurious Emission Measurements Antenna 3b – RU26


FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 438 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	- 3
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	l ablet Device	V 10 5 12/15/2021



## RU242



Plot 7-1609. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax – Ch. 1 – RU242)





	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11910.00	Peak	V	-	-	-72.48	16.96	51.48	73.98	-22.50
*	11910.00	Average	V	-	-	-83.69	16.96	40.27	53.98	-13.71
*	17865.00	Peak	V	-	-	-72.25	22.53	57.28	73.98	-16.70
*	17865.00	Average	V	-	-	-84.36	22.53	45.17	53.98	-8.81

Table 7-195. Radiated Spurious Emission Measurements Antenna 3b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 439 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	raye 439 01 007








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6175MHz
Channel:	45

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12350.00	Peak	V	-	-	-73.95	21.14	54.19	73.98	-19.79
*	12350.00	Average	V	-	-	-86.00	21.14	42.14	53.98	-11.84

Table 7-196. Radiated Spurious Emission Measurements Antenna 3b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 440 of 607	
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 5 12/15/2021	





Plot 7-1611. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 93 - RU242)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6415MHz
Channel:	93


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12830.00	Peak	V	-	-	-75.08	22.36	54.28	88.23	-33.95
12830.00	Average	V	-	-	-85.81	22.36	43.55	68.23	-24.68

Table 7-197. Radiated Spurious Emission Measurements Antenna 3b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 441 of 607	
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 5 12/15/2021	








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6435MHz
Channel:	97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12870.00	Peak	V	-	-	-74.45	21.76	54.31	88.23	-33.92
12870.00	Average	V	-	-	-85.91	21.76	42.84	68.23	-25.39

Table 7-198. Radiated Spurious Emission Measurements Antenna 3b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dage 442 of 607	
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Page 442 of 607	
			V 10 5 12/15/2021	





Plot 7-1613. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 105 - RU242)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6475MHz
Channel:	105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12950.00	Peak	V	-	-	-73.90	21.90	55.00	88.23	-33.23
12950.00	Average	V	-	-	-85.54	21.90	43.36	68.23	-24.87

Table 7-199. Radiated Spurious Emission Measurements Antenna 3b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 442 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Page 443 of 607
			V/ 10 5 12/15/2021





Plot 7-1614. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 113 - RU242)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6515MHz
Channel:	113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13030.00	Peak	V	-	-	-73.63	22.35	55.72	88.23	-32.51
13030.00	Average	V	-	-	-85.34	22.35	44.01	68.23	-24.22

Table 7-200. Radiated Spurious Emission Measurements Antenna 3b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 444 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Page 444 of 607
			V/ 10 5 12/15/2021





Plot 7-1615. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 117 - RU242)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6535MHz
Channel:	117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13070.00	Peak	V	-	-	-73.91	21.97	55.06	88.23	-33.17
13070.00	Average	V	-	-	-86.09	21.97	42.88	68.23	-25.35

Table 7-201. Radiated Spurious Emission Measurements Antenna 3b – RU242

FCC ID: BCGA2899	element	MEASUREMENT REPORT	Approved by:
IC: 579C-A2899		(CERTIFICATION)	Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 445 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	
		l de la constante de	V/ 40 E 40/4E/2024





Plot 7-1616. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 149 - RU242)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	13390.00	Peak	V	-	-	-74.30	22.04	54.74	73.98	-19.24
*	13390.00	Average	V	-	-	-85.84	22.04	43.20	53.98	-10.78

Table 7-202. Radiated Spurious Emission Measurements Antenna 3b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 446 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 40 E 40/4E/2024





Plot 7-1617. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 185 - RU242)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6875MHz
Channel:	185

Freque [MH	-	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13750	0.00	Peak	V	-	-	-72.91	21.80	55.89	88.23	-32.34
13750	0.00	Average	V	-	-	-84.85	21.80	43.95	68.23	-24.28

Table 7-203. Radiated Spurious Emission Measurements Antenna 3b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	ЕИТ Туре:	Page 447 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 40 5 40/45/2024








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6895MHz
Channel:	189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13790.00	Peak	V	-	-	-72.00	22.04	57.05	88.23	-31.18
13790.00	Average	V	-	-	-84.28	22.04	44.76	68.23	-23.47

Table 7-204. Radiated Spurious Emission Measurements Antenna 3b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	ment MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N: Test Dates:		EUT Type:	Page 448 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	5
			V/ 10 E 10/1E/2021





Plot 7-1619. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 209 - RU242)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209

	equency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13	8990.00	Peak	V	-	-	-72.92	22.11	56.20	88.23	-32.03
13	8990.00	Average	V	-	-	-85.07	22.11	44.05	68.23	-24.18

Table 7-205. Radiated Spurious Emission Measurements Antenna 3b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 449 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 40 5 42/45/2024





Plot 7-1620. Radiated Spurious Emissions above 1GHz Antenna 3b (802.11ax - Ch. 229 - RU242)

Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229

1	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	14190.00	Peak	V	-	-	-73.80	22.41	55.61	88.23	-32.62
	14190.00	Average	V	-	-	-85.65	22.41	43.76	68.23	-24.47


Table 7-206. Radiated Spurious Emission Measurements Antenna 3b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	element MEASUREMENT REPORT (CERTIFICATION)		
Test Report S/N:	Test Dates:	EUT Type:	Dage 450 of 607	
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Page 450 of 607	
			V/ 10 5 12/15/2021	



## 7.7.3 Antenna 1b Radiated Spurious Emission

RU26



Plot 7-1621. Radiated Spurious Emissions above 1GHz Antenna 1b (802.11ax - Ch. 1 - RU26)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11910.00	Peak	V	-	-	-72.63	16.96	51.33	73.98	-22.65
*	11910.00	Average	V	-	-	-83.65	16.96	40.31	53.98	-13.67
*	17865.00	Peak	V	-	-	-72.58	22.53	56.95	73.98	-17.03
*	17865.00	Average	V	-	-	-84.36	22.53	45.17	53.98	-8.81

Table 7-207. Radiated Spurious Emission Measurements Antenna 1b – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 451 of 607	
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device		
			V/ 10 5 12/15/2021	





Plot 7-1622. Radiated Spurious Emissions above 1GHz Antenna 1b (802.11ax - Ch. 45 - RU26)


ax
ers
Hz


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12350.00	Peak	V	-	-	-74.49	21.14	53.65	73.98	-20.33
*	12350.00	Average	V	-	-	-86.04	21.14	42.10	53.98	-11.88

Table 7-208. Radiated Spurious Emission Measurements Antenna 1b – RU26

FCC ID: BCGA2899	element	MEASUREMENT REPORT	Approved by:
IC: 579C-A2899		(CERTIFICATION)	Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 452 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	
			V/ 40 E 40/4E/0004








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6415MHz
Channel:	93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12830.00	Peak	V	-	-	-74.15	22.36	55.21	88.23	-33.02
12830.00	Average	V	-	-	-86.03	22.36	43.34	68.23	-24.89

Table 7-209. Radiated Spurious Emission Measurements Antenna 1b – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 453 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 40 5 40/45/2024








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6435MHz
Channel:	97
Operating Frequency:	6435MHz

Fr	requency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
1	2870.00	Peak	V	-	-	-74.21	21.76	54.55	88.23	-33.68
1	2870.00	Average	V	-	-	-85.61	21.76	43.14	68.23	-25.09

 Table 7-210. Radiated Spurious Emission Measurements Antenna 1b – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 454 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Fage 454 01 007
			V/ 10 E 10/1E/2021








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6475MHz
Channel:	105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12950.00	Peak	V	-	-	-74.17	21.90	54.73	88.23	-33.50
12950.00	Average	V	-	-	-85.43	21.90	43.47	68.23	-24.76

Table 7-211. Radiated Spurious Emission Measurements Antenna 1b – RU26

IC: 579C-A2899	element	(CERTIFICATION)	Technical Manager	
Test Report S/N: T	Test Dates:	EUT Type:	Page 455 of 607	
1C2311270066-27-R3.BCG 1	11/29/2023 - 04/05/2024	Tablet Device	Fage 455 01 607	








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6515MHz
Channel:	113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13030.00	Peak	V	-	-	-73.98	22.35	55.37	88.23	-32.86
13030.00	Average	V	-	-	-85.36	22.35	43.99	68.23	-24.24

Table 7-212. Radiated Spurious Emission Measurements Antenna 1b – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:		
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Page 456 of 607	
			V/ 10 5 12/15/2021	








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6535MHz
Channel:	117


-	uency Hz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
130	70.00	Peak	V	-	-	-73.88	21.97	55.09	88.23	-33.14
130	70.00	Average	V	-	-	-85.88	21.97	43.09	68.23	-25.14

Table 7-213. Radiated Spurious Emission Measurements Antenna 1b – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 457 of 607	
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	- 04/05/2024 Tablet Device		








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	13390.00	Peak	V	-	-	-74.93	22.04	54.11	73.98	-19.87
*	13390.00	Average	V	-	-	-86.23	22.04	42.81	53.98	-11.17

Table 7-214. Radiated Spurious Emission Measurements Antenna 1b - RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dage 459 of 607	
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Page 458 of 607	
			V/ 10 5 12/15/2021	








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6875MHz
Channel:	185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13750.00	Peak	V	-	-	-72.86	21.80	55.94	88.23	-32.29
13750.00	Average	V	-	-	-84.14	21.80	44.66	68.23	-23.57

Table 7-215. Radiated Spurious Emission Measurements Antenna 1b - RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 459 of 607	
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	3 - 04/05/2024 Tablet Device		








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6895MHz
Channel:	189

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
ſ	13790.00	Peak	V	-	-	-71.59	22.04	57.45	88.23	-30.78
	13790.00	Average	V	-	-	-84.67	22.04	44.37	68.23	-23.86

 Table 7-216. Radiated Spurious Emission Measurements Antenna 1b – RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 460 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 40 5 40/45/0024








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13990.00	Peak	V	-	-	-73.65	22.11	55.46	88.23	-32.77
13990.00	Average	V	-	-	-84.57	22.11	44.55	68.23	-23.68

Table 7-217. Radiated Spurious Emission Measurements Antenna 1b - RU26

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 461 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Page 461 of 607
			V 10 5 12/15/2021







Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
14190.00	Peak	V	-	-	-73.79	22.41	55.62	88.23	-32.61
14190.00	Average	V	-	-	-85.46	22.41	43.95	68.23	-24.28

 Table 7-218. Radiated Spurious Emission Measurements Antenna 1b – RU26


FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 462 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Page 462 of 607
			V 10 5 12/15/2021



## RU242



Plot 7-1633. Radiated Spurious Emissions above 1GHz Antenna 1b (802.11ax – Ch. 1 – RU242)




	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11910.00	Peak	V	-	-	-72.49	16.96	51.47	73.98	-22.51
*	11910.00	Average	V	-	-	-83.46	16.96	40.50	53.98	-13.48
*	17865.00	Peak	V	-	-	-72.52	22.53	57.01	73.98	-16.97
*	17865.00	Average	V	-	-	-84.26	22.53	45.27	53.98	-8.71

Table 7-219. Radiated Spurious Emission Measurements Antenna 1b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 463 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	Fage 403 01 007








802.11ax
MCS0
3 Meters
6175MHz
45

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12350.00	Peak	V	-	-	-73.58	21.14	54.56	73.98	-19.42
*	12350.00	Average	V	-	-	-85.99	21.14	42.15	53.98	-11.83

Table 7-220. Radiated Spurious Emission Measurements Antenna 1b – RU242

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dage 464 of 607	
1C2311270066-27-R3.BCG 11/29/2023 - 04/05/2024		Tablet Device	Page 464 of 607	
			V/ 10 5 12/15/2021	








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6415MHz
Channel:	93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12830.00	Peak	V	-	-	-74.45	22.36	54.91	88.23	-33.32
12830.00	Average	V	-	-	-85.45	22.36	43.91	68.23	-24.32

Table 7-221. Radiated Spurious Emission Measurements Antenna 1b – RU242

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	ЕИТ Туре:	Page 465 of 607
1C2311270066-27-R3.BCG	11/29/2023 - 04/05/2024	Tablet Device	V 10 5 12/15/2021








Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6435MHz
Channel:	97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12870.00	Peak	V	-	-	-74.45	21.76	54.31	88.23	-33.92
12870.00	Average	V	-	-	-85.92	21.76	42.83	68.23	-25.40

Table 7-222. Radiated Spurious Emission Measurements Antenna 1b – RU242

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 466 of 607	
1C2311270066-27-R3.BCG 11/29/2023 - 04/05/2024		Tablet Device	V 10 E 12/1E/2021	





Plot 7-1637. Radiated Spurious Emissions above 1GHz Antenna 1b (802.11ax - Ch. 105 - RU242)


Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6475MHz
Channel:	105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12950.00	Peak	V	-	-	-74.21	21.90	54.69	88.23	-33.54
12950.00	Average	V	-	-	-85.34	21.90	43.56	68.23	-24.67

Table 7-223. Radiated Spurious Emission Measurements Antenna 1b – RU242

FCC ID: BCGA2899 IC: 579C-A2899		element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
	Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 467 of 607
ļ	162311270000-27-1(3:666	11/23/2023 - 04/03/2024	Tablet Device	V 10 5 10/15/2021





Plot 7-1638. Radiated Spurious Emissions above 1GHz Antenna 1b (802.11ax - Ch. 113 - RU242)

Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6515MHz
Channel:	113

Fi	requency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
1	13030.00	Peak	V	-	-	-74.25	22.35	55.10	88.23	-33.13
1	13030.00	Average	V	-	-	-85.55	22.35	43.80	68.23	-24.43

Table 7-224. Radiated Spurious Emission Measurements Antenna 1b – RU242

FCC ID: BCGA2899 IC: 579C-A2899	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 468 of 607	
1C2311270000-27-R3.BCG	11/29/2023 - 04/03/2024		V 40 5 42/45/2024	