


**Plot 7-1696. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 93 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6415MHz  
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	V	-	-	-74.71	22.36	54.65	88.23	-33.58
12830.00	Peak	V	-	-	-86.20	22.36	43.16	68.23	-25.07

**Table 7-269. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 518 of 607




**Plot 7-1697. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 97 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6435MHz  
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Average	V	-	-	-74.20	21.76	54.56	88.23	-33.67
12870.00	Peak	V	-	-	-85.44	21.76	43.32	68.23	-24.91

**Table 7-270. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 519 of 607




**Plot 7-1698. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 105 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6475MHz  
 Channel: 105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	V	-	-	-73.73	21.90	55.17	88.23	-33.06
12950.00	Peak	V	-	-	-85.42	21.90	43.48	68.23	-24.75

**Table 7-271. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 520 of 607



**Plot 7-1699. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 113 – RU242)**




**Plot 7-1700. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax – Ch. 113 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6515MHz  
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	V	-	-	-74.25	22.35	55.10	88.23	-33.13
13030.00	Peak	V	-	-	-86.32	22.35	43.03	68.23	-25.20

**Table 7-272. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 521 of 607




**Plot 7-1701. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 117 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6535MHz  
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	V	-	-	-74.25	21.97	54.72	88.23	-33.51
13070.00	Peak	V	-	-	-85.41	21.97	43.56	68.23	-24.67

**Table 7-273. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 522 of 607




**Plot 7-1702. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 149 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6695MHz  
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-74.50	22.04	54.54	73.98	-19.44
* 13390.00	Average	V	-	-	-85.43	22.04	43.61	53.98	-10.37

**Table 7-274. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 523 of 607



**Plot 7-1703. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 185 – RU242)**




**Plot 7-1704. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax – Ch. 185 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6875MHz  
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	V	-	-	-73.42	21.80	55.38	88.23	-32.85
13750.00	Average	V	-	-	-84.36	21.80	44.44	68.23	-23.79

**Table 7-275. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 524 of 607



**Plot 7-1705. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 189 – RU242)**


Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6895MHz  
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	V	-	-	-73.65	22.04	55.39	88.23	-32.84
13790.00	Peak	V	-	-	-84.88	22.04	44.16	68.23	-24.07

**Table 7-276. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 525 of 607






**Plot 7-1706. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 209 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6995MHz  
 Channel: 209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	V	-	-	-72.68	22.11	56.44	88.23	-31.79
13990.00	Peak	V	-	-	-85.00	22.11	44.12	68.23	-24.11
5242.00	Average	V	101	216	-64.38	20.19	62.81	88.23	-25.42
5242.00	Average	V	101	216	-75.43	20.19	51.76	68.23	-16.47

**Table 7-277. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 526 of 607



**Plot 7-1707. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 229 – RU242)**



**Plot 7-1708. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax – Ch. 229 – RU242)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14190.00	Average	V	-	-	-74.59	22.41	54.82	88.23	-33.41
14190.00	Average	V	-	-	-85.41	22.41	44.00	68.23	-24.23
5322.00	Peak	V	109	217	-62.31	19.94	64.63	88.23	-23.60
5322.00	Average	V	109	217	-73.34	19.94	53.60	68.23	-14.63


**Table 7-278. Radiated Spurious Emission Measurements SDM Diversity – RU242**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 528 of 607

### 7.7.6 Antenna 5T Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


#### RU26

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-1709. Antenna 5T Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU26)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229




**Plot 7-1710. Antenna 5T Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU26)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024


## RU242

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-1711. Antenna 5T Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU242)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229




**Plot 7-1712. Antenna 5T Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU242)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT</b> <b>(CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 530 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233



**Plot 7-1713. Antenna 5T Radiated Upper Band Edge (Peak – UNII Band 8 – RU242)**




**Plot 7-1714. Antenna 5T Radiated Upper Band Edge (Average – UNII Band 8 – RU242)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024

### 7.7.7 Antenna 5T Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3



**Plot 7-1715. Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)**

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS5
Distance of Measurements:	3 Meters
Operating Frequency:	7085MHz
Channel:	227




**Plot 7-1716. Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 532 of 607


## RU484

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5965MHz  
 Channel: 3



**Plot 7-1717. Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU484)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7085MHz  
 Channel: 227



**Plot 7-1718. Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU484)**


<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT</b> <b>(CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 533 of 607



### 7.7.8 Antenna 5T Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7



**Plot 7-1719. Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)**

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7025MHz
Channel:	215




**Plot 7-1720. Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 534 of 607


### RU996

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5985MHz  
 Channel: 7



**Plot 7-1721. Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7025MHz  
 Channel: 215




**Plot 7-1722. Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 535 of 607

### 7.7.9 Antenna 5T Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15



**Plot 7-1723. Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)**


Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6185MHz
Channel:	47



**Plot 7-1724. Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 536 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207




**Plot 7-1725. Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device
		Page 537 of 607


## RU996x2

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6025MHz  
 Channel: 15



**Plot 7-1726. Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6185MHz  
 Channel: 47



**Plot 7-1727. Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 538 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207




**Plot 7-1728. Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996x2)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024

### 7.7.10 Antenna 3b Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1



Plot 7-1729. Antenna 3b Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229




Plot 7-1730. Antenna 3b Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU26)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 540 of 607


## RU242

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-1731. Antenna 3b Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU242)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229




**Plot 7-1732. Antenna 3b Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU242)**


<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 541 of 607



Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233



**Plot 7-1733. Antenna 3b Radiated Upper Band Edge (Peak – UNII Band 8 – RU242)**




**Plot 7-1734. Antenna 3b Radiated Upper Band Edge (Average – UNII Band 8 – RU242)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024

### 7.7.11 Antenna 3b Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3



Plot 7-1735. Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS5
Distance of Measurements:	3 Meters
Operating Frequency:	7085MHz
Channel:	227




Plot 7-1736. Antenna 3b Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 543 of 607


## RU484

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5965MHz  
 Channel: 3



**Plot 7-1737. Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU484)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7085MHz  
 Channel: 227




**Plot 7-1738. Antenna 3b Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU484)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 544 of 607

### 7.7.12 Antenna 3b Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7



**Plot 7-1739. Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)**

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7025MHz
Channel:	215




**Plot 7-1740. Antenna 3b Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 545 of 607


## RU996

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5985MHz  
 Channel: 7



**Plot 7-1741. Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7025MHz  
 Channel: 215




**Plot 7-1742. Antenna 3b Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 546 of 607

### 7.7.13 Antenna 3b Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15



Plot 7-1743. Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)


Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6185MHz
Channel:	47



Plot 7-1744. Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 547 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207




**Plot 7-1745. Antenna 3b Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024


## RU996x2

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6025MHz  
 Channel: 15



**Plot 7-1746. Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6185MHz  
 Channel: 47




**Plot 7-1747. Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 549 of 607



Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207




**Plot 7-1748. Antenna 3b Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996x2)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024

### 7.7.14 Antenna 1b Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1



Plot 7-1749. Antenna 1b Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229




Plot 7-1750. Antenna 1b Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU26)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 551 of 607


## RU242

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-1751. Antenna 1b Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU242)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229




**Plot 7-1752. Antenna 1b Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU242)**

FCC ID: BCGA2899 IC: 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device
		Page 552 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233



**Plot 7-1753. Antenna 1b Radiated Upper Band Edge (Peak – UNII Band 8 – RU242)**




**Plot 7-1754. Antenna 1b Radiated Upper Band Edge (Average – UNII Band 8 – RU242)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024

### 7.7.15 Antenna 1b Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3



Plot 7-1755. Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS5
Distance of Measurements:	3 Meters
Operating Frequency:	7085MHz
Channel:	227




Plot 7-1756. Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 554 of 607


## RU484

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5965MHz  
 Channel: 3



**Plot 7-1757. Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU484)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7085MHz  
 Channel: 227




**Plot 7-1758. Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU484)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 555 of 607

### 7.7.16 Antenna 1b Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7



Plot 7-1759. Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7025MHz
Channel:	215




Plot 7-1760. Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 556 of 607


### RU996

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5985MHz  
 Channel: 7



**Plot 7-1761. Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7025MHz  
 Channel: 215



**Plot 7-1762. Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996)**


<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 557 of 607



### 7.7.17 Antenna 1b Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15



Plot 7-1763. Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)


Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6185MHz
Channel:	47



Plot 7-1764. Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 558 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207




**Plot 7-1765. Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024


## RU996x2

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6025MHz  
 Channel: 15



**Plot 7-1766. Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6185MHz  
 Channel: 47



**Plot 7-1767. Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 560 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207




**Plot 7-1768. Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996x2)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024

**7.7.18 SDM Primary Radiated Band Edge Measurements (20MHz BW)**  
§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


**RU26**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-1769. SDM Primary Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU26)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229




**Plot 7-1770. SDM Primary Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU26)**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 562 of 607


## RU242

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-1771. SDM Primary Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU242)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229




**Plot 7-1772. SDM Primary Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU242)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT</b> <b>(CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 563 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233



**Plot 7-1773. SDM Primary Radiated Upper Band Edge (Peak – UNII Band 8 – RU242)**




**Plot 7-1774. SDM Primary Radiated Upper Band Edge (Average – UNII Band 8 – RU242)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024

### 7.7.19 SDM Primary Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3



Plot 7-1775. SDM Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS5
Distance of Measurements:	3 Meters
Operating Frequency:	7085MHz
Channel:	227




Plot 7-1776. SDM Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 565 of 607




## RU484

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5965MHz  
 Channel: 3



**Plot 7-1777. SDM Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU484)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7085MHz  
 Channel: 227




**Plot 7-1778. SDM Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU484)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 566 of 607

## 7.7.20 SDM Primary Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7



Plot 7-1779. SDM Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7025MHz
Channel:	215




Plot 7-1780. SDM Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 567 of 607


## RU996

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5985MHz  
 Channel: 7



**Plot 7-1781. SDM Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7025MHz  
 Channel: 215




**Plot 7-1782. SDM Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT</b> <b>(CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 568 of 607

### 7.7.21 SDM Primary Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15



Plot 7-1783. SDM Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)


Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6185MHz
Channel:	47



Plot 7-1784. SDM Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 569 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207




**Plot 7-1785. SDM Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024


## RU996x2

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6025MHz  
 Channel: 15



**Plot 7-1786. SDM Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6185MHz  
 Channel: 47



**Plot 7-1787. SDM Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 571 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207




**Plot 7-1788. SDM Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996x2)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024

**7.7.22 SDM Diversity Radiated Band Edge Measurements (20MHz BW)**  
§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


**RU26**

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1



**Plot 7-1789. SDM Diversity Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU26)**

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229




**Plot 7-1790. SDM Diversity Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU26)**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 573 of 607




## RU242

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-1791. SDM Diversity Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU242)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229




**Plot 7-1792. SDM Diversity Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU242)**

FCC ID: BCGA2899 IC: 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device
		Page 574 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233



**Plot 7-1793. SDM Diversity Radiated Upper Band Edge (Peak – UNII Band 8 – RU242)**




**Plot 7-1794. SDM Diversity Radiated Upper Band Edge (Average – UNII Band 8 – RU242)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024

### 7.7.23 SDM Diversity Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3



**Plot 7-1795. SDM Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)**

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS5
Distance of Measurements:	3 Meters
Operating Frequency:	7085MHz
Channel:	227




**Plot 7-1796. SDM Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 576 of 607


## RU484

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5965MHz  
 Channel: 3



**Plot 7-1797. SDM Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU484)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7085MHz  
 Channel: 227




**Plot 7-1798. SDM Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU484)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024

### 7.7.24 SDM Diversity Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5985MHz  
 Channel: 7



**Plot 7-1799. SDM Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7025MHz  
 Channel: 215




**Plot 7-1800. SDM Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 578 of 607


## RU996

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5985MHz  
 Channel: 7



**Plot 7-1801. SDM Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7025MHz  
 Channel: 215




**Plot 7-1802. SDM Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device
		Page 579 of 607

### 7.7.25 SDM Diversity Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


#### RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15



Plot 7-1803. SDM Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)


Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6185MHz
Channel:	47



Plot 7-1804. SDM Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 580 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207




**Plot 7-1805. SDM Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024




## RU996x2

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6025MHz  
 Channel: 15



**Plot 7-1806. SDM Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6185MHz  
 Channel: 47



**Plot 7-1807. SDM Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 582 of 607

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207



**Plot 7-1808. SDM Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996x2)**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG		<b>Test Dates:</b> 11/29/2023 - 04/05/2024

## 7.8 Radiated Spurious Emissions – Below 1GHz

**§15.209; RSS-Gen [8.9]**

### Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

**All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-279 per Section 15.209 and RSS-Gen (8.9).**

Frequency	Field Strength [ $\mu\text{V/m}$ ]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

**Table 7-279. Radiated Limits**

### Test Procedures Used

ANSI C63.10-2013

### Test Settings

#### Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

#### Peak Field Strength Measurements


1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = quasi-peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 584 of 607


V 10.5 12/15/2021

**Test Setup**

The EUT and measurement equipment were set up as shown in the diagrams below.



**Figure 7-5. Radiated Test Setup < 30MHz**



**Figure 7-6. Radiated Test Setup < 1GHz**

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device	Page 585 of 607

**Test Notes**

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (8.10) are below the limit shown in Table 7-279.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector on emissions that were within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. Both configurations below were investigated, and the worst case has been reported.
  - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
  - b. EUT powered by host PC via USB-C cable with wire charger
10. All antenna configurations were investigated and only the worst case is reported.
11. The unit was tested with all possible modes and only the highest emission is reported.


**Sample Calculations**

**Determining Spurious Emissions Levels**

- Field Strength Level  $_{[dB_{\mu V/m}]}$  = Analyzer Level  $_{[dBm]}$  + 107 + AFCL  $_{[dB/m]}$
- AFCL  $_{[dB/m]}$  = Antenna Factor  $_{[dB/m]}$  + Cable Loss  $_{[dB]}$  - Preamp Gain  $_{[dB]}$
- Margin  $_{[dB]}$  = Field Strength Level  $_{[dB_{\mu V/m}]}$  – Limit  $_{[dB_{\mu V/m}]}$

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device
		Page 586 of 607

### 7.8.1 SDM Primary Radiated Spurious Emissions Measurements (Below 1GHz) §15.209; RSS-Gen [8.9]




**Plot 7-1809. Radiated Spurious Emissions below 1GHz SDM Primary (802.11ax – Ch.1 – RU26) with AC/DC Adapter**

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
49.55	Max Peak	V	100	289	-63.29	-12.61	31.10	40.00	-8.90
78.84	Max Peak	V	300	22	-63.85	-21.29	21.86	40.00	-18.14
106.48	Max Peak	V	100	71	-74.82	-16.52	15.66	43.52	-27.86
194.37	Max Peak	V	100	301	-65.16	-16.51	25.33	43.52	-18.19
255.04	Max Peak	H	100	236	-68.00	-14.80	24.20	46.02	-21.82
737.47	Max Peak	V	100	132	-80.17	-5.65	21.18	46.02	-24.84

**Table 7-280. Radiated Spurious Emissions below 1GHz SDM Primary (802.11ax – Ch.1 – RU26) with AC/DC Adapter**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device		Page 587 of 607



**Plot 7-1810. Radiated Spurious Emissions below 1GHz SDM Primary (802.11ax – Ch.1 – RU242) with AC/DC Adapter**


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
49.55	Max Peak	V	100	355	-63.61	-12.61	30.78	40.00	-9.22
78.60	Max Peak	V	100	104	-65.29	-21.25	20.46	40.00	-19.54
106.48	Max Peak	V	100	117	-74.18	-16.52	16.30	43.52	-27.22
194.17	Max Peak	H	100	189	-65.43	-16.53	25.04	43.52	-18.48
254.65	Max Peak	H	100	236	-67.81	-14.86	24.33	46.02	-21.69
752.89	Max Peak	H	100	275	-79.25	-5.51	22.24	46.02	-23.78

**Table 7-281. Radiated Spurious Emissions below 1GHz SDM Primary (802.11ax – Ch.1 – RU242) with AC/DC Adapter**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 588 of 607

## 7.8.2 SDM Diversity Radiated Spurious Emissions Measurements (Below 1GHz)

§15.209; RSS-Gen [8.9]




Plot 7-1811. Radiated Spurious Emissions below 1GHz SDM Diversity (802.11ax – Ch.1 – RU26) with Laptop

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
32.23	Max Peak	V	100	57	-66.65	-16.08	24.27	40.00	-15.73
52.07	Max Peak	V	100	159	-67.53	-13.15	26.32	40.00	-13.68
94.07	Max Peak	V	100	159	-66.00	-17.49	23.51	43.52	-20.01
147.52	Max Peak	H	300	0	-67.67	-20.36	18.97	43.52	-24.55
307.23	Max Peak	H	100	135	-62.90	-14.30	29.80	46.02	-16.22
881.27	Max Peak	V	200	153	-80.68	-3.05	23.27	46.02	-22.75

Table 7-282. Radiated Spurious Emissions below 1GHz SDM Diversity (802.11ax – Ch.1 – RU26) with Laptop

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device		Page 589 of 607





**Plot 7-1812. Radiated Spurious Emissions below 1GHz SDM Diversity (802.11ax – Ch.1 – RU242) with Laptop**

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
32.18	Max Peak	V	100	46	-65.75	-16.09	25.16	40.00	-14.84
51.53	Max Peak	H	200	211	-69.09	-13.12	24.79	40.00	-15.21
92.13	Max Peak	V	100	179	-64.39	-17.76	24.85	43.52	-18.67
152.03	Max Peak	H	200	0	-66.55	-20.11	20.34	43.52	-23.18
316.59	Max Peak	H	100	99	-59.21	-13.94	33.85	46.02	-12.17
749.35	Max Peak	V	200	211	-79.57	-5.20	22.23	46.02	-23.79

**Table 7-283. Radiated Spurious Emissions below 1GHz SDM Diversity (802.11ax – Ch.1 – RU242) with Laptop**

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 590 of 607

## 7.9 AC Line-Conducted Emissions Measurement

§15.407; RSS-Gen [8.8]

### Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst case emissions are reported in this section.

**All conducted emissions must not exceed the limits shown in the table below, per Section 15.207 and RSS-Gen (8.8).**

Frequency of emission (MHz)	Conducted Limit (dB $\mu$ V)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

**Table 7-284. Conducted Limits**

\*Decreases with the logarithm of the frequency.

### Test Procedures Used

ANSI C63.10-2013, Section 6.2

### Test Settings

#### Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize


#### Average Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: BCGA2899 IC: 579C-A2899		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270066-27-R3.BCG	Test Dates: 11/29/2023 - 04/05/2024	EUT Type: Tablet Device	Page 591 of 607

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-7. Test Instrument & Measurement Setup**

### Test Notes

1. All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
2. Both configurations below were investigated, and the worst case has been reported.
  - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
  - b. EUT powered by host PC via USB-C cable with wire charger
3. The limit for an intentional radiator from 150kHz to 30MHz are specified in 15.207 and RSS-Gen (8.8).
4.  $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
5.  $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Correction Factor (dB)}$
6.  $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
7. Traces shown in plots are made using quasi-peak and average detectors.
8. Deviations to the Specifications: None.
9. The unit was tested with all possible modes and only the highest emission is reported.

<b>FCC ID:</b> BCGA2899 <b>IC:</b> 579C-A2899	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270066-27-R3.BCG	<b>Test Dates:</b> 11/29/2023 - 04/05/2024	<b>EUT Type:</b> Tablet Device
		Page 592 of 607