



Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-497. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-498. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 309 of 430

Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-499. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-500. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 310 of 430

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-501. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-502. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 311 of 430

Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-503. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-504. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 312 of 430

Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-505. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-506. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 313 of 430

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-507. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-508. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 314 of 430

Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-509. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-510. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 315 of 430

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-511. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-512. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 316 of 430

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-513. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-514. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 317 of 430

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-515. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-516. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 318 of 430

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-517. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-518. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 319 of 430

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-519. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-520. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 320 of 430

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-521. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-522. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 321 of 430

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-523. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-524. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 322 of 430

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-525. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-526. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 323 of 430

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-527. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-528. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 324 of 430

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-529. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-530. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 325 of 430

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-531. Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-532. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 326 of 430