



Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-533. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-534. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 327 of 430

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-535. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-536. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 328 of 430

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-537. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-538. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 329 of 430

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-539. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-540. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 330 of 430

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-541. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-542. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 331 of 430

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-543. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-544. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 332 of 430

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-545. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-546. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 333 of 430

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-547. Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-548. Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 334 of 430

7.7.5 Antenna WF7b Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode:	802.11b
Data Rate:	11Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	1




Plot 7-549. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


Mode:	802.11b
Data Rate:	11Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	2417MHz
Channel:	2



Plot 7-550. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 335 of 430

Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-551. Radiated Restricted Upper Band Edge Measurement Antenna WF7b


Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-552. Radiated Restricted Upper Band Edge Measurement Antenna WF7b


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 336 of 430

Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-553. Radiated Restricted Upper Band Edge Measurement Antenna WF7b


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-554. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 337 of 430

Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-555. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-556. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 338 of 430

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-557. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-558. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 339 of 430

Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-559. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-560. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 340 of 430

Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-561. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-562. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 341 of 430

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-563. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-564. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 342 of 430

Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-565. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-566. Radiated Restricted Lower Band Edge Measurement Antenna WF7b


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 343 of 430

Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-567. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-568. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-03.BCG	Test Dates: 11/29/2023 - 3/7/2024	EUT Type: Tablet Device	Page 344 of 430