



Mode:802.11nData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6



Plot 7-569. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11nData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6




Plot 7-570. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 245 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 345 of 430




Mode:802.11nData Rate:MCS7Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6



Plot 7-571. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11nData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6




Plot 7-572. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 246 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 346 of 430




Mode:802.11nData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6



Plot 7-573. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11nData Rate:MCS7Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6




Plot 7-574. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 247 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 347 of 430




Mode:802.11nData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2442MHzChannel:7



Plot 7-575. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11nData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2442MHzChannel:7




Plot 7-576. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 240 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 348 of 430




Mode:802.11nData Rate:MCS7Distance of Measurements:3 MetersOperating Frequency:2442MHzChannel:7



Plot 7-577. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11nData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8




Plot 7-578. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 240 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 349 of 430




Mode:802.11nData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8



Plot 7-579. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11nData Rate:MCS7Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8




Plot 7-580. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 250 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 350 of 430




Mode:802.11nData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9



Plot 7-581. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11nData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9




Plot 7-582. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 251 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 351 of 430




Mode:802.11nData Rate:MCS7Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9



Plot 7-583. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11nData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2457MHzChannel:10




Plot 7-584. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 252 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 352 of 430



Mode:802.11nData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2457MHzChannel:10



Plot 7-585. Radiated Restricted Upper Band Edge Measurement Antenna WF7b


 Mode:
 802.11n

 Data Rate:
 MCS7

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2457MHz

 Channel:
 10




Plot 7-586. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 252 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 353 of 430



Mode:802.11nData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2462MHzChannel:11



Plot 7-587. Radiated Restricted Upper Band Edge Measurement Antenna WF7b


 Mode:
 802.11n

 Data Rate:
 MCS4

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2462MHz

 Channel:
 11




Plot 7-588. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 254 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 354 of 430




Mode:802.11nData Rate:MCS7Distance of Measurements:3 MetersOperating Frequency:2462MHzChannel:11



Plot 7-589. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11nData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2467MHzChannel:12




Plot 7-590. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 255 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 355 of 430



Mode:802.11nData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2467MHzChannel:12



Plot 7-591. Radiated Restricted Upper Band Edge Measurement Antenna WF7b


 Mode:
 802.11n

 Data Rate:
 MCS7

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2467MHz

 Channel:
 12



Plot 7-592. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 256 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 356 of 430




Mode: 802.11n

Data Rate: MCS2

Distance of Measurements: 3 Meters


Operating Frequency: 2472MHz

Channel: 13



Plot 7-593. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11nData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2472MHzChannel:13




Plot 7-594. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 257 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 357 of 430




Mode:802.11nData Rate:MCS7Distance of Measurements:3 MetersOperating Frequency:2472MHzChannel:13



Plot 7-595. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2412MHzChannel:1




Plot 7-596. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 250 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 358 of 430




Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2412MHzChannel:1



Plot 7-597. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2412MHzChannel:1




Plot 7-598. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 250 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 359 of 430




Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2417MHzChannel:2



Plot 7-599. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2417MHzChannel:2




Plot 7-600. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 200 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 360 of 430




Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2417MHzChannel:2



Plot 7-601. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2422MHzChannel:3




Plot 7-602. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 201 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 361 of 430




Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2422MHzChannel:3



Plot 7-603. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2422MHzChannel:3



Plot 7-604. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 262 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 362 of 430