



Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2427MHzChannel:4



Plot 7-605. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2427MHzChannel:4




Plot 7-606. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 262 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 363 of 430




Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2427MHzChannel:4



Plot 7-607. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2432MHzChannel:5




Plot 7-608. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 264 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 364 of 430




Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2432MHzChannel:5



Plot 7-609. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2432MHzChannel:5




Plot 7-610. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 265 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 365 of 430




Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6



Plot 7-611. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6




Plot 7-612. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 266 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 366 of 430




Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6



Plot 7-613. Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6




Plot 7-614. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 267 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 367 of 430




Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6



Plot 7-615. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6




Plot 7-616. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 200 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 368 of 430



Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2442MHzChannel:7



Plot 7-617. Radiated Restricted Upper Band Edge Measurement Antenna WF7b


 Mode:
 802.11ax - SU

 Data Rate:
 MCS4

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2442MHz

 Channel:
 7




Plot 7-618. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 200 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 369 of 430




Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2442MHzChannel:7



Plot 7-619. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8




Plot 7-620. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 270 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 370 of 430




Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8



Plot 7-621. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8




Plot 7-622. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 274 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 371 of 430




Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9



Plot 7-623. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9




Plot 7-624. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 272 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 372 of 430




Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9



Plot 7-625. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2457MHzChannel:10




Plot 7-626. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 272 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 373 of 430




Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2457MHzChannel:10



Plot 7-627. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2457MHzChannel:10




Plot 7-628. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 274 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 374 of 430



Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2462MHzChannel:11



Plot 7-629. Radiated Restricted Upper Band Edge Measurement Antenna WF7b


 Mode:
 802.11ax - SU

 Data Rate:
 MCS4

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2462MHz

 Channel:
 11




Plot 7-630. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 275 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 375 of 430




Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2462MHzChannel:11



Plot 7-631. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2467MHzChannel:12




Plot 7-632. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 276 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 376 of 430




Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2467MHzChannel:12



Plot 7-633. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2467MHzChannel:12




Plot 7-634. Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 277 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 377 of 430




## 7.7.6 CDD Radiated Restricted Band Edge Measurements §15.205 §15.209; RSS-Gen [8.9]

Mode:802.11nData Rate:MCS10Distance of Measurements:3 MetersOperating Frequency:2412MHzChannel:1



Plot 7-635. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11nData Rate:MCS12Distance of Measurements:3 MetersOperating Frequency:2412MHzChannel:1




## Plot 7-636. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 279 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 378 of 430




Mode:802.11nData Rate:MCS15Distance of Measurements:3 MetersOperating Frequency:2412MHzChannel:1



Plot 7-637. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11nData Rate:MCS10Distance of Measurements:3 MetersOperating Frequency:2417MHzChannel:2




Plot 7-638. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 270 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 379 of 430




Mode:802.11nData Rate:MCS12Distance of Measurements:3 MetersOperating Frequency:2417MHzChannel:2



Plot 7-639. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11nData Rate:MCS15Distance of Measurements:3 MetersOperating Frequency:2417MHzChannel:2




Plot 7-640. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 200 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 380 of 430




Mode:802.11nData Rate:MCS10Distance of Measurements:3 MetersOperating Frequency:2422MHzChannel:3



Plot 7-641. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11nData Rate:MCS12Distance of Measurements:3 MetersOperating Frequency:2422MHzChannel:3



Plot 7-642. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 201 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 381 of 430