




Mode:	802.11ax - SU
Data Rate:	MCS9
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	1



Plot 7-679. Radiated Restricted Lower Band Edge Measurement CDD






Plot 7-680. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2902 IC: 579C-A2902	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dega 400 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 400 of 430
		·	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS4
Distance of Measurements:	3 Meters
Operating Frequency:	2417MHz
Channel:	2



Plot 7-681. Radiated Restricted Lower Band Edge Measurement CDD






Plot 7-682. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2902 IC: 579C-A2902	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dega 401 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 401 of 430
		·	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	2422MHz
Channel:	3



Plot 7-683. Radiated Restricted Lower Band Edge Measurement CDD






Plot 7-684. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2902 IC: 579C-A2902	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dage 402 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 402 of 430
			V/ 10 6 00/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS9
Distance of Measurements:	3 Meters
Operating Frequency:	2422MHz
Channel:	3



Plot 7-685. Radiated Restricted Lower Band Edge Measurement CDD






Plot 7-686. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2902 IC: 579C-A2902	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Daga 402 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 403 of 430
	•	•	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS4
Distance of Measurements:	3 Meters
Operating Frequency:	2427MHz
Channel:	4



Plot 7-687. Radiated Restricted Lower Band Edge Measurement CDD






Plot 7-688. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 404 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 404 of 430
			V/ 10 6 00/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	2432MHz
Channel:	5



Plot 7-689. Radiated Restricted Lower Band Edge Measurement CDD






Plot 7-690. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2902 IC: 579C-A2902	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dega 405 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 405 of 430
	·	•	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS9
Distance of Measurements:	3 Meters
Operating Frequency:	2432MHz
Channel:	5



Plot 7-691. Radiated Restricted Lower Band Edge Measurement CDD






Plot 7-692. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 400 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 406 of 430
	·	·	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS4
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	6



Plot 7-693. Radiated Restricted Lower Band Edge Measurement CDD






Plot 7-694. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dege 407 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 407 of 430
			V/ 10 6 00/14/2022




Mode:	802.11ax - SU
Data Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	6



Plot 7-695. Radiated Restricted Upper Band Edge Measurement CDD

Mode:	802.11ax - SU
Data Rate:	MCS4
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	6




Plot 7-696. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902			Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 400 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 408 of 430
		·	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS9
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	6



Plot 7-697. Radiated Restricted Upper Band Edge Measurement CDD

Mode:	802.11ax - SU
Data Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	2442MHz
Channel:	7




Plot 7-698. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 400 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 409 of 430
	·	•	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS4
Distance of Measurements:	3 Meters
Operating Frequency:	2442MHz
Channel:	7



Plot 7-699. Radiated Restricted Upper Band Edge Measurement CDD

Mode:	802.11ax - SU
Data Rate:	MCS9
Distance of Measurements:	3 Meters
Operating Frequency:	2442MHz
Channel:	7




Plot 7-700. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2902 IC: 579C-A2902	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dage 410 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 410 of 430
	·	·	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	2447MHz
Channel:	8



Plot 7-701. Radiated Restricted Upper Band Edge Measurement CDD






Plot 7-702. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dama 444 af 400
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 411 of 430
·	•	·	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS9
Distance of Measurements:	3 Meters
Operating Frequency:	2447MHz
Channel:	8





Mode:	802.11ax - SU
Data Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	2452MHz
Channel:	9




Plot 7-704. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 412 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 412 of 430
	·	·	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS4
Distance of Measurements:	3 Meters
Operating Frequency:	2452MHz
Channel:	9



Plot 7-705. Radiated Restricted Upper Band Edge Measurement CDD

Mode:	802.11ax - SU
Data Rate:	MCS9
Distance of Measurements:	3 Meters
Operating Frequency:	2452MHz
Channel:	9




Plot 7-706. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dage 412 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 413 of 430
<u>.</u>	•	·	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	2457MHz
Channel:	10



Plot 7-707. Radiated Restricted Upper Band Edge Measurement CDD

Mode:	802.11ax - SU
Data Rate:	MCS4
Distance of Measurements:	3 Meters
Operating Frequency:	2457MHz
Channel:	10




Plot 7-708. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dage 414 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 414 of 430
	•	·	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS9
Distance of Measurements:	3 Meters
Operating Frequency:	2457MHz
Channel:	10



Plot 7-709. Radiated Restricted Upper Band Edge Measurement CDD

Mode:	802.11ax - SU
Data Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11




Plot 7-710. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 115 of 120
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 415 of 430
	·	·	V 10.6 09/14/2023




Mode:	802.11ax - SU
Data Rate:	MCS4
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11



Plot 7-711. Radiated Restricted Upper Band Edge Measurement CDD

Mode:	802.11ax - SU
Data Rate:	MCS9
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11



Plot 7-712. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2902 IC: 579C-A2902	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 416 of 420
1C2311270063-03.BCG	11/29/2023 - 3/7/2024	Tablet Device	Page 416 of 430
	·	·	V 10.6 09/14/2023