


Plot 7-633. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 56)



Plot 7-634. Radiated Spurious Emissions above 18-40GHz CDD (802.11ax(SU) – Ch. 56)


FCC ID: BCGA2902 IC: 579C-A2902	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG		Test Dates: 11/29/2023 - 1/15/2024

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-68.90	10.03	48.13	68.20	-20.07
* 15840.00	Average	H	-	-	-81.31	14.88	40.57	53.98	-13.41
* 15840.00	Peak	H	-	-	-70.84	14.88	51.04	73.98	-22.94

Table 7-208. Radiated Measurements CDD

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 259 of 387




Plot 7-635. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-79.81	10.23	37.42	53.98	-16.56
* 10640.00	Peak	H	-	-	-68.71	10.23	48.52	73.98	-25.46
* 15960.00	Average	H	-	-	-81.24	15.20	40.96	53.98	-13.02
* 15960.00	Peak	H	-	-	-70.33	15.20	51.87	73.98	-22.11

Table 7-209. Radiated Measurements CDD

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 260 of 387




Plot 7-636. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-80.61	10.92	37.31	53.98	-16.67
* 11000.00	Peak	H	-	-	-69.47	10.92	48.45	73.98	-25.53
16500.00	Peak	H	-	-	-70.99	17.71	53.72	68.20	-14.48

Table 7-210. Radiated Measurements CDD

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 261 of 387



Plot 7-637. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 116)



Plot 7-638. Radiated Spurious Emissions above 18-40GHz CDD (802.11ax(SU) – Ch. 116)


FCC ID: BCGA2902 IC: 579C-A2902	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device
		Page 262 of 387

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11160.00	Average	H	-	-	-79.65	10.30	37.65	53.98	-16.33
* 11160.00	Peak	H	-	-	-70.00	10.30	47.30	73.98	-26.68
16740.00	Peak	H	-	-	-69.93	17.30	54.37	68.20	-13.83

Table 7-211. Radiated Measurements CDD

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 263 of 387




Plot 7-639. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 144)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-79.81	10.73	37.92	53.98	-16.06
* 11440.00	Peak	H	-	-	-70.34	10.73	47.39	73.98	-26.59
17160.00	Peak	H	-	-	-70.70	18.32	54.62	68.20	-13.58

Table 7-212. Radiated Measurements CDD

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 264 of 387




Plot 7-640. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 149)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-80.08	10.78	37.70	53.98	-16.28
* 11490.00	Peak	H	-	-	-69.57	10.78	48.21	73.98	-25.77
17235.00	Peak	H	-	-	-71.23	18.10	53.87	68.20	-14.33

Table 7-213. Radiated Measurements CDD

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 265 of 387



Plot 7-641. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 157)



Plot 7-642. Radiated Spurious Emissions above 18-40GHz CDD (802.11ax(SU) – Ch. 157)


FCC ID: BCGA2902 IC: 579C-A2902	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG		Test Dates: 11/29/2023 - 1/15/2024

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11570.00	Average	H	-	-	-80.63	10.96	37.33	53.98	-16.65
* 11570.00	Peak	H	-	-	-70.20	10.96	47.76	73.98	-26.22
17355.00	Peak	H	-	-	-71.30	18.81	54.51	68.20	-13.69

Table 7-214. Radiated Measurements CDD

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 267 of 387



Plot 7-643. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 165)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	H	-	-	-80.22	11.08	37.86	53.98	-16.12
* 11650.00	Peak	H	-	-	-69.75	11.08	48.33	73.98	-25.65
17475.00	Peak	H	-	-	-71.18	21.09	56.91	68.20	-11.29

Table 7-215. Radiated Measurements CDD


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 268 of 387

7.6.4 Simultaneous Tx Radiated Spurious Emissions Measurements


§15.209; RSS-Gen [8.9]

Description	Bluetooth	UNII
Antenna	WF8	WF8
Channel	79	36
Operating Frequency (MHz)	2480	5180
Mode/Modulation	GFSK ePA	802.11n

Table 7-216. Worst Case Simultaneous Transmission Configuration



Plot 7-644.. Radiated Spurious Emissions 1 - 18GHz – Simultaneous Transmission



Plot 7-645.. Radiated Spurious Emissions Above 18GHz – Simultaneous Transmission

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 269 of 387

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
4960.00	Peak	H	-	-	-68.12	15.70	54.58	73.98	-19.40
7440.00	Peak	H	-	-	-66.87	9.17	49.30	73.98	-24.68
12400.00	Peak	H	-	-	-70.93	15.81	51.88	73.98	-22.09


Table 7-217. Bluetooth Harmonics Emission Measurements – Simultaneous Transmission

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	H	-	-	-69.51	11.93	49.42	68.23	-18.81
* 15540.00	Avg	H	-	-	-82.62	19.69	44.07	53.98	-9.91
* 15540.00	Peak	H	-	-	-71.77	19.69	54.92	73.98	-19.06


Table 7-218. UNII and Intermodulations Emissions Measurements – Simultaneous Transmission

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 270 of 387


7.6.5 Antenna WF8 Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]




Plot 7-646. Antenna WF8 (Pk & Avg, Ch.36, 802.11n, MCS2)




Plot 7-649. Antenna WF8 (Pk & Avg, Ch.40, 802.11n, MCS2)




Plot 7-647. Antenna WF8 (Pk & Avg, Ch.36, 802.11n, MCS4)



Plot 7-650. Antenna WF8 (Pk & Avg, Ch.40, 802.11n, MCS4)




Plot 7-648. Antenna WF8 (Pk & Avg, Ch.36, 802.11n, MCS7)




Plot 7-651. Antenna WF8 (Pk & Avg, Ch.40, 802.11n, MCS7)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 271 of 387




Plot 7-652. Antenna WF8 (Pk & Avg, Ch.60, 802.11n, MCS2)




Plot 7-655. Antenna WF8 (Pk & Avg, Ch.64, 802.11n, MCS2)




Plot 7-653. Antenna WF8 (Pk & Avg, Ch.60, 802.11n, MCS4)



Plot 7-656. Antenna WF8 (Pk & Avg, Ch.64, 802.11n, MCS4)




Plot 7-654. Antenna WF8 (Pk & Avg, Ch.60, 802.11n, MCS7)




Plot 7-657. Antenna WF8 (Pk & Avg, Ch.64, 802.11n, MCS7)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 272 of 387




Plot 7-658. Antenna WF8 (Pk & Avg, Ch.100, 802.11n, MCS2)




Plot 7-661. Antenna WF8 (Pk & Avg, Ch.104, 802.11n, MCS2)




Plot 7-659. Antenna WF8 (Pk & Avg, Ch.100, 802.11n, MCS4)



Plot 7-662. Antenna WF8 (Pk & Avg, Ch.104, 802.11n, MCS4)




Plot 7-660. Antenna WF8 (Pk & Avg, Ch.100, 802.11n, MCS7)




Plot 7-663. Antenna WF8 (Pk & Avg, Ch.104, 802.11n, MCS7)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 273 of 387




Plot 7-664. Antenna WF8 (Pk & Avg, Ch.108, 802.11n, MCS7)




Plot 7-667. Antenna WF8 (Pk, Ch.136, 802.11n, MCS4)




Plot 7-665. Antenna WF8 (Pk, Ch.132, 802.11n, MCS7)



Plot 7-668. Antenna WF8 (Pk, Ch.136, 802.11n, MCS7)




Plot 7-666. Antenna WF8 (Pk, Ch.136, 802.11n, MCS2)




Plot 7-669. Antenna WF8 (Pk, Ch.140 802.11n, MCS2)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 274 of 387




Plot 7-670. Antenna WF8 (Pk, Ch.140, 802.11n, MCS4)




Plot 7-673. Antenna WF8 (Pk, Ch.149, 802.11n, MCS4)




Plot 7-671. Antenna WF8 (Pk, Ch.140, 802.11n, MCS7)



Plot 7-674. Antenna WF8 (Pk, Ch.149, 802.11n, MCS7)




Plot 7-672. Antenna WF8 (Pk, Ch.149, 802.11n, MCS2)




Plot 7-675. Antenna WF8 (Pk, Ch.165, 802.11n, MCS2)

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 275 of 387




Plot 7-676. Antenna WF8 (Pk, Ch.165, 802.11n, MCS4)




Plot 7-677. Antenna WF8 (Pk, Ch.165, 802.11n, MCS7)


FCC ID: BCGA2902 IC: 579C-A2902	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG		Test Dates: 11/29/2023 - 1/15/2024




Plot 7-678. Antenna WF8 (Pk & Avg, Ch.36, 802.11ax(SU), MCS2)




Plot 7-681. Antenna WF8 (Pk & Avg, Ch.40, 802.11ax(SU), MCS2)




Plot 7-679. Antenna WF8 (Pk & Avg, Ch.36, 802.11ax(SU), MCS4)



Plot 7-682. Antenna WF8 (Pk & Avg, Ch.40, 802.11ax(SU), MCS4)




Plot 7-680. Antenna WF8 (Pk & Avg, Ch.36, 802.11ax(SU), MCS7)




Plot 7-683. Antenna WF8 (Pk & Avg, Ch.40, 802.11ax(SU), MCS7)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 277 of 387




Plot 7-684. Antenna WF8 (Pk & Avg, Ch60, 802.11ax(SU), MCS2)




Plot 7-687. Antenna WF8 (Pk & Avg, Ch64, 802.11ax(SU), MCS2)




Plot 7-685. Antenna WF8 (Pk & Avg, Ch.60, 802.11ax(SU), MCS4)



Plot 7-688. Antenna WF8 (Pk & Avg, Ch64, 802.11ax(SU), MCS4)




Plot 7-686. Antenna WF8 (Pk & Avg, Ch.60, 802.11ax(SU), MCS7)




Plot 7-689. Antenna WF8 (Pk & Avg, Ch64, 802.11ax(SU), MCS7)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 278 of 387




Plot 7-690. Antenna WF8 (Pk & Avg, Ch.100, 802.11ax(SU), MCS2)




Plot 7-693. Antenna WF8 (Pk & Avg, Ch.104, 802.11ax(SU), MCS2)




Plot 7-691. Antenna WF8 (Pk & Avg, Ch.100, 802.11ax(SU), MCS4)



Plot 7-694. Antenna WF8 (Pk & Avg, Ch.104, 802.11ax(SU), MCS4)




Plot 7-692. Antenna WF8 (Pk & Avg, Ch.100, 802.11ax(SU), MCS11)




Plot 7-695. Antenna WF8 (Pk & Avg, Ch.104, 802.11ax(SU), MCS11)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 279 of 387




Plot 7-696. Antenna WF8 (Pk & Avg, Ch.104, 802.11ax(SU), MCS11)




Plot 7-699. Antenna WF8 (Pk & Avg, Ch.132, 802.11ax(SU), MCS11)




Plot 7-697. Antenna WF8 (Pk & Avg, Ch.108, 802.11ax(SU), MCS4)



Plot 7-700. Antenna WF8 (Pk & Avg, Ch.136, 802.11ax(SU), MCS2)




Plot 7-698. Antenna WF8 (Pk & Avg, Ch.108, 802.11ax(SU), MCS11)




Plot 7-701. Antenna WF8 (Pk & Avg, Ch.136, 802.11ax(SU), MCS4)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 280 of 387




Plot 7-702. Antenna WF8 (Pk & Avg, Ch.136, 802.11ax(SU), MCS11)




Plot 7-705. Antenna WF8 (Pk & Avg, Ch.140, 802.11ax(SU), MCS11)




Plot 7-703. Antenna WF8 (Pk & Avg, Ch.140, 802.11ax(SU), MCS2)



Plot 7-706. Antenna WF8 (Pk & Avg, Ch.149, 802.11ax(SU), MCS2)




Plot 7-704. Antenna WF8 (Pk & Avg, Ch.140, 802.11ax(SU), MCS4)




Plot 7-707. Antenna WF8 (Pk & Avg, Ch.149, 802.11ax(SU), MCS4)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 281 of 387




Plot 7-708. Antenna WF8 (Pk & Avg, Ch.149, 802.11ax(SU), MCS11)



Plot 7-711. Antenna WF8 (Pk & Avg, Ch.165, 802.11ax(SU), MCS11)




Plot 7-709. Antenna WF8 (Pk & Avg, Ch.165, 802.11ax(SU), MCS2)




Plot 7-710. Antenna WF8 (Pk & Avg, Ch.165, 802.11ax(SU), MCS4)

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 282 of 387


7.6.6 Antenna WF8 Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]




Plot 7-712. Antenna WF8 (Pk & Avg, Ch.38, 802.11n, MCS2)




Plot 7-715. Antenna WF8 (Pk & Avg, Ch.46, 802.11n, MCS2)




Plot 7-713. Antenna WF8 (Pk & Avg, Ch.38, 802.11n, MCS3)



Plot 7-716. Antenna WF8 (Pk & Avg, Ch.46, 802.11n, MCS3)



Plot 7-714. Antenna WF8 (Pk & Avg, Ch.38, 802.11n, MCS5)



Plot 7-717. Antenna WF8 (Pk & Avg, Ch.46, 802.11n, MCS5)

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-11.BCG	Test Dates: 11/29/2023 - 1/15/2024	EUT Type: Tablet Device	Page 283 of 387