





RBW: 1 MHz VBW: 3 MHz SWT: 1.0ms PASS Average Trace Peak Trace Avg. Offset: 15.5dB Peak Offset: 14.9dB Peak: 5467.75 MHz, 63.16 dBuV/m Avg: 5456.50 MHz, 50.01 dBµV/m Field Strength (dBuV/m) Frequency (MHz)

Plot 7-1109. CDD (Pk & Avg, Ch.102, 802.11n, MCS12)











Plot 7-1113. CDD (Pk & Avg, Ch.110, 802.11n, MCS15)

FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 252 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 353 of 387
	•	•	V 10 5 12/15/2021








Plot 7-1114. (FCC Only) SDM (Pk, Ch.126, 802.11n, MCS10)





Plot 7-1117. (FCC Only) SDM (Pk, Ch.126, 802.11n, MCS15)


















FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 254 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 354 of 387
			V/ 10 5 12/15/2021






Plot 7-1122. CDD (Pk, Ch.151, 802.11n, MCS12)

Plot 7-1125.	CDD (Pk,	Ch.159,	802.11n,	MCS12)
--------------	----------	---------	----------	--------


FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 255 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 355 of 387
		·	V 10.5 12/15/2021







FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dana 050 at 007
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 356 of 387
		·	V 10.5 12/15/2021












Plot 7-1128. CDD (Pk & Avg, Ch.38, 80.11ax(SU), MCS4)






Plot 7-1131. CDD (Pk & Avg, Ch.46, 80.11ax(SU), MCS4)




FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 257 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 357 of 387
			V/ 10 5 12/15/2021







PASS Average Trace RBW: 1 MHz Peak Trace Avg. Offset: 14.7dB VBW: 3 MHz Peak Offset: 14.5dB SWT: 1.0ms Peak: 5350.00 MHz, 62.11 dBµV/m Avg: 5350.00 MHz, 50.87 dBµV/m 140 Field Strength (dBuV/m) 120 MMM 100 AAAAAAAAAA Mγ 80 ww 60 40 5225 5250 5275 5300 5325 5350 5375 5400 5425 . 5450 5475 Frequency (MHz)

Plot 7-1136. CDD (Pk & Avg, Ch.62, 80.11ax(SU), MCS2)




Plot 7-1134. CDD (Pk & Avg, Ch.54, 80.11ax(SU), MCS4)






Plot 7-1137. CDD (Pk & Avg, Ch.62, 80.11ax(SU), MCS4)





Plot 7-1138. CDD (Pk & Avg, Ch.62, 80.11ax(SU), MCS11)


FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 250 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 358 of 387
			V 10 5 12/15/2021














Plot 7-1140. CDD (Pk & Avg, Ch.102, 80.11ax(SU), MCS4)









Plot 7-1144. CDD (Pk & Avg, Ch.110, 80.11ax(SU), MCS11)


FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 250 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 359 of 387
			V/ 10 5 12/15/2021









Plot 7-1148. (FCC Only) SDM (Pk, Ch.126, 80.11ax(SU), MCS2)
















Plot 7-1150. (FCC Only) SDM (Pk, Ch.126, 80.11ax(SU), MCS11)


FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 200 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 360 of 387
			V 10 5 12/15/2021










Plot 7-1154. CDD (Pk, Ch.151, 80.11ax(SU), MCS0)





Plot 7-1152. CDD (Pk, Ch.134, 80.11ax(SU), MCS4)














FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 264 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 361 of 387
		·	V 10 5 12/15/2021











FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 200 at 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 362 of 387
	•		V 10.5 12/15/2021





7.6.15 CDD/SDM Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]








Plot 7-1163. SDM (Pk & Avg, Ch.58, 802.11ac, MCS2)
















FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 262 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 363 of 387
			\/ 10 5 12/15/2021







Plot 7-1166. SDM (Pk & Avg, Ch.106, 802.11ac, MCS2)




Plot 7-1169. (FCC Only) SDM (Pk & Avg, Ch.122, 802.11ac, MCS2)




Plot 7-1167. SDM (Pk & Avg, Ch.106, 802.11ac, MCS4)






Plot 7-1170. (FCC Only) SDM (Pk & Avg, Ch.122, 802.11ac, MCS4)




V 10.5 12/15/2021

FCC ID: BCGA2902
IC: 579C-A2902Image: Second secon







Plot 7-1172. (FCC Only) SDM (Pk, Ch.122, 802.11ac, MCS2)




Plot 7-1175. SDM (Pk, Ch.155, 802.11ac, MCS2)




Plot 7-1173. (FCC Only) SDM (Pk, Ch.122, 802.11ac, MCS4)



Plot 7-1174. (FCC Only) CDD (Pk, Ch.122, 802.11ac, MCS9)



Plot 7-1176. SDM (Pk, Ch.155, 802.11ac, MCS2)




Plot 7-1177. SDM (Pk, Ch.155, 802.11ac, MCS9)


FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dege 265 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 365 of 387
<u></u>	·	·	V 10.5 12/15/2021

emission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without






Plot 7-1178. SDM (Pk, Ch.155, 802.11ac, MCS2)




Plot 7-1179. SDM (Pk, Ch.155, 802.11ac, MCS4)





FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 266 of 297
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 366 of 387
			V 10.5 12/15/2021






Plot 7-1181. CDD (Pk & Avg, Ch.42, 802.11ax(SU), MCS2)







Plot 7-1183. CDD (Pk & Avg, Ch.42, 802.11ax(SU), MCS11)



Plot 7-1184. CDD (Pk & Avg, Ch.58, 802.11ax(SU), MCS2)










FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 267 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 367 of 387
			V 10 5 12/15/2021






Plot 7-1187. CDD (Pk & Avg, Ch.106, 802.11ax(SU), MCS2)







Plot 7-1189. CDD (Pk & Avg, Ch.106, 802.11ax(SU), MCS11)



Plot 7-1190. (FCC Only) CDD (Pk & Avg, Ch.122, 802.11ax(SU), MCS0)




Plot 7-1191. (FCC Only) CDD (Pk & Avg, Ch.122, 802.11ax(SU), MCS4)




Plot 7-1192. (FCC	Only) CDD (Pk	& Avg, Ch.122,	802.11ax(SU), MCS11)
-------------------	---------------	----------------	----------------------

FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 200 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 368 of 387
			V/ 10 5 12/15/2021








Trace: MaxHold Detector: PK Offset: 15.2dB RBW: 1 MHz VBW: 3 MHz SWT: 1.0ms 5648.70 MHz PASS 63.42 dBµV/m 130 120 (dBuV/m) 110 www 100 Field Strength 90 80 70 **y**. 60 50 5550 5585 5620 5655 5690 5725 5760 5795 5830 5865 5900 Frequency (MHz)


Plot 7-1197. SDM (Pk, Ch.155, 802.11ax(SU), MCS4)




FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 260 of 207
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 369 of 387
			V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Plot 7-1193. (FCC Only) SDM (Pk, Ch.122, 802.11ax(SU), MCS2)











Plot 7-1199. CDD (Pk, Ch.155, 802.11ax(SU), MCS2)



Plot 7-1200. CDD (Pk, Ch.155, 802.11ax(SU), MCS4JA)



FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	D
1C2311270063-11.BCG	11/29/2023 - 1/15/2024	Tablet Device	Page 370 of 387
	•	•	V 10.5 12/15/2021