




Low Data Rate




Plot 7-241. Power Spectral Density Plot Antenna 3c Standard Power (20MHz 802.11a (UNII Band 5) – Ch. 45, 12Mbps)




Plot 7-244. Power Spectral Density Plot Antenna 3c Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS2)




Plot 7-242. Power Spectral Density Plot Antenna 3c Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS2)



Plot 7-245. Power Spectral Density Plot Antenna 3c Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS2)




Plot 7-243. Power Spectral Density Plot Antenna 3c Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS2)




Plot 7-246. Power Spectral Density Plot Antenna 3c Standard Power (20MHz 802.11a (UNII Band 7) – Ch. 149, 12Mbps)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 122 of 523




Plot 7-247. Power Spectral Density Plot Antenna 3c Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS2)



Plot 7-249. Power Spectral Density Plot Antenna 3c Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)




Plot 7-248. Power Spectral Density Plot Antenna 3c Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS2)




Plot 7-250. Power Spectral Density Plot Antenna 3c Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 123 of 523


Mid Data Rate




Plot 7-251. Power Spectral Density Plot Antenna 3c Standard Power (20MHz 802.11a (UNII Band 5) – Ch. 45, 24Mbps)




Plot 7-254. Power Spectral Density Plot Antenna 3c Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS4)




Plot 7-252. Power Spectral Density Plot Antenna 3c Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)



Plot 7-255. Power Spectral Density Plot Antenna 3c Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)




Plot 7-253. Power Spectral Density Plot Antenna 3c Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)




Plot 7-256. Power Spectral Density Plot Antenna 3c Standard Power (20MHz 802.11a (UNII Band 7) – Ch. 149, 24Mbps)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 124 of 523




Plot 7-257. Power Spectral Density Plot Antenna 3c Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)



Plot 7-259. Power Spectral Density Plot Antenna 3c Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)




Plot 7-258. Power Spectral Density Plot Antenna 3c Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)




Plot 7-260. Power Spectral Density Plot Antenna 3c Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 125 of 523


High Data Rate




Plot 7-261. Power Spectral Density Plot Antenna 3c Standard Power (20MHz 802.11a (UNII Band 5) – Ch. 45, 54Mbps)




Plot 7-264. Power Spectral Density Plot Antenna 3c Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-262. Power Spectral Density Plot Antenna 3c Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-265. Power Spectral Density Plot Antenna 3c Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)




Plot 7-263. Power Spectral Density Plot Antenna 3c Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)




Plot 7-266. Power Spectral Density Plot Antenna 3c Standard Power (20MHz 802.11a (UNII Band 7) – Ch. 149, 54Mbps)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 126 of 523




Plot 7-267. Power Spectral Density Plot Antenna 3c Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)



Plot 7-269. Power Spectral Density Plot Antenna 3c Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)



Plot 7-268. Power Spectral Density Plot Antenna 3c Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)



Plot 7-270. Power Spectral Density Plot Antenna 3c Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 127 of 523

7.4.2 Antenna 3a Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	12	-4.80	0.90	-3.90	-1	-2.90
	6175	45	a	12	-3.77	0.90	-2.87	-1	-1.87
	6415	93	a	12	-3.69	0.90	-2.79	-1	-1.79
	5955	1	ax (20MHz)	24/25.8 (MCS2)	-5.72	0.90	-4.82	-1	-3.82
	6175	45	ax (20MHz)	24/25.8 (MCS2)	-4.40	0.90	-3.50	-1	-2.50
	6415	93	ax (20MHz)	24/25.8 (MCS2)	-4.36	0.90	-3.46	-1	-2.46
	5695	3	ax (40MHz)	49/51.6 (MCS2)	-5.54	0.90	-4.64	-1	-3.64
	6165	43	ax (40MHz)	49/51.6 (MCS2)	-5.01	0.90	-4.11	-1	-3.11
	6405	91	ax (40MHz)	49/51.6 (MCS2)	-4.71	0.90	-3.81	-1	-2.81
	5985	7	ax (80MHz)	102/108.1 (MCS2)	-5.04	0.90	-4.14	-1	-3.14
	6145	39	ax (80MHz)	102/108.1 (MCS2)	-4.69	0.90	-3.79	-1	-2.79
	6385	87	ax (80MHz)	102/108.1 (MCS2)	-5.21	0.90	-4.31	-1	-3.31
	6025	15	ax (160MHz)	183.8/216.2 (MCS2)	-5.77	0.90	-4.87	-1	-3.87
6185	47	ax (160MHz)	183.8/216.2 (MCS2)	-4.90	0.90	-4.00	-1	-3.00	
6345	79	ax (160MHz)	183.8/216.2 (MCS2)	-5.46	0.90	-4.56	-1	-3.56	
Band 6	6435	97	a	12	-4.25	-0.20	-4.45	-1	-3.45
	6475	105	a	12	-4.26	-0.20	-4.46	-1	-3.46
	6515	113	a	12	-4.74	-0.20	-4.94	-1	-3.94
	6345	97	ax (20MHz)	24/25.8 (MCS2)	-4.70	-0.20	-4.90	-1	-3.90
	6475	105	ax (20MHz)	24/25.8 (MCS2)	-4.90	-0.20	-5.10	-1	-4.10
	6515	113	ax (20MHz)	24/25.8 (MCS2)	-4.95	-0.20	-5.15	-1	-4.15
	6445	99	ax (40MHz)	49/51.6 (MCS2)	-4.74	-0.20	-4.94	-1	-3.94
	6485	107	ax (40MHz)	49/51.6 (MCS2)	-5.48	-0.20	-5.68	-1	-4.68
	6525	115	ax (40MHz)	49/51.6 (MCS2)	-6.47	-0.20	-6.67	-1	-5.67
	6465	103	ax (80MHz)	102/108.1 (MCS2)	-5.34	-0.20	-5.54	-1	-4.54
6505	111	ax (160MHz)	183.8/216.2 (MCS2)	-6.59	-0.20	-6.79	-1	-5.79	
Band 7	6535	117	a	12	-7.22	-1.20	-8.42	-1	-7.42
	6695	149	a	12	-6.16	-1.20	-7.36	-1	-6.36
	6875	185	a	12	-6.98	-1.20	-8.18	-1	-7.18
	6535	117	ax (20MHz)	24/25.8 (MCS2)	-7.34	-1.20	-8.54	-1	-7.54
	6695	149	ax (20MHz)	24/25.8 (MCS2)	-6.66	-1.20	-7.86	-1	-6.86
	6875	185	ax (20MHz)	24/25.8 (MCS2)	-7.09	-1.20	-8.29	-1	-7.29
	6565	123	ax (40MHz)	49/51.6 (MCS2)	-7.00	-1.20	-8.20	-1	-7.20
	6725	155	ax (40MHz)	49/51.6 (MCS2)	-6.65	-1.20	-7.85	-1	-6.85
	6885	179	ax (40MHz)	49/51.6 (MCS2)	-6.68	-1.20	-7.88	-1	-6.88
	6545	119	ax (80MHz)	102/108.1 (MCS2)	-6.76	-1.20	-7.96	-1	-6.96
	6705	151	ax (80MHz)	102/108.1 (MCS2)	-6.78	-1.20	-7.98	-1	-6.98
	6865	183	ax (80MHz)	102/108.1 (MCS2)	-7.10	-1.20	-8.30	-1	-7.30
	6665	143	ax (160MHz)	183.8/216.2 (MCS2)	-7.58	-1.20	-8.78	-1	-7.78
6825	175	ax (160MHz)	183.8/216.2 (MCS2)	-7.58	-1.20	-8.78	-1	-7.78	
Band 8	6895	189	a	12	-6.63	-1.70	-8.33	-1	-7.33
	6995	209	a	12	-6.72	-1.70	-8.42	-1	-7.42
	7115	233	a	12	-6.72	-1.70	-8.42	-1	-7.42
	6895	189	ax (20MHz)	24/25.8 (MCS2)	-7.34	-1.70	-9.04	-1	-8.04
	6995	209	ax (20MHz)	24/25.8 (MCS2)	-7.06	-1.70	-8.76	-1	-7.76
	7115	233	ax (20MHz)	24/25.8 (MCS2)	-7.50	-1.70	-9.20	-1	-8.20
	6925	187	ax (40MHz)	49/51.6 (MCS2)	-7.69	-1.70	-9.39	-1	-8.39
	7005	211	ax (40MHz)	49/51.6 (MCS2)	-7.32	-1.70	-9.02	-1	-8.02
	7085	227	ax (40MHz)	49/51.6 (MCS2)	-6.88	-1.70	-8.58	-1	-7.58
	6945	199	ax (80MHz)	102/108.1 (MCS2)	-7.27	-1.70	-8.97	-1	-7.97
	7025	215	ax (80MHz)	102/108.1 (MCS2)	-6.82	-1.70	-8.52	-1	-7.52
	6985	207	ax (160MHz)	183.8/216.2 (MCS2)	-6.94	-1.70	-8.64	-1	-7.64

Table 7-137. Power Spectral Density Measurements Antenna 3a Low Power Indoor (Low Data Rate)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 128 of 523

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	24	-4.76	0.90	-3.86	-1	-2.86
	6175	45	a	24	-3.56	0.90	-2.66	-1	-1.66
	6415	93	a	24	-3.83	0.90	-2.93	-1	-1.93
	5955	1	ax (20MHz)	49/51.6 (MCS4)	-5.11	0.90	-4.21	-1	-3.21
	6175	45	ax (20MHz)	49/51.6 (MCS4)	-4.44	0.90	-3.54	-1	-2.54
	6415	93	ax (20MHz)	49/51.6 (MCS4)	-4.58	0.90	-3.68	-1	-2.68
	5695	3	ax (40MHz)	98/103.2 (MCS4)	-5.52	0.90	-4.62	-1	-3.62
	6165	43	ax (40MHz)	98/103.2 (MCS4)	-4.93	0.90	-4.03	-1	-3.03
	6405	91	ax (40MHz)	98/103.2 (MCS4)	-4.78	0.90	-3.88	-1	-2.88
	5985	7	ax (80MHz)	204/216.2 (MCS4)	-5.14	0.90	-4.24	-1	-3.24
	6145	39	ax (80MHz)	204/216.2 (MCS4)	-4.49	0.90	-3.59	-1	-2.59
	6385	87	ax (80MHz)	204/216.2 (MCS4)	-4.98	0.90	-4.08	-1	-3.08
	6025	15	ax (160MHz)	367.5/432.4 (MCS4)	-5.48	0.90	-4.58	-1	-3.58
6185	47	ax (160MHz)	367.5/432.4 (MCS4)	-4.81	0.90	-3.91	-1	-2.91	
6345	79	ax (160MHz)	367.5/432.4 (MCS4)	-5.31	0.90	-4.41	-1	-3.41	
Band 6	6435	97	a	24	-4.14	-0.20	-4.34	-1	-3.34
	6475	105	a	24	-4.49	-0.20	-4.69	-1	-3.69
	6515	113	a	24	-4.62	-0.20	-4.82	-1	-3.82
	6345	97	ax (20MHz)	49/51.6 (MCS4)	-5.04	-0.20	-5.24	-1	-4.24
	6475	105	ax (20MHz)	49/51.6 (MCS4)	-4.94	-0.20	-5.14	-1	-4.14
	6515	113	ax (20MHz)	49/51.6 (MCS4)	-4.96	-0.20	-5.16	-1	-4.16
	6445	99	ax (40MHz)	98/103.2 (MCS4)	-5.33	-0.20	-5.53	-1	-4.53
	6485	107	ax (40MHz)	98/103.2 (MCS4)	-5.09	-0.20	-5.29	-1	-4.29
	6525	115	ax (40MHz)	98/103.2 (MCS4)	-6.37	-0.20	-6.57	-1	-5.57
	6465	103	ax (80MHz)	204/216.2 (MCS4)	-5.19	-0.20	-5.39	-1	-4.39
Band 7	6505	111	ax (160MHz)	367.5/432.4 (MCS4)	-6.40	-0.20	-6.60	-1	-5.60
	6535	117	a	24	-7.05	-1.20	-8.25	-1	-7.25
	6695	149	a	24	-5.70	-1.20	-6.90	-1	-5.90
	6875	185	a	24	-6.81	-1.20	-8.01	-1	-7.01
	6535	117	ax (20MHz)	49/51.6 (MCS4)	-7.39	-1.20	-8.59	-1	-7.59
	6695	149	ax (20MHz)	49/51.6 (MCS4)	-6.61	-1.20	-7.81	-1	-6.81
	6875	185	ax (20MHz)	49/51.6 (MCS4)	-7.48	-1.20	-8.68	-1	-7.68
	6565	123	ax (40MHz)	98/103.2 (MCS4)	-6.59	-1.20	-7.79	-1	-6.79
	6725	155	ax (40MHz)	98/103.2 (MCS4)	-6.37	-1.20	-7.57	-1	-6.57
	6885	179	ax (40MHz)	98/103.2 (MCS4)	-6.80	-1.20	-8.00	-1	-7.00
	6545	119	ax (80MHz)	204/216.2 (MCS4)	-6.78	-1.20	-7.98	-1	-6.98
	6705	151	ax (80MHz)	204/216.2 (MCS4)	-6.92	-1.20	-8.12	-1	-7.12
	6865	183	ax (80MHz)	204/216.2 (MCS4)	-6.41	-1.20	-7.61	-1	-6.61
	6665	143	ax (160MHz)	367.5/432.4 (MCS4)	-7.21	-1.20	-8.41	-1	-7.41
Band 8	6825	175	ax (160MHz)	367.5/432.4 (MCS4)	-7.79	-1.20	-8.99	-1	-7.99
	6895	189	a	24	-6.74	-1.70	-8.44	-1	-7.44
	6995	209	a	24	-6.45	-1.70	-8.15	-1	-7.15
	7115	233	a	24	-6.70	-1.70	-8.40	-1	-7.40
	6895	189	ax (20MHz)	49/51.6 (MCS4)	-7.09	-1.70	-8.79	-1	-7.79
	6995	209	ax (20MHz)	49/51.6 (MCS4)	-6.83	-1.70	-8.53	-1	-7.53
	7115	233	ax (20MHz)	49/51.6 (MCS4)	-7.09	-1.70	-8.79	-1	-7.79
	6925	187	ax (40MHz)	98/103.2 (MCS4)	-7.40	-1.70	-9.10	-1	-8.10
	7005	211	ax (40MHz)	98/103.2 (MCS4)	-7.60	-1.70	-9.30	-1	-8.30
	7085	227	ax (40MHz)	98/103.2 (MCS4)	-6.81	-1.70	-8.51	-1	-7.51
	6945	199	ax (80MHz)	204/216.2 (MCS4)	-6.80	-1.70	-8.50	-1	-7.50
	7025	215	ax (80MHz)	204/216.2 (MCS4)	-6.76	-1.70	-8.46	-1	-7.46
	6985	207	ax (160MHz)	367.5/432.4 (MCS4)	-7.01	-1.70	-8.71	-1	-7.71

Table 7-138. Power Spectral Density Measurements Antenna 3a Low Power Indoor (Mid Data Rate)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 129 of 523

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	54	-4.61	0.90	-3.71	-1	-2.71
	6175	45	a	54	-3.48	0.90	-2.58	-1	-1.58
	6415	93	a	54	-3.62	0.90	-2.72	-1	-1.72
	5955	1	ax (20MHz)	135/143.4 (MCS11)	-5.11	0.90	-4.21	-1	-3.21
	6175	45	ax (20MHz)	135/143.4 (MCS11)	-4.08	0.90	-3.18	-1	-2.18
	6415	93	ax (20MHz)	135/143.4 (MCS11)	-4.08	0.90	-3.18	-1	-2.18
	5695	3	ax (40MHz)	271/286.8 (MCS11)	-5.43	0.90	-4.53	-1	-3.53
	6165	43	ax (40MHz)	271/286.8 (MCS11)	-5.03	0.90	-4.13	-1	-3.13
	6405	91	ax (40MHz)	271/286.8 (MCS11)	-4.47	0.90	-3.57	-1	-2.57
	5985	7	ax (80MHz)	567/600.5 (MCS11)	-4.93	0.90	-4.03	-1	-3.03
	6145	39	ax (80MHz)	567/600.5 (MCS11)	-4.69	0.90	-3.79	-1	-2.79
	6385	87	ax (80MHz)	567/600.5 (MCS11)	-4.99	0.90	-4.09	-1	-3.09
	6025	15	ax (160MHz)	1020.8/1201 (MCS11)	-5.48	0.90	-4.58	-1	-3.58
6185	47	ax (160MHz)	1020.8/1201 (MCS11)	-4.97	0.90	-4.07	-1	-3.07	
6345	79	ax (160MHz)	1020.8/1201 (MCS11)	-5.05	0.90	-4.15	-1	-3.15	
Band 6	6435	97	a	54	-4.26	-0.20	-4.46	-1	-3.46
	6475	105	a	54	-4.10	-0.20	-4.30	-1	-3.30
	6515	113	a	54	-4.56	-0.20	-4.76	-1	-3.76
	6345	97	ax (20MHz)	135/143.4 (MCS11)	-4.63	-0.20	-4.83	-1	-3.83
	6475	105	ax (20MHz)	135/143.4 (MCS11)	-5.16	-0.20	-5.36	-1	-4.36
	6515	113	ax (20MHz)	135/143.4 (MCS11)	-4.61	-0.20	-4.81	-1	-3.81
	6445	99	ax (40MHz)	271/286.8 (MCS11)	-4.98	-0.20	-5.18	-1	-4.18
	6485	107	ax (40MHz)	271/286.8 (MCS11)	-5.13	-0.20	-5.33	-1	-4.33
	6525	115	ax (40MHz)	271/286.8 (MCS11)	-6.28	-0.20	-6.48	-1	-5.48
	6465	103	ax (80MHz)	567/600.5 (MCS11)	-5.19	-0.20	-5.39	-1	-4.39
6505	111	ax (160MHz)	1020.8/1201 (MCS11)	-6.53	-0.20	-6.73	-1	-5.73	
Band 7	6535	117	a	54	-6.62	-1.20	-7.82	-1	-6.82
	6695	149	a	54	-6.23	-1.20	-7.43	-1	-6.43
	6875	185	a	54	-6.39	-1.20	-7.59	-1	-6.59
	6535	117	ax (20MHz)	135/143.4 (MCS11)	-7.31	-1.20	-8.51	-1	-7.51
	6695	149	ax (20MHz)	135/143.4 (MCS11)	-6.57	-1.20	-7.77	-1	-6.77
	6875	185	ax (20MHz)	135/143.4 (MCS11)	-6.90	-1.20	-8.10	-1	-7.10
	6565	123	ax (40MHz)	271/286.8 (MCS11)	-6.51	-1.20	-7.71	-1	-6.71
	6725	155	ax (40MHz)	271/286.8 (MCS11)	-6.47	-1.20	-7.67	-1	-6.67
	6885	179	ax (40MHz)	271/286.8 (MCS11)	-6.55	-1.20	-7.75	-1	-6.75
	6545	119	ax (80MHz)	567/600.5 (MCS11)	-6.30	-1.20	-7.50	-1	-6.50
	6705	151	ax (80MHz)	567/600.5 (MCS11)	-6.43	-1.20	-7.63	-1	-6.63
	6865	183	ax (80MHz)	567/600.5 (MCS11)	-6.44	-1.20	-7.64	-1	-6.64
	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	-7.04	-1.20	-8.24	-1	-7.24
	6825	175	ax (160MHz)	1020.8/1201 (MCS11)	-7.45	-1.20	-8.65	-1	-7.65
Band 8	6895	189	a	54	-6.83	-1.70	-8.53	-1	-7.53
	6995	209	a	54	-6.58	-1.70	-8.28	-1	-7.28
	7115	233	a	54	-6.48	-1.70	-8.18	-1	-7.18
	6895	189	ax (20MHz)	135/143.4 (MCS11)	-7.00	-1.70	-8.70	-1	-7.70
	6995	209	ax (20MHz)	135/143.4 (MCS11)	-7.25	-1.70	-8.95	-1	-7.95
	7115	233	ax (20MHz)	135/143.4 (MCS11)	-6.98	-1.70	-8.68	-1	-7.68
	6925	187	ax (40MHz)	271/286.8 (MCS11)	-7.42	-1.70	-9.12	-1	-8.12
	7005	211	ax (40MHz)	271/286.8 (MCS11)	-7.60	-1.70	-9.30	-1	-8.30
	7085	227	ax (40MHz)	271/286.8 (MCS11)	-6.84	-1.70	-8.54	-1	-7.54
	6945	199	ax (80MHz)	567/600.5 (MCS11)	-6.93	-1.70	-8.63	-1	-7.63
	7025	215	ax (80MHz)	567/600.5 (MCS11)	-6.72	-1.70	-8.42	-1	-7.42
	6985	207	ax (160MHz)	1020.8/1201 (MCS11)	-7.25	-1.70	-8.95	-1	-7.95

Table 7-139. Power Spectral Density Measurements Antenna 3a Low Power Indoor (High Data Rate)

FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 130 of 523	

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	12	6.76	0.90	7.66	17	-9.34
	6175	45	a	12	7.46	0.90	8.36	17	-8.64
	6415	93	a	12	7.79	0.90	8.69	17	-8.31
	5955	1	ax (20MHz)	24/25.8 (MCS2)	6.80	0.90	7.70	17	-9.31
	6175	45	ax (20MHz)	24/25.8 (MCS2)	7.29	0.90	8.19	17	-8.81
	6415	93	ax (20MHz)	24/25.8 (MCS2)	7.36	0.90	8.26	17	-8.74
	5965	3	ax (40MHz)	49/51.6 (MCS2)	4.00	0.90	4.90	17	-12.10
	6165	43	ax (40MHz)	49/51.6 (MCS2)	3.96	0.90	4.86	17	-12.14
	6405	91	ax (40MHz)	49/51.6 (MCS2)	4.54	0.90	5.44	17	-11.56
	5985	7	ax (80MHz)	102/108.1 (MCS2)	0.87	0.90	1.77	17	-15.23
	6145	39	ax (80MHz)	102/108.1 (MCS2)	1.28	0.90	2.18	17	-14.82
	6385	87	ax (80MHz)	102/108.1 (MCS2)	1.44	0.90	2.34	17	-14.66
	6025	15	ax (160MHz)	183.8/216.2 (MCS2)	-2.05	0.90	-1.15	17	-18.15
	6185	47	ax (160MHz)	183.8/216.2 (MCS2)	-1.41	0.90	-0.51	17	-17.51
6345	79	ax (160MHz)	183.8/216.2 (MCS2)	-1.54	0.90	-0.64	17	-17.64	
Band 7	6535	117	a	12	6.54	-1.20	5.34	17	-11.66
	6695	149	a	12	6.45	-1.20	5.25	17	-11.75
	6875	181	a	12	7.17	-1.20	5.97	17	-11.03
	6535	117	ax (20MHz)	24/25.8 (MCS2)	6.11	-1.20	4.91	17	-12.09
	6695	149	ax (20MHz)	24/25.8 (MCS2)	6.14	-1.20	4.94	17	-12.07
	6875	181	ax (20MHz)	24/25.8 (MCS2)	6.70	-1.20	5.50	17	-11.50
	6565	123	ax (40MHz)	49/51.6 (MCS2)	3.85	-1.20	2.65	17	-14.35
	6725	155	ax (40MHz)	49/51.6 (MCS2)	3.30	-1.20	2.10	17	-14.91
	6845	179	ax (40MHz)	49/51.6 (MCS2)	3.15	-1.20	1.95	17	-15.05
	6545	135	ax (80MHz)	102/108.1 (MCS2)	1.32	-1.20	0.12	17	-16.88
	6705	151	ax (80MHz)	102/108.1 (MCS2)	0.46	-1.20	-0.75	17	-17.75
	6865	167	ax (80MHz)	102/108.1 (MCS2)	1.73	-1.20	0.53	17	-16.47
	6665	143	ax (160MHz)	183.8/216.2 (MCS2)	-2.00	-1.20	-3.20	17	-20.20

Table 7-140. Power Spectral Density Measurements Antenna 3a Standard Power (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	24	6.95	0.90	7.85	17	-9.15
	6175	45	a	24	7.73	0.90	8.63	17	-8.37
	6415	93	a	24	7.88	0.90	8.78	17	-8.22
	5955	1	ax (20MHz)	49/51.6 (MCS4)	6.70	0.90	7.60	17	-9.41
	6175	45	ax (20MHz)	49/51.6 (MCS4)	7.21	0.90	8.11	17	-8.89
	6415	93	ax (20MHz)	49/51.6 (MCS4)	7.63	0.90	8.53	17	-8.47
	5965	3	ax (40MHz)	98/103.2 (MCS4)	4.10	0.90	5.00	17	-12.00
	6165	43	ax (40MHz)	98/103.2 (MCS4)	4.46	0.90	5.36	17	-11.65
	6405	91	ax (40MHz)	98/103.2 (MCS4)	4.81	0.90	5.71	17	-11.29
	5985	7	ax (80MHz)	204/216.2 (MCS4)	1.27	0.90	2.17	17	-14.83
	6145	39	ax (80MHz)	204/216.2 (MCS4)	1.62	0.90	2.52	17	-14.48
	6385	87	ax (80MHz)	204/216.2 (MCS4)	1.69	0.90	2.59	17	-14.41
	6025	15	ax (160MHz)	367.5/432.4 (MCS4)	-1.91	0.90	-1.01	17	-18.01
	6185	47	ax (160MHz)	367.5/432.4 (MCS4)	-1.49	0.90	-0.59	17	-17.59
6345	79	ax (160MHz)	367.5/432.4 (MCS4)	-1.18	0.90	-0.28	17	-17.28	
Band 7	6535	117	a	367.5/432.4 (MCS4)	6.66	-1.20	5.46	17	-11.54
	6695	149	a	367.5/432.4 (MCS4)	6.63	-1.20	5.43	17	-11.57
	6875	181	a	367.5/432.4 (MCS4)	7.32	-1.20	6.12	17	-10.88
	6535	117	ax (20MHz)	49/51.6 (MCS4)	6.34	-1.20	5.14	17	-11.86
	6695	149	ax (20MHz)	49/51.6 (MCS4)	6.24	-1.20	5.04	17	-11.96
	6875	181	ax (20MHz)	49/51.6 (MCS4)	7.03	-1.20	5.83	17	-11.17
	6565	123	ax (40MHz)	98/103.2 (MCS4)	3.67	-1.20	2.47	17	-14.53
	6725	155	ax (40MHz)	98/103.2 (MCS4)	3.36	-1.20	2.16	17	-14.84
	6845	179	ax (40MHz)	98/103.2 (MCS4)	3.41	-1.20	2.21	17	-14.79
	6545	135	ax (80MHz)	204/216.2 (MCS4)	1.16	-1.20	-0.04	17	-17.05
	6705	151	ax (80MHz)	204/216.2 (MCS4)	0.53	-1.20	-0.67	17	-17.67
	6865	167	ax (80MHz)	204/216.2 (MCS4)	1.94	-1.20	0.74	17	-16.26
	6665	143	ax (160MHz)	367.5/432.4 (MCS4)	-2.18	-1.20	-3.38	17	-20.38

Table 7-141. Power Spectral Density Measurements Antenna 3a Standard Power (Mid Data Rate)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 131 of 523

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dB]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	54	7.03	0.90	7.93	17	-9.07
	6175	45	a	54	7.78	0.90	8.68	17	-8.32
	6415	93	a	54	8.19	0.90	9.09	17	-7.91
	5955	1	ax (20MHz)	135/143.4 (MCS11)	6.56	0.90	7.46	17	-9.54
	6175	45	ax (20MHz)	135/143.4 (MCS11)	7.41	0.90	8.31	17	-8.69
	6415	93	ax (20MHz)	135/143.4 (MCS11)	7.49	0.90	8.39	17	-8.61
	5965	3	ax (40MHz)	271/286.8 (MCS11)	4.12	0.90	5.02	17	-11.98
	6165	43	ax (40MHz)	271/286.8 (MCS11)	4.26	0.90	5.16	17	-11.84
	6405	91	ax (40MHz)	271/286.8 (MCS11)	4.99	0.90	5.89	17	-11.11
	5985	7	ax (80MHz)	567/600.5 (MCS11)	1.18	0.90	2.08	17	-14.92
	6145	39	ax (80MHz)	567/600.5 (MCS11)	1.53	0.90	2.43	17	-14.57
	6385	87	ax (80MHz)	567/600.5 (MCS11)	1.23	0.90	2.13	17	-14.87
	6025	15	ax (160MHz)	1020.8/1201 (MCS11)	-1.97	0.90	-1.07	17	-18.07
6185	47	ax (160MHz)	1020.8/1201 (MCS11)	-1.44	0.90	-0.54	17	-17.54	
6345	79	ax (160MHz)	1020.8/1201 (MCS11)	-1.41	0.90	-0.51	17	-17.51	
Band 7	6535	117	a	54	6.54	-1.20	5.34	17	-11.66
	6695	149	a	54	6.66	-1.20	5.46	17	-11.54
	6875	181	a	54	7.29	-1.20	6.09	17	-10.92
	6535	117	ax (20MHz)	135/143.4 (MCS11)	6.26	-1.20	5.06	17	-11.94
	6695	149	ax (20MHz)	135/143.4 (MCS11)	6.20	-1.20	5.00	17	-12.00
	6875	181	ax (20MHz)	135/143.4 (MCS11)	7.00	-1.20	5.80	17	-11.20
	6565	123	ax (40MHz)	271/286.8 (MCS11)	4.14	-1.20	2.94	17	-14.06
	6725	155	ax (40MHz)	271/286.8 (MCS11)	3.54	-1.20	2.34	17	-14.66
	6845	179	ax (40MHz)	271/286.8 (MCS11)	3.55	-1.20	2.35	17	-14.65
	6545	135	ax (80MHz)	567/600.5 (MCS11)	1.34	-1.20	0.14	17	-16.86
	6705	151	ax (80MHz)	567/600.5 (MCS11)	0.32	-1.20	-0.88	17	-17.88
	6865	167	ax (80MHz)	567/600.5 (MCS11)	1.87	-1.20	0.67	17	-16.33
	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	-2.48	-1.20	-3.68	17	-20.68


Table 7-142. Power Spectral Density Measurements Antenna 3a Standard Power (High Data Rate)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 132 of 523


Low Data Rate




Plot 7-271. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11a (UNII Band 5) – Ch. 45, 12Mbps)




Plot 7-274. Power Spectral Density Plot Antenna 3a Low Power Indoor (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS2)




Plot 7-272. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS2)



Plot 7-275. Power Spectral Density Plot Antenna 3a Low Power Indoor (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS2)




Plot 7-273. Power Spectral Density Plot Antenna 3a Low Power Indoor (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS2)




Plot 7-276. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11a (UNII Band 6) – Ch. 105, 12Mbps)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 133 of 523




Plot 7-277. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS2)




Plot 7-280. Power Spectral Density Plot Antenna 3a Low Power Indoor (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS2)




Plot 7-278. Power Spectral Density Plot Antenna 3a Low Power Indoor (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS2)



Plot 7-281. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11a (UNII Band 7) – Ch. 149, 12Mbps)



Plot 7-279. Power Spectral Density Plot Antenna 3a Low Power Indoor (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS2)




Plot 7-282. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS2)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 134 of 523




Plot 7-283. Power Spectral Density Plot Antenna 3a Low Power Indoor (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS2)




Plot 7-286. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11a (UNII Band 8) – Ch. 209, 12Mbps)




Plot 7-284. Power Spectral Density Plot Antenna 3a Low Power Indoor (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)



Plot 7-287. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS2)




Plot 7-285. Power Spectral Density Plot Antenna 3a Low Power Indoor (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)




Plot 7-288. Power Spectral Density Plot Antenna 3a Low Power Indoor (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS2)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 135 of 523




Plot 7-289. Power Spectral Density Plot Antenna 3a Low Power Indoor (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS2)




Plot 7-290. Power Spectral Density Plot Antenna 3a Low Power Indoor (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS2)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 136 of 523


Mid Data Rate




Plot 7-291. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11a (UNII Band 5) – Ch. 45, 24Mbps)




Plot 7-294. Power Spectral Density Plot Antenna 3a Low Power Indoor (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS4)




Plot 7-292. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)



Plot 7-295. Power Spectral Density Plot Antenna 3a Low Power Indoor (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)




Plot 7-293. Power Spectral Density Plot Antenna 3a Low Power Indoor (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)




Plot 7-296. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11a (UNII Band 6) – Ch. 105, 24Mbps)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 137 of 523




Plot 7-297. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS4)




Plot 7-300. Power Spectral Density Plot Antenna 3a Low Power Indoor (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS4)




Plot 7-298. Power Spectral Density Plot Antenna 3a Low Power Indoor (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS4)



Plot 7-301. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11a (UNII Band 7) – Ch. 149, 24Mbps)




Plot 7-299. Power Spectral Density Plot Antenna 3a Low Power Indoor (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS4)




Plot 7-302. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 138 of 523




Plot 7-303. Power Spectral Density Plot Antenna 3a Low Power Indoor (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)



Plot 7-305. Power Spectral Density Plot Antenna 3a Low Power Indoor (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)




Plot 7-304. Power Spectral Density Plot Antenna 3a Low Power Indoor (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)




Plot 7-306. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11a (UNII Band 8) – Ch. 209, 24Mbps)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 139 of 523


High Data Rate




Plot 7-307. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11a (UNII Band 5) – Ch. 45, 54Mbps)




Plot 7-310. Power Spectral Density Plot Antenna 3a Low Power Indoor (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-308. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-311. Power Spectral Density Plot Antenna 3a Low Power Indoor (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)




Plot 7-309. Power Spectral Density Plot Antenna 3a Low Power Indoor (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)




Plot 7-312. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11a (UNII Band 6) – Ch. 105, 54Mbps)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 140 of 523




Plot 7-313. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS11)




Plot 7-316. Power Spectral Density Plot Antenna 3a Low Power Indoor (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS11)




Plot 7-314. Power Spectral Density Plot Antenna 3a Low Power Indoor (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS11)



Plot 7-317. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11a (UNII Band 7) – Ch. 149, 54Mbps)



Plot 7-315. Power Spectral Density Plot Antenna 3a Low Power Indoor (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS11)



Plot 7-318. Power Spectral Density Plot Antenna 3a Low Power Indoor (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-26-R1.BCG	Test Dates: 11/28/2023 - 04/04/2024	EUT Type: Tablet Device	Page 141 of 523