




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:7085MHzChannel:227



Plot 7-1425. Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8)






Plot 7-1426. Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 420 of 522
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 439 of 523
		-	V 10 50 40 12/15/2021



7.7.8 Antenna 3c Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


Worst Case Mode:802.11axWorst Case Transfer Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:5985MHzChannel:7



Plot 7-1427. Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Worst Case Mode: Worst Case Transfer Rate: Distance of Measurements: Operating Frequency: Channel:

	802.11ax
te:	MCS4
nts:	3 Meters
	5985MHz
	7




Plot 7-1428. Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 440 at 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 440 of 523
<u>-</u>			V 10.50.40 12/15/2021




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:5985MHzChannel:7



Plot 7-1429. Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7025MHz
Channel:	215




Plot 7-1430. Antenna 3c Radiated Upper Band Edge (Peak & Average - UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 444 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 441 of 523
		·	V 10 50 40 12/15/2021




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:7025MHzChannel:215



Plot 7-1431. Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7025MHz
Channel:	215




Plot 7-1432. Antenna 3c Radiated Upper Band Edge (Peak & Average - UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 442 of 522
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 442 of 523
		·	V 10 50 40 12/15/2021




7.7.9 Antenna 3c Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15



Plot 7-1433. Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS4
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15




Plot 7-1434. Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 442 of 522
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 443 of 523
<u>-</u>	-		V 10.50.40 12/15/2021




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:6025MHzChannel:15



Plot 7-1435. Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5)






Plot 7-1436. Antenna 3c Radiated Upper Band Edge (Peak & Average - UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 444 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 444 of 523
		·	V 10 50 40 12/15/2021




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:6985MHzChannel:207



Plot 7-1437. Antenna 3c Radiated Upper Band Edge (Peak & Average - UNII Band 8)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6985MHz
Channel:	207




Plot 7-1438. Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 445 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 445 of 523
	•	·	V 10 50 40 12/15/2021



7.7.10 Antenna 3a Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


Worst Case Mode:	802.11a
Worst Case Transfer Rate:	12Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1



Plot 7-1439. Antenna 3a Radiated Lower Band Edge (Peak/Average - UNII Band 5)

Worst Case Mode:	
Worst Case Transfer Rate:	
Distance of Measurements:	
Operating Frequency:	
Channel:	

	802.11a	
e:	24Mbps	
ts:	3 Meters	
	5955MHz	
	1	




Plot 7-1440. Antenna 3a Radiated Lower Band Edge (Peak/Average – UNII Band 5)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 446 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 446 of 523
			V 10.50.40 12/15/2021




Worst Case Mode:802.11aWorst Case Transfer Rate:54MbpsDistance of Measurements:3 MetersOperating Frequency:5955MHzChannel:1



Plot 7-1441. Antenna 3a Radiated Lower Band Edge (Peak/Average – UNII Band 5)

802.11a
12Mbps
3 Meters
7095MHz
229




Plot 7-1442. Antenna 3a Radiated Upper Band Edge (Peak/Average - UNII Band 8)


FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 447 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 447 of 523
		·	V 10 50 40 12/15/2021




Worst Case Mode:802.11aWorst Case Transfer Rate:24MbpsDistance of Measurements:3 MetersOperating Frequency:7095MHzChannel:229



Plot 7-1443. Antenna 3a Radiated Upper Band Edge (Peak/Average - UNII Band 8)






Plot 7-1444. Antenna 3a Radiated Upper Band Edge (Peak/Average - UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 449 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 448 of 523
	•	·	V 10 50 40 12/15/2021




Worst Case Mode:	802.11a
Worst Case Transfer Rate:	12Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	7115MHz
Channel:	233







Worst Case Mode:	802.11a
Worst Case Transfer Rate:	24Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	7115MHz
Channel:	233



Plot 7-1446. Antenna 3a Radiated Upper Band Edge (Average – UNII Band 8)



Plot 7-1447. Antenna 3a Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-1448. Antenna 3a Radiated Upper Band Edge (Average – UNII Band 8)


FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 440 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 449 of 523
	-	•	V 10.50.40 12/15/2021



Worst Case Mode:	802.11a
Worst Case Transfer Rate:	54Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	7115MHz
Channel:	233



Plot 7-1449. Antenna 3a Radiated Upper Band Edge (Peak – UNII Band 8)






FCC ID: BCGA2903 IC: 579C-A2903	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 450 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 450 of 523
			V/ 10 E0 40 10/1E/2021




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:5955MHzChannel:1



Plot 7-1451. Antenna 3a Radiated Lower Band Edge (Peak/Average – UNII Band 5)

Worst Case Mode: Worst Case Transfer Rate: Distance of Measurements: Operating Frequency: Channel:

:	802.11ax
fer Rate:	MCS4
urements:	3 Meters
ncy:	5955MHz
	1




Plot 7-1452. Antenna 3a Radiated Lower Band Edge (Peak/Average – UNII Band 5)

FCC ID: BCGA2903 IC: 579C-A2903	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 451 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 451 of 523
			V 10 50 40 12/15/2021




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:5955MHzChannel:1



Plot 7-1453. Antenna 3a Radiated Lower Band Edge (Peak/Average – UNII Band 5)

802.11ax
MCS0
3 Meters
7095MHz
229




Plot 7-1454. Antenna 3a Radiated Upper Band Edge (Peak/Average - UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 450 at 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 452 of 523
		·	V 10 50 40 12/15/2021




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:7095MHzChannel:229



Plot 7-1455. Antenna 3a Radiated Upper Band Edge (Peak/Average - UNII Band 8)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229




Plot 7-1456. Antenna 3a Radiated Upper Band Edge (Peak/Average - UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 452 of 522
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 453 of 523
		·	V 10 50 40 12/15/2021




Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7115MHz
Channel:	233







802.11ax
MCS4
3 Meters
7115MHz
233







Plot 7-1459. Antenna 3a Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-1460. Antenna 3a Radiated Upper Band Edge (Average – UNII Band 8)


FCC ID: BCGA2903 IC: 579C-A2903	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dage 454 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 454 of 523
<u></u>			V 10.50.40 12/15/2021



Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7115MHz
Channel:	233



Plot 7-1461. Antenna 3a Radiated Upper Band Edge (Peak – UNII Band 8)






FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 455 of 522
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 455 of 523
			V 10 50 40 12/15/2021



7.7.11 Antenna 3a Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3



Plot 7-1463. Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Worst Case Mode: Worst Case Transfer Rate: Distance of Measurements: Operating Frequency: Channel:

	802.11ax	
te:	MCS4	
nts:	3 Meters	
	5965MHz	
	3	




Plot 7-1464. Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 450 at 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 456 of 523
<u></u>			V 10.50.40 12/15/2021




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:5965MHzChannel:3



Plot 7-1465. Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)






Plot 7-1466. Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 457 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 457 of 523
	•	·	V 10 50 40 12/15/2021




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:7085MHzChannel:227



Plot 7-1467. Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7085MHz
Channel:	227




Plot 7-1468. Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 450 at 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 458 of 523
		·	V 10 50 40 12/15/2021



7.7.12 Antenna 3a Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


Worst Case Mode:802.11axWorst Case Transfer Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:5985MHzChannel:7



Plot 7-1469. Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Worst Case Mode: Worst Case Transfer Rate: Distance of Measurements: Operating Frequency: Channel:

	802.11ax	
e:	MCS4	
ts:	3 Meters	
	5985MHz	
	7	




Plot 7-1470. Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 450 at 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 459 of 523
<u>-</u>			V 10.50.40 12/15/2021




Worst Case Mode: Worst Case Transfer Rate Distance of Measurement **Operating Frequency:** Channel:

	802.11ax	
e:	MCS11	
ts:	3 Meters	
	5985MHz	
	7	



Plot 7-1471. Antenna 3a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7025MHz
Channel:	215




Plot 7-1472. Antenna 3a Radiated Upper Band Edge (Peak & Average - UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 400 at 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 460 of 523
			V 10 50 40 12/15/2021




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:7025MHzChannel:215



Plot 7-1473. Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7025MHz
Channel:	215




Plot 7-1474. Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 461 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 461 of 523
			V 10 50 /0 12/15/2021



7.7.13 Antenna 3a Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15



Plot 7-1475. Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Worst Case Mode:	802.
Worst Case Transfer Rate:	MCS
Distance of Measurements:	3 Me
Operating Frequency:	6025
Channel:	15

	802.11ax	
ate:	MCS4	
ents:	3 Meters	
	6025MHz	
	15	




Plot 7-1476. Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 400 at 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 462 of 523
<u>-</u>			V 10.50.40 12/15/2021




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS11Distance of Measurements:3 MetersOperating Frequency:6025MHzChannel:15



Plot 7-1477. Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)






Plot 7-1478. Antenna 3a Radiated Upper Band Edge (Peak & Average - UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 462 of 522
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 463 of 523
		·	V 10 50 40 12/15/2021




Worst Case Mode:802.11axWorst Case Transfer Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:6985MHzChannel:207



Plot 7-1479. Antenna 3a Radiated Upper Band Edge (Peak & Average - UNII Band 8)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6985MHz
Channel:	207




Plot 7-1480. Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 464 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 464 of 523
	•	·	V 10 50 40 12/15/2021



7.7.14 Antenna 1b Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


Worst Case Mode:	802.11a
Worst Case Transfer Rate:	12Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1



Plot 7-1481. Antenna 1b Radiated Lower Band Edge (Peak/Average - UNII Band 5)

Worst Case Mode:	802.
Worst Case Transfer Rate:	24M
Distance of Measurements:	3 Me
Operating Frequency:	5955
Channel:	1

	802.11a	
te:	24Mbps	
nts:	3 Meters	
	5955MHz	
	1	
		_




Plot 7-1482. Antenna 1b Radiated Lower Band Edge (Peak/Average – UNII Band 5)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 405 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 465 of 523
<u>-</u>		•	V 10.50.40 12/15/2021




Worst Case Mode:802.11aWorst Case Transfer Rate:54MbpsDistance of Measurements:3 MetersOperating Frequency:5955MHzChannel:1



Plot 7-1483. Antenna 1b Radiated Lower Band Edge (Peak/Average – UNII Band 5)

802.11a
12Mbps
3 Meters
7095MHz
229



Plot 7-1484. Antenna 1b Radiated Upper Band Edge (Peak/Average – UNII Band 8)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 466 of 500
1C2311270064-26-R1.BCG	11/28/2023 - 04/04/2024	Tablet Device	Page 466 of 523
	•	·	V 10 50 40 12/15/2021