



Plot 7-121. Conducted Spurious Plot Antenna 1a (802.11ax OFDMA – RU26 – Ch. 6)




Plot 7-122. Conducted Spurious Plot Antenna 1a (802.11ax OFDMA – RU26 – Ch. 6)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 94 of 159




Plot 7-123. Conducted Spurious Plot Antenna 1a (802.11ax OFDMA – RU26 – Ch. 11)




Plot 7-124. Conducted Spurious Plot Antenna 1a (802.11ax OFDMA – RU26 – Ch. 11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 95 of 159




Plot 7-125. Conducted Spurious Plot Antenna 1a (802.11ax OFDMA – RU242 – Ch. 1)




Plot 7-126. Conducted Spurious Plot Antenna 1a (802.11ax OFDMA – RU242 – Ch. 1)

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device
		Page 96 of 159




Plot 7-127. Conducted Spurious Plot Antenna 1a (802.11ax OFDMA – RU242 – Ch. 6)




Plot 7-128. Conducted Spurious Plot Antenna 1a (802.11ax OFDMA – RU242 – Ch. 6)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 97 of 159



Plot 7-129. Conducted Spurious Plot Antenna 1a (802.11ax OFDMA – RU242 – Ch. 11)



Plot 7-130. Conducted Spurious Plot Antenna 1a (802.11ax OFDMA – RU242 – Ch. 11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 98 of 159

7.7 Radiated Spurious Emissions – Above 1 GHz

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-19 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [$\mu\text{V/m}$]	Measured Distance [Meters]
Above 960.0 MHz	500	3

Table 7-19. Radiated Limits

Test Procedures Used

ANSI C63.10-2013 – Subclause 6.6.4.3
KDB 558074 D01 v05r02 – Sections 8.6, 8.7

Test Settings

Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be $\geq 2 \times \text{span/RBW}$)
6. Sweep time = auto
7. Trace (RMS) averaging was performed over at least 100 traces

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 99 of 159

V 10.6 9/14/2023

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-6. Radiated Measurement Setup

Test Notes

1. The optional test procedures for antenna port conducted measurements of unwanted emissions per the guidance of KDB 558074 D01 v05r02 were not used to evaluate this device for compliance to radiated limits. All Radiated Spurious Emissions levels were measured in a radiated test setup.
2. All emissions lying in restricted bands specified in Section 15.205 and Section 8.10 of RSS-Gen are below the limit shown in Table 7-19.
3. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
4. This unit was tested with its standard battery.
5. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas.
6. D is the measurement test distance and emissions 1-18GHz were measured at a 3 meters test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
7. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. Any emissions found to be within 20dB of the limit are fully investigated and the results are shown in this section.
8. The "-" shown in the following RSE tables are used to denote a noise floor measurement.
9. All data rates were investigated and only the worst case is reported.
10. For radiated measurements, emissions were investigated for the fully-loaded RU configuration and for all the partially-loaded RU configurations. Among all of the available partially-loaded RU configurations, only the configuration with the worst case emissions is reported.

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 100 of 159

V 10.6 9/14/2023

Sample Calculations

Determining Spurious Emissions Levels

- Field Strength Level $_{[dB_{\mu V/m}]} = \text{Analyzer Level }_{[dBm]} + 107 + \text{AFCL }_{[dB/m]}$
- $\text{AFCL }_{[dB/m]} = \text{Antenna Factor }_{[dB/m]} + \text{Cable Loss }_{[dB]} - \text{Preamplifier Gain }_{[dB]}$
- $\text{Margin }_{[dB]} = \text{Field Strength Level }_{[dB_{\mu V/m}]} - \text{Limit }_{[dB_{\mu V/m}]}$


Radiated Band Edge Measurement Offset

- The amplitude offset shown in the radiated restricted band edge plots in Sections 7.7.4, 7.7.5, and 7.7.6 were calculated using the formula:
 $\text{Offset (dB)} = (\text{Antenna Factor} + \text{Cable Loss} + \text{Attenuator}) - \text{Preamplifier Gain}$

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG		Test Dates: 11/28/2023 - 3/05/2024

7.7.1 Antenna 3a Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




Plot 7-131. Radiated Spurious Emissions above 1GHz Antenna 3a (802.11ax OFDMA – RU26 – Ch. 1)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	V	-	-	-77.87	4.19	33.32	53.98	-20.66
4824.00	Peak	V	-	-	-65.98	4.19	45.21	73.98	-28.77
12060.00	Avg	V	-	-	-79.22	12.07	39.85	53.98	-14.13
12060.00	Peak	V	-	-	-69.45	12.07	49.62	73.98	-24.36

Table 7-20. Radiated Measurements Antenna 3a (RU26)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		Page 102 of 159




Plot 7-132. Radiated Spurious Emissions above 1GHz Antenna 3a (802.11ax OFDMA – RU26 – Ch. 6)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Avg	V	-	-	-77.94	4.16	33.22	53.98	-20.76
4874.00	Peak	V	-	-	-66.31	4.16	44.85	73.98	-29.13
7311.00	Avg	V	-	-	-79.23	8.77	36.54	53.98	-17.44
7311.00	Peak	V	-	-	-67.84	8.77	47.93	73.98	-26.05
12185.00	Avg	V	-	-	-79.23	12.48	40.25	53.98	-13.73
12185.00	Peak	V	-	-	-69.25	12.48	50.23	73.98	-23.75

Table 7-21. Radiated Measurements Antenna 3a (RU26)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 103 of 159




Plot 7-133. Radiated Spurious Emissions above 1GHz Antenna 3a (802.11ax OFDMA – RU26 – Ch. 11)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
4924.00	Avg	V	-	-	-78.21	4.41	33.20	53.98	-20.78
4924.00	Peak	V	-	-	-67.29	4.41	44.12	73.98	-29.86
7386.00	Avg	V	-	-	-78.81	8.67	36.86	53.98	-17.12
7386.00	Peak	V	-	-	-67.54	8.67	48.13	73.98	-25.85
12310.00	Avg	V	-	-	-78.64	12.43	40.79	53.98	-13.19
12310.00	Peak	V	-	-	-68.42	12.43	51.01	73.98	-22.97

Table 7-22. Radiated Measurements Antenna 3a (RU26)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 104 of 159




Plot 7-134. Radiated Spurious Emissions above 1GHz Antenna 3a (802.11ax OFDMA – RU242 – Ch. 1)

Worst Case Mode:	<u>802.11ax OFDMA</u>
Worst Case Transfer Rate:	<u>MCS9</u>
RU Index:	<u>61</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>2412MHz</u>
Channel:	<u>01</u>

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	V	-	-	-77.82	4.19	33.37	53.98	-20.61
4824.00	Peak	V	-	-	-66.64	4.19	44.55	73.98	-29.43
12060.00	Avg	V	-	-	-79.28	12.07	39.79	53.98	-14.19
12060.00	Peak	V	-	-	-69.09	12.07	49.98	73.98	-24.00

Table 7-23. Radiated Measurements Antenna 3a (RU242)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 105 of 159




Plot 7-135. Radiated Spurious Emissions above 1GHz Antenna 3a (802.11ax OFDMA – RU242 – Ch. 6)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
4874.00	Avg	V	-	-	-77.77	4.16	33.39	53.98	-20.59
4874.00	Peak	V	-	-	-67.00	4.16	44.16	73.98	-29.82
7311.00	Avg	V	-	-	-78.97	8.77	36.80	53.98	-17.18
7311.00	Peak	V	-	-	-66.99	8.77	48.78	73.98	-25.20
12185.00	Avg	V	-	-	-79.38	12.48	40.10	53.98	-13.88
12185.00	Peak	V	-	-	-69.32	12.48	50.16	73.98	-23.82

Table 7-24. Radiated Measurements Antenna 3a (RU242)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 106 of 159



Plot 7-136. Radiated Spurious Emissions above 1GHz Antenna 3a (802.11ax OFDMA – RU242 – Ch. 11)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Avg	V	-	-	-78.16	4.41	33.25	53.98	-20.73
4924.00	Peak	V	-	-	-66.57	4.41	44.84	73.98	-29.14
7386.00	Avg	V	-	-	-78.88	8.67	36.79	53.98	-17.19
7386.00	Peak	V	-	-	-67.88	8.67	47.79	73.98	-26.19
12310.00	Avg	V	-	-	-78.70	12.43	40.73	53.98	-13.25
12310.00	Peak	V	-	-	-68.46	12.43	50.97	73.98	-23.01

Table 7-25. Radiated Measurements Antenna 3a (RU242)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 107 of 159

7.7.2 Antenna 1a Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




Plot 7-137. Radiated Spurious Emissions above 1GHz Antenna 1a (802.11ax OFDMA – RU26 – Ch. 1)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	V	-	-	-77.61	4.19	33.58	53.98	-20.40
4824.00	Peak	V	-	-	-66.60	4.19	44.59	73.98	-29.39
12060.00	Avg	V	-	-	-79.21	12.07	39.86	53.98	-14.12
12060.00	Peak	V	-	-	-69.31	12.07	49.76	73.98	-24.22

Table 7-26. Radiated Measurements Antenna 1a (RU26)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 108 of 159




Plot 7-138. Radiated Spurious Emissions above 1GHz Antenna 1a (802.11ax OFDMA – RU26 – Ch. 6)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4874.00	Avg	V	-	-	-77.84	4.16	33.32	53.98	-20.66
4874.00	Peak	V	-	-	-65.33	4.16	45.83	73.98	-28.15
7311.00	Avg	V	-	-	-78.61	8.77	37.15	53.98	-16.83
7311.00	Peak	V	-	-	-67.72	8.77	48.05	73.98	-25.93
12185.00	Avg	V	-	-	-79.38	12.48	40.10	53.98	-13.88
12185.00	Peak	V	-	-	-66.49	12.48	52.98	73.98	-21.00

Table 7-27. Radiated Measurements Antenna 1a (RU26)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 109 of 159




Plot 7-139. Radiated Spurious Emissions above 1GHz Antenna 1a (802.11ax OFDMA – RU26 – Ch. 11)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Avg	V	-	-	-80.04	7.14	34.10	53.98	-19.88
4924.00	Peak	V	-	-	-68.86	7.14	45.28	73.98	-28.70
7386.00	Avg	V	-	-	-81.41	10.84	36.43	53.98	-17.55
7386.00	Peak	V	-	-	-70.91	10.84	46.93	73.98	-27.05
12310.00	Avg	V	-	-	-83.95	18.96	42.01	53.98	-11.97
12310.00	Peak	V	-	-	-72.49	18.96	53.47	73.98	-20.51

Table 7-28. Radiated Measurements Antenna 1a (RU26)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		Page 110 of 159




Plot 7-140. Radiated Spurious Emissions above 1GHz Antenna 1a (802.11ax OFDMA – RU242 – Ch. 1)

Worst Case Mode:	<u>802.11ax OFDMA</u>
Worst Case Transfer Rate:	<u>MCS9</u>
RU Index:	<u>61</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>2412MHz</u>
Channel:	<u>01</u>

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	V	-	-	-80.63	7.21	33.58	53.98	-20.40
4824.00	Peak	V	-	-	-69.62	7.21	44.59	73.98	-29.39
12060.00	Avg	V	-	-	-83.85	18.13	41.28	53.98	-12.70
12060.00	Peak	V	-	-	-73.00	18.13	52.13	73.98	-21.85

Table 7-29. Radiated Measurements Antenna 1a (RU242)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 111 of 159




Plot 7-141. Radiated Spurious Emissions above 1GHz Antenna 1a (802.11ax OFDMA – RU242 – Ch. 6)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4874.00	Avg	V	-	-	-80.45	7.48	34.03	53.98	-19.95
4874.00	Peak	V	-	-	-69.81	7.48	44.67	73.98	-29.31
7311.00	Avg	V	-	-	-81.68	10.87	36.19	53.98	-17.79
7311.00	Peak	V	-	-	-70.72	10.87	47.15	73.98	-26.83
12185.00	Avg	V	-	-	-84.04	19.07	42.03	53.98	-11.95
12185.00	Peak	V	-	-	-73.02	19.07	53.05	73.98	-20.93

Table 7-30. Radiated Measurements Antenna 1a (RU242)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 112 of 159



Plot 7-142. Radiated Spurious Emissions above 1GHz Antenna 1a (802.11ax OFDMA – RU242 – Ch. 11)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
4924.00	Avg	V	-	-	-80.14	7.14	34.00	53.98	-19.98
4924.00	Peak	V	-	-	-69.11	7.14	45.03	73.98	-28.95
7386.00	Avg	V	-	-	-81.49	10.84	36.35	53.98	-17.63
7386.00	Peak	V	-	-	-70.19	10.84	47.65	73.98	-26.33
12310.00	Avg	V	-	-	-83.85	18.96	42.11	53.98	-11.87
12310.00	Peak	V	-	-	-72.49	18.96	53.47	73.98	-20.51

Table 7-31. Radiated Measurements Antenna 1a (RU242)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 113 of 159

7.7.3 CDD Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




Plot 7-143. Radiated Spurious Emissions above 1GHz CDD (802.11ax OFDMA – RU26 – Ch. 1)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
4824.00	Avg	H	-	-	-77.45	4.22	33.77	53.98	-20.21
4824.00	Peak	H	-	-	-65.77	4.22	45.45	73.98	-28.53
12060.00	Avg	V	-	-	-80.26	12.13	38.87	53.98	-15.11
12060.00	Peak	V	-	-	-68.89	12.13	50.24	73.98	-23.74

Table 7-32. Radiated Measurements CDD (RU26)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		Page 114 of 159




Plot 7-144. Radiated Spurious Emissions above 1GHz CDD (802.11ax OFDMA – RU26 – Ch. 6)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
4874.00	Avg	H	-	-	-77.33	4.32	34.00	53.98	-19.98
4874.00	Peak	H	-	-	-65.72	4.32	45.60	73.98	-28.37
7311.00	Avg	H	-	-	-78.54	8.92	37.38	53.98	-16.60
7311.00	Peak	H	-	-	-66.91	8.84	48.93	73.98	-25.05
12185.00	Avg	H	-	-	-80.40	12.42	39.03	53.98	-14.95
12185.00	Peak	H	-	-	-69.32	12.46	50.14	73.98	-23.84

Table 7-33. Radiated Measurements CDD (RU26)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 115 of 159




Plot 7-145. Radiated Spurious Emissions above 1GHz CDD (802.11ax OFDMA – RU26 – Ch. 11)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Avg	V	-	-	-77.52	4.31	33.79	53.98	-20.19
4924.00	Peak	V	-	-	-65.56	4.19	45.63	73.98	-28.35
7386.00	Avg	V	-	-	-78.30	8.52	37.22	53.98	-16.76
7386.00	Peak	V	-	-	-65.96	8.52	49.56	73.98	-24.42
12310.00	Avg	H	-	-	-80.57	12.43	38.86	53.98	-15.12
12310.00	Peak	H	-	-	-68.30	12.43	51.13	73.98	-22.85

Table 7-34. Radiated Measurements CDD (RU26)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 116 of 159




Plot 7-146. Radiated Spurious Emissions above 1GHz CDD (802.11ax OFDMA – RU242 – Ch. 1)

Worst Case Mode:	<u>802.11ax OFDMA</u>
Worst Case Transfer Rate:	<u>MCS9</u>
RU Index:	<u>61</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>2412MHz</u>
Channel:	<u>01</u>

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	V	-	-	-77.56	4.22	33.65	53.98	-20.32
4824.00	Peak	V	-	-	-65.06	4.11	46.05	73.98	-27.93
12060.00	Avg	V	-	-	-80.52	11.94	38.41	53.98	-15.57
12060.00	Peak	V	-	-	-69.11	11.97	49.86	73.98	-24.12

Table 7-35. Radiated Measurements CDD (RU242)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		Page 117 of 159




Plot 7-147. Radiated Spurious Emissions above 1GHz CDD (802.11ax OFDMA – RU242 – Ch. 6)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	V	-	-	-77.56	4.22	33.65	53.98	-20.32
4824.00	Peak	V	-	-	-65.06	4.11	46.05	73.98	-27.93
12060.00	Avg	V	-	-	-80.52	11.94	38.41	53.98	-15.57
12060.00	Peak	V	-	-	-69.11	11.97	49.86	73.98	-24.12

Table 7-36. Radiated Measurements CDD (RU242)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 118 of 159



Plot 7-148. Radiated Spurious Emissions above 1GHz CDD (802.11ax OFDMA – RU242 – Ch. 11)


Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
4924.00	Avg	V	-	-	-77.54	4.31	33.77	53.98	-20.21
4924.00	Peak	V	-	-	-65.77	4.31	45.54	73.98	-28.44
7386.00	Avg	V	-	-	-78.32	8.69	37.36	53.98	-16.62
7386.00	Peak	V	-	-	-66.54	8.69	49.15	73.98	-24.83
12310.00	Avg	V	-	-	-80.60	12.48	38.88	53.98	-15.10
12310.00	Peak	V	-	-	-69.24	12.48	50.24	73.98	-23.74


Table 7-37. Radiated Measurements CDD (RU242)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		Page 119 of 159

Radiated Spurious Emissions Above 18GHz CDD



Plot 7-149. Radiated Spurious Emissions above 18GHz CDD (802.11ax OFDMA – RU26 – Ch. 6)



Plot 7-150. Radiated Spurious Emissions above 18GHz CDD (802.11ax OFDMA – RU242 – Ch. 6)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG		Test Dates: 11/28/2023 - 3/05/2024

7.7.4 Antenna 3a Radiated Restricted Band Edge Measurements

§15.205 §15.209; RSS-Gen [8.9]


The radiated restricted band edge measurements are measured with an EMI test receiver connected to the receive antenna while the EUT is transmitting.

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS9
RU Index:	8
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	1



Plot 7-151. Radiated Restricted Lower Band Edge Measurement Antenna 3a (Peak & Average – RU26)


Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS9
RU Index:	8
Distance of Measurements:	3 Meters
Operating Frequency:	2417MHz
Channel:	2



Plot 7-152. Radiated Restricted Lower Band Edge Measurement Antenna 3a (Peak & Average – RU26)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 121 of 159

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-153. Radiated Restricted Upper Band Edge Measurement Antenna 3a (Peak & Average – RU26)


Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-154. Radiated Restricted Upper Band Edge Measurement Antenna 3a (Peak & Average – RU26)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 122 of 159

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-155. Radiated Restricted Lower Band Edge Measurement Antenna 3a (Peak & Average – RU242)


Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-156. Radiated Restricted Lower Band Edge Measurement Antenna 3a (Peak & Average – RU242)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 123 of 159

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-157. Radiated Restricted Lower Band Edge Measurement Antenna 3a (Peak & Average – RU242)


Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-158. Radiated Restricted Lower Band Edge Measurement Antenna 3a (Peak & Average – RU242)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 124 of 159

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-159. Radiated Restricted Lower Band Edge Measurement Antenna 3a (Peak & Average – RU242)


Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-160. Radiated Restricted Lower Band Edge Measurement Antenna 3a (Peak & Average – RU242)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 125 of 159

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-161. Radiated Restricted Upper Band Edge Measurement Antenna 3a (Peak & Average – RU242)


Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-162. Radiated Restricted Upper Band Edge Measurement Antenna 3a (Peak & Average – RU242)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 126 of 159

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-163. Radiated Restricted Upper Band Edge Measurement Antenna 3a (Peak & Average – RU242)


Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-164. Radiated Restricted Upper Band Edge Measurement Antenna 3a (Peak & Average – RU242)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 127 of 159

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-165. Radiated Restricted Upper Band Edge Measurement Antenna 3a (Peak & Average – RU242)


Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-166. Radiated Restricted Upper Band Edge Measurement Antenna 3a (Peak & Average – RU242)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 128 of 159

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-167. Radiated Restricted Upper Band Edge Measurement Antenna 3a (Peak & Average – RU242)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 129 of 159

7.7.5 Antenna 1a Radiated Restricted Band Edge Measurements

§15.205 §15.209; RSS-Gen [8.9]


The radiated restricted band edge measurements are measured with an EMI test receiver connected to the receive antenna while the EUT is transmitting.

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS9
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	1



Plot 7-168. Radiated Restricted Lower Band Edge Measurement Antenna 1a (Peak & Average – RU26)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS9
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	2417MHz
Channel:	2




Plot 7-169. Radiated Restricted Lower Band Edge Measurement Antenna 1a (Peak & Average – RU26)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 130 of 159


V 10.6 9/14/2023

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-170. Radiated Restricted Upper Band Edge Measurement Antenna 1a (Peak & Average – RU26)


Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-171. Radiated Restricted Upper Band Edge Measurement Antenna 1a (Peak & Average – RU26)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 131 of 159

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-172. Radiated Restricted Lower Band Edge Measurement Antenna 1a (Peak & Average – RU242)


Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-173. Radiated Restricted Lower Band Edge Measurement Antenna 1a (Peak & Average – RU242)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 132 of 159

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-174. Radiated Restricted Lower Band Edge Measurement Antenna 1a (Peak & Average – RU242)

Worst Case Mode: 802.11ax OFDMA
 Worst Case Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-175. Radiated Restricted Lower Band Edge Measurement Antenna 1a (Peak & Average – RU242)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-17.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 133 of 159