




Plot 7-275. PSD Antenna WF5b (20MHz BW 802.11n – Ch. 40, MCS4)




Plot 7-278. PSD Antenna WF5b (40MHz BW 802.11ax(SU) – Ch. 46, MCS4)




Plot 7-276. PSD Antenna WF5b (20MHz BW 802.11ax(SU) – Ch. 40, MCS4)



Plot 7-279. PSD Antenna WF5b (80MHz BW 802.11ac – Ch. 42, MCS4)




Plot 7-277. PSD Antenna WF5b (40MHz BW 802.11n – Ch. 46, MCS4)




Plot 7-280. PSD Antenna WF5b (80MHz BW 802.11ax(SU) – Ch. 42, MCS4)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 146 of 588




Plot 7-281. PSD Antenna WF5b (160MHz BW 802.11ac – Ch. 50, MCS4)




Plot 7-284. PSD Antenna WF5b (20MHz BW 802.11ax(SU) – Ch. 60, MCS4)




Plot 7-282. PSD Antenna WF5b (160MHz BW 802.11ax(SU) – Ch. 50, MCS4)



Plot 7-285. PSD Antenna WF5b (40MHz BW 802.11n – Ch. 54, MCS4)



Plot 7-283. PSD Antenna WF5b (20MHz BW 802.11n – Ch. 60, MCS4)




Plot 7-286. PSD Antenna WF5b (40MHz BW 802.11ax(SU) – Ch. 54, MCS4)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 147 of 588




Plot 7-287. PSD Antenna WF5b (80MHz BW 802.11ac – Ch. 58, MCS4)




Plot 7-290. PSD Antenna WF5b (20MHz BW 802.11ax(SU) – Ch. 116, MCS4)




Plot 7-288. PSD Antenna WF5b (80MHz BW 802.11ax(SU) – Ch. 58, MCS4)



Plot 7-291. PSD Antenna WF5b (40MHz BW 802.11n – Ch. 110, MCS4)




Plot 7-289. PSD Antenna WF5b (20MHz BW 802.11n – Ch. 116, MCS4)




Plot 7-292. PSD Antenna WF5b (40MHz BW 802.11ax(SU) – Ch. 110, MCS4)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 148 of 588




Plot 7-293. PSD Antenna WF5b (80MHz BW 802.11ac – Ch. 122, MCS4)



Plot 7-296. PSD Antenna WF5b (160MHz BW 802.11ax(SU) – Ch. 114, MCS4)




Plot 7-294. PSD Antenna WF5b (80MHz BW 802.11ax(SU) – Ch. 122, MCS4)




Plot 7-295. PSD Antenna WF5b (160MHz BW 802.11ac – Ch. 114, MCS4)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 149 of 588




Plot 7-297. PSD Antenna WF5b (20MHz BW 802.11n – Ch. 40, MCS7)




Plot 7-300. PSD Antenna WF5b (40MHz BW 802.11ax(SU) – Ch. 46, MCS11)




Plot 7-298. PSD Antenna WF5b (20MHz BW 802.11ax(SU) – Ch. 40, MCS11)



Plot 7-301. PSD Antenna WF5b (80MHz BW 802.11ac – Ch. 42, MCS9)




Plot 7-299. PSD Antenna WF5b (40MHz BW 802.11n – Ch. 46, MCS7)




Plot 7-302. PSD Antenna WF5b (80MHz BW 802.11ax(SU) – Ch. 42, MCS11)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 150 of 588







Plot 7-303. PSD Antenna WF5b (160MHz BW 802.11ac – Ch. 50, MCS9)




Plot 7-306. PSD Antenna WF5b (20MHz BW 802.11ax(SU) – Ch. 60, MCS11)




Plot 7-304. PSD Antenna WF5b (160MHz BW 802.11ax(SU) – Ch. 50, MCS11)



Plot 7-307. PSD Antenna WF5b (40MHz BW 802.11n – Ch. 54, MCS7)




Plot 7-305. PSD Antenna WF5b (20MHz BW 802.11n – Ch. 60, MCS7)




Plot 7-308. PSD Antenna WF5b (40MHz BW 802.11ax(SU) – Ch. 54, MCS11)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 151 of 588




Plot 7-309. PSD Antenna WF5b (80MHz BW 802.11ac – Ch. 58, MCS9)




Plot 7-312. PSD Antenna WF5b (20MHz BW 802.11ax(SU) – Ch. 116, MCS11)




Plot 7-310. PSD Antenna WF5b (80MHz BW 802.11ax(SU) – Ch. 58, MCS11)



Plot 7-313. PSD Antenna WF5b (40MHz BW 802.11n – Ch. 110, MCS7)




Plot 7-311. PSD Antenna WF5b (20MHz BW 802.11n – Ch. 116, MCS7)




Plot 7-314. PSD Antenna WF5b (40MHz BW 802.11ax(SU) – Ch. 110, MCS11)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 152 of 588




Plot 7-315. PSD Antenna WF5b (80MHz BW 802.11ac – Ch. 122, MCS9)



Plot 7-318. PSD Antenna WF5b (160MHz BW 802.11ax(SU) – Ch. 114, MCS11)



Plot 7-316. PSD Antenna WF5b (80MHz BW 802.11ax(SU) – Ch. 122, MCS11)



Plot 7-317. PSD Antenna WF5b (160MHz BW 802.11ac – Ch. 114, MCS9)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 153 of 588



	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	19.5/21.7 (MCS2)	7.37	30.0	-22.63
	5785	157	n (20MHz)	19.5/21.7 (MCS2)	7.38	30.0	-22.62
	5825	165	n (20MHz)	19.5/21.7 (MCS2)	7.59	30.0	-22.41
	5745	149	ax (SU) (20MHz)	24/25.8 (MCS2)	5.90	30.0	-24.10
	5785	157	ax (SU) (20MHz)	24/25.8 (MCS2)	6.16	30.0	-23.84
	5825	165	ax (SU) (20MHz)	24/25.8 (MCS2)	6.09	30.0	-23.91
	5755	151	n (40MHz)	40/40.5 (MCS2)	4.50	30.0	-25.50
	5795	159	n (40MHz)	40/40.5 (MCS2)	4.31	30.0	-25.69
	5755	151	ax (SU) (40MHz)	49/51.6 (MCS2)	3.23	30.0	-26.77
	5795	159	ax (SU) (40MHz)	49/51.6 (MCS2)	3.07	30.0	-26.93
	5775	155	ac (80MHz)	87.8/97.5 (MCS2)	1.20	30.0	-28.80
5775	155	ax (SU) (80MHz)	102/108.1 (MCS2)	-1.96	30.0	-31.96	

**Table 7-203. Band 3 Power Spectral Density Measurements Antenna WF5b (Low Data Rate)**


	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	39/43.3 (MCS4)	7.51	30.0	-22.49
	5785	157	n (20MHz)	39/43.3 (MCS4)	7.65	30.0	-22.35
	5825	165	n (20MHz)	39/43.3 (MCS4)	7.68	30.0	-22.32
	5745	149	ax (SU) (20MHz)	49/51.6 (MCS4)	6.26	30.0	-23.74
	5785	157	ax (SU) (20MHz)	49/51.6 (MCS4)	6.42	30.0	-23.58
	5825	165	ax (SU) (20MHz)	49/51.6 (MCS4)	6.11	30.0	-23.89
	5755	151	n (40MHz)	81/90 (MCS4)	4.50	30.0	-25.50
	5795	159	n (40MHz)	81/90 (MCS4)	4.58	30.0	-25.42
	5755	151	ax (SU) (40MHz)	98/103.2 (MCS4)	3.12	30.0	-26.88
	5795	159	ax (SU) (40MHz)	98/103.2 (MCS4)	3.32	30.0	-26.68
	5775	155	ac (80MHz)	175.5/195 (MCS4)	0.69	30.0	-29.31
5775	155	ax (SU) (80MHz)	204/216.2 (MCS4)	-1.91	30.0	-31.91	

**Table 7-204. Band 3 Power Spectral Density Measurements Antenna WF5b (Mid Data Rate)**


	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	65/72.2 (MCS7)	6.24	30.0	-23.77
	5785	157	n (20MHz)	65/72.2 (MCS7)	6.30	30.0	-23.70
	5825	165	n (20MHz)	65/72.2 (MCS7)	6.18	30.0	-23.82
	5745	149	ax (SU) (20MHz)	135/143.4 (MCS11)	6.40	30.0	-23.60
	5785	157	ax (SU) (20MHz)	135/143.4 (MCS11)	6.18	30.0	-23.82
	5825	165	ax (SU) (20MHz)	135/143.4 (MCS11)	6.50	30.0	-23.50
	5755	151	n (40MHz)	135/150 (MCS7)	3.43	30.0	-26.57
	5795	159	n (40MHz)	135/150 (MCS7)	3.23	30.0	-26.77
	5755	151	ax (SU) (40MHz)	271/286 (MCS11)	3.41	30.0	-26.59
	5795	159	ax (SU) (40MHz)	271/286 (MCS11)	3.22	30.0	-26.78
	5775	155	ac (80MHz)	390/433.3 (MCS9)	-1.04	30.0	-31.04
	5775	155	ax (SU) (80MHz)	567/600.5 (MCS11)	-1.91	30.0	-31.91

**Table 7-205. Band 3 Power Spectral Density Measurements Antenna WF5b (High Data Rate)**


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device		Page 154 of 588




Plot 7-319. PSD Antenna WF5b (20MHz BW 802.11n - Ch. 157, MCS2)




Plot 7-322. PSD Antenna WF5b (40MHz BW 802.11ax(SU) - Ch. 151, MCS2)




Plot 7-320. PSD Antenna WF5b (20MHz BW 802.11ax(SU) - Ch. 157, MCS2)



Plot 7-323. PSD Antenna WF5b (80MHz BW 802.11ac - Ch. 155, MCS2)




Plot 7-321. PSD Antenna WF5b (40MHz BW 802.11n - Ch. 151, MCS2)




Plot 7-324. PSD Antenna WF5b (80MHz BW 802.11ax(SU) - Ch. 155, MCS2)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 155 of 588




Plot 7-325. PSD Antenna WF5b (20MHz BW 802.11n - Ch. 157, MCS4)




Plot 7-328. PSD Antenna WF5b (40MHz BW 802.11ax(SU) - Ch. 151, MCS4)




Plot 7-326. PSD Antenna WF5b (20MHz BW 802.11ax(SU) - Ch. 157, MCS4)



Plot 7-329. PSD Antenna WF5b (80MHz BW 802.11ac - Ch. 155, MCS4)




Plot 7-327. PSD Antenna WF5b (40MHz BW 802.11n - Ch. 151, MCS4)




Plot 7-330. PSD Antenna WF5b (80MHz BW 802.11ax(SU) - Ch. 155, MCS4)


FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 156 of 588




Plot 7-331. PSD Antenna WF5b (20MHz BW 802.11n – Ch. 157, MCS7)




Plot 7-334. PSD Antenna WF5b (40MHz BW 802.11ax(SU) – Ch. 151, MCS11)




Plot 7-332. PSD Antenna WF5b (20MHz BW 802.11ax(SU) – Ch. 157, MCS11)



Plot 7-335. PSD Antenna WF5b (80MHz BW 802.11ac – Ch. 155, MCS9)



Plot 7-333. PSD Antenna WF5b (40MHz BW 802.11n – Ch. 151, MCS7)



Plot 7-336. PSD Antenna WF5b (80MHz BW 802.11ax(SU) – Ch. 155, MCS11)

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 157 of 588

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	5.81	1.50	7.31	10.0	-2.69
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	6.22	1.50	7.72	10.0	-2.28
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	5.90	1.50	7.40	10.0	-2.60
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	4.60	1.50	6.10	10.0	-3.90
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	4.54	1.50	6.04	10.0	-3.96
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	4.24	1.50	5.74	10.0	-4.26
	5190	38	n (40MHz)	40/40.5 (MCS2)	3.09	1.50	4.59	10.0	-5.41
	5230	46	n (40MHz)	40/40.5 (MCS2)	5.73	1.50	7.23	10.0	-2.77
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	-0.53	1.50	0.98	10.0	-9.03
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	4.28	1.50	5.78	10.0	-4.22
5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-2.18	1.50	-0.68	10.0	-10.68	
5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-3.61	1.50	-2.11	10.0	-12.11	
Band 1/2	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	-6.06	1.50	-4.56	10.0	-14.56
	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	-7.87	1.50	-6.37	10.0	-16.37

Table 7-206. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF5b (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	6.04	1.50	7.54	10.0	-2.47
	5200	40	n (20MHz)	39/43.3 (MCS4)	6.28	1.50	7.78	10.0	-2.22
	5240	48	n (20MHz)	39/43.3 (MCS4)	6.42	1.50	7.92	10.0	-2.08
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	4.68	1.50	6.18	10.0	-3.82
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	4.58	1.50	6.08	10.0	-3.93
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	4.53	1.50	6.03	10.0	-3.97
	5190	38	n (40MHz)	81/90 (MCS4)	2.01	1.50	3.51	10.0	-6.49
	5230	46	n (40MHz)	81/90 (MCS4)	5.71	1.50	7.21	10.0	-2.79
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	-0.74	1.50	0.76	10.0	-9.24
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	4.74	1.50	6.24	10.0	-3.76
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-2.30	1.50	-0.80	10.0	-10.80
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-4.73	1.50	-3.23	10.0	-13.23
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	-7.22	1.50	-5.72	10.0	-15.72
	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	-8.60	1.50	-7.10	10.0	-17.10

Table 7-207. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF5b (Mid Data Rate)

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	4.97	1.50	6.47	10.0	-3.54
	5200	40	n (20MHz)	65/72.2 (MCS7)	5.00	1.50	6.50	10.0	-3.50
	5240	48	n (20MHz)	65/72.2 (MCS7)	5.43	1.50	6.93	10.0	-3.07
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	5.05	1.50	6.55	10.0	-3.45
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	5.22	1.50	6.72	10.0	-3.28
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	4.88	1.50	6.38	10.0	-3.62
	5190	38	n (40MHz)	135/150 (MCS7)	0.60	1.50	2.10	10.0	-7.90
	5230	46	n (40MHz)	135/150 (MCS7)	4.69	1.50	6.19	10.0	-3.81
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	-0.23	1.50	1.27	10.0	-8.73
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	4.53	1.50	6.03	10.0	-3.98
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-3.49	1.50	-1.99	10.0	-11.99
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.39	1.50	-2.89	10.0	-12.89
	Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	-7.81	1.50	-6.31	10.0
5250		50	ax (SU) (160MHz)	567/600.5 (MCS11)	-8.08	1.50	-6.58	10.0	-16.58

Table 7-208. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF5b (High Data Rate)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 158 of 588