




Plot 7-337. ISED PSD Antenna WF5b (20MHz BW 11n – Ch.40, MCS2)




Plot 7-340. ISED PSD Antenna WF5b (40MHz BW 11ax(SU) – Ch.46, MCS2)




Plot 7-338. ISED PSD Antenna WF5b (20MHz BW 11ax(SU) – Ch.40, MCS2)



Plot 7-341. ISED PSD Antenna WF5b (80MHz BW 11ac – Ch.42, MCS2)




Plot 7-339. ISED PSD Antenna WF5b (40MHz BW 11n – Ch.46, MCS2)




Plot 7-342. ISED PSD Antenna WF5b (80MHz BW 11ax(SU) – Ch.42, MCS2)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 159 of 588




Plot 7-343. ISED PSD Antenna WF5b (160MHz BW 11ac – Ch.50, MCS2)




Plot 7-344. ISED PSD Antenna WF5b (160MHz BW 11ax (SU) – Ch.50, MCS2)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 160 of 588




Plot 7-345. ISED PSD Antenna WF5b (20MHz BW 11n – Ch.40, MCS4)




Plot 7-348. ISED PSD Antenna WF5b (40MHz BW 11ax(SU) – Ch.46, MCS4)




Plot 7-346. ISED PSD Antenna WF5b (20MHz BW 11ax(SU) – Ch.40, MCS4)



Plot 7-349. ISED PSD Antenna WF5b (80MHz BW 11ac – Ch.42, MCS4)




Plot 7-347. ISED PSD Antenna WF5b (40MHz BW 11n – Ch.46, MCS4)




Plot 7-350. ISED PSD Antenna WF5b (80MHz BW 11ax(SU) – Ch.42, MCS4)

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 161 of 588




Plot 7-351. ISED PSD Antenna WF5b (160MHz BW 11ac – Ch.50, MCS4)




Plot 7-352. ISED PSD Antenna WF5b (160MHz BW 11ax (SU) – Ch.50, MCS4)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 162 of 588




Plot 7-353. ISED PSD Antenna WF5b (20MHz BW 11n – Ch.40, MCS7)




Plot 7-356. ISED PSD Antenna WF5b (40MHz BW 11ax(SU) – Ch.46, MCS11)




Plot 7-354. ISED PSD Antenna WF5b (20MHz BW 11ax(SU) – Ch.40, MCS11)



Plot 7-357. ISED PSD Antenna WF5b (80MHz BW 11ac – Ch.42, MCS9)




Plot 7-355. ISED PSD Antenna WF5b (40MHz BW 11n – Ch.46, MCS7)




Plot 7-358. ISED PSD Antenna WF5b (80MHz BW 11ax (SU) – Ch.42, MCS11)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 163 of 588



Plot 7-359. ISED PSD Antenna WF5b (160MHz BW 11ac – Ch.50, MCS9)



Plot 7-360. ISED PSD Antenna WF5b (160MHz BW 11ax (SU) – Ch.50, MCS11)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 164 of 588

## 7.5.2 Antenna WF8 Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]	
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	8.73	11.00	-2.27	
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	10.64	11.00	-0.36	
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	10.28	11.00	-0.72	
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	5.75	11.00	-5.25	
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	9.13	11.00	-1.87	
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	8.76	11.00	-2.24	
	5190	38	n (40MHz)	40/40.5 (MCS2)	2.95	11.00	-8.05	
	5230	46	n (40MHz)	40/40.5 (MCS2)	7.61	11.00	-3.39	
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	-0.42	11.00	-11.42	
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	6.34	11.00	-4.66	
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-1.95	11.00	-12.95	
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-3.54	11.00	-14.54	
Band 1/2	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	-6.18	11.00	-17.18	
	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	-7.60	11.00	-18.60	
Band 2A	5260	52	n (20MHz)	19.5/21.7 (MCS2)	9.87	11.00	-1.14	
	5300	60	n (20MHz)	19.5/21.7 (MCS2)	9.96	11.00	-1.04	
	5320	64	n (20MHz)	19.5/21.7 (MCS2)	9.01	11.00	-1.99	
	5260	52	ax (SU) (20MHz)	24/25.8 (MCS2)	8.48	11.00	-2.52	
	5300	60	ax (SU) (20MHz)	24/25.8 (MCS2)	8.66	11.00	-2.34	
	5320	64	ax (SU) (20MHz)	24/25.8 (MCS2)	6.43	11.00	-4.57	
	5270	54	n (40MHz)	40/40.5 (MCS2)	7.51	11.00	-3.49	
	5310	62	n (40MHz)	40/40.5 (MCS2)	3.31	11.00	-7.69	
	5270	54	ax (SU) (40MHz)	49/51.6 (MCS2)	6.25	11.00	-4.75	
	5310	62	ax (SU) (40MHz)	49/51.6 (MCS2)	1.40	11.00	-9.60	
	5290	58	ac (80MHz)	87.8/97.5 (MCS2)	-0.43	11.00	-11.43	
	5290	58	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.74	11.00	-13.74	
	Band 2C	5500	100	n (20MHz)	19.5/21.7 (MCS2)	8.10	11.00	-2.90
		5580	116	n (20MHz)	19.5/21.7 (MCS2)	10.10	11.00	-0.90
		*5600	120	n (20MHz)	19.5/21.7 (MCS2)	10.05	11.00	-0.95
		5700	140	n (20MHz)	19.5/21.7 (MCS2)	7.68	11.00	-3.32
5720		144	n (20MHz)	19.5/21.7 (MCS2)	10.19	11.00	-0.82	
5500		100	ax (SU) (20MHz)	24/25.8 (MCS2)	6.35	11.00	-4.65	
5580		116	ax (SU) (20MHz)	24/25.8 (MCS2)	8.59	11.00	-2.41	
*5600		120	ax (SU) (20MHz)	24/25.8 (MCS2)	8.83	11.00	-2.17	
5700		140	ax (SU) (20MHz)	24/25.8 (MCS2)	3.63	11.00	-7.37	
5720		144	ax (SU) (20MHz)	24/25.8 (MCS2)	9.04	11.00	-1.96	
5510		102	n (40MHz)	40/40.5 (MCS2)	2.91	11.00	-8.09	
5550		110	n (40MHz)	40/40.5 (MCS2)	7.35	11.00	-3.66	
*5590		118	n (40MHz)	40/40.5 (MCS2)	7.09	11.00	-3.91	
5670		134	n (40MHz)	40/40.5 (MCS2)	5.65	11.00	-5.35	
5710		142	n (40MHz)	40/40.5 (MCS2)	7.42	11.00	-3.59	
5510		102	ax (SU) (40MHz)	49/51.6 (MCS2)	-0.02	11.00	-11.02	
5550		110	ax (SU) (40MHz)	49/51.6 (MCS2)	5.24	11.00	-5.76	
*5590		118	ax (SU) (40MHz)	49/51.6 (MCS2)	5.83	11.00	-5.17	
5670		134	ax (SU) (40MHz)	49/51.6 (MCS2)	3.78	11.00	-7.22	
5710		142	ax (SU) (40MHz)	49/51.6 (MCS2)	6.12	11.00	-4.88	
5530		106	ac (80MHz)	87.8/97.5 (MCS2)	-1.03	11.00	-12.03	
*5610		122	ac (80MHz)	87.8/97.5 (MCS2)	4.30	11.00	-6.70	
5690		138	ac (80MHz)	87.8/97.5 (MCS2)	4.06	11.00	-6.94	
5530		106	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.46	11.00	-13.46	
*5610		122	ax (SU) (80MHz)	102/108.1 (MCS2)	1.44	11.00	-9.56	
5690		138	ax (SU) (80MHz)	102/108.1 (MCS2)	3.04	11.00	-7.96	
*5570		114	ac (160MHz)	87.8/97.5 (MCS2)	-5.83	11.00	-16.83	
*5570		114	ax (SU) (160MHz)	102/108.1 (MCS2)	-6.98	11.00	-17.98	

**Table 7-209. Power Spectral Density Measurements Antenna WF8 (Low Data Rate)**

\*TDWR channel is not supported for ISED (denoted by a \* next to the frequency)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 165 of 588

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	8.38	11.00	-2.62
	5200	40	n (20MHz)	39/43.3 (MCS4)	10.50	11.00	-0.50
	5240	48	n (20MHz)	39/43.3 (MCS4)	10.33	11.00	-0.67
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	5.92	11.00	-5.08
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	9.17	11.00	-1.83
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	9.03	11.00	-1.97
	5190	38	n (40MHz)	81/90 (MCS4)	1.96	11.00	-9.04
	5230	46	n (40MHz)	81/90 (MCS4)	7.58	11.00	-3.42
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	-0.42	11.00	-11.42
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	6.30	11.00	-4.70
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-2.42	11.00	-13.42
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-4.69	11.00	-15.69
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	-7.04	11.00	-18.04
	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	-8.63	11.00	-19.63
Band 2A	5260	52	n (20MHz)	39/43.3 (MCS4)	10.19	11.00	-0.81
	5300	60	n (20MHz)	39/43.3 (MCS4)	10.33	11.00	-0.67
	5320	64	n (20MHz)	39/43.3 (MCS4)	8.53	11.00	-2.47
	5260	52	ax (SU) (20MHz)	49/51.6 (MCS4)	8.88	11.00	-2.12
	5300	60	ax (SU) (20MHz)	49/51.6 (MCS4)	8.82	11.00	-2.18
	5320	64	ax (SU) (20MHz)	49/51.6 (MCS4)	5.77	11.00	-5.23
	5270	54	n (40MHz)	81/90 (MCS4)	7.81	11.00	-3.19
	5310	62	n (40MHz)	81/90 (MCS4)	3.23	11.00	-7.77
	5270	54	ax (SU) (40MHz)	98/103.2 (MCS4)	6.20	11.00	-4.80
	5310	62	ax (SU) (40MHz)	98/103.2 (MCS4)	0.64	11.00	-10.36
	5290	58	ac (80MHz)	175.5/195 (MCS4)	-1.65	11.00	-12.65
	5290	58	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.96	11.00	-13.96
Band 2C	5500	100	n (20MHz)	39/43.3 (MCS4)	7.16	11.00	-3.84
	5580	116	n (20MHz)	39/43.3 (MCS4)	10.34	11.00	-0.66
	*5600	120	n (20MHz)	39/43.3 (MCS4)	10.27	11.00	-0.73
	5700	140	n (20MHz)	39/43.3 (MCS4)	6.79	11.00	-4.21
	5720	144	n (20MHz)	39/43.3 (MCS4)	10.60	11.00	-0.40
	5500	100	ax (SU) (20MHz)	49/51.6 (MCS4)	5.60	11.00	-5.40
	5580	116	ax (SU) (20MHz)	49/51.6 (MCS4)	8.78	11.00	-2.23
	*5600	120	ax (SU) (20MHz)	49/51.6 (MCS4)	8.94	11.00	-2.06
	5700	140	ax (SU) (20MHz)	49/51.6 (MCS4)	3.64	11.00	-7.36
	5720	144	ax (SU) (20MHz)	49/51.6 (MCS4)	9.26	11.00	-1.74
	5510	102	n (40MHz)	81/90 (MCS4)	2.31	11.00	-8.69
	5550	110	n (40MHz)	81/90 (MCS4)	6.60	11.00	-4.40
	*5590	118	n (40MHz)	81/90 (MCS4)	7.19	11.00	-3.81
	5670	134	n (40MHz)	81/90 (MCS4)	4.90	11.00	-6.10
	5710	142	n (40MHz)	81/90 (MCS4)	7.42	11.00	-3.58
	5510	102	ax (SU) (40MHz)	98/103.2 (MCS4)	-0.12	11.00	-11.12
	5550	110	ax (SU) (40MHz)	98/103.2 (MCS4)	4.38	11.00	-6.62
	*5590	118	ax (SU) (40MHz)	98/103.2 (MCS4)	5.89	11.00	-5.11
	5670	134	ax (SU) (40MHz)	98/103.2 (MCS4)	2.78	11.00	-8.23
	5710	142	ax (SU) (40MHz)	98/103.2 (MCS4)	6.49	11.00	-4.52
	5530	106	ac (80MHz)	175.5/195 (MCS4)	-1.51	11.00	-12.51
	*5610	122	ac (80MHz)	175.5/195 (MCS4)	3.95	11.00	-7.05
	5690	138	ac (80MHz)	175.5/195 (MCS4)	4.18	11.00	-6.82
	5530	106	ax (SU) (80MHz)	204/216.2 (MCS4)	-3.66	11.00	-14.66
	*5610	122	ax (SU) (80MHz)	204/216.2 (MCS4)	0.87	11.00	-10.13
	5690	138	ax (SU) (80MHz)	204/216.2 (MCS4)	3.34	11.00	-7.66
	*5570	114	ac (160MHz)	175.5/195 (MCS4)	-6.71	11.00	-17.71
	*5570	114	ax (SU) (160MHz)	204/216.2 (MCS4)	-8.00	11.00	-19.00

**Table 7-210. Power Spectral Density Measurements Antenna WF8 (Mid Data Rate)**

\*TDWR channel is not supported for ISED (denoted by a \* next to the frequency)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 166 of 588




	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	5.77	11.00	-5.23
	5200	40	n (20MHz)	65/72.2 (MCS7)	9.22	11.00	-1.78
	5240	48	n (20MHz)	65/72.2 (MCS7)	8.74	11.00	-2.26
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	5.16	11.00	-5.84
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	9.24	11.00	-1.76
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	8.83	11.00	-2.17
	5190	38	n (40MHz)	135/150 (MCS7)	0.16	11.00	-10.84
	5230	46	n (40MHz)	135/150 (MCS7)	6.39	11.00	-4.61
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	-0.35	11.00	-11.35
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	5.67	11.00	-5.33
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-3.66	11.00	-14.66
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.53	11.00	-15.53
Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	-8.39	11.00	-19.39
	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	-8.32	11.00	-19.32
Band 2A	5260	52	n (20MHz)	65/72.2 (MCS7)	8.90	11.00	-2.10
	5300	60	n (20MHz)	65/72.2 (MCS7)	8.94	11.00	-2.07
	5320	64	n (20MHz)	65/72.2 (MCS7)	6.07	11.00	-4.93
	5260	52	ax (SU) (20MHz)	135/143.4 (MCS11)	8.76	11.00	-2.24
	5300	60	ax (SU) (20MHz)	135/143.4 (MCS11)	8.92	11.00	-2.08
	5320	64	ax (SU) (20MHz)	135/143.4 (MCS11)	5.38	11.00	-5.63
	5270	54	n (40MHz)	135/150 (MCS7)	6.33	11.00	-4.68
	5310	62	n (40MHz)	135/150 (MCS7)	0.54	11.00	-10.46
	5270	54	ax (SU) (40MHz)	271/286 (MCS11)	5.58	11.00	-5.42
	5310	62	ax (SU) (40MHz)	271/286 (MCS11)	0.18	11.00	-10.83
	5290	58	ac (80MHz)	390/433.3 (MCS9)	-2.76	11.00	-13.76
	5290	58	ax (SU) (80MHz)	567/600.5 (MCS11)	-3.49	11.00	-14.49
Band 2C	5500	100	n (20MHz)	65/72.2 (MCS7)	4.47	11.00	-6.53
	5580	116	n (20MHz)	65/72.2 (MCS7)	9.15	11.00	-1.85
	*5600	120	n (20MHz)	65/72.2 (MCS7)	8.86	11.00	-2.14
	5700	140	n (20MHz)	65/72.2 (MCS7)	3.18	11.00	-7.82
	5720	144	n (20MHz)	65/72.2 (MCS7)	8.93	11.00	-2.07
	5500	100	ax (SU) (20MHz)	135/143.4 (MCS11)	4.62	11.00	-6.38
	5580	116	ax (SU) (20MHz)	135/143.4 (MCS11)	8.93	11.00	-2.07
	*5600	120	ax (SU) (20MHz)	135/143.4 (MCS11)	8.80	11.00	-2.20
	5700	140	ax (SU) (20MHz)	135/143.4 (MCS11)	3.15	11.00	-7.85
	5720	144	ax (SU) (20MHz)	135/143.4 (MCS11)	8.97	11.00	-2.03
	5510	102	n (40MHz)	135/150 (MCS7)	-0.15	11.00	-11.15
	5550	110	n (40MHz)	135/150 (MCS7)	4.77	11.00	-6.23
	*5590	118	n (40MHz)	135/150 (MCS7)	6.01	11.00	-4.99
	5670	134	n (40MHz)	135/150 (MCS7)	1.43	11.00	-9.57
	5710	142	n (40MHz)	135/150 (MCS7)	6.32	11.00	-4.68
	5510	102	ax (SU) (40MHz)	271/286 (MCS11)	-1.38	11.00	-12.38
	5550	110	ax (SU) (40MHz)	271/286 (MCS11)	4.64	11.00	-6.36
	*5590	118	ax (SU) (40MHz)	271/286 (MCS11)	6.09	11.00	-4.92
	5670	134	ax (SU) (40MHz)	271/286 (MCS11)	1.11	11.00	-9.89
	5710	142	ax (SU) (40MHz)	271/286 (MCS11)	6.11	11.00	-4.89
	5530	106	ac (80MHz)	390/433.3 (MCS9)	-3.61	11.00	-14.61
	*5610	122	ac (80MHz)	390/433.3 (MCS9)	0.29	11.00	-10.71
	5690	138	ac (80MHz)	390/433.3 (MCS9)	3.27	11.00	-7.73
	5530	106	ax (SU) (80MHz)	567/600.5 (MCS11)	-3.55	11.00	-14.55
	*5610	122	ax (SU) (80MHz)	567/600.5 (MCS11)	0.14	11.00	-10.87
	5690	138	ax (SU) (80MHz)	567/600.5 (MCS11)	3.30	11.00	-7.70
	*5570	114	ac (160MHz)	390/433.3 (MCS9)	-8.64	11.00	-19.64
	*5570	114	ax (SU) (160MHz)	567/600.5 (MCS11)	-8.64	11.00	-19.64


**Table 7-211. Power Spectral Density Measurements Antenna WF8 (High Data Rate)**

\*TDWR channel is not supported for ISED (denoted by a \* next to the frequency)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 167 of 588




Plot 7-361. PSD Antenna WF8 (20MHz BW 802.11n - Ch. 40, MCS2)




Plot 7-364. PSD Antenna WF8 (40MHz BW 802.11ax(SU) - Ch. 46, MCS2)




Plot 7-362. PSD Antenna WF8 (20MHz BW 802.11ax(SU) - Ch. 40, MCS2)



Plot 7-365. PSD Antenna WF8 (80MHz BW 802.11ac - Ch. 42, MCS2)




Plot 7-363. PSD Antenna WF8 (40MHz BW 802.11n - Ch. 46, MCS2)




Plot 7-366. PSD Antenna WF8 (80MHz BW 802.11ax(SU) - Ch. 42, MCS2)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 168 of 588




Plot 7-367. PSD Antenna WF8 (160MHz BW 802.11ac – Ch. 50, MCS2)




Plot 7-370. PSD Antenna WF8 (20MHz BW 802.11ax(SU) – Ch. 60, MCS2)




Plot 7-368. PSD Antenna WF8 (160MHz BW 802.11ax(SU) – Ch. 50, MCS2)



Plot 7-371. PSD Antenna WF8 (40MHz BW 802.11n – Ch. 54, MCS2)



Plot 7-369. PSD Antenna WF8 (20MHz BW 802.11n – Ch. 60, MCS2)




Plot 7-372. PSD Antenna WF8 (40MHz BW 802.11ax(SU) – Ch. 54, MCS2)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 169 of 588




Plot 7-373. PSD Antenna WF8 (80MHz BW 802.11ac – Ch. 58, MCS2)




Plot 7-376. PSD Antenna WF8 (20MHz BW 802.11ax(SU) – Ch. 116, MCS2)




Plot 7-374. PSD Antenna WF8 (80MHz BW 802.11ax(SU) – Ch. 58, MCS2)



Plot 7-377. PSD Antenna WF8 (40MHz BW 802.11n – Ch. 110, MCS2)




Plot 7-375. PSD Antenna WF8 (20MHz BW 802.11n – Ch. 116, MCS2)




Plot 7-378. PSD Antenna WF8 (40MHz BW 802.11ax(SU) – Ch. 110, MCS2)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 170 of 588




Plot 7-379. PSD Antenna WF8 (80MHz BW 802.11ac – Ch. 122, MCS2)



Plot 7-382. PSD Antenna WF8 (160MHz BW 802.11ax(SU) – Ch. 114, MCS2)




Plot 7-380. PSD Antenna WF8 (80MHz BW 802.11ax(SU) – Ch. 122, MCS2)




Plot 7-381. PSD Antenna WF8 (160MHz BW 802.11ac – Ch. 114, MCS2)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 171 of 588




Plot 7-383. PSD Antenna WF8 (20MHz BW 802.11n – Ch. 40, MCS4)




Plot 7-386. PSD Antenna WF8 (40MHz BW 802.11ax(SU) – Ch. 46, MCS4)




Plot 7-384. PSD Antenna WF8 (20MHz BW 802.11ax(SU) – Ch. 40, MCS4)



Plot 7-387. PSD Antenna WF8 (80MHz BW 802.11ac – Ch. 42, MCS4)




Plot 7-385. PSD Antenna WF8 (40MHz BW 802.11n – Ch. 46, MCS4)




Plot 7-388. PSD Antenna WF8 (80MHz BW 802.11ax(SU) – Ch. 42, MCS4)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 172 of 588




Plot 7-389. PSD Antenna WF8 (160MHz BW 802.11ac – Ch. 50, MCS4)




Plot 7-392. PSD Antenna WF8 (20MHz BW 802.11ax(SU) – Ch. 60, MCS4)




Plot 7-390. PSD Antenna WF8 (160MHz BW 802.11ax(SU) – Ch. 50, MCS4)



Plot 7-393. PSD Antenna WF8 (40MHz BW 802.11n – Ch. 54, MCS4)









Plot 7-391. PSD Antenna WF8 (20MHz BW 802.11n – Ch. 60, MCS4)




Plot 7-394. PSD Antenna WF8 (40MHz BW 802.11ax(SU) – Ch. 54, MCS4)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 173 of 588




FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 174 of 588






Plot 7-401. PSD Antenna WF8 (80MHz BW 802.11ac – Ch. 122, MCS4)



Plot 7-404. PSD Antenna WF8 (160MHz BW 802.11ax(SU) – Ch. 114, MCS4)



Plot 7-402. PSD Antenna WF8 (80MHz BW 802.11ax(SU) – Ch. 122, MCS4)



Plot 7-403. PSD Antenna WF8 (160MHz BW 802.11ac – Ch. 114, MCS4)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-11-R2.BCG	Test Dates: 11/29/2023-02/03/2024	EUT Type: Tablet Device	Page 175 of 588