



Plot 7-203. PSD Antenna WF5B (40MHz BW 11ax Index 44 - RU52 - Ch.110)



Plot 7-201. PSD Antenna WF5B (40MHz BW 11ax Index 37 – RU52 – Ch.110)




FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 420 of 452
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 130 of 453
















Plot 7-206. PSD Antenna WF5B (80MHz BW 11ax Index 44 - RU52 - Ch.122)

Plot 7-209. PSD Antenna WF5B (160MHz BW 11ax Index 37 - RU52 - Ch.114 (L))







Plot 7-207. PSD Antenna WF5B (80MHz BW 11ax Index 52 – RU52 – Ch.122)


Plot 7-210. PSD Antenna WF5B (160MHz BW 11ax Index 52 - RU52 - Ch.114 (L))

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 424 of 452
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 131 of 453









Plot 7-212. PSD Antenna WF5B (160MHz BW 11ax - RU996x2 - Ch.114)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 122 of 452
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 132 of 453



	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
				26	0	12.5/14.7 (MCS11)	5.19	30.0	-24.82
	5745	149	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.41	30.0	-24.59
				26	8	12.5/14.7 (MCS11)	5.40	30.0	-24.60
			ax (20MHz)	26	0	12.5/14.7 (MCS11)	5.74	30.0	-24.26
	5785	157		26	4	12.5/14.7 (MCS11)	5.95	30.0	-24.05
				26	8	12.5/14.7 (MCS11)	5.43	30.0	-24.58
			ax (20MHz)	26	0	12.5/14.7 (MCS11)	5.25	30.0	-24.75
က	5825	165		ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.92	30.0
ğ				26	8	12.5/14.7 (MCS11)	5.79	30.0	-24.21
Band				26	0	12.5/14.7 (MCS11)	4.93	30.0	-25.07
_	5755	151	ax (40MHz)	26	8	12.5/14.7 (MCS11)	5.59	30.0	-24.41
				26	17	12.5/14.7 (MCS11)	4.86	30.0	-25.14
				26	0	12.5/14.7 (MCS11)	4.76	30.0	-25.24
	5795	159	ax (40MHz)	26	8	12.5/14.7 (MCS11)	5.72	30.0	-24.28
				26	17	12.5/14.7 (MCS11)	5.19	30.0	-24.81
				26	0	12.5/14.7 (MCS11)	5.50	30.0	-24.51
	5775	155	55 ax (80MHz)	26	18	12.5/14.7 (MCS11)	4.64	30.0	-25.36
				26	36	12.5/14.7 (MCS11)	5.25	30.0	-24.75

Table 7-170. Band 3 Power Spectral Density Measurements Antenna WF5B (RU26)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
	5745	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.30	30.0	-23.70
က	5785	157	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.17	30.0	-23.83
	5825	165	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.08	30.0	-23.92
Band	5755	151	ax (40MHz)	484	65	243.8/286.8 (MCS11)	3.10	30.0	-26.90
_	5795	159	ax (40MHz)	484	65	243.8/286.8 (MCS11)	2.87	30.0	-27.13
	5775	155	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-1.72	30.0	-31.72

Table 7-171. Band 3 Power Spectral Density Measurements Antenna WF5B (Fully-loaded RU)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 122 of 452
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 133 of 453











Plot 7-214. PSD Antenna WF5B (20MHz BW 11ax Index 4 - RU26 - Ch.157)



Plot 7-217. PSD Antenna WF5B (40MHz BW 11ax Index 0 - RU26 - Ch.151)







Plot 7-218. PSD Antenna WF5B (40MHz BW 11ax Index 8 - RU26 - Ch.151)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 124 of 452
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 134 of 453










Plot 7-222. PSD Antenna WF5B (80MHz BW 11ax Index 18 - RU26 - Ch.155)





Plot 7-223. PSD Antenna WF5B (80MHz BW 11ax Index 36 - RU26 - Ch.155)



Plot 7-221. PSD Antenna WF5B (80MHz BW 11ax Index 0 - RU26 - Ch.155)



Plot 7-224. PSD Antenna WF5B (80MHz BW 11ax - RU996 - Ch.155)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 425 of 452
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 135 of 453



	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
				26	0	12.5/14.7 (MCS11)	4.33	1.50	5.83	10.0	-4.17
	5180	36	ax (20MHz)	26	4	12.5/14.7 (MCS11)	3.86	1.50	5.36	10.0	-4.64
				26	8	12.5/14.7 (MCS11)	5.03	1.50	6.53	10.0	-3.47
				26	0	12.5/14.7 (MCS11)	4.95	1.50	6.45	10.0	-3.55
	5200	40	ax (20MHz)	26	4	12.5/14.7 (MCS11)	3.67	1.50	5.17	10.0	-4.84
				26	8	12.5/14.7 (MCS11)	4.77	1.50	6.27	10.0	-3.73
				26	0	12.5/14.7 (MCS11)	4.87	1.50	6.37	10.0	-3.63
	5240	48	ax (20MHz)	26	4	12.5/14.7 (MCS11)	3.93	1.50	5.43	10.0	-4.57
_				26	8	12.5/14.7 (MCS11)	5.06	1.50	6.56	10.0	-3.44
<u>5</u>				26	0	12.5/14.7 (MCS11)	5.16	1.50	6.66	10.0	-3.34
Band	5190	38	ax (40MHz)	26	8	12.5/14.7 (MCS11)	4.85	1.50	6.35	10.0	-3.65
_				26	17	12.5/14.7 (MCS11)	5.04	1.50	6.54	10.0	-3.46
				26	0	12.5/14.7 (MCS11)	4.59	1.50	6.09	10.0	-3.92
	5230	46	ax (40MHz)	26	8	12.5/14.7 (MCS11)	4.84	1.50	6.34	10.0	-3.66
				26	17	12.5/14.7 (MCS11)	5.10	1.50	6.60	10.0	-3.40
			42 ax (80MHz)	26	0	12.5/14.7 (MCS11)	4.70	1.50	6.20	10.0	-3.80
	5210	42		26	18	12.5/14.7 (MCS11)	3.76	1.50	5.26	10.0	-4.74
				26	36	12.5/14.7 (MCS11)	5.01	1.50	6.51	10.0	-3.49
	5250	50 (L)	ov (160MH=)	52	37	25/29.4 (MCS11)	5.07	1.50	6.57	10.0	-3.43
	5250	30 (L)	ax (160MHz)	52	52	25/29.4 (MCS11)	5.32	1.50	6.82	10.0	-3.18

Table 7-172. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF5B (RU26/RU52)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
	5180	36	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.41	1.50	5.91	10.0	-4.09
	5200	40	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.86	1.50	6.36	10.0	-3.64
_	5240	48	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.92	1.50	6.42	10.0	-3.58
and	5190	38	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-1.70	1.50	-0.20	10.0	-10.20
Ba	5230	46	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.40	1.50	5.90	10.0	-4.10
	5210	42	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.64	1.50	-3.14	10.0	-13.14
	5250	50	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-8.78	1.50	-7.28	10.0	-17.28

Table 7-173. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF5B (Fully-loaded RU)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 120 of 152
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 136 of 453








#Avg Type: RMS Avg|Hold: 100/100

Plot 7-225. ISED PSD Antenna WF5B (20MHz BW 11ax Index 0 - RU26 - Ch.40)

Plot 7-228. ISED PSD Antenna WF5B (20MHz BW 11ax- RU242 - Ch.40)






Plot 7-226 ISED PSD Antenna WE5B (20MHz BW 11ax Index 4 - RU26 - Ch 40)

Plot 7-229. ISED PSD Antenna WF5B (40MHz BW 11ax Index 0 - RU26 - Ch.46)






Plot 7-227. ISED PSD Antenna WF5B (20MHz BW 11ax Index 8- RU26 - Ch.40)

Plot 7-230. ISED PSD Antenna WF5B (40MHz BW 11ax Index 8 - RU26 - Ch.46)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 407 of 450
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 137 of 453













Plot 7-232. ISED PSD Antenna WF5B (40MHz BW 11ax - RU484 - Ch.46)



Plot 7-235. ISED PSD Antenna WF5B (80MHz BW 11ax Index 36 - RU26 - Ch.42)



Plot 7-233. ISED PSD Antenna WF5B (80MHz BW 11ax Index 0 - RU26 - Ch.42)




Plot 7-236. ISED PSD Antenna WF5B (80MHz BW 11ax - RU996 - Ch.42)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 120 of 452
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 138 of 453






Plot 7-237. ISED PSD Antenna WF5B (160MHz BW 11ax Index 37 - RU52 - Ch.50 (L))



Plot 7-238. ISED PSD Antenna WF5B (160MHz BW 11ax Index 52 - RU52 - Ch.50 (L))



Plot 7-239. ISED PSD Antenna WF5B (160MHz BW 11ax - RU996x2 - Ch.50)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 120 of 452
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 139 of 453



Antenna WF8 Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]		
				26	0	12.5/14.7 (MCS11)	7.92	11.0	-3.08		
	5180	36	ax (20MHz)	26	4	12.5/14.7 (MCS11)	7.86	11.0	-3.14		
				26	8	12.5/14.7 (MCS11)	8.18	11.0	-2.82		
				26	0	12.5/14.7 (MCS11)	8.02	11.0	-2.98		
	5200	40	ax (20MHz)	26	4	12.5/14.7 (MCS11)	7.64	11.0	-3.36		
				26	8	12.5/14.7 (MCS11)	8.11	11.0	-2.89		
		48				26	0	12.5/14.7 (MCS11)	8.15	11.0	-2.85
_	5240		ax (20MHz)	26	4	12.5/14.7 (MCS11)	7.70	11.0	-3.30		
Band 1				26	8	12.5/14.7 (MCS11)	8.37	11.0	-2.63		
Bar					26	0	12.5/14.7 (MCS11)	7.95	11.0	-3.05	
	5190	38	ax (40MHz)	26	8	12.5/14.7 (MCS11)	8.51	11.0	-2.49		
				26	17	12.5/14.7 (MCS11)	8.05	11.0	-2.95		
				26	0	12.5/14.7 (MCS11)	7.52	11.0	-3.48		
	5230	46	46 ax (40MHz)	26	8	12.5/14.7 (MCS11)	8.32	11.0	-2.68		
				26	17	12.5/14.7 (MCS11)	8.01	11.0	-2.99		
				26	0	12.5/14.7 (MCS11)	8.13	11.0	-2.87		
	5210	42	ax (80MHz)	26	18	12.5/14.7 (MCS11)	7.30	11.0	-3.70		
					26	36	12.5/14.7 (MCS11)	7.99	11.0	-3.01	

Table 7-174. Bands 1 Power Spectral Density Measurements Antenna WF8 (RU26)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 440 of 452
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 140 of 453



	Frequency	Channel	802.11				Measured Power	Max Power	Margin				
	[MHz]	No.	MODE	RU Size	RU Index	Data Rate [Mbps]	Density	Density	[dB]				
	[IVITIZ]	NO.	IVIODE				[dBm/MHz]	[dBm/MHz]	[ub]				
D /		FO (L)		52	37	25/29.4 (MCS11)	6.12	11.0	-4.88				
Band 1/2A	5250	50 (L)	ax (160MHz)	52	52	25/29.4 (MCS11)	5.51	11.0	-5.49				
ш ,		50 (U)		52	52	25/29.4 (MCS11)	6.21	11.0	-4.79				
				52	37	25/29.4 (MCS11)	8.72	11.0	-2.28				
	5260	52	ax (20MHz)	52	38	25/29.4 (MCS11)	8.45	11.0	-2.55				
				52	40	25/29.4 (MCS11)	8.53	11.0	-2.47				
				52	37	25/29.4 (MCS11)	8.79	11.0	-2.21				
	5300	60	ax (20MHz)	52	38	25/29.4 (MCS11)	9.01	11.0	-1.99				
				52	40	25/29.4 (MCS11)	8.71	11.0	-2.29				
				52	37	25/29.4 (MCS11)	8.92	11.0	-2.09				
_	5320	64	ax (20MHz)	52	38	25/29.4 (MCS11)	8.86	11.0	-2.14				
Band 2A			, ,	52	40	25/29.4 (MCS11)	8.60	11.0	-2.40				
auc				52	37	25/29.4 (MCS11)	8.37	11.0	-2.63				
<u>α</u>	5270	54	ax (40MHz)	52	40	25/29.4 (MCS11)	8.65	11.0	-2.36				
			,	52	44	25/29.4 (MCS11)	7.99	11.0	-3.01				
				52	37	25/29.4 (MCS11)	8.55	11.0	-2.45				
	5310	62	ax (40MHz)	52	40	25/29.4 (MCS11)	8.79	11.0	-2.21				
			, ,	52	44	25/29.4 (MCS11)	8.02	11.0	-2.98				
				52	37	25/29.4 (MCS11)	8.21	11.0	-2.79				
	5290	58	ax (80MHz)	52	44	25/29.4 (MCS11)	8.33	11.0	-2.67				
			(52	52	25/29.4 (MCS11)	8.45	11.0	-2.55				
				52	37	25/29.4 (MCS11)	8.57	11.0	-2.43				
	5500	100	ax (20MHz)	52	38	25/29.4 (MCS11)	8.70	11.0	-2.30				
		100	.00	.00	.00		GS (2011 L)	52	40	25/29.4 (MCS11)	8.40	11.0	-2.60
							52	37	25/29.4 (MCS11)	8.80	11.0	-2.20	
	5580	5580 116	116	116	116	ax (20MHz)	52	38	25/29.4 (MCS11)	9.05	11.0	-1.95	
						GS (2011 L)	52	40	25/29.4 (MCS11)	8.84	11.0	-2.16	
				52	37	25/29.4 (MCS11)	8.87	11.0	-2.13				
	5720 14	144	ax (20MHz)	52	38	25/29.4 (MCS11)	8.99	11.0	-2.02				
		0.20	1-1-4	1	144	GS (2011 L)	52	40	25/29.4 (MCS11)	8.82	11.0	-2.19	
				52	37	25/29.4 (MCS11)	8.08	11.0	-2.92				
	5510	102	ax (40MHz)	52	40	25/29.4 (MCS11)	7.49	11.0	-3.51				
	0010	102	an (Total IZ)	52	44	25/29.4 (MCS11)	7.40	11.0	-3.60				
				52	37	25/29.4 (MCS11)	8.34	11.0	-2.66				
	5550	110	ax (40MHz)	52	40	25/29.4 (MCS11)	8.88	11.0	-2.12				
22	0000	'''	an (Total IZ)	52	44	25/29.4 (MCS11)	8.67	11.0	-2.33				
Band 2C				52	37	25/29.4 (MCS11) 25/29.4 (MCS11)	8.35	11.0	-2.65				
Ba	5710	142	ax (40MHz)	52	40	25/29.4 (MCS11) 25/29.4 (MCS11)	9.36	11.0	-1.64				
	0.10	1.72	ωλ (101VII 12)	52	44	25/29.4 (MCS11) 25/29.4 (MCS11)	8.16	11.0	-2.84				
			1	52	37	25/29.4 (MCS11) 25/29.4 (MCS11)	7.49	11.0	-3.51				
	5530	106	av (80MHz)	52	44	25/29.4 (MCS11)	7.04	11.0	-3.96				
	3330 100	ax (80MHz)	52	52	25/29.4 (MCS11) 25/29.4 (MCS11)	7.20	11.0	-3.80					
	5610*			52	37	25/29.4 (MCS11) 25/29.4 (MCS11)	8.64	11.0	-2.36				
		122	ax (80MHz)	52	44	25/29.4 (MCS11) 25/29.4 (MCS11)	8.52	11.0	-2.48				
		122	ax (ooivii iz)	52	52	25/29.4 (MCS11) 25/29.4 (MCS11)	8.67	11.0	-2.46				
				52	37	25/29.4 (MCS11) 25/29.4 (MCS11)	8.25	11.0	-2.75				
	5690	138	ax (80MHz)	52	44	25/29.4 (MCS11) 25/29.4 (MCS11)	8.80	11.0	-2.75				
	5030	130	ax (ooivii iz)	52	52	25/29.4 (MCS11) 25/29.4 (MCS11)	8.45	11.0	-2.55				
				52	37			11.0	-2.55 -5.48				
	5570*	114 (L)	ax (160MHz)	52	52	25/29.4 (MCS11)	5.52						
	3370	114 (U)	ax (1001VIF12)	52	52	25/29.4 (MCS11) 25/29.4 (MCS11)	5.52 5.99	11.0	-5.48 -5.01				
	L	. ,	D I . 04 . 00		1	ancity Mascurame	1		-5.01				

Table 7-175. Bands 2A, 2C Power Spectral Density Measurements Antenna WF8 (RU52)

^{*}TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dog 4.44 of 450
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 141 of 453



	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
	5180	36	ax (20MHz)	242	61	121.9/143.4 (MCS11)	5.49	11.0	-5.51
_	5200	40	ax (20MHz)	242	61	121.9/143.4 (MCS11)	9.28	11.0	-1.73
<u>5</u>	5240	48	ax (20MHz)	242	61	121.9/143.4 (MCS11)	8.61	11.0	-2.39
Band 1	5190	38	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-1.24	11.0	-12.24
	5230	46	ax (40MHz)	484	65	243.8/286.8 (MCS11)	5.62	11.0	-5.38
	5210	42	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.51	11.0	-15.51
Band 1/2A	5250	50	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-9.05	11.0	-20.05
	5260	52	ax (20MHz)	242	61	121.9/143.4 (MCS11)	8.85	11.0	-2.15
∢	5300	60	ax (20MHz)	242	61	121.9/143.4 (MCS11)	8.75	11.0	-2.25
Band 2A	5320	64	ax (20MHz)	242	61	121.9/143.4 (MCS11)	5.13	11.0	-5.87
ă	5270	54	ax (40MHz)	484	65	243.8/286.8 (MCS11)	5.46	11.0	-5.54
ш	5310	62	ax (40MHz)	484	65	243.8/286.8 (MCS11)	0.33	11.0	-10.67
	5290	58	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-3.73	11.0	-14.73
	5500	100	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.32	11.0	-6.68
	5580	116	ax (20MHz)	242	61	121.9/143.4 (MCS11)	8.62	11.0	-2.38
	5720	144	ax (20MHz)	242	61	121.9/143.4 (MCS11)	8.84	11.0	-2.16
ပ	5510	102	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-1.57	11.0	-12.57
Band 2C	5550	110	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.06	11.0	-6.95
gan	5710	142	ax (40MHz)	484	65	243.8/286.8 (MCS11)	6.11	11.0	-4.89
ш	5530	106	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-3.58	11.0	-14.58
	5610*	122	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-0.83	11.0	-11.83
	5690	138	ax (80MHz)	996	67	510.4/600.5 (MCS11)	3.09	11.0	-7.91
	5570*	114	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-8.72	11.0	-19.72


Table 7-176. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna WF8 (Fully-loaded RU)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 440 of 450
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 142 of 453


^{*}TDWR channel is not supported for ISED (denoted by a * next to the frequency)














Plot 7-244 PSD Antenna WF8 (40MHz BW 11ax Index 0 - RU26 - Ch 46)





Plot 7-245. PSD Antenna WF8 (40MHz BW 11ax Index 8 - RU26 - Ch.46)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 442 of 452
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 143 of 453


enter 5.23000 GHz Res BW 1.0 MHz


Freq Offse
















Plot 7-247 PSD Antenna WF8 (40MHz BW 11ax - RU484 - Ch 46)

Plot 7-250, PSD Antenna WF8 (80MHz BW 11ax Index 36 - RU26 - Ch 42)





Plot 7-248. PSD Antenna WF8 (80MHz BW 11ax Index 0 - RU26 - Ch.42)


Plot 7-251. PSD Antenna WF8 (80MHz BW 11ax - RU996 - Ch.42)


FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 444 of 452
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 144 of 453















Plot 7-253, PSD Antenna WF8 (160MHz BW 11ax Index 52 - RU52 - Ch.50 (L))

Plot 7-256. PSD Antenna WF8 (20MHz BW 11ax Index 37 - RU52 - Ch.60)





Plot 7-254. PSD Antenna WF8 (160MHz BW 11ax Index 52 - RU52 - Ch.50- (U))

Plot 7-257. PSD Antenna WF8 (20MHz BW 11ax Index 38 - RU52 - Ch.60)


FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dog 4.45 of 450
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 145 of 453


















#VBW 3.0 MHz*

enter 5.30000 GHz Res BW 1.0 MHz







Plot 7-260. PSD Antenna WF8 (40MHz BW 11ax Index 37 - RU52 - Ch.54)

Plot 7-263. PSD Antenna WF8 (40MHz BW 11ax - RU484 - Ch.54)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 4.40 of 452
1C2311270069-12-R1.BCG	1/8/2024 - 3/23/2024	Tablet Device	Page 146 of 453